

BIBLIOGRAPHY

- Abbatt, J., C. George, M. Melamed, P. Monks, S. Pandis, and Y. Rudich (2014). “New directions: Fundamentals of atmospheric chemistry: Keeping a three-legged stool balanced”. In: *Atmos. Environ.* 84, pp. 390–391. DOI: <http://doi.org/10.1016/j.atmosenv.2013.10.025>.
- Adeniji, S. A., J. A. Kerr, and M. R. Williams (1981). “Rate constants for ozone–alkene reactions under atmospheric conditions”. In: *Int. J. Chem. Kinetics* 13.2, pp. 209–217. DOI: 10.1002/kin.550130210.
- Adler, T. B., G. Knizia, and H.-J. Werner (2007). “A simple and efficient CCSD(T)-F12 approximation”. In: *J. Chem. Phys.* 127.22, p. 221106. DOI: 10.1063/1.2817618.
- Aiken, A. C., P. F. DeCarlo, and J. L. Jimenez (2007). “Elemental analysis of organic species with electron ionization high-resolution mass spectrometry.” In: *Anal. Chem.* 79, pp. 8350–8. DOI: 10.1021/ac071150w.
- Aiken, A. C., P. F. DeCarlo, J. H. Kroll, D. R. Worsnop, J. A. Huffman, K. S. Docherty, I. M. Ulbrich, C. Mohr, J. R. Kimmel, D. Sueper, Y. Sun, Q. Zhang, A. Trimborn, M. Northway, P. J. Ziemann, M. R. Canagaratna, T. B. Onasch, M. R. Alfarra, A. S. H. Prevot, J. Dommen, J. Duplissy, A. Metzger, U. Baltensperger, and J. L. Jimenez (2008). “O/C and OM/OC ratios of primary, secondary, and ambient organic aerosols with high-resolution time-of-flight aerosol mass spectrometry”. In: *Environ. Sci. Technol.* 42.12, pp. 4478–4485. DOI: 10.1021/es703009q.
- Aljawhary, D., A. K. Y. Lee, and J. P. D. Abbatt (2013). “High-resolution chemical ionization mass spectrometry (ToF-CIMS): Application to study SOA composition and processing”. In: *Atmos. Meas. Tech.* 6.11, pp. 3211–3224. DOI: 10.5194/amt-6-3211-2013.
- Allan, J. D., A. E. Delia, H. Coe, K. N. Bower, M. R. Alfarra, J. L. Jimenez, A. M. Middlebrook, F. Drewnick, T. B. Onasch, and M. R. Canagaratna (2004). “A generalised method for the extraction of chemically resolved mass spectra from Aerodyne aerosol mass spectrometer data”. In: *J. Aerosol Sci.* 35, pp. 909–922.
- An, Z.-W., R. D’Aloisio, and C. Venturello (1992). “A new, facile synthesis of methyltartronic acid”. In: *Synthesis*, pp. 273–275.
- Anglada, J. M., J. Gonzalez, and M. Torrent-Sucarrat (2011). “Effects of the substituents on the reactivity of carbonyl oxides. A theoretical study on the reaction of substituted carbonyl oxides with water”. In: *Phys. Chem. Chem. Phys.* 13 (28), pp. 13034–13045. DOI: 10.1039/C1CP20872A.
- Anglada, J. M., J. M. Bofill, S. Olivella, and A. Solé (1996). “Unimolecular isomerizations and oxygen atom loss in formaldehyde and acetaldehyde carbonyl oxides:

- A theoretical investigation". In: *J. Am. Chem. Soc.* 118.19, pp. 4636–4647. DOI: 10.1021/ja953858a.
- Apel, E. C., J. R. Olson, J. H. Crawford, R. S. Hornbrook, A. J. Hills, C. A. Cantrell, L. K. Emmons, D. J. Knapp, S. Hall, R. L. Mauldin Iii, A. J. Weinheimer, A. Fried, D. R. Blake, J. D. Crouse, J. M. S. Clair, P. O. Wennberg, G. S. Diskin, H. E. Fuelberg, A. Wisthaler, T. Mikoviny, W. Brune, and D. D. Riemer (2012). "Impact of the deep convection of isoprene and other reactive trace species on radicals and ozone in the upper troposphere". In: *Atmos. Chem. Phys.* 12.2, pp. 1135–1150. DOI: 10.5194/acp-12-1135-2012.
- Archibald, A. T., M. C. Cooke, S. R. Utembe, D. E. Shallcross, R. G. Derwent, and M. E. Jenkin (2010). "Impacts of mechanistic changes on HOx formation and recycling in the oxidation of isoprene". In: *Atmos. Chem. Phys.* 10.17, pp. 8097–8118.
- Arey, J., S. M. Aschmann, E. S. Kwok, and R. Atkinson (2001). "Alkyl nitrate, hydroxyalkyl nitrate, and hydroxycarbonyl formation from the NOx-air photooxidations of C5-C8 n-alkanes". In: *J. Phys. Chem. A* 105.6, pp. 1020–1027.
- Arnts, R. R. and B. W. G. Jr (1979). *Photochemistry of some naturally emitted hydrocarbons*. Tech. rep. EPA-600/3-79-081. Research Triangle Park, NC: U. S. Environmental Protection Agency.
- Asatryan, R., G. d. Silva, and J. W. Bozzelli (2010). "Quantum chemical study of the acrolein (CH₂CHCHO) + OH + O₂ reactions". In: *J. Phys. Chem. A* 114.32, pp. 8302–8311. DOI: 10.1021/jp104828a.
- Aschmann, S. M., J. Arey, and R. Atkinson (2000). "Formation of beta-hydroxycarbonyls from the OH radical-initiated reactions of selected alkenes". In: *Environ. Sci. Technol.* 34.9, pp. 1702–1706. DOI: 10.1021/es991125a.
- Aschmann, S. M. and R. Atkinson (1994). "Formation yields of methyl vinyl ketone and methacrolein from the gas-phase reaction of O₃ with isoprene". In: *Environ. Sci. Technol.* 28.8, pp. 1539–1542. DOI: 10.1021/es00057a025.
- Atkinson, R. (1997). "Gas-phase tropospheric chemistry of volatile organic compounds: 1. Alkanes and alkenes". In: *J. Phys. Chem. Ref. Data* 26.2, pp. 215–290.
- (2000). "Atmospheric chemistry of VOCs and NOx". In: *Atmos. Environ.* 34.12–14, pp. 2063–2101. DOI: [http://dx.doi.org/10.1016/S1352-2310\(99\)00460-4](http://dx.doi.org/10.1016/S1352-2310(99)00460-4).
- (2007). "Rate constants for the atmospheric reactions of alkoxy radicals: An updated estimation method". In: *Atmos. Environ.* 41.38, pp. 8468–8485. DOI: 10.1016/j.atmosenv.2007.07.002.
- Atkinson, R. and J. Arey (2003a). "Atmospheric degradation of volatile organic compounds". In: *Chem. Rev.* 103.12, pp. 4605–4638.
- (2003b). "Gas-phase tropospheric chemistry of biogenic volatile organic compounds: A review". In: *Atmos. Environ.* 37, pp. 197–219.

- Atkinson, R. and S. M. Aschmann (1993). "Hydroxyl radical production from the gas-phase reactions of ozone with a series of alkenes under atmospheric conditions". In: *Environ. Sci. Technol.* 27.7, pp. 1357–1363. DOI: 10.1021/es00044a010.
- Atkinson, R., S. M. Aschmann, J. Arey, and B. Shorees (1992). "Formation of OH radicals in the gas phase reactions of O₃ with a series of terpenes". In: *J. Geophys. Res. - Atmos.* 97.D5, pp. 6065–6073. DOI: 10.1029/92JD00062.
- Atkinson, R., S. M. Aschmann, and J. N. Pitts (1983). "Kinetics of the gas-phase reactions of OH radicals with a series of alpha,beta-unsaturated carbonyls at 299 +/- 2 K". In: *Int. J. Chem. Kinetics* 15.1, pp. 75–81. DOI: 10.1002/kin.550150108.
- Atkinson, R., S. M. Aschmann, A. M. Winer, and J. N. Pitts (1981). "Rate constants for the gas-phase reactions of O₃ with a series of carbonyls at 296 K". In: *Int. J. Chem. Kinetics* 13.11, pp. 1133–1142. DOI: 10.1002/kin.550131104.
- (1984). "Kinetics of the gas-phase reactions of nitrate radicals with a series of dialkenes, cycloalkenes, and monoterpenes at 295 +/- 1 K". In: *Environ. Sci. Technol.* 18.5, pp. 370–375. DOI: 10.1021/es00123a016.
- Atkinson, R., D. L. Baulch, R. A. Cox, J. N. Crowley, R. F. Hampson, R. G. Hynes, M. E. Jenkin, M. J. Rossi, and J. Troe (2006). "Evaluated kinetic and photochemical data for atmospheric chemistry: Volume 2: Reactions of organic species". In: *Atmos. Chem. Phys.* 6, pp. 3625–4055.
- Atkinson, R. and A. C. Lloyd (1984). "Evaluation of kinetic and mechanistic data for modeling of photochemical smog". In: *J. Phys. Chem. Ref. Data* 13.2, pp. 315–444. DOI: <http://dx.doi.org/10.1063/1.555710>.
- Atkinson, R., E. C. Tuazon, and S. M. Aschmann (1995). "Products of the gas-phase reactions of O₃ with alkenes". In: *Environ. Sci. Technol.* 29.7, pp. 1860–1866. DOI: 10.1021/es00007a025.
- Atkinson, R., A. Winer, and J. Pitts (1982). "Rate constants for the gas phase reactions of O₃ with the natural hydrocarbons isoprene and alpha- and beta-pinene". In: *Atmos. Environ.* 16.5, pp. 1017–1020. DOI: [http://dx.doi.org/10.1016/0004-6981\(82\)90187-1](http://dx.doi.org/10.1016/0004-6981(82)90187-1).
- Aumont, B., S. Szopa, and S. Madronich (2005). "Modelling the evolution of organic carbon during its gas-phase tropospheric oxidation: Development of an explicit model based on a self generating approach". In: *Atmos. Chem. Phys.* 5.9, pp. 2497–2517. DOI: 10.5194/acp-5-2497-2005.
- Avzianova, E. V. and P. A. Ariya (2002). "Temperature-dependent kinetic study for ozonolysis of selected tropospheric alkenes". In: *Int. J. Chem. Kinetics* 34.12, pp. 678–684. DOI: 10.1002/kin.10093.
- Azizi, N. and M. R. Saidi (2005). "Highly chemoselective addition of amines to epoxides in water". In: *Org. Lett.* 7.17, pp. 3649–3651. DOI: 10.1021/ol051220q.

- Bakwin, P. S., S. C. Wofsy, and S.-M. Fan (1990a). "Measurements of reactive nitrogen oxides (NO_y) within and above a tropical forest canopy in the wet season". In: *J. Geophys. Res. - Atmos.* 95.D10, pp. 16765–16772. DOI: 10.1029/JD095iD10p16765.
- Bakwin, P. S., S. C. Wofsy, S.-M. Fan, M. Keller, S. E. Trumbore, and J. M. Da Costa (1990b). "Emission of nitric oxide (NO) from tropical forest soils and exchange of NO between the forest canopy and atmospheric boundary layers". In: *J. Geophys. Res. - Atmos.* 95.D10, pp. 16755–16764. DOI: 10.1029/JD095iD10p16755.
- Barket, D. J., J. W. Grossenbacher, J. M. Hurst, P. B. Shepson, K. Olszyna, T. Thornberry, M. A. Carroll, J. Roberts, C. Stroud, J. Bottenheim, and T. Biesenthal (2004). "A study of the NO_x dependence of isoprene oxidation". In: *J. Geophys. Res. - Atmos.* 109.D11. DOI: 10.1029/2003JD003965.
- Barnes, I., K. H. Becker, and T. Zhu (1993). "Near UV absorption spectra and photolysis products of difunctional organic nitrates: Possible importance as NO_x reservoirs". In: *Atmos. Chem.* 17, pp. 353–373. DOI: 10.1007/BF00696854.
- Barnes, I., V. Bastian, K. H. Becker, and Z. Tong (1990). "Kinetics and products of the reactions of nitrate radical with monoalkenes, dialkenes, and monoterpenes". In: *J. Phys. Chem.* 94.6, pp. 2413–2419.
- Bateman, A. P., S. A. Nizkorodov, J. Laskin, and A. Laskin (2010). "High-resolution electrospray ionization mass spectrometry analysis of water-soluble organic aerosols collected with a particle into liquid sampler". In: *Anal. Chem.* 82.19, pp. 8010–8016. DOI: 10.1021/ac1014386.
- Bates, K. H., J. D. Crouse, J. M. St Clair, N. B. Bennett, T. B. Nguyen, J. H. Seinfeld, B. M. Stoltz, and P. O. Wennberg (2014). "Gas phase production and loss of isoprene epoxydiols". In: *J. Phys. Chem. A* 118.7, pp. 1237–46. DOI: 10.1021/jp4107958.
- Bates, K. H., T. B. Nguyen, A. P. Teng, J. D. Crouse, H. G. Kjaergaard, B. M. Stoltz, J. H. Seinfeld, and P. O. Wennberg (2016). "Production and fate of C₄ dihydroxycarbonyl compounds from isoprene oxidation". In: *J. Phys. Chem. A* 120.1, pp. 106–117. DOI: 10.1021/acs.jpca.5b10335.
- Beaver, M., J. St Clair, F. Paulot, K. Spencer, J. Crouse, B. LaFranchi, K. Min, S. Pusede, P. Wooldridge, G. Schade, *et al.* (2012). "Importance of biogenic precursors to the budget of organic nitrates: Observations of multifunctional organic nitrates by CIMS and TD-LIF during BEARPEX 2009". In: *Atmos. Chem. Phys.* 12.13, pp. 5773–5785.
- Becker, K. H., J. Bechara, and K. J. Brockmann (1993). "Studies on the formation of H₂O₂ in the ozonolysis of alkenes". In: *Atmos. Environ.* 27.1, pp. 57–61. DOI: [http://dx.doi.org/10.1016/0960-1686\(93\)90070-F](http://dx.doi.org/10.1016/0960-1686(93)90070-F).
- Becker, K. H., K. J. Brockmann, and J. Bechara (1990). "Production of hydrogen peroxide in forest air by reaction of ozone with terpenes". In: *Nature* 346.6281, pp. 256–258.

- Bedjanian, Y., L. Gerard, and B. Georges Le (1998). “Low-pressure study of the reaction of Cl atoms with isoprene”. In: *J. Phys. Chem. A* 102.6, pp. 953–959. doi: 10.1021/jp973336c.
- Behnke, W., C. George, V. Scheer, and C. Zetzsch (1997). “Production and decay of ClNO₂ from the reaction of gaseous N₂O₅ with NaCl solution: Bulk and aerosol experiments”. In: *J. Geophys. Res. - Atmos.* 102.D3, pp. 3795–3804. doi: 10.1029/96JD03057.
- Bell, M. L., R. D. Peng, and F. Dominici (2006). “The exposure–response curve for ozone and risk of mortality and the adequacy of current ozone regulations”. In: *Environ. Health Perspectives* 114.4, pp. 532–536. doi: 10.1289/ehp.8816.
- Benson, S. W. and R. Shaw (1968). “Thermochemistry of Oxidation Reactions”. In: *Oxidation of Organic Compounds*. Ed. by F. R. Mayo. American Chemical Society, pp. 288–294. doi: 10.1021/ba-1968-0075.ch022.
- Benter, T. and R. N. Schindler (1988). “Absolute rate coefficients for the reaction of NO₃ radicals with simple dienes”. In: *Chem. Phys. Lett.* 145.1, pp. 67–70. doi: [http://dx.doi.org/10.1016/0009-2614\(88\)85134-0](http://dx.doi.org/10.1016/0009-2614(88)85134-0).
- Berndt, T. (2012). “Formation of carbonyls and hydroperoxyenals (HPALDs) from the OH radical reaction of isoprene for low-NO_x conditions: Influence of temperature and water vapour content”. In: *J. Atmos. Chem.* 69.4, pp. 253–272. doi: 10.1007/s10874-012-9245-2.
- Berndt, T. and O. Boge (1997). “Gas-phase reaction of NO₃ radicals With isoprene: A kinetic and mechanistic study”. In: *Int. J. Chem. Kinetics* 29, pp. 755–765.
- Berndt, T., H. Herrmann, M. Sipilä, and M. Kulmala (2016). “Highly oxidized second-generation products from the gas-phase reaction of OH radicals with isoprene”. In: *J. Phys. Chem. A*. doi: 10.1021/acs.jpca.6b10987.
- Berndt, T., J. Voigtlander, F. Stratmann, H. Junninen, R. L. Mauldin III, M. Sipilä, M. Kulmala, and H. Herrmann (2014). “Competing atmospheric reactions of CH₂OO with SO₂ and water vapour”. In: *Phys. Chem. Chem. Phys.* 16 (36), pp. 19130–19136. doi: 10.1039/C4CP02345E.
- Berner, A. H., C. S. Bretherton, and R. Wood (2011). “Large-eddy simulation of mesoscale dynamics and entrainment around a pocket of open cells observed in VOCALS-REx RF06”. In: *Atmos. Chem. Phys.* 11.20, pp. 10525–10540. doi: 10.5194/acp-11-10525-2011.
- Bernhammer, A. K., M. Breitenlechner, F. N. Keutsch, and A. Hansel (2017). “Technical note: Conversion of isoprene hydroxy hydroperoxides (ISOPOOHs) on metal environmental simulation chamber walls”. In: *Atmos. Chem. Phys.* 17.6, pp. 4053–4062. doi: 10.5194/acp-17-4053-2017.
- Bertman, S. B. and J. M. Roberts (1991). “A PAN analog from isoprene photooxidation”. In: *Geophys. Res. Lett.* 18.8, pp. 1461–1464. doi: 10.1029/91GL01852.

- Bertram, A. K., S. T. Martin, S. J. Hanna, M. L. Smith, A. Bodsworth, Q. Chen, M. Kuwata, A. Liu, Y. You, and S. R. Zorn (2011). "Predicting the relative humidities of liquid-liquid phase separation, efflorescence, and deliquescence of mixed particles of ammonium sulfate, organic material, and water using the organic-to-sulfate mass ratio of the particle and the oxygen-to-carbon elemental ratio of the organic component". In: *Atmos. Chem. Phys.* 11.21, pp. 10995–11006. DOI: 10.5194/acp-11-10995-2011.
- Bey, I., D. J. Jacob, R. M. Yantosca, J. A. Logan, B. Field, A. M. Fiore, Q. Li, H. Liu, L. J. Mickley, and M. Schultz (2001). "Global modeling of tropospheric chemistry with assimilated meteorology: Model description and evaluation". In: *J. Geophys. Res.* 106, pp. 23073–23096.
- Biesenthal, T. A., J. W. Bottenheim, P. B. Shepson, S.-M. Li, and P. C. Brickell (1998). "The chemistry of biogenic hydrocarbons at a rural site in eastern Canada". In: *J. Geophys. Res. - Atmos.* 103.D19, pp. 25487–25498. DOI: 10.1029/98JD01848.
- Biesenthal, T. A. and P. B. Shepson (1997). "Observations of anthropogenic inputs of the isoprene oxidation products methyl vinyl ketone and methacrolein to the atmosphere". In: *Geophys. Res. Lett.* 24.11, pp. 1375–1378. DOI: 10.1029/97GL01337.
- Birdsall, A. W., C. A. Zentner, and M. J. Elrod (2013). "Study of the kinetics and equilibria of the oligomerization reactions of 2-methylglyceric acid". In: *Atmos. Chem. Phys.* 13.6, pp. 3097–3109. DOI: 10.5194/acp-13-3097-2013.
- Bischofberger, N., H. Waldmann, T. Saito, E. S. Simon, W. Lees, M. D. Bednarski, and G. M. Whitesides (1988). "Synthesis of analogues of 1,3-dihydroxyacetone phosphate and glyceraldehyde 3-phosphate for use in studies of fructose-1,6-diphosphate aldolase". In: *J. Org. Chem.* 53, pp. 3457–3465.
- Biskos, G., D. Paulsen, L. M. Russell, P. R. Buseck, and S. T. Martin (2006). "Prompt deliquescence and efflorescence of aerosol nanoparticles". In: *Atmos. Chem. Phys.* 6.12, pp. 4633–4642. DOI: 10.5194/acp-6-4633-2006.
- Bones, D. L., D. K. Henricksen, S. A. Mang, M. Gonsior, A. P. Bateman, T. B. Nguyen, W. J. Cooper, and S. A. Nizkorodov (2010). "Appearance of strong absorbers and fluorophores in limonene-O₃ secondary organic aerosol due to NH₄⁺-mediated chemical aging over long time scales". In: *J. Geophys. Res.* 115, p. D05203.
- Bouzidi, H., C. Fittschen, P. Coddeville, and A. Tomas (2014). "Photolysis of 2,3-pentanedione and 2,3-hexanedione: Kinetics, quantum yields, and product study in a simulation chamber". In: *Atmos. Environ.* 82, pp. 250–257.
- Boyd, A. A., P.-M. Flaud, N. Daugey, and R. Lesclaux (2003). "Rate constants for RO₂ + HO₂ reactions measured under a large excess of HO₂". In: *J. Phys. Chem. A* 107.6, pp. 818–821. DOI: 10.1021/jp026581r.

- Braña, P. and J. A. Sordo (2001). “Mechanistic aspects of the abstraction of an allylic hydrogen in the chlorine atom reaction with 2-methyl-1,3-butadiene (isoprene)”. In: *J. Am. Chem. Soc.* 123.42, pp. 10348–10353. DOI: 10.1021/ja011302j.
- Bretherton, C. S., R. Wood, R. C. George, D. Leon, G. Allen, and X. Zheng (2010a). “Southeast Pacific stratocumulus clouds, precipitation and boundary layer structure sampled along 20° S during VOCALS-REx”. In: *Atmos. Chem. Phys.* 10.21, pp. 10639–10654. DOI: 10.5194/acp-10-10639-2010.
- Bretherton, C. S. and M. C. Wyant (1997). “Moisture transport, lower-tropospheric stability, and decoupling of cloud-topped boundary layers”. In: *J. Atmos. Sci.* 54.1, pp. 148–167. DOI: 10.1175/1520-0469(1997)054<0148:mtltsa>2.0.co;2.
- Bretherton, C. S., J. Uchida, and P. N. Blossey (2010b). “Slow manifolds and multiple equilibria in stratocumulus-capped boundary layers”. In: *J. Adv. Modeling Earth Systems* 2.4. DOI: 10.3894/JAMES.2010.2.14.
- Brown, S. S., J. A. deGouw, C. Warneke, T. B. Ryerson, W. P. Dubé, E. Atlas, R. J. Weber, R. E. Peltier, J. A. Neuman, J. M. Roberts, A. Swanson, F. Flocke, S. A. McKeen, J. Brioude, R. Sommariva, M. Trainer, F. C. Fehsenfeld, and A. R. Ravishankara (2009). “Nocturnal isoprene oxidation over the Northeast United States in summer and its impact on reactive nitrogen partitioning and secondary organic aerosol”. In: *Atmos. Chem. Phys.* 9.9, pp. 3027–3042. DOI: 10.5194/acp-9-3027-2009.
- Browne, E. C. and R. C. Cohen (2012). “Effects of biogenic nitrate chemistry on the NO_x lifetime in remote continental regions”. In: *Atmos. Chem. Phys.* 12.24, pp. 11917–11932. DOI: 10.5194/acp-12-11917-2012.
- Brune, W. H., P. S. Stevens, and J. H. Mather (1995). “Measuring OH and HO₂ in the troposphere by laser-induced fluorescence at low pressure”. In: *J. Atmos. Sci.* 52.19, pp. 3328–3336. DOI: 10.1175/1520-0469(1995)052<3328:MOAHIT>2.0.CO;2.
- Budisulistiorini, S. H., M. R. Canagaratna, P. L. Croteau, W. J. Marth, K. Baumann, E. S. Edgerton, S. L. Shaw, E. M. Knipping, D. R. Worsnop, J. T. Jayne, A. Gold, and J. D. Surratt (2013). “Real-time continuous characterization of secondary organic aerosol derived from isoprene epoxydiols in downtown Atlanta, Georgia, using the Aerodyne Aerosol Chemical Speciation Monitor”. In: *Environ. Sci. Technol.* 47.11, pp. 5686–5694. DOI: 10.1021/es400023n.
- Burkholder, J. B., S. P. Sander, J. Abbatt, J. R. Barker, R. E. Huie, C. E. Kolb, M. J. Kurylo, V. L. Orkin, D. M. Wilmouth, and P. H. Wine (2015). *Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation No. 18*. Report JPL Publication 15-10. Pasadena: Jet Propulsion Laboratory. URL: <http://jpldataeval.jpl.nasa.gov>.
- Burkholder, J. B., J. P. D. Abbatt, I. Barnes, J. M. Roberts, M. L. Melamed, M. Ammann, A. K. Bertram, C. D. Cappa, A. G. Carlton, L. J. Carpenter, J. N. Crowley, Y. Dubowski, C. George, D. E. Heard, H. Herrmann, F. N. Keutsch, J. H.

- Kroll, V. F. McNeill, N. L. Ng, S. A. Nizkorodov, J. J. Orlando, C. J. Percival, B. Picquet-Varrault, Y. Rudich, P. W. Seakins, J. D. Surratt, H. Tanimoto, J. A. Thornton, Z. Tong, G. S. Tyndall, A. Wahner, C. J. Weschler, K. R. Wilson, and P. J. Ziemann (2017). “The essential role for laboratory studies in atmospheric chemistry”. In: *Environ. Sci. Technol.* 51.5, pp. 2519–2528. DOI: 10.1021/acs.est.6b04947.
- Burleyson, C. D., S. P. de Szoeko, S. E. Yuter, M. Wilbanks, and W. A. Brewer (2013). “Ship-based observations of the diurnal cycle of southeast Pacific marine stratocumulus clouds and precipitation”. In: *J. Atmos. Sci.* 70.12, pp. 3876–3894. DOI: 10.1175/JAS-D-13-01.1.
- Butkovskaya, N. I., A. Kukui, G. Le Bras, M. T. Rayez, and J. C. Rayez (2015). “Pressure dependence of butyl nitrate formation in the reaction of butylperoxy radicals with nitrogen oxide”. In: *J. Phys. Chem. A* 119.19, pp. 4408–4417. DOI: 10.1021/jp509427x.
- Campbell, J. R., J. L. Tackett, J. S. Reid, J. Zhang, C. A. Curtis, E. J. Hyer, W. R. Sessions, D. L. Westphal, J. M. Prospero, E. J. Welton, A. H. Omar, M. A. Vaughan, and D. M. Winker (2012). “Evaluating nighttime CALIOP 0.532 μm aerosol optical depth and extinction coefficient retrievals”. In: *Atmos. Meas. Tech.* 5.9, pp. 2143–2160. DOI: 10.5194/amt-5-2143-2012.
- Canagaratna, M., J. Jayne, J. Jimenez, J. Allan, M. Alfarra, Q. Zhang, T. Onasch, F. Drewnick, H. Coe, A. Middlebrook, A. Delia, L. Williams, A. Trimborn, M. Northway, P. DeCarlo, C. Kolb, P. Davidovits, and D. Worsnop (2007). “Chemical and microphysical characterization of ambient aerosols with the aerodyne aerosol mass spectrometer”. In: *Mass Spec. Rev.* 26.2, pp. 185–222. DOI: 10.1002/mas.20115.
- Canosa-Mas, C. E., S. Carr, M. D. King, D. E. Shallcross, K. C. Thompson, and R. P. Wayne (1999a). “A kinetic study of the reactions of NO_3 with methyl vinyl ketone, methacrolein, acrolein, methyl acrylate and methyl methacrylate”. In: *Phys. Chem. Chem. Phys.* 1 (18), pp. 4195–4202. DOI: 10.1039/A904613E.
- Canosa-Mas, C. E., M. D. King, D. E. Shallcross, and R. P. Wayne (1999b). “Kinetic investigation of the reaction between the NO_3 radical and peroxyacetylnitric anhydride (MPAN)”. In: *Phys. Chem. Chem. Phys.* 1.10, pp. 2411–2414. DOI: 10.1039/A901576K.
- Carlton, A. G. and B. J. Turpin (2013). “Particle partitioning potential of organic compounds is highest in the Eastern US and driven by anthropogenic water”. In: *Atmos. Chem. Phys.* 13.20, pp. 10203–10214. DOI: 10.5194/acp-13-10203-2013.
- Carlton, A. G., C. Wiedinmyer, and J. H. Kroll (2009). “A review of secondary organic aerosol (SOA) formation from isoprene”. In: *Atmos. Chem. Phys.* 9.14, pp. 4987–5005. DOI: 10.5194/acp-9-4987-2009.

- Carlton, A. G., B. J. Turpin, H.-J. Lim, K. E. Altieri, and S. Seitzinger (2006). “Link between isoprene and secondary organic aerosol (SOA): Pyruvic acid oxidation yields low volatility organic acids in clouds”. In: *Geophys. Res. Lett.* 33.6. doi: 10.1029/2005GL025374.
- Carter, W. P. L. (1996). “Condensed atmospheric photooxidation mechanisms For isoprene”. In: *Atmos. Environ.* 30, pp. 4275–4290.
- (2010). “Development of the SAPRC-07 chemical mechanism”. In: *Atmos. Environ.* 44, pp. 5324–5335.
- Carter, W. P. L. and R. Atkinson (1985). “Atmospheric chemistry of alkanes”. In: *J. Atmos. Chem.* 3.3, pp. 377–405. doi: 10.1007/BF00122525.
- (1989). “Alkyl nitrate formation from the atmospheric photooxidation of alkanes: A revised estimation method”. In: *J. Atmos. Chem.* 8 (2), pp. 165–173.
- Carter, W. P. L., D. R. Cocker Iii, D. R. Fitz, I. L. Malkina, K. Bumiller, C. G. Sauer, J. T. Pisano, C. Bufalino, and C. Song (2005). “A new environmental chamber for evaluation of gas-phase chemical mechanisms and secondary aerosol formation”. In: *Atmos. Environ.* 39.40, pp. 7768–7788. doi: <http://doi.org/10.1016/j.atmosenv.2005.08.040>.
- Cassanelli, P., D. J. Fox, and R. A. Cox (2007). “Temperature dependence of pentyl nitrate formation from the reaction of pentyl peroxy radicals with NO”. In: *Phys. Chem. Chem. Phys.* 9 (31), pp. 4332–4337. doi: 10.1039/B700285H.
- Chai, J.-D. and M. Head-Gordon (2008). “Long-range corrected hybrid density functionals with damped atom-atom dispersion corrections”. In: *Phys. Chem. Chem. Phys.* 10.44, pp. 6615–6620. doi: 10.1039/B810189B.
- Chameides, W. L., P. S. Kasibhatla, J. Yienger, and H. Levy (1994). “Growth of continental-scale metro-agro-plexes, regional ozone pollution, and world food production”. In: *Science* 264.5155, p. 74.
- Chameides, W. L., R. W. Lindsay, J. Richardson, and C. S. Kiang (1988). “The role of biogenic hydrocarbons in urban photochemical smog: Atlanta as a case study”. In: *Science* 241.4872, pp. 1473–1475.
- Chan, A. W. H., M. N. Chan, J. D. Surratt, P. S. Chhabra, C. L. Loza, J. D. Crouse, L. D. Yee, R. C. Flagan, P. O. Wennberg, and J. H. Seinfeld (2010a). “Role of aldehyde chemistry and NO_x concentrations in secondary organic aerosol formation”. In: *Atmos. Chem. Phys.* 10.15, pp. 7169–7188. doi: 10.5194/acp-10-7169-2010.
- Chan, M. N., J. D. Surratt, A. W. H. Chan, K. Schilling, J. H. Offenberg, M. Lewandowski, E. O. Edney, T. E. Kleindienst, M. Jaoui, E. S. Edgerton, R. L. Tanner, S. L. Shaw, M. Zheng, E. M. Knipping, and J. H. Seinfeld (2011). “Influence of aerosol acidity on the chemical composition of secondary organic aerosol from beta-caryophyllene”. In: *Atmos. Chem. Phys.* 11.4, pp. 1735–1751. doi: 10.5194/acp-11-1735-2011.

- Chan, M. N., J. D. Surratt, M. Claeys, E. S. Edgerton, R. L. Tanner, S. L. Shaw, M. Zheng, E. M. Knipping, N. C. Eddingsaas, P. O. Wennberg, and J. H. Seinfeld (2010b). "Characterization and quantification of isoprene-derived epoxydiols in ambient aerosol in the southeastern United States". In: *Environ. Sci. Technol.* 44, pp. 4590–4596.
- Chao, W., J.-T. Hsieh, C.-H. Chang, and J. J.-M. Lin (2015). "Direct kinetic measurement of the reaction of the simplest Criegee intermediate with water vapor". In: *Science* 347.6223, pp. 751–754. DOI: 10.1126/science.1261549.
- Chen, Q., D. K. Farmer, L. V. Rizzo, T. Pauliquevis, M. Kuwata, T. G. Karl, A. Guenther, J. D. Allan, H. Coe, M. O. Andreae, U. Pöschl, J. L. Jimenez, P. Artaxo, and S. T. Martin (2015). "Submicron particle mass concentrations and sources in the Amazonian wet season (AMAZE-08)". In: *Atmos. Chem. Phys.* 15.7, pp. 3687–3701. DOI: 10.5194/acp-15-3687-2015.
- Chen, Q., D. K. Farmer, J. Schneider, S. R. Zorn, C. L. Heald, T. G. Karl, A. Guenther, J. D. Allan, N. Robinson, H. Coe, J. R. Kimmel, T. Pauliquevis, S. Borrmann, U. Pöschl, M. O. Andreae, P. Artaxo, J. L. Jimenez, and S. T. Martin (2009). "Mass spectral characterization of submicron biogenic organic particles in the Amazon Basin". In: *Geophys. Res. Lett.* 36.20. DOI: 10.1029/2009GL039880.
- Chen, X., D. Hulbert, and P. B. Shepson (1998). "Measurement of the organic nitrate yield from OH reaction with isoprene". In: *J. Geophys. Res. - Atmos.* 103.D19, pp. 25563–25568.
- Chew, A. A., R. Atkinson, and S. M. Aschmann (1998). "Kinetics of the gas-phase reactions of NO₃ radicals with a series of alcohols, glycol ethers, ethers and chloroalkenes". In: *J. Chem. Soc. Faraday Trans.* 94 (8), pp. 1083–1089. DOI: 10.1039/A708183I.
- Chew, A. A. and R. Atkinson (1996). "OH radical formation yields from the gas-phase reactions of O₃ with alkenes and monoterpenes". In: *J. Geophys. Res. - Atmos.* 101.D22, pp. 28649–28653. DOI: 10.1029/96JD02722.
- Chhabra, P. S., R. C. Flagan, and J. H. Seinfeld (2010). "Elemental analysis of chamber organic aerosol using an aerodyne high-resolution aerosol mass spectrometer". In: *Atmos. Chem. Phys.* 10.9, pp. 4111–4131. DOI: 10.5194/acp-10-4111-2010.
- Chhabra, P. S., N. L. Ng, M. R. Canagaratna, A. L. Corrigan, L. M. Russell, D. R. Worsnop, R. C. Flagan, and J. H. Seinfeld (2011). "Elemental composition and oxidation of chamber organic aerosol". In: *Atmos. Chem. Phys.* 11.17, pp. 8827–8845. DOI: 10.5194/acp-11-8827-2011.
- Christoffersen, T. S., J. Hjorth, O. Horie, N. R. Jensen, D. Kotzias, L. L. Molander, P. Neeb, L. Ruppert, R. Winterhalter, A. Virkkula, K. Wirtz, and B. R. Larsen (1998). "cis-pinic acid, a possible precursor for organic aerosol formation from ozonolysis of alpha-pinene". In: *Atmos. Environ.* 32.10, pp. 1657–1661. DOI: [http://dx.doi.org/10.1016/S1352-2310\(97\)00448-2](http://dx.doi.org/10.1016/S1352-2310(97)00448-2).

- Chuong, B. and P. S. Stevens (2002). “Measurements of the kinetics of the OH-initiated oxidation of isoprene”. In: *J. Geophys. Res. - Atmos.* 107.D13. DOI: 10.1029/2001JD000865.
- (2003). “Kinetics of the OH + methyl vinyl ketone and OH + methacrolein reactions at low pressure”. In: *J. Phys. Chem. A* 107.13, pp. 2185–2191. DOI: 10.1021/jp026036q.
- (2004). “Measurements of the kinetics of the OH-initiated oxidation of methyl vinyl ketone and methacrolein”. In: *Int. J. Chem. Kinetics* 36.1, pp. 12–25. DOI: 10.1002/kin.10167.
- Claeys, M., B. Graham, G. Vas, W. Wang, R. Vermeylen, V. Pashynska, J. Cafmeyer, P. Guyon, M. O. Andreae, P. Artaxo, and W. Maenhaut (2004). “Formation of secondary organic aerosols through photooxidation of isoprene.” In: *Science* 303, pp. 1173–6. DOI: 10.1126/science.1092805.
- Clark, C. H., S. Nakao, A. Asa-Awuku, K. Sato, and D. R. Cocker (2013). “Real-time study of particle-phase products from alpha-pinene ozonolysis and isoprene photooxidation using particle into liquid sampling directly coupled to a time-of-flight mass spectrometer (PILS-ToF)”. In: *Aerosol Sci. Technol.* 47.12, pp. 1374–1382. DOI: 10.1080/02786826.2013.844333.
- Clayden, J., N. Greeves, S. G. Warren, and P. Wothers (2001). *Organic Chemistry*. Oxford, UK: Oxford University Press, p. 386.
- Clegg, S. L., P. Brimblecombe, and A. S. Wexler (1998). “Thermodynamic model of the system H⁺-NH₄⁺-SO₄²⁻-NO₃⁻-H₂O at tropospheric temperatures”. In: *J. Phys. Chem. A* 102.12, pp. 2137–2154. DOI: 10.1021/jp973042r.
- Coakley, J. A., P. A. Durkee, K. Nielsen, J. P. Taylor, S. Platnick, B. A. Albrecht, D. Babb, F. L. Chang, W. R. Tahnk, C. S. Bretherton, and P. V. Hobbs (2000). “The appearance and disappearance of ship tracks on large spatial scales”. In: *J. Atmos. Sci.* 57.16, pp. 2765–2778. DOI: 10.1175/1520-0469(2000)057<2765:TAADOS>2.0.CO;2.
- Cocker, D. R., R. C. Flagan, and J. H. Seinfeld (2001). “State-of-the-art chamber facility for studying atmospheric aerosol chemistry”. In: *Environ. Sci. Technol.* 35.12, pp. 2594–2601. DOI: 10.1021/es0019169.
- Coggon, M. M., A. Sorooshian, Z. Wang, J. S. Craven, A. R. Metcalf, J. J. Lin, A. Nenes, H. H. Jonsson, R. C. Flagan, and J. H. Seinfeld (2014). “Observations of continental biogenic impacts on marine aerosol and clouds off the coast of California”. In: *J. Geophys. Res. - Atmos.* 119.11, pp. 6724–6748. DOI: 10.1002/2013JD021228.
- Coggon, M. M., A. Sorooshian, Z. Wang, A. R. Metcalf, A. A. Frossard, J. J. Lin, J. S. Craven, A. Nenes, H. H. Jonsson, L. M. Russell, R. C. Flagan, and J. H. Seinfeld (2012). “Ship impacts on the marine atmosphere: insights into the contribution of shipping emissions to the properties of marine aerosol and clouds”. In: *Atmos. Chem. Phys.* 12.18, pp. 8439–8458. DOI: 10.5194/acp-12-8439-2012.

- Cohen, A. J., M. Brauer, R. Burnett, H. R. Anderson, J. Frostad, K. Estep, K. Balakrishnan, B. Brunekreef, L. Dandona, R. Dandona, V. Feigin, G. Freedman, B. Hubbell, A. Jobling, H. Kan, L. Knibbs, Y. Liu, R. Martin, L. Morawska, I. Pope C. Arden, H. Shin, K. Straif, G. Shaddick, M. Thomas, R. van Dingenen, A. van Donkelaar, T. Vos, C. J. L. Murray, and M. H. Forouzanfar (2017). “Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: An analysis of data from the Global Burden of Diseases Study 2015”. In: *The Lancet*. doi: 10.1016/S0140-6736(17)30505-6.
- Cole-Filipiak, N. C., A. E. O’Connor, and M. J. Elrod (2010). “Kinetics of the hydrolysis of atmospherically relevant isoprene-derived hydroxy epoxides”. In: *Environ. Sci. Technol.* 44, pp. 6718–6723.
- Collett, J. L., A. Bator, X. Rao, and B. B. Demoz (1994). “Acidity variations across the cloud drop size spectrum and their influence on rates of atmospheric sulfate production”. In: *Geophys. Res. Lett.* 21.22, pp. 2393–2396. doi: 10.1029/94GL02480.
- Cometto, P. M., P. R. Dalmasso, R. A. Taccone, S. I. Lane, F. Oussar, V. Daële, A. Mellouki, and G. L. Bras (2008). “Rate coefficients for the reaction of OH with a series of unsaturated alcohols between 263 and 371 K”. In: *J. Phys. Chem. A* 112.19, pp. 4444–4450. doi: 10.1021/jp7111186.
- Compernelle, S., K. Ceulemans, and J. F. Müller (2011). “EVAPORATION: a new vapour pressure estimation method for organic molecules including non-additivity and intramolecular interactions”. In: *Atmos. Chem. Phys.* 11.18, pp. 9431–9450. doi: 10.5194/acp-11-9431-2011.
- Considine, G. D. (1997). “Modeling the diurnal variability in cloud microphysics in boundary layer clouds”. In: *J. Geophys. Res. - Atmos.* 102.D2, pp. 1717–1726. doi: 10.1029/96JD02997.
- Cox, R. A., R. G. Derwent, and M. R. Williams (1980). “Atmospheric photooxidation reactions: Rates, reactivity, and mechanism for reaction of organic compounds with hydroxyl radicals”. In: *Environ. Sci. Technol.* 14.1, pp. 57–61. doi: 10.1021/es60161a007.
- Crawford, M. A., T. J. Wallington, J. J. Szente, M. M. Maricq, and J. S. Francisco (1999). “Kinetics and mechanism of the acetylperoxy + HO₂ reaction”. In: *J. Phys. Chem. A* 103.3, pp. 365–378. doi: 10.1021/jp983150t.
- Cremer, D., E. Kraka, and P. G. Szalay (1998). “Decomposition modes of dioxirane, methyldioxirane and dimethyldioxirane — a CCSD(T), MR-AQCC and DFT investigation”. In: *Chem. Phys. Lett.* 292.1–2, pp. 97–109. doi: http://dx.doi.org/10.1016/S0009-2614(98)00678-2.
- Criegee, R. (1975). “Mechanismus der Ozonolyse”. In: *Angewandte Chemie* 87.21, pp. 765–771. doi: 10.1002/ange.19750872104.
- Criegee, R. and G. Wenner (1949). “Die Ozonisierung des 9,10-Oktalins”. In: *Justus Liebigs Annalen der Chemie* 564.1, pp. 9–15. doi: 10.1002/jlac.19495640103.

- Crosbie, E., Z. Wang, A. Sorooshian, P. Y. Chuang, J. S. Craven, M. M. Coggon, M. Brunke, X. Zeng, H. Jonsson, R. K. Woods, R. C. Flagan, and J. H. Seinfeld (2015). “Stratocumulus cloud clearings and notable thermodynamic and aerosol contrasts across the clear–cloudy interface”. In: *J. Atmos. Sci.* 73.3, pp. 1083–1099. DOI: 10.1175/JAS-D-15-0137.1.
- Crouse, J. D., H. C. Knap, K. B. Ørnsø, S. Jørgensen, F. Paulot, H. G. Kjaergaard, and P. O. Wennberg (2012). “Atmospheric fate of methacrolein. 1. Peroxy radical isomerization following addition of OH and O₂”. In: *J. Phys. Chem. A* 116, pp. 5756–5762.
- Crouse, J. D., K. A. McKinney, A. J. Kwan, and P. O. Wennberg (2006). “Measurement of gas-phase hydroperoxides by chemical ionization mass spectrometry”. In: *Anal. Chem.* 78.19, pp. 6726–6732.
- Crouse, J. D., L. B. Nielsen, S. Jørgensen, H. G. Kjaergaard, and P. O. Wennberg (2013). “Autoxidation of organic compounds in the atmosphere”. In: *J. Phys. Chem. Lett.* 4, pp. 3513–3520.
- Crouse, J. D., F. Paulot, H. G. Kjaergaard, and P. O. Wennberg (2011). “Peroxy radical isomerization in the oxidation of isoprene”. In: *Phys. Chem. Chem. Phys.* 13, pp. 13607–13613.
- Crowley, J. N. and G. K. Moortgat (1992). “2-Bromoethylperoxy and 2-bromo-1-methylpropylperoxy radicals: Ultraviolet absorption spectra and self-reaction rate constants at 298 K”. In: *J. Chem. Soc. Faraday Trans.* 88 (17), pp. 2437–2444. DOI: 10.1039/FT9928802437.
- Crump, J. G. and J. H. Seinfeld (1981). “Turbulent deposition and gravitational sedimentation of an aerosol in a vessel of arbitrary shape”. In: *J. Aerosol Sci.* 12.5, pp. 405–415. DOI: 10.1016/0021-8502(81)90036-7.
- Crutzen, P. J., J. Williams, U. Po, P. Hoor, H. Fischer, C. Warneke, R. Holzinger, A. Hansel, W. Lindinger, B. Scheeren, and J. Lelieveld (2000). “High spatial and temporal resolution measurements of primary organics and their oxidation products over the tropical forests of Surinam”. In: *Atmos. Environ.* 34, pp. 1161–1165.
- Cuadros, F., I. Cachadiña, and W. Ahumada (1996). “Determination of Lennard-Jones interaction parameters using a new procedure”. In: *Molecular Engineering* 6.3, pp. 319–325. DOI: 10.1007/bf01886380.
- D’Ambro, E. L., B. H. Lee, J. Liu, J. E. Shilling, C. J. Gaston, F. D. Lopez-Hilfiker, S. Schobesberger, R. A. Zaveri, C. Mohr, A. Lutz, Z. Zhang, A. Gold, J. D. Surratt, J. C. Rivera-Rios, F. N. Keutsch, and J. A. Thornton (2017a). “Molecular composition and volatility of isoprene photochemical oxidation secondary organic aerosol under low- and high-NO_x conditions”. In: *Atmos. Chem. Phys.* 17.1, pp. 159–174. DOI: 10.5194/acp-17-159-2017.

- D'Ambro, E. L., K. H. Moller, F. D. Lopez-Hilfiker, S. Schobesberger, J. Liu, J. E. Shilling, B. H. Lee, H. G. Kjaergaard, and J. A. Thornton (2017b). "Isomerization of second generation isoprene peroxy radicals: Epoxide formation and implications for secondary organic aerosol yields". In: *Environ. Sci. Technol.* submitted.
- Darer, A. I., N. C. Cole-Filipiak, A. E. O'Connor, and M. J. Elrod (2011). "Formation and stability of atmospherically relevant isoprene-derived organosulfates and organonitrates". In: *Environ. Sci. Technol.* 45.5, pp. 1895–1902. doi: 10.1021/es103797z.
- Davidson, E. A., A. C. de Araujo, P. Artaxo, J. K. Balch, I. F. Brown, M. M. C. Bustamante, M. T. Coe, R. S. DeFries, M. Keller, M. Longo, J. W. Munger, W. Schroeder, B. S. Soares-Filho, C. M. Souza, and S. C. Wofsy (2012). "The Amazon basin in transition". In: *Nature* 481.7381, pp. 321–328.
- Day, D. A., P. J. Wooldridge, M. B. Dillon, J. A. Thornton, and R. C. Cohen (2002). "A thermal dissociation laser-induced fluorescence instrument for in situ detection of NO₂, peroxy nitrates, alkyl nitrates, and HNO₃". In: *J. Geophys. Res. - Atmos.* 107.D6. doi: 10.1029/2001JD000779.
- De Haan, D. O., L. N. Hawkins, J. A. Kononenko, J. J. Turley, A. L. Corrigan, M. A. Tolbert, and J. L. Jimenez (2011). "Formation of nitrogen-containing oligomers by methylglyoxal and amines in simulated evaporating cloud droplets". In: *Environ. Sci. Technol.* 45.3, pp. 984–991. doi: 10.1021/es102933x.
- DeCarlo, P. F., J. R. Kimmel, A. Trimborn, M. J. Northway, J. T. Jayne, A. C. Aiken, M. Gonin, K. Fuhrer, T. Horvath, K. S. Docherty, D. R. Worsnop, and J. L. Jimenez (2006). "Field-Deployable, High-Resolution, Time-of-Flight Aerosol Mass Spectrometer". In: *Anal. Chem.* 78.24, pp. 8281–8289. doi: 10.1021/ac061249n.
- Dibble, T. S. (2001). "Reactions of the alkoxy radicals formed following OH-addition to alpha-pinene and beta-pinene. C-C bond scission reactions". In: *J. Am. Chem. Soc.* 123.18, pp. 4228–4234. doi: 10.1021/ja003553i.
- (2002). "Isomerization of OH-isoprene adducts and hydroxyalkoxy isoprene radicals". In: *J. Phys. Chem. A* 106.28, pp. 6643–6650. doi: 10.1021/jp025682m.
- (2008). "Failures and limitations of quantum chemistry for two key problems in the atmospheric chemistry of peroxy radicals". In: *Atmos. Environ.* 42.23, pp. 5837–5848. doi: <http://dx.doi.org/10.1016/j.atmosenv.2007.11.005>.
- DiGangi, J. P., E. S. Boyle, T. Karl, P. Harley, A. Turnipseed, S. Kim, C. Cantrell, R. L. Maudlin Iii, W. Zheng, F. Flocke, S. R. Hall, K. Ullmann, Y. Nakashima, J. B. Paul, G. M. Wolfe, A. R. Desai, Y. Kajii, A. Guenther, and F. N. Keutsch (2011). "First direct measurements of formaldehyde flux via eddy covariance: Implications for missing in-canopy formaldehyde sources". In: *Atmos. Chem. Phys.* 11.20, pp. 10565–10578. doi: 10.5194/acp-11-10565-2011.
- Dillon, T. J. and J. N. Crowley (2008). "Direct detection of OH formation in the reactions of HO₂ with CH₃C(O)O₂ and other substituted peroxy radicals". In: *Atmos. Chem. Phys.* 8.16, pp. 4877–4889. doi: 10.5194/acp-8-4877-2008.

- Ding, X., M. Zheng, L. Yu, X. Zhang, R. J. Weber, B. Yan, A. G. Russell, E. S. Edgerton, and X. Wang (2008). “Spatial and seasonal trends in biogenic secondary organic aerosol tracers and water-soluble organic carbon in the southeastern United States”. In: *Environ. Sci. Technol.* 42.14, pp. 5171–5176.
- Dlugokencky, E. J. and C. J. Howard (1989). “Studies of nitrate radical reactions with some atmospheric organic compounds at low pressures”. In: *J. Phys. Chem.* 93.3, pp. 1091–1096. DOI: 10.1021/j100340a015.
- Docherty, K. S., M. Jaoui, E. Corse, J. L. Jimenez, J. H. Offenberg, M. Lewandowski, and T. E. Kleindienst (2013). “Collection efficiency of the aerosol mass spectrometer for chamber-generated secondary organic aerosols”. In: *Aerosol Sci. Technol.* 47.3, pp. 294–309. DOI: 10.1080/02786826.2012.752572.
- Dodge, M. C. (2000). “Chemical oxidant mechanisms for air quality modeling: Critical review”. In: *Atmos. Environ.* 34, pp. 2103–2130.
- Donahue, N. M., G. T. Drozd, S. A. Epstein, A. A. Presto, and J. H. Kroll (2011). “Adventures in ozoneland: Down the rabbit-hole”. In: *Phys. Chem. Chem. Phys.* 13.23, pp. 10848–10857. DOI: 10.1039/C0CP02564J.
- Dong, X., A. C. Schwantes, B. Xi, and P. Wu (2015). “Investigation of the marine boundary layer cloud and CCN properties under coupled and decoupled conditions over the Azores”. In: *J. Geophys. Res. - Atmos.* 120.12, pp. 6179–6191. DOI: 10.1002/2014JD022939.
- Drewnick, F., S. S. Hings, P. DeCarlo, J. T. Jayne, M. Gonin, K. Fuhrer, S. Weimer, J. L. Jimenez, K. L. Demerjian, S. Borrmann, and D. R. Worsnop (2005). “A New Time-of-Flight Aerosol Mass Spectrometer (TOF-AMS)—Instrument Description and First Field Deployment”. In: *Aerosol Science and Technology* 39, pp. 637–658. DOI: 10.1080/02786820500182040.
- Drozd, G. T. and N. M. Donahue (2011). “Pressure dependence of stabilized Criegee intermediate formation from a sequence of alkenes”. In: *J. Phys. Chem. A* 115.17, pp. 4381–4387. DOI: 10.1021/jp2001089.
- Dunker, A. M., B. Koo, and G. Yarwood (2016). “Ozone sensitivity to isoprene chemistry and emissions and anthropogenic emissions in central California”. In: *Atmospheric Environment* 145, pp. 326–337. DOI: <http://doi.org/10.1016/j.atmosenv.2016.09.048>.
- Durkee, P. A., K. J. Noone, R. J. Ferek, D. W. Johnson, J. P. Taylor, T. J. Garrett, P. V. Hobbs, J. G. Hudson, C. S. Bretherton, G. Innis, G. M. Frick, W. A. Hoppel, C. D. O’Dowd, L. M. Russell, R. Gasparovic, K. E. Nielsen, S. A. Tessmer, E. Öström, S. R. Osborne, R. C. Flagan, J. H. Seinfeld, and H. Rand (2000). “The impact of ship-produced aerosols on the microstructure and albedo of warm marine stratocumulus clouds: A test of MAST hypotheses 1i and 1ii”. In: *J. Atmos. Sci.* 57.16, pp. 2554–2569. DOI: 10.1175/1520-0469(2000)057<2554:tiospa>2.0.co;2.

- Dye, C. and K. E. Yttri (2005). "Determination of monosaccharide anhydrides in atmospheric aerosols by use of high-performance liquid chromatography combined with high-resolution mass spectrometry". In: *Anal. Chem.* 77.6, pp. 1853–1858. DOI: 10.1021/ac049461j.
- Dzepina, K., J. Arey, L. C. Marr, D. R. Worsnop, D. Salcedo, Q. Zhang, T. B. Onasch, L. T. Molina, M. J. Molina, and J. L. Jimenez (2007). "Detection of particle-phase polycyclic aromatic hydrocarbons in Mexico City using an aerosol mass spectrometer". In: *Int. J. Mass Spec.* 263.2–3, pp. 152–170. DOI: <http://doi.org/10.1016/j.ijms.2007.01.010>.
- Eckart, C. (1930). "The penetration of a potential barrier by electrons". In: *Phys. Rev.* 35.11, pp. 1303–1309.
- Eddingsaas, N. C., D. G. VanderVelde, and P. O. Wennberg (2010). "Kinetics and products of the acid-catalyzed ring-opening of atmospherically relevant butyl epoxy alcohols". In: *J. Phys. Chem. A* 114, pp. 8106–8113.
- Edney, E. O., T. E. Kleindienst, and E. W. Corse (1986). "Room temperature rate constants for the reaction of OH with selected chlorinated and oxygenated hydrocarbons". In: *Int. J. Chem. Kinetics* 18.12, pp. 1355–1371. DOI: 10.1002/kin.550181207.
- Edney, E. O., T. E. Kleindienst, M. Jaoui, M. Lewandowski, J. H. Offenberg, W. Wang, and M. Claeys (2005). "Formation of 2-methyl tetrols and 2-methylglyceric acid in secondary organic aerosol from laboratory irradiated isoprene/NOX/SO2/air mixtures and their detection in ambient PM2.5 samples collected in the eastern United States". In: *Atmos. Environ.* 39.29, pp. 5281–5289. DOI: <http://dx.doi.org/10.1016/j.atmosenv.2005.05.031>.
- Ehn, M., J. A. Thornton, E. Kleist, M. Sipila, H. Junninen, I. Pullinen, M. Springer, F. Rubach, R. Tillmann, B. Lee, F. Lopez-Hilfiker, S. Andres, I.-H. Acir, M. Rissanen, T. Jokinen, S. Schobesberger, J. Kangasluoma, J. Kontkanen, T. Nieminen, T. Kurten, L. B. Nielsen, S. Jorgensen, H. G. Kjaergaard, M. Canagaratna, M. D. Maso, T. Berndt, T. Petaja, A. Wahner, V.-M. Kerminen, M. Kulmala, D. R. Worsnop, J. Wildt, and T. F. Mentel (2014). "A large source of low-volatility secondary organic aerosol". In: *Nature* 506.7489, pp. 476–479. DOI: 10.1038/nature13032.
- Ellermann, T., O. J. Nielsen, and H. Skov (1992). "Absolute rate constants for the reaction of NO3 radicals with a series of dienes at 295 K". In: *Chem. Phys. Lett.* 200.3, pp. 224–229. DOI: [http://dx.doi.org/10.1016/0009-2614\(92\)80002-S](http://dx.doi.org/10.1016/0009-2614(92)80002-S).
- EPA, U. (2015). *National Ambient Air Quality Standards for Ozone*. Tech. rep. 206. Washington, DC: U. S. Environmental Protection Agency, pp. 65292–65468.
- Ervens, B. and R. Volkamer (2010). "Glyoxal processing by aerosol multiphase chemistry: Towards a kinetic modeling framework of secondary organic aerosol formation in aqueous particles". In: *Atmos. Chem. Phys.* 10.17, pp. 8219–8244. DOI: 10.5194/acp-10-8219-2010.

- Espada, C., J. Grossenbacher, K. Ford, T. Couch, and P. B. Shepson (2005). "The production of organic nitrates from various anthropogenic volatile organic compounds". In: *Int. J. Chem. Kinetics* 37.11, pp. 675–685. doi: 10.1002/kin.20122.
- Fall, R. and R. K. Monson (1992). "Isoprene emission rate and intercellular isoprene concentration as influenced by stomatal distribution and conductance". In: *Plant Physiology* 100, pp. 987–992.
- Fan, J. and R. Zhang (2004). "Atmospheric oxidation mechanism of isoprene". In: *Environ. Chem.* 1.3, pp. 140–149.
- Fan, S.-M., S. C. Wofsy, P. S. Bakwin, D. J. Jacob, and D. R. Fitzjarrald (1990). "Atmosphere-biosphere exchange of CO₂ and O₃ in the central Amazon Forest". In: *J. Geophys. Res. - Atmos.* 95.D10, pp. 16851–16864. doi: 10.1029/JD095iD10p16851.
- Fantechi, G., N. Jensen, O. Saastad, J. Hjorth, and J. Peeters (1998). "Reactions of Cl atoms with selected VOCs: Kinetics, products and mechanisms". In: *J. Atmos. Chem.* 31.3, pp. 247–267. doi: 10.1023/A:1006033910014.
- Fenske, J. D., A. S. Hasson, A. W. Ho, and S. E. Paulson (2000). "Measurement of absolute unimolecular and bimolecular rate constants for CH₃CHO generated by the trans-2-butene reaction with ozone in the gas phase". In: *J. Phys. Chem. A* 104.44, pp. 9921–9932. doi: 10.1021/jp0016636.
- Ferek, R. J., T. Garrett, P. V. Hobbs, S. Strader, D. Johnson, J. P. Taylor, K. Nielsen, A. S. Ackerman, Y. Kogan, Q. Liu, B. A. Albrecht, and D. Babb (2000). "Drizzle suppression in ship tracks". In: *J. Atmos. Sci.* 57.16, pp. 2707–2728. doi: 10.1175/1520-0469(2000)057<2707:DSIST>2.0.CO;2.
- Ferge, T., F. Mühlberger, and R. Zimmermann (2005). "Application of infrared laser desorption vacuum-UV single-photon ionization mass spectrometry for analysis of organic compounds from particulate matter filter samples". In: *Anal. Chem.* 77.14, pp. 4528–4538. doi: 10.1021/ac050296x.
- Finlayson-Pitts, B. J., M. J. Ezell, and J. N. Pitts (1989). "Formation of chemically active chlorine compounds by reactions of atmospheric NaCl particles with gaseous N₂O₅ and ClONO₂". In: *Nature* 337.6204, pp. 241–244. doi: 10.1038/337241a0.
- Fiore, A. M., L. W. Horowitz, D. W. Purves, H. Levy, M. J. Evans, Y. Wang, Q. Li, and R. M. Yantosca (2005). "Evaluating the contribution of changes in isoprene emissions to surface ozone trends over the eastern United States". In: *J. Geophys. Res. - Atmos.* 110.D12. D12303. doi: 10.1029/2004JD005485.
- Fleming, Z. L., P. S. Monks, A. R. Rickard, D. E. Heard, W. J. Bloss, P. W. Seakins, T. J. Still, R. Sommariva, M. J. Pilling, R. Morgan, T. J. Green, N. Brough, G. P. Mills, S. A. Penkett, A. C. Lewis, J. D. Lee, A. Saiz-Lopez, and J. M. C. Plane (2006). "Peroxy radical chemistry and the control of ozone photochemistry at Mace Head, Ireland during the summer of 2002". In: *Atmos. Chem. Phys.* 6.8, pp. 2193–2214. doi: 10.5194/acp-6-2193-2006.

- Frisch, M. J., G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, G. Scalmani, V. Barone, B. Mennucci, and G. A. Petersson (2009). *Gaussian 09*. Report. Gaussian, Inc.
- Froyd, K. D., S. M. Murphy, D. M. Murphy, J. A. de Gouw, N. C. Eddingsaas, and P. O. Wennberg (2011). “Contribution of isoprene-derived organosulfates to free tropospheric aerosol mass”. In: *Proc. Nat’l. Acad. Sci.* 107, pp. 21360–21365.
- Fry, J. L., D. C. Draper, K. C. Barsanti, J. N. Smith, J. Ortega, P. M. Winkler, M. J. Lawler, S. S. Brown, P. M. Edwards, R. C. Cohen, and L. Lee (2014). “Secondary organic aerosol formation and organic nitrate yield from NO₃ oxidation of biogenic hydrocarbons”. In: *Environ. Sci. Technol.* 48.20, pp. 11944–11953. doi: 10.1021/es502204x.
- Fuchs, H., B. Bohn, A. Hofzumahaus, F. Holland, K. D. Lu, S. Nehr, F. Rohrer, and A. Wahner (2011). “Detection of H₂ by laser-induced fluorescence: calibration and interferences from RO₂ radicals”. In: *Atmos. Meas. Tech.* 4.6, pp. 1209–1225. doi: 10.5194/amt-4-1209-2011.
- Fuchs, H., A. Hofzumahaus, F. Rohrer, B. Bohn, T. Brauers, H. P. Dorn, R. Haseler, F. Holland, M. Kaminski, X. Li, K. Lu, S. Nehr, R. Tillmann, R. Wegener, and A. Wahner (2013). “Experimental evidence for efficient hydroxyl radical regeneration in isoprene oxidation”. In: *Nature Geosci.* 6.12, pp. 1023–1026. doi: 10.1038/ngeo1964 <http://www.nature.com/ngeo/journal/v6/n12/abs/ngeo1964.html#supplementary-information>.
- Fuentes, J. D., L. Gu, M. Lerdau, R. Atkinson, D. Baldocchi, J. W. Bottenheim, P. Ciccioli, B. Lamb, C. Geron, A. Guenther, T. D. Sharkey, and W. Stockwell (2000). “Biogenic hydrocarbons in the atmospheric boundary layer: A review”. In: *Bull. Am. Met. Soc.* 81.7, pp. 1537–1575. doi: 10.1175/1520-0477(2000)081<1537:BHITAB>2.3.CO;2.
- Fuhrer, J. (2002). “Ozone impacts on vegetation”. In: *Ozone: Science and Engineering* 24.1, pp. 69–74. doi: 10.1080/01919510208901597.
- Gab, S., E. Hellpointner, W. V. Turner, and F. Korte (1985). “Hydroxymethyl hydroperoxide and bis(hydroxymethyl) peroxide from gas-phase ozonolysis of naturally occurring alkenes”. In: *Nature* 316.6028, pp. 535–536.
- Gab, S., W. V. Turner, S. Wolff, K. H. Becker, L. Ruppert, and K. J. Brockmann (1995). “Formation of alkyl and hydroxyalkyl hydroperoxides on ozonolysis in water and in air”. In: *Atmos. Environ.* 29.18, pp. 2401–2407. doi: [http://dx.doi.org/10.1016/1352-2310\(95\)00166-V](http://dx.doi.org/10.1016/1352-2310(95)00166-V).
- Gaffney, J. S., R. M. Bornick, Y. H. Chen, and N. A. Marley (1998). “Capillary gas chromatographic analysis of nitrogen dioxide and pans with luminol chemiluminescent detection”. In: *Atmos. Environ.* 32.8, pp. 1445–1454. doi: [http://dx.doi.org/10.1016/S1352-2310\(97\)00098-8](http://dx.doi.org/10.1016/S1352-2310(97)00098-8).

- Galloway, M. M., A. J. Huisman, L. D. Yee, A. W. H. Chan, C. L. Loza, J. H. Seinfeld, and F. N. Keutsch (2011). “Yields of oxidized volatile organic compounds during the OH radical initiated oxidation of isoprene, methyl vinyl ketone, and methacrolein under high-NO_x conditions”. In: *Atmos. Chem. Phys.* 11.21, pp. 10779–10790. DOI: 10.5194/acp-11-10779-2011.
- Ganzeveld, L. N., J. Lelieveld, F. J. Dentener, M. C. Krol, A. J. Bouwman, and G.-J. Roelofs (2002). “Global soil-biogenic NO_x emissions and the role of canopy processes”. In: *J. Geophys. Res.* 107.D16. DOI: 10.1029/2001JD001289.
- Gao, S., M. Keywood, N. L. Ng, J. Surratt, V. Varutbangkul, R. Bahreini, R. C. Flanagan, and J. H. Seinfeld (2004). “Low-molecular-weight and oligomeric components in secondary organic aerosol from the ozonolysis of cycloalkenes and alpha-pinene”. In: *J. Phys. Chem. A* 108.46, pp. 10147–10164. DOI: 10.1021/jp047466e.
- Garcia-Montiel, D. C., P. A. Steudler, M. C. Piccolo, J. M. Melillo, C. Neill, and C. C. Cerri (2001). “Controls on soil nitrogen oxide emissions from forest and pastures in the Brazilian Amazon”. In: *Global Biogeochemical Cycles* 15.4, pp. 1021–1030. DOI: 10.1029/2000GB001349.
- Garden, A. L., F. Paulot, J. D. Crouse, I. J. Maxwell-Cameron, P. O. Wennberg, and H. G. Kjaergaard (2009). “Calculation of conformationally weighted dipole moments useful in ion-molecule collision rate estimates”. In: *Chem. Phys. Lett.* 474, pp. 45–50.
- Garreaud, R., J. Rutllant, J. Quintana, J. Carrasco, and P. Minnis (2001). “CIMAR–5: A snapshot of the lower troposphere over the subtropical southeast Pacific”. In: *Bull. Am. Met. Soc.* 82.10, pp. 2193–2207. DOI: 10.1175/1520-0477(2001)082<2193:CASOTL>2.3.CO;2.
- Gaschen, A., D. Lang, M. Kalberer, M. Savi, T. Geiser, A. Gazdhar, C.-M. Lehr, M. Bur, J. Dommen, U. Baltensperger, and M. Geiser (2010). “Cellular responses after exposure of lung cell cultures to secondary organic aerosol particles”. In: *Environ. Sci. Technol.* 44.4, pp. 1424–1430. DOI: 10.1021/es902261m.
- Gaston, C. J., T. P. Riedel, Z. Zhang, A. Gold, J. D. Surratt, and J. A. Thornton (2014). “Reactive uptake of an isoprene-derived epoxydiol to submicron aerosol particles”. In: *Environ. Sci. Technol.* 48, pp. 11178–11186.
- Gelencser, A., A. Hoffer, Z. Krivacsy, G. Kiss, A. Molnar, and E. Meszaros (2002). “On the possible origin of humic matter in fine continental aerosol”. In: *J. Geophys. Res. - Atmos.* 107.D12. DOI: 10.1029/2001JD001299.
- George, I. J., A. Vlasenko, J. G. Slowik, K. Broekhuizen, and J. P. D. Abbatt (2007). “Heterogeneous oxidation of saturated organic aerosols by hydroxyl radicals: Uptake kinetics, condensed-phase products, and particle size change”. In: *Atmos. Chem. Phys.* 7.16, pp. 4187–4201. DOI: 10.5194/acp-7-4187-2007.
- Gerber, H., B. G. Arends, and A. S. Ackerman (1994). “New microphysics sensor for aircraft use”. In: *Atmos. Res.* 31.4, pp. 235–252. DOI: [http://dx.doi.org/10.1016/0169-8095\(94\)90001-9](http://dx.doi.org/10.1016/0169-8095(94)90001-9).

- Gerber, H., G. Frick, S. P. Malinowski, J. L. Brenguier, and F. Burnet (2005). “Holes and entrainment in stratocumulus”. In: *J. Atmos. Sci.* 62.2, pp. 443–459. doi: 10.1175/JAS-3399.1.
- Ghosh, B., A. Bugarin, B. T. Connell, and S. W. North (2010). “Isomer-selective study of the OH-initiated oxidation of isoprene in the presence of O(2) and NO: 2. The major OH addition channel”. In: *J. Phys. Chem. A* 114.7, pp. 2553–2560.
- Giacopelli, P., K. Ford, C. Espada, and P. B. Shepson (2005). “Comparison of the measured and simulated isoprene nitrate distributions above a forest canopy”. In: *J. Geophys. Res. - Atmos.* 110.D1. D01304. doi: 10.1029/2004JD005123.
- Gierczak, T., J. B. Burkholder, R. K. Talukdar, A. Mellouki, S. B. Barone, and A. R. Ravishankara (1997). “Atmospheric fate of methyl vinyl ketone and methacrolein”. In: *Journal of Photochemistry and Photobiology* 110, pp. 1–10.
- Glantz, P., K. J. Noone, and S. R. Osborne (2003). “Scavenging efficiencies of aerosol particles in marine stratocumulus and cumulus clouds”. In: *Quart. J. Royal Met. Soc.* 129.590, pp. 1329–1350. doi: 10.1256/qj.02.73.
- Glowacki, D. R., C.-H. Liang, C. Morley, M. J. Pilling, and S. H. Robertson (2012). “MESMER: An open-source master equation solver for multi-energy well reactions”. In: *J. Phys. Chem. A* 116.38, pp. 9545–9560. doi: 10.1021/jp3051033.
- Goldstein, A. H. and I. E. Galbally (2007). “Known and unexplored organic constituents in the Earth’s atmosphere”. In: *Environ. Sci. Technol.* 41.5, pp. 1514–1521. doi: 10.1021/es072476p.
- Goldstein, A. H., C. D. Koven, C. L. Heald, and I. Y. Fung (2009). “Biogenic carbon and anthropogenic pollutants combine to form a cooling haze over the southeastern United States”. In: *Proc. Nat’l. Acad. Sci.* 106.22, pp. 8835–8840. doi: 10.1073/pnas.0904128106.
- Gonzalez, C. and H. B. Schlegel (1989). “An improved algorithm for reaction path following”. In: *J. Chem. Phys.* 90.4, pp. 2154–2161. doi: 10.1063/1.456010.
- (1990). “Reaction path following in mass-weighted internal coordinates”. In: *J. Phys. Chem.* 94.14, pp. 5523–5527. doi: 10.1021/j100377a021.
- Gouw, J. A. de and C. J. Howard (1997). “Direct measurement of the rate coefficient for the CH₂C(CH₃)C(O)O₂ + NO reaction using chemical ionization mass spectrometry”. In: *J. Phys. Chem. A* 101.46, pp. 8662–8667. doi: 10.1021/jp972107n.
- Gouw, J. de and C. Warneke (2007). “Measurements of volatile organic compounds in the earth’s atmosphere using proton-transfer-reaction mass spectrometry”. In: *Mass Spec. Rev.* 26.2, pp. 223–257. doi: 10.1002/mas.20119.
- Graedel, T. E. and C. J. Weschler (1981). “Chemistry within aqueous atmospheric aerosols and raindrops”. In: *Reviews of Geophysics* 19.4, pp. 505–539. doi: 10.1029/RG019i004p00505.

- Graham, B., O. L. Mayol-Bracero, P. Guyon, G. C. Roberts, S. Decesari, M. C. Facchini, P. Artaxo, W. Maenhaut, P. Köll, and M. O. Andreae (2002). "Water-soluble organic compounds in biomass burning aerosols over Amazonia 1. Characterization by NMR and GC-MS". In: *J. Geophys. Res. - Atmos.* 107.D20. DOI: 10.1029/2001JD000336.
- Greenberg, A. and J. F. Liebman (1978). "Kinetic and Thermodynamic Stability". In: *Organic Chemistry: A Series of Monographs*. Vol. 38. Academic Press. Chap. 5, pp. 225–341.
- Greene, C. R. and R. Atkinson (1992). "Rate constants for the gas-phase reactions of O₃ with a series of alkenes at 296 +/- 2 K". In: *Int. J. Chem. Kinetics* 24.9, pp. 803–811. DOI: 10.1002/kin.550240905.
- Greenwald, E. E., B. Ghosh, K. C. Anderson, K. S. Dooley, P. Zou, T. Selby, D. L. Osborn, G. Meloni, C. A. Taatjes, F. Goulay, and S. W. North (2010). "Isomer-selective study of the OH initiated oxidation of isoprene in the presence of O₂ and NO. I. The minor inner OH-addition channel". In: *J. Phys. Chem. A* 114.2, pp. 904–912. DOI: 10.1021/jp908543a.
- Greenwald, E. E., S. W. North, Y. Georgievskii, and S. J. Klippenstein (2007). "A two transition state model for radical-molecule reactions: Applications to isomeric branching in the OH-isoprene reaction". In: *J. Phys. Chem. A* 111.25, pp. 5582–5592. DOI: 10.1021/jp071412y.
- Gregoire, P. (2013). "Implications of ambient ammonia on aerosol acidity and reactive nitrogen measurements". Thesis.
- Griesbaum, K., Y. Dong, and K. J. McCullough (1997). "Ozonolyses of Acetylenes: Trapping of alpha-Oxo Carbonyl Oxides by Carbonyl Compounds and Stabilization of alpha-Oxo Ozonides by Derivatizations". In: *J. Org. Chem.* 62.18, pp. 6129–6136. DOI: 10.1021/jo9701795.
- Griffin, R. J., D. R. Cocker, R. C. Flagan, and J. H. Seinfeld (1999). "Organic aerosol formation from the oxidation of biogenic hydrocarbons". In: *J. Geophys. Res. - Atmos.* 104.D3, pp. 3555–3567. DOI: 10.1029/1998JD100049.
- Griffith, D. W. T. (1996). "Synthetic calibration and quantitative analysis of gas-phase FT-IR spectra". In: *Applied Spectroscopy* 50.1, pp. 59–70.
- Grosjean, D., E. Grosjean, and E. L. Williams (1993a). "The reaction of ozone with MPAN, CH₂=C(CH₃)C(O)OONO₂". In: *Environ. Sci. Technol.* 27.12, pp. 2548–2552. DOI: 10.1021/es00048a036.
- Grosjean, D., E. L. W. II, and E. Grosjean (1993b). "Atmospheric chemistry of isoprene and of its carbonyl products". In: *Environ. Sci. Technol.* 27.5, pp. 830–840. DOI: 10.1021/es00042a004.
- Grosjean, D., E. L. Williams, and E. Grosjean (1993c). "Gas phase reaction of the hydroxyl radical with the unsaturated peroxyacyl nitrate CH₂C(CH₃)C(O)OONO₂". In: *Int. J. Chem. Kinetics* 25.11, pp. 921–929. DOI: 10.1002/kin.550251106.

- Grosjean, E. and D. Grosjean (1996). “Rate constants for the gas-phase reaction of ozone with 1,1-disubstituted alkenes”. In: *Int. J. Chem. Kinetics* 28.12, pp. 911–918. DOI: 10.1002/(SICI)1097-4601(1996).
- (1998). “Rate constants for the gas-phase reaction of ozone with unsaturated oxygenates”. In: *Int. J. Chem. Kinetics* 30.1, pp. 21–29. DOI: 10.1002/(SICI)1097-4601(1998)30:1<21::AID-KIN3>3.0.CO;2-W.
- Gross, C. B. M., T. J. Dillon, G. Schuster, J. Lelieveld, and J. N. Crowley (2014). “Direct kinetic study of OH and O₃ formation in the reaction of CH₃C(O)O₂ with HO₂”. In: *J. Phys. Chem. A* 118.6, pp. 974–985. DOI: 10.1021/jp412380z.
- Grossenbacher, J. W., D. J. Barket Jr., P. B. Shepson, M. A. Carroll, K. Olszyna, and E. Apel (2004). “A comparison of isoprene nitrate concentrations at two forest-impacted sites”. In: *J. Geophys. Res. - Atmos.* 109.D11. D11311. DOI: 10.1029/2003JD003966.
- Guenther, A. B., T. Karl, P. Harley, C. Wiedinmyer, P. I. Palmer, and C. Geron (2006). “Estimates of global terrestrial isoprene emissions using MEGAN (Model of Emissions of Gases and Aerosols from Nature)”. In: *Atmos. Chem. Phys.* 6, pp. 3181–3210. DOI: 10.5194/acpd-6-107-2006.
- Guenther, A., X. Jiang, C. L. Heald, T. Sakulyanontvittaya, T. Duhl, L. K. Emmons, and X. Wang (2012). “The Model of Emissions of Gases and Aerosols from Nature version 2.1 (MEGAN 2.1): an extended and updated framework for modeling biogenic emissions”. In: *Geosci. Model Dev.* 5.6, pp. 1471–1492.
- Guenther, A. B. and A. J. Hills (1998). “Eddy covariance measurement of isoprene fluxes”. In: *J. Geophys. Res. - Atmos.* 103.D11, pp. 13145–13152. DOI: 10.1029/97JD03283.
- Guenther, A., C. N. Hewitt, D. Erickson, R. Fall, C. Geron, T. Graedel, P. Harley, L. Klinger, M. Lerdau, W. A. McKay, T. Pierce, B. Scholes, R. Steinbrecher, R. Tallamraju, J. Taylor, and P. Zimmerman (1995). “A global model of natural volatile organic compound emissions”. In: *J. Geophys. Res. - Atmos.* 100.D5, pp. 8873–8892. DOI: 10.1029/94JD02950.
- Guérard-Hélaine, C., B. Légeret, C. Fernandes, V. Prévot, C. Forano, and M. Lemaire (2011). “Efficient immobilization of fructose-6-phosphate aldolase in layered double hydroxide: Improved stereoselective synthesis of sugar analogues”. In: *New J. Chem.* 35, pp. 776–779.
- Guo, H., L. Xu, A. Bougiatioti, K. M. Cerully, S. L. Capps, J. R. Hite Jr, A. G. Carlton, S. H. Lee, M. H. Bergin, N. L. Ng, A. Nenes, and R. J. Weber (2015). “Fine-particle water and pH in the southeastern United States”. In: *Atmos. Chem. Phys.* 15.9, pp. 5211–5228. DOI: 10.5194/acp-15-5211-2015.
- Gutbrod, R., E. Kraka, R. N. Schindler, and D. Cremer (1997). “Kinetic and theoretical investigation of the gas-phase ozonolysis of isoprene. Carbonyl oxides as an important source for OH radicals in the atmosphere”. In: *J. Am. Chem. Soc.* 119.31, pp. 7330–7342. DOI: 10.1021/ja970050c.

- Hallquist, M., I. Wängberg, E. Ljungström, I. Barnes, and K.-H. Becker (1999). "Aerosol and product yields from NO₃ radical-initiated oxidation of selected monoterpenes". In: *Environ. Sci. Technol.* 33.4, pp. 553–559. DOI: 10.1021/es980292s.
- Hansel, A., A. Jordan, R. Holzinger, P. Prazeller, W. Vogel, and W. Lindinger (1995). "Proton transfer reaction mass spectrometry: on-line trace gas analysis at the ppb level". In: *Int. J. Mass Spec. and Ion Processes* 149, pp. 609–619. DOI: [http://dx.doi.org/10.1016/0168-1176\(95\)04294-U](http://dx.doi.org/10.1016/0168-1176(95)04294-U).
- Hara, K., M. Hayashi, M. Yabuki, M. Shiobara, and C. Nishita-Hara (2014). "Simultaneous aerosol measurements of unusual aerosol enhancement in the troposphere over Syowa Station, Antarctica". In: *Atmos. Chem. Phys.* 14.8, pp. 4169–4183. DOI: 10.5194/acp-14-4169-2014.
- Hart, A. B. (1949). "Thermal decomposition of hydrogen peroxide in the vapour phase". In: *Nature* 163, pp. 876–877. DOI: 10.1038/163876b0.
- Hasson, A. S., M. Y. Chung, K. T. Kuwata, A. D. Converse, D. Krohn, and S. E. Paulson (2003). "Reaction of Criegee intermediates with water vapor an additional source of OH radicals in alkene ozonolysis?" In: *J. Phys. Chem. A* 107.32, pp. 6176–6182. DOI: 10.1021/jp0346007.
- Hasson, A. S., A. W. Ho, K. T. Kuwata, and S. E. Paulson (2001a). "Production of stabilized Criegee intermediates and peroxides in the gas phase ozonolysis of alkenes: 2. Asymmetric and biogenic alkenes". In: *J. Geophys. Res. - Atmos.* 106.D24, pp. 34143–34153. DOI: 10.1029/2001JD000598.
- Hasson, A. S., K. T. Kuwata, M. C. Arroyo, and E. B. Petersen (2005). "Theoretical studies of the reaction of hydroperoxy radicals (HO₂) with ethyl peroxy (CH₃CH₂O₂), acetyl peroxy (CH₃C(O)O₂), and acetonyl peroxy (CH₃C(O)CH₂O₂) radicals". In: *Journal of Photochemistry and Photobiology A: Chemistry* 176, pp. 218–230. DOI: 10.1016/j.jphotochem.2005.08.012.
- Hasson, A. S., G. Orzechowska, and S. E. Paulson (2001b). "Production of stabilized Criegee intermediates and peroxides in the gas phase ozonolysis of alkenes: 1. Ethene, trans-2-butene, and 2,3-dimethyl-2-butene". In: *J. Geophys. Res. - Atmos.* 106.D24, pp. 34131–34142. DOI: 10.1029/2001JD000597.
- Hasson, A. S., G. S. Tyndall, and J. J. Orlando (2004). "A product yield study of the reaction of HO₂ radicals with ethyl peroxy (C₂H₅O₂), acetyl peroxy (CH₃C(O)O₂), and acetonyl peroxy (CH₃C(O)CH₂O₂) radicals". In: *J. Phys. Chem. A* 108.28, pp. 5979–5989. DOI: 10.1021/jp048873t.
- Hasson, A. S., G. S. Tyndall, J. J. Orlando, S. Singh, S. Q. Hernandez, S. Campbell, and Y. Ibarra (2012). "Branching ratios for the reaction of selected carbonyl-containing peroxy radicals with hydroperoxy radicals". In: *J. Phys. Chem. A* 116.24, pp. 6264–6281. DOI: 10.1021/jp211799c.

- Hatakeyama, S. and H. Akimoto (1994). "Reactions of criegee intermediates in the gas phase". In: *Research on Chemical Intermediates* 20.3, pp. 503–524. DOI: 10.1163/156856794X00432.
- Hatakeyama, S., H. Kobayashi, and H. Akimoto (1984). "Gas-phase oxidation of sulfur dioxide in the ozone-olefin reactions". In: *J. Phys. Chem.* 88.20, pp. 4736–4739. DOI: 10.1021/j150664a058.
- Hatch, L. E., J. M. Creamean, A. P. Ault, J. D. Surratt, M. N. Chan, J. H. Seinfeld, E. S. Edgerton, Y. Su, and K. A. Prather (2011). "Measurements of isoprene-derived organosulfates in ambient aerosols by aerosol time-of-flight mass spectrometry-part 2: Temporal variability and formation mechanisms". In: *Environ. Sci. Technol.* 45.20, pp. 8648–8655. DOI: 10.1021/es2011836.
- Hearn, J. D. and G. D. Smith (2004). "A chemical ionization mass spectrometry method for the online analysis of organic aerosols". In: *Anal. Chem.* 76.10, pp. 2820–2826. DOI: 10.1021/ac049948s.
- Hegg, D. and P. Hobbs (1987). *Studies of the mechanisms and rates with which nitrogen species are incorporated into cloud water and precipitation. Final report.*
- Hegg, D. A., D. S. Covert, H. Jonsson, and P. A. Covert (2005). "Determination of the transmission efficiency of an aircraft aerosol inlet". In: *Aerosol. Sci. Technol.* 39.10, pp. 966–971. DOI: 10.1080/02786820500377814.
- Hellen, H., J. Dommen, A. Metzger, A. Gascho, J. Duplissy, T. Tritscher, A. S. H. Prevot, and U. Baltensperger (2008). "Using proton transfer reaction mass spectrometry for online analysis of secondary organic aerosols". In: *Environ. Sci. Technol.* 42.19, pp. 7347–7353. DOI: 10.1021/es801279m.
- Hennigan, C. J., M. H. Bergin, A. G. Russell, A. Nenes, and R. J. Weber (2009). "Gas/particle partitioning of water-soluble organic aerosol in Atlanta". In: *Atmos. Chem. Phys.* 9.11, pp. 3613–3628. DOI: 10.5194/acp-9-3613-2009.
- Hennigan, C. J., M. H. Bergin, J. E. Dibb, and R. J. Weber (2008). "Enhanced secondary organic aerosol formation due to water uptake by fine particles". In: *Geophys. Res. Lett.* 35.18. DOI: 10.1029/2008GL035046.
- Henriksen, N. E. and F. Y. Hansen (2008). *Theories of Molecular Reaction Dynamics: The Microscopic Foundation of Chemical Kinetics.* New York: Oxford University Press.
- Henze, D. K., J. H. Seinfeld, N. L. Ng, J. H. Kroll, T. M. Fu, D. J. Jacob, and C. L. Heald (2008). "Global modeling of secondary organic aerosol formation from aromatic hydrocarbons: high- vs. low-yield pathways". In: *Atmos. Chem. Phys.* 8.9, pp. 2405–2420. DOI: 10.5194/acp-8-2405-2008.
- Herath, N. and A. G. Suits (2011). "Roaming radical reactions". In: *J. Phys. Chem. Lett.* 2.6, pp. 642–647. DOI: 10.1021/jz101731q.

- Herron, J. T. and R. E. Huie (1977). “Stopped-flow studies of the mechanisms of ozone-alkene reactions in the gas phase. Ethylene”. In: *J. Am. Chem. Soc.* 99.16, pp. 5430–5435. doi: 10.1021/ja00458a033.
- Herron, J. T., R. I. Martinez, and R. E. Huie (1982). “Kinetics and energetics of the criegee intermediate in the gas phase. I. The criegee intermediate in ozone-alkene reactions”. In: *Int. J. Chem. Kinetics* 14.3, pp. 201–224. doi: 10.1002/kin.550140302.
- Hersey, S. P., A. Sorooshian, S. M. Murphy, R. C. Flagan, and J. H. Seinfeld (2009). “Aerosol hygroscopicity in the marine atmosphere: a closure study using high-time-resolution, multiple-RH DASH-SP and size-resolved C-ToF-AMS data”. In: *Atmos. Chem. Phys.* 9.7, pp. 2543–2554. doi: 10.5194/acp-9-2543-2009.
- Hewitt, C. N., J. D. Lee, A. R. MacKenzie, M. P. Barkley, N. Carslaw, G. D. Carver, N. A. Chappell, H. Coe, C. Collier, R. Commane, F. Davies, B. Davison, P. DiCarlo, C. F. Di Marco, J. R. Dorsey, P. M. Edwards, M. J. Evans, D. Fowler, K. L. Furneaux, M. Gallagher, A. Guenther, D. E. Heard, C. Helfter, J. Hopkins, T. Ingham, M. Irwin, C. Jones, A. Karunaharan, B. Langford, A. C. Lewis, S. F. Lim, S. M. MacDonald, A. S. Mahajan, S. Malpass, G. McFiggans, G. Mills, P. Misztal, S. Moller, P. S. Monks, E. Nemitz, V. Nicolas-Perea, H. Oetjen, D. E. Oram, P. I. Palmer, G. J. Phillips, R. Pike, J. M. C. Plane, T. Pugh, J. A. Pyle, C. E. Reeves, N. H. Robinson, D. Stewart, D. Stone, L. K. Whalley, and X. Yin (2010). “Overview: oxidant and particle photochemical processes above a south-east Asian tropical rainforest (the OP3 project): introduction, rationale, location characteristics and tools”. In: *Atmos. Chem. Phys.* 10.1, pp. 169–199. doi: 10.5194/acp-10-169-2010.
- Hewitt, C. N., A. R. MacKenzie, P. Di Carlo, C. F. Di Marco, J. R. Dorsey, M. Evans, D. Fowler, M. W. Gallagher, J. R. Hopkins, C. E. Jones, B. Langford, J. D. Lee, A. C. Lewis, S. F. Lim, J. McQuaid, P. Misztal, S. J. Moller, P. S. Monks, E. Nemitz, D. E. Oram, S. M. Owen, G. J. Phillips, T. A. M. Pugh, J. A. Pyle, C. E. Reeves, J. Ryder, J. Siong, U. Skiba, and D. J. Stewart (2009). “Nitrogen management is essential to prevent tropical oil palm plantations from causing ground-level ozone pollution”. In: *Proc. Nat'l. Acad. Sci.* 106.44, pp. 18447–18451. doi: 10.1073/pnas.0907541106.
- Hildebrandt, L., N. M. Donahue, and S. N. Pandis (2009). “High formation of secondary organic aerosol from the photo-oxidation of toluene”. In: *Atmos. Chem. Phys.* 9.9, pp. 2973–2986. doi: 10.5194/acp-9-2973-2009.
- Hildebrandt, L., K. M. Henry, J. H. Kroll, D. R. Worsnop, S. N. Pandis, and N. M. Donahue (2011). “Evaluating the mixing of organic aerosol components using high-resolution aerosol mass spectrometry”. In: *Environ. Sci. Technol.* 45.15, pp. 6329–6335. doi: 10.1021/es200825g.
- Hoang, T., J. W. Lauher, and F. W. Fowler (2002). “The topochemical 1,6-polymerization of a triene”. In: *J. Am. Chem. Soc.* 124, pp. 10656–10657.

- Hoell, J. M., G. L. Gregory, D. S. McDougal, A. L. Torres, D. D. Davis, J. Bradshaw, M. O. Rodgers, B. A. Ridley, and M. A. Carroll (1987). "Airborne intercomparison of nitric oxide measurement techniques". In: *J. Geophys. Res. - Atmos.* 92.D2, pp. 1995–2008. DOI: 10.1029/JD092iD02p01995.
- Hoffmann, T., J. R. Odum, F. Bowman, D. Collines, D. Klockow, R. C. Flagan, and J. H. Seinfeld (1997). "Formation of organic aerosols from the oxidation of biogenic hydrocarbons". In: *J. Atmos. Chem.* 26.2, pp. 189–222. DOI: 10.1023/a:1005734301837.
- Hoffmann, T., R. Bandur, U. Marggraf, and M. Linscheid (1998). "Molecular composition of organic aerosols formed in the alpha-pinene/O₃ reaction: Implications for new particle formation processes". In: *J. Geophys. Res. - Atmos.* 103.D19, pp. 25569–25578. DOI: 10.1029/98JD01816.
- Holben, B. N., T. F. Eck, I. Slutsker, D. Tanré, J. P. Buis, A. Setzer, E. Vermote, J. A. Reagan, Y. J. Kaufman, T. Nakajima, F. Lavenu, I. Jankowiak, and A. Smirnov (1998). "AERONET—A federated instrument network and data archive for aerosol characterization". In: *Remote Sensing of Environment* 66.1, pp. 1–16. DOI: [http://dx.doi.org/10.1016/S0034-4257\(98\)00031-5](http://dx.doi.org/10.1016/S0034-4257(98)00031-5).
- Holloway, A.-L., J. Treacy, H. Sidebottom, A. Mellouki, V. Daële, G. L. Bras, and I. Barnes (2005). "Rate coefficients for the reactions of OH radicals with the keto/enol tautomers of 2,4-pentanedione and 3-methyl-2,4-pentanedione, allyl alcohol and methyl vinyl ketone using the enols and methyl nitrite as photolytic sources of OH". In: *Journal of Photochemistry and Photobiology A: Chemistry* 176.1–3, pp. 183–190. DOI: <http://dx.doi.org/10.1016/j.jphotochem.2005.08.031>.
- Holzinger, R., E. Sanhueza, R. von Kuhlmann, B. Kleiss, L. Donoso, and P. J. Crutzen (2002). "Diurnal cycles and seasonal variation of isoprene and its oxidation products in the tropical savannah atmosphere". In: *Global Biogeochemical Cycles* 16.4. DOI: 10.1029/2001GB001421.
- Horie, O. and G. K. Moortgat (1992). "Reactions of CH₃C(O)O₂ radicals with CH₃O₂ and HO₂ between 263 and 333 K. A product study". In: *J. Chem. Soc. Faraday Trans.* 88 (22), pp. 3305–3312. DOI: 10.1039/FT9928803305.
- Horie, O., P. Neeb, S. Limbach, and G. K. Moortgat (1994a). "Formation of formic acid and organic peroxides in the ozonolysis of ethene with added water vapour". In: *Geophys. Res. Lett.* 21.14, pp. 1523–1526. DOI: 10.1029/94GL01174.
- Horie, O., P. Neeb, and G. K. Moortgat (1994b). "Ozonolysis of trans- and cis-2-butenes in low parts-per-million concentration ranges". In: *Int. J. Chem. Kinetics* 26.11, pp. 1075–1094. DOI: 10.1002/kin.550261104.
- Horowitz, L. W., A. M. Fiore, G. P. Milly, R. C. Cohen, A. Perring, P. J. Wooldridge, P. G. Hess, L. K. Emmons, and J.-F. Lamarque (2007). "Observational constraints on the chemistry of isoprene nitrates over the eastern United States". In: *J. Geophys. Res. - Atmos.* 112.D12. D12S08. DOI: 10.1029/2006JD007747.

- Hottle, J. R., A. J. Huisman, J. P. DiGangi, A. Kammrath, M. M. Galloway, K. L. Coens, and F. N. Keutsch (2009). “A laser induced fluorescence-based instrument for in-situ measurements of atmospheric formaldehyde”. In: *Environ. Sci. Technol.* 43.3, pp. 790–795. doi: 10.1021/es801621f.
- Hou, H., L. Deng, J. Li, and B. Wang (2005a). “A systematic computational study of the reactions of HO₂ with RO₂: The HO₂ + CH₂ClO₂, CHCl₂O₂, and CCl₃O₂ reactions”. In: *J. Phys. Chem. A* 109.41, pp. 9299–9309. doi: 10.1021/jp052718c.
- Hou, H., J. Li, X. Song, and B. Wang (2005b). “A systematic computational study of the reactions of HO₂ with RO₂: The HO₂ + C₂H₅O₂ reaction”. In: *J. Phys. Chem. A* 109.49, pp. 11206–11212. doi: 10.1021/jp0550098.
- Hou, H. and B. Wang (2005). “A systematic computational study on the reactions of HO₂ with RO₂: The HO₂ + CH₃O₂(CD₃O₂) and HO₂ + CH₂FO₂ reactions”. In: *J. Phys. Chem. A* 109.3, pp. 451–460. doi: 10.1021/jp046329e.
- House, H. O. and R. S. Ro (1958). “The stereochemistry of base-catalyzed epoxidation”. In: *J. Am. Chem. Soc.* 80.10, pp. 2428–2433.
- Howard, J. A. (1972). “Absolute Rate Constants for Reactions of Oxyl Radicals”. In: *Advances in Free-Radical Chemistry*. Ed. by G. H. Williams. Vol. IV. London, UK: Logos Press, p. 49.
- Hu, D., L. Qiao, J. Chen, X. Ye, X. Yang, T. Cheng, and W. Fang (2010). “Hygroscopicity of inorganic aerosols: Size and relative humidity effects on the growth factor”. In: *Aerosol Air Qual. Res.* 10, pp. 255–264.
- Hu, K. S., A. I. Darer, and M. J. Elrod (2011). “Thermodynamics and kinetics of the hydrolysis of atmospherically relevant organonitrates and organosulfates”. In: *Atmos. Chem. Phys.* 11.16, pp. 8307–8320. doi: 10.5194/acp-11-8307-2011.
- Hu, W., B. B. Palm, D. A. Day, P. Campuzano-Jost, J. E. Krechmer, Z. Peng, S. S. de Sá, S. T. Martin, M. L. Alexander, K. Baumann, L. Hacker, A. Kiendler-Scharr, A. R. Koss, J. A. de Gouw, A. H. Goldstein, R. Seco, S. J. Sjostedt, J. H. Park, A. B. Guenther, S. Kim, F. Canonaco, A. S. H. Prévôt, W. H. Brune, and J. L. Jimenez (2016). “Volatility and lifetime against OH heterogeneous reaction of ambient isoprene-epoxydiols-derived secondary organic aerosol (IEPOX-SOA)”. In: *Atmos. Chem. Phys.* 16.18, pp. 11563–11580. doi: 10.5194/acp-16-11563-2016.
- Huang, D., Z. M. Chen, Y. Zhao, and H. Liang (2013). “Newly observed peroxides and the water effect on the formation and removal of hydroxyalkyl hydroperoxides in the ozonolysis of isoprene”. In: *Atmos. Chem. Phys.* 13.11, pp. 5671–5683. doi: 10.5194/acp-13-5671-2013.
- Huang, H.-L., W. Chao, and J. J.-M. Lin (2015). “Kinetics of a Criegee intermediate that would survive high humidity and may oxidize atmospheric SO₂”. In: *Proc. Nat'l. Acad. Sci.* 112.35, pp. 10857–10862. doi: 10.1073/pnas.1513149112.

- Hudman, R. C., N. E. Moore, A. K. Mebust, R. V. Martin, A. R. Russell, L. C. Valin, and R. C. Cohen (2012). "Steps towards a mechanistic model of global soil nitric oxide emissions: implementation and space based-constraints". In: *Atmos. Chem. Phys.* 12.16, pp. 7779–7795. DOI: 10.5194/acp-12-7779-2012.
- Huisman, A. J., J. R. Hottle, K. L. Coens, J. P. DiGangi, M. M. Galloway, A. Kammrath, and F. N. Keutsch (2008). "Laser-Induced Phosphorescence for the in Situ Detection of Glyoxal at Part per Trillion Mixing Ratios". In: *Anal. Chem.* 80.15, pp. 5884–5891. DOI: 10.1021/ac800407b.
- Hull, L. A. (1978). "MINDO/3 calculations on the stability of Criegee carbonyl oxides". In: *J. Org. Chem.* 43.14, pp. 2780–2785. DOI: 10.1021/jo00408a008.
- Hurley, M. D., J. C. Ball, T. J. Wallington, M. P. Sulbaek Andersen, O. J. Nielsen, D. A. Ellis, J. W. Martin, and S. A. Mabury (2006). "Atmospheric chemistry of n-C_xF_{2x+1}CHO (x = 1, 2, 3, 4): Fate of n-C_xF_{2x+1}C(O) radicals". In: *J. Phys. Chem. A* 110.45, pp. 12443–12447. DOI: 10.1021/jp064029m.
- Hyer, E. J., J. S. Reid, and J. Zhang (2011). "An over-land aerosol optical depth data set for data assimilation by filtering, correction, and aggregation of MODIS Collection 5 optical depth retrievals". In: *Atmos. Meas. Tech.* 4.3, pp. 379–408. DOI: 10.5194/amt-4-379-2011.
- Inuma, Y., C. Müller, T. Berndt, O. Böge, M. Claeys, and H. Herrmann (2007). "Evidence for the existence of organosulfates from beta-pinene ozonolysis in ambient secondary organic aerosol". In: *Environ. Sci. Technol.* 41.19, pp. 6678–6683. DOI: 10.1021/es070938t.
- Ion, A. C., R. Vermeylen, I. Kourtchev, J. Cafmeyer, X. Chi, A. Gelencsér, W. Maenhaut, and M. Claeys (2005). "Polar organic compounds in rural PM_{2.5} aerosols from K-pusza, Hungary, during a 2003 summer field campaign: Sources and diel variations". In: *Atmos. Chem. Phys.* 5.7, pp. 1805–1814. DOI: 10.5194/acp-5-1805-2005.
- Ip, H. S. S., X. H. H. Huang, and J. Z. Yu (2009). "Effective Henry's law constants of glyoxal, glyoxylic acid, and glycolic acid". In: *Geophys. Res. Lett.* 36.1. DOI: 10.1029/2008GL036212.
- Iranpoor, N. and P. Salehi (1994). "Highly efficient, regio- and stereoselective alcoholysis of epoxides catalyzed with iron(III) chloride". In: *Synthesis* 1994.11, pp. 1152–1154. DOI: 10.1055/s-1994-25661.
- Iranpoor, N., T. Tarran, and Z. Movahedi (1996). "FeCl₃·6H₂O supported on SiO₂ catalysed ring opening of epoxides with alcohols, acetic acid, water, chloride, bromide and nitrate ions". In: *Synthesis* 1996.12, pp. 1473–1476. DOI: 10.1055/s-1996-4416.
- Isaacman, G., K. R. Wilson, A. W. H. Chan, D. R. Worton, J. R. Kimmel, T. Nah, T. Hohaus, M. Gonin, J. H. Kroll, D. R. Worsnop, and A. H. Goldstein (2012). "Improved resolution of hydrocarbon structures and constitutional isomers in complex

- mixtures using gas chromatography-vacuum ultraviolet-mass spectrometry". In: *Anal. Chem.* 84.5, pp. 2335–2342. DOI: 10.1021/ac2030464.
- Isaacman-VanWertz, G. (2014). Thesis.
- Isidorov, V. A. (1990). *Organic Chemistry of the Earth's Atmosphere*. Springer-Verlag. ISBN: 978-3-642-75096-0.
- Ito, A., S. Sillman, and J. E. Penner (2007). "Effects of additional nonmethane volatile organic compounds, organic nitrates, and direct emissions of oxygenated organic species on global tropospheric chemistry". In: *J. Geophys. Res. - Atmos.* 112.D6.
- Jacob, D. (1999). *Introduction to Atmospheric Chemistry*. Princeton University Press. ISBN: 9780691001852. URL: <https://books.google.com/books?id=14whM9fEOzsC>.
- Jacob, D. J. and P. S. Bakwin (1991). "Cycling of NO_x in Tropical Forest Canopies". In: *Microbial Production and Consumption of Greenhouse Gases: Methane, Nitrogen Oxides, and Halomethanes*. Ed. by J. E. Rogers and W. B. Whitman. Washington, D. C.: American Society for Microbiology, pp. 237–253.
- Jacob, D. J. and S. C. Wofsy (1988). "Photochemistry of biogenic emissions over the Amazon forest". In: *J. Geophys. Res. - Atmos.* 93.D2, pp. 1477–1486. DOI: 10.1029/JD093iD02p01477.
- Jacobs, M. I., W. J. Burke, and M. J. Elrod (2014). "Kinetics of the reactions of isoprene-derived hydroxynitrates: Gas phase epoxide formation and solution phase hydrolysis". In: *Atmos. Chem. Phys.* 14.17, pp. 8933–8946. DOI: 10.5194/acp-14-8933-2014.
- Jacobs, M. I., A. D. Darer, and M. J. Elrod (2013). "Rate constants and products of the OH reaction with isoprene-derived epoxides". In: *Environ. Sci. Technol.* 47.22, pp. 12868–12876. DOI: 10.1021/es403340g.
- Jacobsen, E. N., F. Kakiuchi, R. G. Konsler, J. F. Larrow, and M. Tokunaga (1997). "Enantioselective catalytic ring opening of epoxides with carboxylic acids". In: *Tetrahedron Letters* 38.5, pp. 773–776. DOI: [http://dx.doi.org/10.1016/S0040-4039\(96\)02414-8](http://dx.doi.org/10.1016/S0040-4039(96)02414-8).
- Jang, M., N. M. Czoschke, S. Lee, and R. M. Kamens (2002). "Heterogeneous atmospheric aerosol production by acid-catalyzed particle-phase reactions". In: *Science* 298, pp. 814–817.
- Jayne, J. T., D. C. Leard, X. Zhang, P. Davidovits, K. A. Smith, C. E. Kolb, and D. R. Worsnop (2000). "Development of an aerosol mass spectrometer for size and composition analysis of submicron particles". In: *Aerosol Sci. Technol.* 33.1-2, pp. 49–70. DOI: 10.1080/027868200410840.
- Jenkin, M. E., A. A. Boyd, and R. Lesclaux (1998). "Peroxy radical kinetics resulting from the OH-initiated oxidation of 1,3-butadiene, 2,3-dimethyl-1,3-butadiene and isoprene". In: *J. Atmos. Chem.* 29, pp. 267–298.

- Jenkin, M. E., M. D. Hurley, and T. J. Wallington (2007). “Investigation of the radical product channel of the $\text{CH}_3\text{C}(\text{O})\text{O}_2 + \text{HO}_2$ reaction in the gas phase”. In: *Phys. Chem. Chem. Phys.* 9 (24), pp. 3149–3162. DOI: 10.1039/B702757E.
- (2008). “Investigation of the radical product channel of the $\text{CH}_3\text{C}(\text{O})\text{CH}_2\text{O}_2 + \text{HO}_2$ reaction in the gas phase”. In: *Phys. Chem. Chem. Phys.* 10.29, pp. 4274–4280. DOI: 10.1039/B802898B.
- (2010). “Investigation of the radical product channel of the $\text{CH}_3\text{OCH}_2\text{O}_2 + \text{HO}_2$ reaction in the gas phase”. In: *J. Phys. Chem. A* 114.1, pp. 408–416. DOI: 10.1021/jp908158w.
- Jenkin, M. E., S. M. Saunders, and M. J. Pilling (1997). “The tropospheric degradation of volatile organic compounds: A protocol for mechanism development”. In: *Atmos. Environ.* 31, pp. 81–104.
- Jenkin, M. E., K. P. Wyche, C. J. Evans, T. Carr, P. S. Monks, M. R. Alfarra, M. H. Barley, G. B. McFiggans, J. C. Young, and A. R. Rickard (2012). “Development and chamber evaluation of the MCM v3.2 degradation scheme for b-caryophyllene”. In: *Atmos. Chem. Phys.* 12, pp. 5275–5308.
- Jenkin, M. E., J. C. Young, and A. R. Rickard (2015). “The MCM v3.3.1 degradation scheme for isoprene”. In: *Atmos. Chem. Phys.* 15.20, pp. 11433–11459. DOI: 10.5194/acp-15-11433-2015.
- Jenkin, M. E. and G. D. Hayman (1995). “Kinetics of reactions of primary, secondary and tertiary beta-hydroxy peroxy radicals”. In: *J. Chem. Soc. Faraday Trans.* 91.13, p. 1911. DOI: 10.1039/ft9959101911.
- Jerrett, M., R. T. Burnett, C. A. Pope, K. Ito, G. Thurston, D. Krewski, Y. Shi, E. Calle, and M. Thun (2009). “Long-term ozone exposure and mortality”. In: *New England J. Med.* 360.11, pp. 1085–1095. DOI: 10.1056/NEJMoa0803894.
- Jimenez, J. L., M. R. Canagaratna, N. M. Donahue, A. S. H. Prevot, Q. Zhang, J. H. Kroll, P. F. DeCarlo, J. D. Allan, H. Coe, N. L. Ng, A. C. Aiken, K. S. Docherty, I. M. Ulbrich, A. P. Grieshop, A. L. Robinson, J. Duplissy, J. D. Smith, K. R. Wilson, V. A. Lanz, C. Hueglin, Y. L. Sun, J. Tian, A. Laaksonen, T. Raatikainen, J. Rautiainen, P. Vaattovaara, M. Ehn, M. Kulmala, J. M. Tomlinson, D. R. Collins, M. J. Cubison, J. Dunlea, J. A. Huffman, T. B. Onasch, M. R. Alfarra, P. I. Williams, K. Bower, Y. Kondo, J. Schneider, F. Drewnick, S. Borrmann, S. Weimer, K. Demerjian, D. Salcedo, L. Cottrell, R. Griffin, A. Takami, T. Miyoshi, S. Hatakeyama, A. Shimono, J. Y. Sun, Y. M. Zhang, K. Dzepina, J. R. Kimmel, D. Sueper, J. T. Jayne, S. C. Herndon, A. M. Trimborn, L. R. Williams, E. C. Wood, A. M. Middlebrook, C. E. Kolb, U. Baltensperger, and D. R. Worsnop (2009). “Evolution of organic aerosols in the atmosphere”. In: *Science* 326, pp. 1525–1529.
- Jimenez, J. L., J. T. Jayne, Q. Shi, C. E. Kolb, D. R. Worsnop, I. Yourshaw, J. H. Seinfeld, R. C. Flagan, X. Zhang, K. A. Smith, J. W. Morris, and P. Davidovits (2003).

- “Ambient aerosol sampling using the Aerodyne Aerosol Mass Spectrometer”. In: *J. Geophys. Res. - Atmos.* 108.D7. DOI: 10.1029/2001JD001213.
- Johnson, D. and G. Marston (2008). “The gas-phase ozonolysis of unsaturated volatile organic compounds in the troposphere”. In: *Chem. Soc. Rev.* 37.4, pp. 699–716. DOI: 10.1039/B704260B.
- Johnson, T. J., R. L. Sams, T. A. Blake, S. W. Sharpe, and P. M. Chu (2002). “Removing aperture-induced artifacts from fourier transform infrared intensity values”. In: *Applied Optics* 41.15, pp. 2831–2839. DOI: 10.1364/AO.41.002831.
- Jokinen, T., M. Sipilä, S. Richters, V.-M. Kerminen, P. Paasonen, F. Stratmann, D. Worsnop, M. Kulmala, M. Ehn, H. Herrmann, and T. Berndt (2014). “Rapid autoxidation forms highly oxidized RO₂ radicals in the atmosphere”. In: *Angewandte Chemie Int. Ed.* 53.52, pp. 14596–14600. DOI: 10.1002/anie.201408566.
- Jones, C. R., C. S. Bretherton, and D. Leon (2011). “Coupled vs. decoupled boundary layers in VOCALS-REx”. In: *Atmos. Chem. Phys.* 11.14, pp. 7143–7153. DOI: 10.5194/acp-11-7143-2011.
- Jordan, A., S. Haidacher, G. Hanel, E. Hartungen, J. Herbig, L. Märk, R. Schottkowsky, H. Seehauser, P. Sulzer, and T. D. Märk (2009). “An online ultra-high sensitivity Proton-transfer-reaction mass-spectrometer combined with switchable reagent ion capability (PTR + SRI - MS)”. In: *Int. J. Mass Spec.* 286.1, pp. 32–38. DOI: <http://dx.doi.org/10.1016/j.ijms.2009.06.006>.
- Jørgensen, S., H. C. Knap, R. V. Otkjær, A. M. Jensen, M. L. H. Kjeldsen, P. O. Wennberg, and H. G. Kjaergaard (2016). “Rapid hydrogen shift scrambling in hydroperoxy-substituted organic peroxy radicals”. In: *J. Phys. Chem. A* 120.2, pp. 266–275. DOI: 10.1021/acs.jpca.5b06768.
- Junninen, H., M. Ehn, T. Petäjä, L. Luosujärvi, T. Kotiaho, R. Kostianinen, U. Rohner, M. Gonin, K. Fuhrer, M. Kulmala, and D. R. Worsnop (2010). “A high-resolution mass spectrometer to measure atmospheric ion composition”. In: *Atmos. Meas. Tech.* 3.4, pp. 1039–1053. DOI: 10.5194/amt-3-1039-2010.
- Kalberer, M., D. Paulsen, M. Sax, M. Steinbacher, J. Dommen, A. S. H. Prevot, R. Fisseha, E. Weingartner, V. Frankevich, R. Zenobi, and U. Baltensperger (2004). “Identification of polymers as major components of atmospheric organic aerosols”. In: *Science* 303, pp. 1659–1662.
- Kamens, R. M., M. W. Gery, H. E. Jeffries, M. Jackson, and E. I. Cole (1982). “Ozone–isoprene reactions: Product formation and aerosol potential”. In: *Int. J. Chem. Kinetics* 14.9, pp. 955–975. DOI: 10.1002/kin.550140902.
- Kampf, C. J., E. M. Waxman, J. G. Slowik, J. Dommen, L. Pfaffenberger, A. P. Praplan, A. S. H. Prevot, U. Baltensperger, T. Hoffmann, and R. Volkamer (2013). “Effective Henry’s Law partitioning and the salting constant of glyoxal in aerosols containing sulfate”. In: *Environ. Sci. Technol.* 47, pp. 4236–4244.

- Kanakidou, M., J. H. Seinfeld, S. N. Pandis, I. Barnes, F. J. Dentener, M. C. Facchini, R. Van Dingenen, B. Ervens, A. Nenes, C. J. Nielsen, E. Swietlicki, J. P. Putaud, Y. Balkanski, S. Fuzzi, J. Horth, G. K. Moortgat, R. Winterhalter, C. E. L. Myhre, K. Tsigaridis, E. Vignati, E. G. Stephanou, and J. Wilson (2005). "Organic aerosol and global climate modelling: A review". In: *Atmos. Chem. Phys.* 5.4, pp. 1053–1123. DOI: 10.5194/acp-5-1053-2005.
- Kaplan, W. A., S. C. Wofsy, M. Keller, and J. M. Da Costa (1988). "Emission of NO and deposition of O₃ in a tropical forest system". In: *J. Geophys. Res. - Atmos.* 93.D2, pp. 1389–1395. DOI: 10.1029/JD093iD02p01389.
- Karl, M., T. Brauers, H.-P. Dorn, F. Holland, M. Komenda, D. Poppe, F. Rohrer, L. Rupp, A. Schaub, and A. Wahner (2004). "Kinetic study of the OH-isoprene and O₃-isoprene reaction in the atmosphere simulation chamber, SAPHIR". In: *Geophys. Res. Lett.* 31.5. L05117. DOI: 10.1029/2003GL019189.
- Karl, M., H. P. Dorn, F. Holland, R. Koppmann, D. Poppe, L. Rupp, A. Schaub, and A. Wahner (2006). "Product study of the reaction of OH radicals with isoprene in the atmosphere simulation chamber SAPHIR". In: *J. Atmos. Chem.* 55.2, pp. 167–187. DOI: 10.1007/s10874-006-9034-x.
- Karl, T., A. Guenther, A. Turnipseed, G. Tyndall, P. Artaxo, and S. Martin (2009). "Rapid formation of isoprene photo-oxidation products observed in Amazonia". In: *Atmos. Chem. Phys.* 9.20, pp. 7753–7767. DOI: 10.5194/acp-9-7753-2009.
- Karl, T., A. Guenther, R. J. Yokelson, J. Greenberg, M. Potosnak, D. R. Blake, and P. Artaxo (2007). "The tropical forest and fire emissions experiment: Emission, chemistry, and transport of biogenic volatile organic compounds in the lower atmosphere over Amazonia". In: *J. Geophys. Res. - Atmos.* 112.D18. DOI: 10.1029/2007JD008539.
- Karl, T., P. K. Misztal, H. H. Jonsson, S. Shertz, A. H. Goldstein, and A. B. Guenther (2013). "Airborne flux measurements of BVOCs above Californian oak forests: Experimental investigation of surface and entrainment fluxes, OH densities, and Damköhler numbers". In: *J. Atmos. Sci.* 70.10, pp. 3277–3287. DOI: 10.1175/jas-d-13-054.1.
- Kerdouci, J., B. Picquet-Varrault, and J.-F. Doussin (2010). "Prediction of rate constants for gas-phase reactions of nitrate radical with organic compounds: A new structure–activity relationship". In: *ChemPhysChem* 11.18, pp. 3909–3920. DOI: 10.1002/cphc.201000673.
- Khamaganov, V. G. and R. A. Hites (2001). "Rate constants for the gas-phase reactions of ozone with isoprene, alpha- and beta-pinene, and limonene as a function of temperature". In: *J. Phys. Chem. A* 105.5, pp. 815–822. DOI: 10.1021/jp002730z.
- Kholodar, S. A. and A. S. Murkin (2013). "DXP reductoisomerase: Reaction of the substrate in pieces reveals a catalytic role for the nonreacting phosphodianion group". In: *Biochemistry* 52, pp. 2302–2308.

- Kiendler-Scharr, A., J. Wildt, M. D. Maso, T. Hohaus, E. Kleist, T. F. Mentel, R. Tillmann, R. Uerlings, U. Schurr, and A. Wahner (2009). "New particle formation in forests inhibited by isoprene emissions". In: *Nature* 461.7262, pp. 381–384. DOI: http://www.nature.com/nature/journal/v461/n7262/supinfo/nature08292_S1.html.
- Kim, S., G. M. Wolfe, L. Mauldin, C. Cantrell, A. Guenther, T. Karl, A. Turnipseed, J. Greenberg, S. R. Hall, K. Ullmann, E. Apel, R. Hornbrook, Y. Kajii, Y. Nakashima, F. N. Keutsch, J. P. DiGangi, S. B. Henry, L. Kaser, R. Schnitzhofer, M. Graus, A. Hansel, W. Zheng, and F. F. Flocke (2013). "Evaluation of HOx sources and cycling using measurement-constrained model calculations in a 2-methyl-3-butene-2-ol (MBO) and monoterpene (MT) dominated ecosystem". In: *Atmos. Chem. Phys.* 13.4, pp. 2031–2044. DOI: 10.5194/acp-13-2031-2013.
- Kirchner, F. and W. R. Stockwell (1996). "Effect of peroxy radical reactions on the predicted concentrations of ozone, nitrogenous compounds, and radicals". In: *J. Geophys. Res. - Atmos.* 101.D15, pp. 21007–21022. DOI: 10.1029/96JD01519.
- Kjaergaard, H. G., H. C. Knap, K. B. Ornsø, S. Jørgensen, J. D. Crouse, F. Paulot, and P. O. Wennberg (2012). "Atmospheric fate of methacrolein. 2. Formation of lactone and implications for organic aerosol production". In: *J. Phys. Chem. A* 116, pp. 5763–5768.
- Kjaergaard, H. G., T. Kurtén, L. B. Nielsen, S. Jørgensen, and P. O. Wennberg (2013). "Criegee intermediates react with ozone". In: *J. Phys. Chem. Lett.* 4.15, pp. 2525–2529. DOI: 10.1021/jz401205m.
- Klawatsch-Carrasco, N., J. F. Doussin, and P. Carlier (2004). "Absolute rate constants for the gas-phase ozonolysis of isoprene and methylbutenol". In: *Int. J. Chem. Kinetics* 36.3, pp. 152–156. DOI: 10.1002/kin.10175.
- Kleindienst, T. E., M. Lewandowski, J. H. Offenberg, M. Jaoui, and E. O. Edney (2009). "The formation of secondary organic aerosol from the isoprene + OH reaction in the absence of NOx". In: *Atmos. Chem. Phys.* 9.17, pp. 6541–6558. DOI: 10.5194/acp-9-6541-2009.
- Kleindienst, T. E., G. W. Harris, and J. N. Pitts (1982). "Rates and temperature dependences of the reaction of hydroxyl radical with isoprene, its oxidation products, and selected terpenes". In: *Environ. Sci. Technol.* 16.12, pp. 844–846. DOI: 10.1021/es00106a004.
- Kleindienst, T. E., M. Jaoui, M. Lewandowski, J. H. Offenberg, C. W. Lewis, P. V. Bhave, and E. O. Edney (2007). "Estimates of the contributions of biogenic and anthropogenic hydrocarbons to secondary organic aerosol at a southeastern US location". In: *Atmos. Environ.* 41.37, pp. 8288–8300. DOI: <http://doi.org/10.1016/j.atmosenv.2007.06.045>.
- Knap, H. C., S. Jørgensen, and H. G. Kjaergaard (2015). "Theoretical investigation of the hydrogen shift reactions in peroxy radicals derived from the atmospheric

- decomposition of 3-methyl-3-buten-1-ol (MBO331)". In: *Chem. Phys. Lett.* 619, pp. 236–240. DOI: <http://dx.doi.org/10.1016/j.cplett.2014.11.056>.
- Knizia, G., T. B. Adler, and H. J. Werner (2009). "Simplified CCSD(T)-F12 methods: Theory and benchmarks". In: *J. Chem. Phys.* 130.5, p. 054104. DOI: 10.1063/1.3054300.
- Knote, C., P. Tuccella, G. Curci, L. Emmons, J. J. Orlando, S. Madronich, R. Baro, P. Jimenez-Guerrero, D. Luecken, C. Hogrefe, R. Forkel, J. Werhahn, M. Hirtl, J. L. Perez, R. S. Jose, L. Giordano, D. Brunner, K. Yahya, and Y. Zhang (2015). "Influence of the choice of gas-phase mechanism on predictions of key gaseous pollutants during the AQMEII phase-2 intercomparison". In: *Atmos. Environ.* 115, pp. 553–568. DOI: <http://doi.org/10.1016/j.atmosenv.2014.11.066>.
- Knyazev, V. D. and I. R. Slagle (1995). "Kinetics of the reaction of vinyl radical With molecular oxygen". In: *J. Phys. Chem.* 99.8, pp. 2247–2249. DOI: 10.1021/j100008a002.
- Koch, S., R. Winterhalter, E. Uherek, A. Kolloff, P. Neeb, and G. K. Moortgat (2000). "Formation of new particles in the gas-phase ozonolysis of monoterpenes". In: *Atmos. Environ.* 34.23, pp. 4031–4042. DOI: [http://dx.doi.org/10.1016/S1352-2310\(00\)00133-3](http://dx.doi.org/10.1016/S1352-2310(00)00133-3).
- Kourtchev, I., T. Ruuskanen, W. Maenhaut, M. Kulmala, and M. Claeys (2005). "Observation of 2-methyltetrols and related photo-oxidation products of isoprene in boreal forest aerosols from Hyytiälä, Finland". In: *Atmos. Chem. Phys.* 5, pp. 2761–2770.
- Krechmer, J. E., M. M. Coggon, P. Massoli, T. B. Nguyen, J. D. Crouse, W. Hu, D. A. Day, G. S. Tyndall, D. K. Henze, J. C. Rivera-Rios, J. B. Nowak, J. R. Kimmel, R. L. Mauldin, H. Stark, J. T. Jayne, M. Sipilä, H. Junninen, J. M. S. Clair, X. Zhang, P. A. Feiner, L. Zhang, D. O. Miller, W. H. Brune, F. N. Keutsch, P. O. Wennberg, J. H. Seinfeld, D. R. Worsnop, J. L. Jimenez, and M. R. Canagaratna (2015). "Formation hydroxyhydroperoxide low-NO oxidation". In: *Environ. Sci. Technol.* 49.17, pp. 10330–10339. DOI: 10.1021/acs.est.5b02031.
- Kroll, J. H., J. S. Clarke, N. M. Donahue, and J. G. Anderson (2001). "Mechanism of HOx formation in the gas-phase ozone-alkene reaction. 1. Direct, pressure-dependent measurements of prompt OH yields". In: *J. Phys. Chem. A* 105.9, pp. 1554–1560. DOI: 10.1021/jp002121r.
- Kroll, J. H., N. M. Donahue, V. J. Cee, K. L. Demerjian, and J. G. Anderson (2002). "Gas-phase ozonolysis of alkenes: Formation of OH from anti carbonyl oxides". In: *J. Am. Chem. Soc.* 124.29, pp. 8518–8519. DOI: 10.1021/ja0266060.
- Kuhlmann, R. V. and M. G. Lawrence (2004). "Sensitivities in global scale modeling of isoprene". In: *Atmos. Chem. Phys.* 4, pp. 1–17.
- Kuhlmann, R. von, M. G. Lawrence, U. Pöschl, and P. J. Crutzen (2004). "Sensitivities in global scale modeling of isoprene". In: *Atmos. Chem. Phys.* 4.1, pp. 1–17. DOI: 10.5194/acp-4-1-2004.

- Kuhn, U., M. O. Andreae, C. Ammann, A. C. Araújo, E. Brancaleoni, P. Ciccioli, T. Dindorf, M. Frattoni, L. V. Gatti, L. Ganzeveld, B. Kruijt, J. Lelieveld, J. Lloyd, F. X. Meixner, A. D. Nobre, U. Pöschl, C. Spirig, P. Stefani, A. Thielmann, R. Valentini, and J. Kesselmeier (2007). “Isoprene and monoterpene fluxes from Central Amazonian rainforest inferred from tower-based and airborne measurements, and implications on the atmospheric chemistry and the local carbon budget”. In: *Atmos. Chem. Phys.* 7.11, pp. 2855–2879. doi: 10.5194/acp-7-2855-2007.
- Künzi, L., M. Krapf, N. Daher, J. Dommen, N. Jeannet, S. Schneider, S. Platt, J. G. Slowik, N. Baumlin, M. Salathe, A. S. H. Prévôt, M. Kalberer, C. Strähl, L. Dümbgen, C. Sioutas, U. Baltensperger, and M. Geiser (2015). “Toxicity of aged gasoline exhaust particles to normal and diseased airway epithelia”. In: *Scientific Reports* 5, p. 11801. doi: 10.1038/srep11801 <http://www.nature.com/articles/srep11801#supplementary-information>.
- Kurtén, T., J. R. Lane, S. Jørgensen, and H. G. Kjaergaard (2011). “A computational study of the oxidation of SO₂ to SO₃ by gas-phase organic oxidants”. In: *J. Phys. Chem. A* 115.31, pp. 8669–8681. doi: 10.1021/jp203907d.
- Kuwata, K. T., M. R. Hermes, M. J. Carlson, and C. K. Zogg (2010). “Computational studies of the isomerization and hydration reactions of acetaldehyde oxide and methyl vinyl carbonyl oxide”. In: *J. Phys. Chem. A* 114.34, pp. 9192–9204. doi: 10.1021/jp105358v.
- Kuwata, K. T. and L. C. Valin (2008). “Quantum chemical and RRKM/master equation studies of isoprene ozonolysis: Methacrolein and methacrolein oxide”. In: *Chem. Phys. Lett.* 451.4–6, pp. 186–191. doi: <http://dx.doi.org/10.1016/j.cplett.2007.11.092>.
- Kuwata, M., S. R. Zorn, and S. T. Martin (2012). “Using elemental ratios to predict the density of organic material composed of carbon, hydrogen, and oxygen”. In: *Environ. Sci. Technol.* 46.2, pp. 787–794. doi: 10.1021/es202525q.
- Kuzuyama, T. and H. Seto (2003). “Diversity of the biosynthesis of the isoprene units”. In: *Natural Product Reports* 20.2, pp. 171–183. doi: 10.1039/B109860H.
- Kwan, A. J., A. W. H. Chan, N. L. Ng, H. G. Kjaergaard, J. H. Seinfeld, and P. O. Wennberg (2012). “Peroxy radical chemistry and OH radical production during the NO₃-initiated oxidation of isoprene”. In: *Atmos. Chem. Phys.* 12.16, pp. 7499–7515. doi: 10.5194/acp-12-7499-2012.
- Kwok, E. S. C. and R. Atkinson (1995). “Estimation of hydroxyl radical reaction rate constants for gas-phase organic compounds using a structure-reactivity relationship: An update.” In: *Atmos. Environ.* 29, pp. 1685–1695.
- Kwok, E. S. C., S. M. Aschmann, J. Arey, and R. Atkinson (1996). “Product formation from the reaction of the NO₃ radical with isoprene and rate constants for the reactions of methacrolein and methyl vinyl ketone with the NO₃ radical”. In:

- Int. J. Chem. Kinetics* 28.12, pp. 925–934. DOI: 10.1002/(SICI)1097-4601(1996)28:12<925::AID-KIN10>3.0.CO;2-B.
- LaFranchi, B. W. and G. A. Petrucci (2006). “A comprehensive characterization of photoelectron resonance capture ionization aerosol mass spectrometry for the quantitative and qualitative analysis of organic particulate matter”. In: *Int. J. Mass Spec.* 258.1–3, pp. 120–133. DOI: <http://doi.org/10.1016/j.ijms.2006.06.013>.
- Lancar, I. T., V. Daele, G. Lebras, and G. Poulet (1991). “Reaction of NO₃ radicals with 2,3-dimethylbut-2-ene, buta-1,3-diene and 2,3-dimethylbuta-1,3-diene”. In: *J. Chim. Phys. Pcb* 88.9, pp. 1777–1792.
- Laskin, A., R. C. Moffet, M. K. Gilles, J. D. Fast, R. A. Zaveri, B. Wang, P. Nigge, and J. Shutthanandan (2012). “Tropospheric chemistry of internally mixed sea salt and organic particles: Surprising reactivity of NaCl with weak organic acids”. In: *J. Geophys. Res. - Atmos.* 117.D15. DOI: 10.1029/2012JD017743.
- Lavrich, R. J. and M. D. Hays (2007). “Validation studies of thermal extraction-GC/MS applied to source emissions aerosols. 1. Semivolatile analyte-nonvolatile matrix interactions”. In: *Anal. Chem.* 79.10, pp. 3635–3645. DOI: 10.1021/ac0623282.
- Le Crane, J.-P., J.-C. Rayez, E. Villenave, and M.-T. Rayez (2006). “A reinvestigation of the kinetics and the mechanism of the CH₃C(O)O-2+HO₂ reaction using both experimental and theoretical approaches”. In: *Phys. Chem. Chem. Phys.* 8, pp. 2163–2171. DOI: 10.1039/b518321a.
- Leather, K. E., M. R. McGillen, M. C. Cooke, S. R. Utembe, A. T. Archibald, M. E. Jenkin, R. G. Derwent, D. E. Shallcross, and C. J. Percival (2012). “Acid-yield measurements of the gas-phase ozonolysis of ethene as a function of humidity using Chemical Ionisation Mass Spectrometry (CIMS)”. In: *Atmos. Chem. Phys.* 12.1, pp. 469–479. DOI: 10.5194/acp-12-469-2012.
- Lee, C.-T. and W.-C. Hsu (2000). “The measurement of liquid water mass associated with collected hygroscopic particles”. In: *J. Aerosol Sci.* 31.2, pp. 189–197. DOI: [http://dx.doi.org/10.1016/S0021-8502\(99\)00048-8](http://dx.doi.org/10.1016/S0021-8502(99)00048-8).
- Lee, J. H., D. F. Leahy, I. N. Tang, and L. Newman (1993a). “Measurement and speciation of gas phase peroxides in the atmosphere”. In: *J. Geophys. Res. - Atmos.* 98.D2, pp. 2911–2915. DOI: 10.1029/92JD02514.
- (1993b). “Measurement and speciation of gas phase peroxides in the atmosphere”. In: *Journal of Geophysical Research: Atmospheres* 98.D2, pp. 2911–2915. DOI: 10.1029/92JD02514.
- Lee, L., A. P. Teng, P. O. Wennberg, J. D. Crouse, and R. C. Cohen (2014). “On rates and mechanisms of OH and O₃ reactions with isoprene-derived hydroxy nitrates”. In: *J. Phys. Chem. A*.

- Lei, W., D. Zhang, R. Zhang, L. T. Molina, and M. J. Molina (2002a). "Rate constants and isomeric branching of the Cl-isoprene reaction". In: *Chem. Phys. Lett.* 357.1–2, pp. 45–50. doi: [http://dx.doi.org/10.1016/S0009-2614\(02\)00437-2](http://dx.doi.org/10.1016/S0009-2614(02)00437-2).
- Lei, W., R. Zhang, W. S. McGivern, A. Derecskei-Kovacs, and S. W. North (2001). "Theoretical study of OH-O₂-isoprene peroxy radicals". In: *J. Phys. Chem. A* 105.2, pp. 471–477. doi: 10.1021/jp0027039.
- Lei, W., R. Zhang, L. T. Molina, and M. J. Molina (2002b). "Theoretical study of chloroalkenylperoxy radicals". In: *J. Phys. Chem. A* 106.26, pp. 6415–6420. doi: 10.1021/jp025799a.
- Lelieveld, J., T. M. Butler, J. N. Crowley, T. J. Dillon, H. Fischer, L. Ganzeveld, H. Harder, M. G. Lawrence, M. Martinez, D. Taraborrelli, and J. Williams (2008). "Atmospheric oxidation capacity sustained by a tropical forest". In: *Nature* 452, pp. 737–40. doi: 10.1038/nature06870.
- Lelieveld, J., J. S. Evans, M. Fnais, D. Giannadaki, and A. Pozzer (2015). "The contribution of outdoor air pollution sources to premature mortality on a global scale". In: *Nature* 525.7569, pp. 367–371. doi: 10.1038/nature15371.
- Levine, J. G., A. R. MacKenzie, O. J. Squire, A. T. Archibald, P. T. Griffiths, N. L. Abraham, J. A. Pyle, D. E. Oram, G. Forster, J. F. Brito, J. D. Lee, J. R. Hopkins, A. C. Lewis, S. J. B. Bauguitte, C. F. Demarco, P. Artaxo, P. Messina, J. Lathièrè, D. A. Hauglustaine, E. House, C. N. Hewitt, and E. Nemitz (2015). "Isoprene chemistry in pristine and polluted Amazon environments: Eulerian and Lagrangian model frameworks and the strong bearing they have on our understanding of surface ozone and predictions of rainforest exposure to this priority pollutant". In: *Atmos. Chem. Phys. Discuss.* 2015, pp. 24251–24310. doi: 10.5194/acpd-15-24251-2015.
- Lewis, E. R. and S. E. Schwartz (2004). *Sea Salt Aerosol Production: MEchanisms, Methods, Measurements and Models - A Critical Review*. Vol. 152. Geophys. Monograph. Washington, D. C.: Amer. Geophys. Union.
- Lewis, T. R., M. A. Blitz, D. E. Heard, and P. W. Seakins (2015). "Direct evidence for a substantive reaction between the Criegee intermediate, CH₂OO, and the water vapour dimer". In: *Phys. Chem. Chem. Phys.* 17 (7), pp. 4859–4863. doi: 10.1039/C4CP04750H.
- Li, C., L. S. Balluz, A. Vaidyanathan, X.-J. Wen, Y. Hao, and J. R. Qualters (2016). "Long-term exposure to ozone and life expectancy in the United States, 2002 to 2008". In: *Medicine* 95.7, e2474. doi: 10.1097/MD.0000000000002474.
- Liao, J., K. D. Froyd, D. M. Murphy, F. N. Keutsch, G. Yu, P. O. Wennberg, J. M. St. Clair, J. D. Crouse, A. Wisthaler, T. Mikoviny, J.-L. Jimenez, P. Campuzano-Jost, D. A. Day, W. Hu, T. B. Ryerson, I. B. Pollack, J. Peischl, B. E. Anderson, L. D. Ziemba, D. R. Blake, S. Meinardi, and G. Diskin (2015). "Airborne mea-

- surements of organosulfates over the continental U.S.” In: *J. Geophys. Res. - Atmos.* 120.7, pp. 2990–3005.
- Liebman, J. F. and A. Greenberg (1974). “Estimation by bond-additivity schemes of the relative thermodynamic stabilities of three-membered-ring systems and their open dipolar forms”. In: *J. Org. Chem.* 39.2, pp. 123–130. doi: 10.1021/jo00916a001.
- Lightfoot, P. D., R. A. Cox, J. N. Crowley, M. Destriau, G. D. Hayman, M. E. Jenkin, G. K. Moortgat, and F. Zabel (1992). “Organic peroxy radicals: Kinetics, spectroscopy and tropospheric chemistry”. In: *Atmos. Environ.* 26.10, pp. 1805–1961. doi: [http://dx.doi.org/10.1016/0960-1686\(92\)90423-I](http://dx.doi.org/10.1016/0960-1686(92)90423-I).
- Limbeck, A., M. Kulmala, and H. Puxbaum (2003). “Secondary organic aerosol formation in the atmosphere via heterogeneous reaction of gaseous isoprene on acidic particles”. In: *Geophys. Res. Lett.* 30.19. doi: 10.1029/2003GL017738.
- Lin, G., J. E. Penner, and C. Zhou (2016). “How will SOA change in the future?” In: *Geophys. Res. Lett.* 43.4, pp. 1718–1726. doi: 10.1002/2015GL067137.
- Lin, Y.-H., S. H. Budisulistiorini, K. Chu, R. A. Siejack, H. Zhang, M. Riva, Z. Zhang, A. Gold, K. E. Kautzman, and J. D. Surratt (2014). “Light-absorbing oligomer formation in secondary organic aerosol from reactive uptake of isoprene epoxydiols”. In: *Environ. Sci. Technol.* 48.20, pp. 12012–12021. doi: 10.1021/es503142b.
- Lin, Y.-H., E. M. Knipping, E. S. Edgerton, S. L. Shaw, and J. D. Surratt (2013a). “Investigating the influences of SO₂ and NH₃ levels on isoprene-derived secondary organic aerosol formation using conditional sampling approaches”. In: *Atmos. Chem. Phys.* 13.16, pp. 8457–8470. doi: 10.5194/acp-13-8457-2013.
- Lin, Y.-H., H. Zhang, H. O. Pye, Z. Zhang, W. J. Marth, S. Park, M. Arashiro, T. Cui, S. H. Budisulistiorini, K. G. Sexton, W. Vizuete, Y. Xie, D. J. Luecken, I. R. Piletic, E. O. Edney, L. J. Bartolotti, A. Gold, and J. D. Surratt (2013b). “Epoxide as a precursor to secondary organic aerosol formation from isoprene photooxidation in the presence of nitrogen oxides”. In: *Proc. Nat’l. Acad. Sci.* 110, pp. 6718–6723.
- Lin, Y.-H., Z. Zhang, K. S. Docherty, H. Zhang, S. H. Budisulistiorini, C. L. Rubitschun, S. L. Shaw, E. M. Knipping, E. S. Edgerton, T. E. Kleindienst, A. Gold, and J. D. Surratt (2012). “Isoprene epoxydiols as precursors to secondary organic aerosol formation: Acid-catalyzed reactive uptake studies with authentic compounds”. In: *Environ. Sci. Technol.* 46, pp. 250–258.
- Lindinger, W. and A. Jordan (1998). “Proton-transfer-reaction mass spectrometry (PTR-MS): on-line monitoring of volatile organic compounds at pptv levels”. In: *Chem. Soc. Rev.* 27.5, pp. 347–375. doi: 10.1039/A827347Z.

- Liu, J., E. L. D'Ambro, B. H. Lee, F. D. Lopez-Hilfiker, R. A. Zaveri, J. C. Rivera-Rios, F. N. Keutsch, S. Iyer, T. Kurten, Z. Zhang, A. Gold, J. D. Surratt, J. E. Shilling, and J. A. Thornton (2016). "Efficient isoprene secondary organic aerosol formation from a non-IEPOX pathway". In: *Environ. Sci. Technol.* 50.18, pp. 9872–9880. DOI: 10.1021/acs.est.6b01872.
- Liu, Y. J., I. Herdinger-Blatt, K. A. McKinney, and S. T. Martin (2013). "Production of methyl vinyl ketone and methacrolein via the hydroperoxyl pathway of isoprene oxidation". In: *Atmos. Chem. Phys.* 13, pp. 5715–5730. DOI: 10.5194/acp-13-5715-2013.
- Liu, Y., M. Kuwata, B. F. Strick, R. J. Thomson, F. M. Geiger, K. a. McKinney, and S. T. Martin (2015). "Uptake of epoxydiol isomers accounts for half of the particle-phase material produced from isoprene photooxidation via the HO₂ pathway". In: *Environ. Sci. Technol.* 49.1, pp. 250–258.
- Liu, Z., V. S. Nguyen, J. Harvey, J.-F. Muller, and J. Peeters (2017). "Theoretically derived mechanisms of HPALD photolysis in isoprene oxidation". In: *Phys. Chem. Chem. Phys.* 19 (13), pp. 9096–9106. DOI: 10.1039/C7CP00288B.
- Lockwood, A., P. Shepson, M. Fiddler, and M. Alaghmand (2010). "Isoprene nitrates: Preparation, separation, identification, yields, and atmospheric chemistry". In: *Atmos. Chem. Phys.* 10.13, pp. 6169–6178.
- Löfgren, A., A.-C. Albertsson, P. Dubois, and R. Jérôme (1995). "Recent advances in ring-opening polymerization of lactones and related compounds". In: *J. Macromolecular Sci. C* 35.3, pp. 379–418. DOI: 10.1080/15321799508014594.
- Long, F. A. and J. G. Pritchard (1956). "Hydrolysis of substituted ethylene oxides in H₂O solutions". In: *J. Am. Chem. Soc.* 78.12, pp. 2663–2667.
- Lopez-Hilfiker, F. D., C. Mohr, M. Ehn, F. Rubach, E. Kleist, J. Wildt, T. F. Mentel, A. Lutz, M. Hallquist, D. Worsnop, and J. A. Thornton (2014). "A novel method for online analysis of gas and particle composition: description and evaluation of a Filter Inlet for Gases and AEROsols (FIGAERO)". In: *Atmos. Meas. Tech.* 7.4, pp. 983–1001. DOI: 10.5194/amt-7-983-2014.
- Loreto, F. and T. D. Sharkey (1990). "A gas-exchange study of photosynthesis and isoprene emission in *Quercus rubra* L." In: *Planta* 182.4, pp. 523–531. DOI: 10.1007/BF02341027.
- Loza, C. L., J. S. Craven, L. D. Yee, M. M. Coggon, R. H. Schwantes, M. Shiraiwa, X. Zhang, K. A. Schilling, N. L. Ng, M. R. Canagaratna, P. J. Ziemann, R. C. Flagan, and J. H. Seinfeld (2014). "Secondary organic aerosol yields of 12-carbon alkanes". In: *Atmos. Chem. Phys.* 14.3, pp. 1423–1439. DOI: 10.5194/acp-14-1423-2014.
- Loza, C. L., A. W. H. Chan, M. M. Galloway, F. N. Keutsch, R. C. Flagan, and J. H. Seinfeld (2010). "Characterization of vapor wall loss in laboratory chambers". In: *Environ. Sci. Technol.* 44.13, pp. 5074–5078. DOI: 10.1021/es100727v.

- Loza, C. L., P. S. Chhabra, L. D. Yee, J. S. Craven, R. C. Flagan, and J. H. Seinfeld (2012). “Chemical aging of m-xylene secondary organic aerosol: Laboratory chamber study”. In: *Atmos. Chem. Phys.* 12, pp. 151–167.
- Lu, M.-L., A. Sorooshian, H. H. Jonsson, G. Feingold, R. C. Flagan, and J. H. Seinfeld (2009). “Marine stratocumulus aerosol-cloud relationships in the MASE-II experiment: Precipitation susceptibility in eastern Pacific marine stratocumulus”. In: *J. Geophys. Res. - Atmos.* 114.D24. doi: 10.1029/2009JD012774.
- Lynch, P., J. S. Reid, D. L. Westphal, J. Zhang, T. F. Hogan, E. J. Hyer, C. A. Curtis, D. A. Hegg, Y. Shi, J. R. Campbell, J. I. Rubin, W. R. Sessions, F. J. Turk, and A. L. Walker (2016). “An 11-year global gridded aerosol optical thickness reanalysis (v1.0) for atmospheric and climate sciences”. In: *Geosci. Model Dev.* 9.4, pp. 1489–1522. doi: 10.5194/gmd-9-1489-2016.
- Ma, Y., R. J. Weber, K. Maxwell-Meier, D. A. Orsini, Y. N. Lee, B. J. Huebert, S. G. Howell, T. Bertram, R. W. Talbot, J. E. Dibb, and E. Scheuer (2004). “Intercomparisons of airborne measurements of aerosol ionic chemical composition during TRACE-P and ACE-Asia”. In: *J. Geophys. Res. - Atmos.* 109.D15. doi: 10.1029/2003JD003673.
- Madronich, S. and J. G. Calvert (1990). “Permutation reactions of organic peroxy radicals in the troposphere”. In: *J. Geophys. Res.* 95.D5, pp. 5697–5715.
- Magneron, I., R. Thévenet, A. Mellouki, G. L. Bras, G. K. Moortgat, and K. Wirtz (2002). “A study of the photolysis and OH-initiated oxidation of acrolein and trans-crotonaldehyde”. In: *J. Phys. Chem. A* 106.11, pp. 2526–2537. doi: 10.1021/jp013413a.
- Mäkelä, J. M., P. Aalto, V. Jokinen, T. Pohja, A. Nissinen, S. Palmroth, T. Markkanen, K. Seitsonen, H. Lihavainen, and M. Kulmala (1997). “Observations of ultrafine aerosol particle formation and growth in boreal forest”. In: *Geophys. Res. Lett.* 24.10, pp. 1219–1222. doi: 10.1029/97GL00920.
- Makino, K., M. M. Mossoba, and P. Riesz (1982). “Chemical effects of ultrasound on aqueous solutions. Evidence for hydroxyl and hydrogen free radicals (OH and H) by spin trapping”. In: *J. Am. Chem. Soc.* 104.12, pp. 3537–3539. doi: 10.1021/ja00376a064.
- Malecha, K. T. and S. A. Nizkorodov (2016). “Photodegradation of secondary organic aerosol particles as a source of small, oxygenated volatile organic compounds”. In: *Environ. Sci. Technol.* 50.18, pp. 9990–9997. doi: 10.1021/acs.est.6b02313.
- Mao, J., F. Paulot, D. J. Jacob, R. C. Cohen, J. D. Crouse, P. O. Wennberg, C. A. Keller, R. C. Hudman, M. P. Barkley, and L. W. Horowitz (2013). “Ozone and organic nitrates over the eastern United States: Sensitivity to isoprene chemistry”. In: *J. Geophys. Res.* 118, pp. 11256–11268.

- Mao, J., X. Ren, W. H. Brune, J. R. Olson, J. H. Crawford, A. Fried, L. G. Huey, R. C. Cohen, B. Heikes, H. B. Singh, D. R. Blake, G. W. Sachse, G. S. Diskin, S. R. Hall, and R. E. Shetter (2009). “Airborne measurement of OH reactivity during INTEX-B”. In: *Atmos. Chem. Phys.* 9.1, pp. 163–173. doi: 10.5194/acp-9-163-2009.
- Mao, J., X. Ren, L. Zhang, D. M. Van Duin, R. C. Cohen, J. H. Park, A. H. Goldstein, F. Paulot, M. R. Beaver, J. D. Crouse, P. O. Wennberg, J. P. DiGangi, S. B. Henry, F. N. Keutsch, C. Park, G. W. Schade, G. M. Wolfe, J. A. Thornton, and W. H. Brune (2012). “Insights into hydroxyl measurements and atmospheric oxidation in a California forest”. In: *Atmos. Chem. Phys.* 12.17, pp. 8009–8020. doi: 10.5194/acp-12-8009-2012.
- Marais, E. A., D. J. Jacob, J. L. Jimenez, P. Campuzano-Jost, D. A. Day, W. Hu, J. Krechmer, L. Zhu, P. S. Kim, C. C. Miller, J. A. Fisher, K. Travis, K. Yu, T. F. Hanisco, G. M. Wolfe, H. L. Arkinson, H. O. T. Pye, K. D. Froyd, J. Liao, and V. F. McNeill (2016). “Aqueous-phase mechanism for secondary organic aerosol formation from isoprene: application to the southeast United States and co-benefit of SO₂ emission controls”. In: *Atmos. Chem. Phys.* 16.3, pp. 1603–1618. doi: 10.5194/acp-16-1603-2016.
- Maricq, M. M. and J. J. Szente (1996). “Temperature-dependent study of the CH₃C(O)O₂ + NO reaction”. In: *J. Phys. Chem.* 100.30, pp. 12380–12385. doi: 10.1021/jp960792c.
- Martin, S. T., P. Artaxo, L. A. T. Machado, A. O. Manzi, R. A. F. Souza, C. Schumacher, J. Wang, M. O. Andreae, H. M. J. Barbosa, J. Fan, G. Fisch, A. H. Goldstein, A. Guenther, J. L. Jimenez, U. Pöschl, M. A. SilvaDias, J. N. Smith, and M. Wendisch (2016). “Introduction: Observations and Modeling of the Green Ocean Amazon (GoAmazon2014/5)”. In: *Atmos. Chem. Phys.* 16.8, pp. 4785–4797. doi: 10.5194/acp-16-4785-2016.
- Martin, S. T. (2000). “Phase transitions of aqueous atmospheric particles”. In: *Chem. Rev.* 100.9, pp. 3403–3454. doi: 10.1021/cr990034t.
- Martin, S. T., M. O. Andreae, P. Artaxo, D. Baumgardner, Q. Chen, A. H. Goldstein, A. Guenther, C. L. Heald, O. L. Mayol-Bracero, P. H. McMurry, T. Pauliquevis, U. Pöschl, K. A. Prather, G. C. Roberts, S. R. Saleska, M. A. S. Dias, D. V. Spracklen, E. Swietlicki, and I. Trebs (2010). “Sources and properties of Amazonian aerosol particles”. In: *Rev. Geophys.* 48.
- Matsunaga, A. and P. J. Ziemann (2009). “Yields of beta-hydroxynitrates and dihydroxynitrates in aerosol formed from OH radical-initiated reactions of linear alkenes in the presence of NO_x”. In: *J. Phys. Chem. A* 113.3, pp. 599–606. doi: 10.1021/jp807764d.
- (2010a). “Gas-wall partitioning of organic compounds in a Teflon film chamber and potential effects on reaction product and aerosol yield measurements”. In: *Aerosol Sci. Technol.* 44.10, pp. 881–892. doi: 10.1080/02786826.2010.501044.

- Matsunaga, A. and P. J. Ziemann (2010b). “Yields of beta-hydroxynitrates, dihydroxynitrates, and trihydroxynitrates formed from OH radical-initiated reactions of 2-methyl-1-alkenes”. In: *Proc. Nat'l. Acad. Sci.* 107.15, pp. 6664–6669. DOI: 10.1073/pnas.0910585107.
- Matthew, B. M., A. M. Middlebrook, and T. B. Onasch (2008). “Collection efficiencies in an aerodyne aerosol mass spectrometer as a function of particle phase for laboratory generated aerosols”. In: *Aerosol Sci. Technol.* 42.11, pp. 884–898. DOI: 10.1080/02786820802356797.
- Maudlin, L. C., Z. Wang, H. H. Jonsson, and A. Sorooshian (2015). “Impact of wildfires on size-resolved aerosol composition at a coastal California site”. In: *Atmos. Environ.* 119, pp. 59–68. DOI: <http://dx.doi.org/10.1016/j.atmosenv.2015.08.039>.
- Mauldin, R. L., T. Berndt, M. Sipila, P. Paasonen, T. Petaja, S. Kim, T. Kurten, F. Stratmann, V. M. Kerminen, and M. Kulmala (2012). “A new atmospherically relevant oxidant of sulphur dioxide”. In: *Nature* 488.7410, pp. 193–196. DOI: <http://www.nature.com/nature/journal/v488/n7410/abs/nature11278.html#supplementary-information>.
- McMurry, P. H. and D. J. Rader (1985). “Aerosol wall losses in electrically charged chambers”. In: *Aerosol Sci. Technol.* 4.3, pp. 249–268. DOI: 10.1080/02786828508959054.
- McNeill, V. F., J. L. Woo, D. D. Kim, A. N. Schwier, N. J. Wannell, A. J. Sumner, and J. M. Barakat (2012). “Aqueous-phase secondary organic aerosol and organosulfate formation in atmospheric aerosols: A modeling study”. In: *Environ. Sci. Technol.* 46.15, pp. 8075–8081. DOI: 10.1021/es3002986.
- McNeill, V. F., R. L. N. Yatawelli, J. A. Thornton, C. B. Stipe, and O. Landgrebe (2008). “Heterogeneous OH oxidation of palmitic acid in single component and internally mixed aerosol particles: vaporization and the role of particle phase”. In: *Atmos. Chem. Phys.* 8.17, pp. 5465–5476. DOI: 10.5194/acp-8-5465-2008.
- Mechem, D. B. and Y. L. Kogan (2003). “Simulating the transition from drizzling marine stratocumulus to boundary layer cumulus with a mesoscale model”. In: *Monthly Weather Rev.* 131.10, pp. 2342–2360. DOI: 10.1175/1520-0493(2003)131<2342:STTFDM>2.0.CO;2.
- Melamed, M. L., P. S. Monks, A. H. Goldstein, M. G. Lawrence, and J. Jennings (2015). “The international global atmospheric chemistry (IGAC) project: Facilitating atmospheric chemistry research for 25 years”. In: *Anthropocene* 12, pp. 17–28. DOI: <http://doi.org/10.1016/j.ancene.2015.10.001>.
- Miller, A. M., L. Y. Yeung, A. C. Kiep, and M. J. Elrod (2004). “Overall rate constant measurements of the reactions of alkene-derived hydroxyalkylperoxy radicals with nitric oxide”. In: *Phys. Chem. Chem. Phys.* 6.13, pp. 3402–3407. DOI: 10.1039/B402110J.

- Minerath, E. C., M. T. Casale, and M. J. Elrod (2008). “Kinetics feasibility study of alcohol sulfate esterification reactions in tropospheric aerosols”. In: *Environ. Sci. Technol.* 42, pp. 4410–4415.
- Minerath, E. C., M. P. Schultz, and M. J. Elrod (2009). “Kinetics of the reactions of isoprene-derived epoxides in model tropospheric aerosol solutions”. In: *Environ. Sci. Technol.* 43, pp. 8133–8139. DOI: 10.1021/es902304p.
- Miyoshi, A., S. Hatakeyama, and N. Washida (1994). “OH radical-initiated photooxidation of isoprene: An estimate of global CO production”. In: *J. Geophys. Res. - Atmos.* 99.D9, pp. 18779–18787. DOI: 10.1029/94JD01334.
- Modini, R. L., A. A. Frossard, L. Ahlm, L. M. Russell, C. E. Corrigan, G. C. Roberts, L. N. Hawkins, J. C. Schroder, A. K. Bertram, R. Zhao, A. K. Y. Lee, J. P. D. Abbatt, J. Lin, A. Nenes, Z. Wang, A. Wonaschütz, A. Sorooshian, K. J. Noone, H. Jonsson, J. H. Seinfeld, D. Toom-Saunry, A. M. Macdonald, and W. R. Leitch (2015). “Primary marine aerosol-cloud interactions off the coast of California”. In: *J. Geophys. Res. - Atmos.* 120.9, pp. 4282–4303. DOI: 10.1002/2014JD022963.
- Molina, M. J., A. V. Ivanov, S. Trakhtenberg, and L. T. Molina (2004). “Atmospheric evolution of organic aerosol”. In: *Geophys. Res. Lett.* 31.22. DOI: 10.1029/2004GL020910.
- Monson, R. K. and R. Fall (1989). “Isoprene emission from aspen leaves: influence of environment and relation to photosynthesis and Photorespiration”. In: *Plant Physiology* 90.1, pp. 267–274. DOI: 10.1104/pp.90.1.267.
- Monson, R. K., R. Grote, U. Niinemets, and J.-P. Schnitzler (2012). “Modeling the isoprene emission rate from leaves”. In: *New Phytologist* 195.3, pp. 541–559. DOI: 10.1111/j.1469-8137.2012.04204.x.
- Moortgat, G. K., R. A. Cox, G. Schuster, J. P. Burrows, and G. S. Tyndall (1989). “Peroxy radical reactions in the photo-oxidation of CH₃CHO”. In: *J. Chem. Soc., Faraday Trans. 2: Molec. Chem. Phys.* 85.7, pp. 809–829. DOI: 10.1039/F29898500809.
- Müller, J. F., T. Stavrou, S. Wallens, I. De Smedt, M. Van Roozendaal, M. J. Potosnak, J. Rinne, B. Munger, A. Goldstein, and A. B. Guenther (2008). “Global isoprene emissions estimated using MEGAN, ECMWF analyses and a detailed canopy environment model”. In: *Atmos. Chem. Phys.* 8.5, pp. 1329–1341. DOI: 10.5194/acp-8-1329-2008.
- Müller, J.-F., J. Peeters, and T. Stavrou (2014). “Fast photolysis of carbonyl nitrates from isoprene”. In: *Atmos. Chem. Phys.* 14.5, pp. 2497–2508. DOI: 10.5194/acp-14-2497-2014.
- Murphy, D. M., D. J. Cziczo, K. D. Froyd, P. K. Hudson, B. M. Matthew, A. M. Middlebrook, R. E. Peltier, A. Sullivan, D. S. Thomson, and R. J. Weber (2006). “Single-particle mass spectrometry of tropospheric aerosol particles”. In: *J. Geophys. Res. - Atmos.* 111.D23. DOI: 10.1029/2006JD007340.

- Murrells, T. P., M. E. Jenkin, S. J. Shalliker, and G. D. Hayman (1991). "Laser flash photolysis study of the UV spectrum and kinetics of reactions of HOCH₂CH₂O₂ radicals". In: *J. Chem. Soc. Faraday Trans.* 87 (15), pp. 2351–2360. doi: 10.1039/FT9918702351.
- Muzart, J. and A. Riahi (1992). "Palladium- and light-enhanced ring-opening of oxiranes by copper chloride". In: *J. Organometallic Chem.* 433.3, pp. 323–336. doi: [http://dx.doi.org/10.1016/0022-328X\(92\)80158-T](http://dx.doi.org/10.1016/0022-328X(92)80158-T).
- Myhre, G., D. Shindell, F.-M. Bréon, W. Collins, J. Fuglestedt, J. Huang, D. Koch, J.-F. Lamarque, D. Lee, B. Mendoza, T. Nakajima, A. Robock, G. Stephens, T. Takemura, and H. Zhang (2013). "Anthropogenic and Natural Radiative Forcing". In: *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Ed. by T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, and P. M. Midgley. Cambridge, UK: Cambridge University Press, pp. 659–740.
- Myriokefalitakis, S., M. Vrekoussis, K. Tzirigaris, F. Wittrock, A. Richter, C. Brühl, R. Volkamer, J. P. Burrows, and M. Kanakidou (2008). "The influence of natural and anthropogenic secondary sources on the glyoxal global distribution". In: *Atmos. Chem. Phys.* 8, pp. 4965–4981.
- Navarro, M. A., S. Dusanter, R. A. Hites, and P. S. Stevens (2011). "Radical dependence of the yields of methacrolein and methyl vinyl ketone from the OH-initiated oxidation of isoprene under NO(x)-free conditions." In: *Environ. Sci. Technol.* 45, pp. 923–929. doi: 10.1021/es103147w.
- Neeb, P., O. Horie, and G. K. Moortgat (1995). "The nature of the transitory product in the gas-phase ozonolysis of ethene". In: *Chem. Phys. Lett.* 246.1, pp. 150–156. doi: [http://dx.doi.org/10.1016/0009-2614\(95\)01073-I](http://dx.doi.org/10.1016/0009-2614(95)01073-I).
- Neeb, P., A. Kolloff, S. Koch, and G. K. Moortgat (1998). "Rate constants for the reactions of methylvinyl ketone, methacrolein, methacrylic acid, and acrylic acid with ozone". In: *Int. J. Chem. Kinetics* 30.10, pp. 769–776.
- Neeb, P., F. Sauer, O. Horie, and G. K. Moortgat (1997). "Formation of hydroxymethyl hydroperoxide and formic acid in alkene ozonolysis in the presence of water vapour". In: *Atmos. Environ.* 31.10, pp. 1417–1423. doi: [http://dx.doi.org/10.1016/S1352-2310\(96\)00322-6](http://dx.doi.org/10.1016/S1352-2310(96)00322-6).
- Nefkens, G., J. W. Thuring, and B. Zwanenburg (1997). "A novel and convenient synthesis of 3-methylfuran-2(5H)-one". In: *Synthesis* 3, pp. 290–292. doi: 10.1055/s-1997-1180.
- Nel, A. (2005). "Air pollution-related illness: Effects of particles". In: *Science* 308.5723, pp. 804–806. doi: 10.1126/science.1108752.
- Nelin, T. D., A. M. Joseph, M. W. Gorr, and L. E. Wold (2012). "Direct and indirect effects of PM on the cardiovascular system". In: *Toxicology Lett.* 208.3, pp. 293–299. doi: 10.1016/j.toxlet.2011.11.008.

- Newland, M. J., A. R. Rickard, M. S. Alam, L. Vereecken, A. Munoz, M. Rodenas, and W. J. Bloss (2015). “Kinetics of stabilised Criegee intermediates derived from alkene ozonolysis: reactions with SO₂, H₂O and decomposition under boundary layer conditions”. In: *Phys. Chem. Chem. Phys.* 17 (6), pp. 4076–4088. DOI: 10.1039/C4CP04186K.
- Ng, N., A. Kwan, J. Surratt, A. Chan, P. Chhabra, A. Sorooshian, H. Pye, J. Crouse, P. Wennberg, R. Flagan, *et al.* (2008). “Secondary organic aerosol (SOA) formation from reaction of isoprene with nitrate radicals (NO₃)”. In: *Atmos. Chem. Phys.* 8.14, pp. 4117–4140.
- Nguyen, T. B., A. P. Bateman, D. L. Bones, S. A. Nizkorodov, J. Laskin, and A. Laskin (2010). “High-resolution mass spectrometry analysis of secondary organic aerosol generated by ozonolysis of isoprene”. In: *Atmos. Environ.* 44.8, pp. 1032–1042. DOI: 10.1016/j.atmosenv.2009.12.019.
- Nguyen, T. B., M. M. Coggon, K. H. Bates, X. Zhang, R. H. Schwantes, K. A. Schilling, C. L. Loza, R. C. Flagan, P. O. Wennberg, and J. H. Seinfeld (2014a). “Organic aerosol formation from the reactive uptake of isoprene epoxydiols (IEPOX) onto non-acidified inorganic seeds”. In: *Atmos. Chem. Phys.* 14, pp. 3497–3510.
- Nguyen, T. B., J. D. Crouse, R. H. Schwantes, A. P. Teng, K. H. Bates, X. Zhang, J. M. St. Clair, W. H. Brune, G. S. Tyndall, F. N. Keutsch, J. H. Seinfeld, and P. O. Wennberg (2014b). “Overview of the Focused Isoprene eXperiment at the California Institute of Technology (FIXCIT): mechanistic chamber studies on the oxidation of biogenic compounds”. In: *Atmos. Chem. Phys.* 14.24, pp. 13531–13549. DOI: 10.5194/acp-14-13531-2014.
- Nguyen, T. B., J. D. Crouse, A. P. Teng, J. M. St. Clair, F. Paulot, G. M. Wolfe, and P. O. Wennberg (2015a). “Rapid deposition of oxidized biogenic compounds to a temperate forest”. In: *Proc. Nat’l. Acad. Sci.* 112.5, E392–E401.
- Nguyen, T. B., A. Laskin, J. Laskin, and S. A. Nizkorodov (2013). “Brown carbon formation from ketoaldehydes of biogenic monoterpenes”. In: *Faraday Discussions* 165.
- Nguyen, T. B., P. J. Roach, J. Laskin, A. Laskin, and S. A. Nizkorodov (2011a). “Effect of humidity on the composition of isoprene photooxidation secondary organic aerosol”. In: *Atmos. Chem. Phys.* 11.14, pp. 6931–6944. DOI: 10.5194/acp-11-6931-2011.
- Nguyen, T. K. V., M. D. Petters, S. R. Suda, H. Guo, R. J. Weber, and A. G. Carlton (2014c). “Trends in particle-phase liquid water during the Southern Oxidant and Aerosol Study”. In: *Atmos. Chem. Phys.* 14.20, pp. 10911–10930. DOI: 10.5194/acp-14-10911-2014.
- Nguyen, T. L., J. Peeters, and L. Vereecken (2009a). “Theoretical study of the gas-phase ozonolysis of beta-pinene (C₁₀H₁₆)”. In: *Phys. Chem. Chem. Phys.* 11.27, pp. 5643–5656. DOI: 10.1039/B822984H.

- Nguyen, T. L., R. Winterhalter, G. Moortgat, B. Kanawati, J. Peeters, and L. Vereecken (2009b). “The gas-phase ozonolysis of [small beta]-caryophyllene (C₁₅H₂₄). Part II: A theoretical study”. In: *Phys. Chem. Chem. Phys.* 11.21, pp. 4173–4183. DOI: 10.1039/B817913A.
- Nguyen, T. B., K. H. Bates, J. D. Crouse, R. H. Schwantes, X. Zhang, H. G. Kjaergaard, J. D. Surratt, P. Lin, A. Laskin, J. H. Seinfeld, and P. O. Wennberg (2015b). “Mechanism of the hydroxyl radical oxidation of methacryloyl peroxy-nitrate (MPAN) and its pathway toward secondary organic aerosol formation in the atmosphere”. In: *Phys. Chem. Chem. Phys.* 17.27, pp. 17914–17926. DOI: 10.1039/C5CP02001H.
- Nguyen, T. B., J. Laskin, A. Laskin, and S. A. Nizkorodov (2011b). “Nitrogen-containing organic compounds and oligomers in secondary organic aerosol formed by photooxidation of isoprene”. In: *Environ. Sci. Technol.* 45.16, pp. 6908–6918. DOI: 10.1021/es201611n.
- Nguyen, T. B., P. B. Lee, K. M. Updyke, D. L. Bones, J. Laskin, A. Laskin, and S. A. Nizkorodov (2012). “Formation of nitrogen- and sulfur-containing light-absorbing compounds accelerated by evaporation of water from secondary organic aerosols”. In: *J. Geophys. Res. - Atmos.* 117.D1. DOI: 10.1029/2011JD016944.
- Nguyen, T. B., G. S. Tyndall, J. D. Crouse, A. P. Teng, K. H. Bates, R. H. Schwantes, M. M. Coggon, L. Zhang, P. Feiner, D. O. Miller, K. M. Skog, J. C. Rivera-Rios, M. Dorris, K. F. Olson, A. Koss, R. J. Wild, S. S. Brown, A. H. Goldstein, J. A. de Gouw, W. H. Brune, F. N. Keutsch, J. H. Seinfeld, and P. O. Wennberg (2016). “Atmospheric fates of Criegee intermediates in the ozonolysis of isoprene”. In: *Phys. Chem. Chem. Phys.* 18 (15), pp. 10241–10254. DOI: 10.1039/C6CP00053C.
- Nicholls, S. (1984). “The dynamics of stratocumulus: Aircraft observations and comparisons with a mixed layer model”. In: *Quart. J. Royal Met. Soc.* 110.466, pp. 783–820. DOI: 10.1002/qj.49711046603.
- Nicholls, S. and J. Leighton (1986). “An observational study of the structure of stratiform cloud sheets: Part I. Structure”. In: *Quart. J. Royal Met. Soc.* 112.472, pp. 431–460. DOI: 10.1002/qj.49711247209.
- Niki, H., P. D. Maker, C. M. Savage, and L. P. Breitenbach (1980). “Further IR spectroscopic evidence for the formation of CH₂(OH)OOH in the gas-phase reaction of HO₂ with CH₂O”. In: *Chem. Phys. Lett.* 75.3, pp. 533–535. DOI: [http://dx.doi.org/10.1016/0009-2614\(80\)80571-9](http://dx.doi.org/10.1016/0009-2614(80)80571-9).
- (1985). “FTIR study of the kinetics and mechanism for chlorine-atom-initiated reactions of acetaldehyde”. In: *J. Phys. Chem.* 89.4, pp. 588–591. DOI: 10.1021/j100250a008.
- Noone, K. J., D. W. Johnson, J. P. Taylor, R. J. Ferek, T. Garrett, P. V. Hobbs, P. A. Durkee, K. Nielsen, E. Öström, C. O’Dowd, M. H. Smith, L. M. Russell, R. C. Flagan, J. H. Seinfeld, L. De Bock, R. E. Van Grieken, J. G. Hudson, I. Brooks, R. F. Gasparovic, and R. A. Pockalny (2000). “A case study of ship

- track formation in a polluted marine boundary layer”. In: *J. Atmos. Sci.* 57.16, pp. 2748–2764. DOI: 10.1175/1520-0469(2000)057<2748:ACSOST>2.0.CO;2.
- Nordmeyer, T., W. Wang, M. L. Ragains, B. J. Finlayson-Pitts, C. W. Spicer, and R. A. Plastridge (1997). “Unique products of the reaction of isoprene with atomic chlorine: Potential markers of chlorine atom chemistry”. In: *Geophys. Res. Lett.* 24.13, pp. 1615–1618. DOI: 10.1029/97GL01547.
- Northway, M. J., J. T. Jayne, D. W. Toohey, M. R. Canagaratna, A. Trimborn, K. I. Akiyama, A. Shimono, J. L. Jimenez, P. F. DeCarlo, K. R. Wilson, and D. R. Worsnop (2007). “Demonstration of a VUV lamp photoionization source for improved organic speciation in an aerosol mass spectrometer”. In: *Aerosol. Sci. Technol.* 41.9, pp. 828–839. DOI: 10.1080/02786820701496587.
- Nouaime, G., S. B. Bertman, C. Seaver, D. Elyea, H. Huang, P. B. Shepson, T. K. Starn, D. D. Riemer, R. G. Zika, and K. Olszyna (1998). “Sequential oxidation products from tropospheric isoprene chemistry: MACR and MPAN at a NO_x-rich forest environment in the southeastern United States”. In: *J. Geophys. Res. - Atmos.* 103.D17, pp. 22463–22471. DOI: 10.1029/98JD00320.
- Novelli, A., L. Vereecken, J. Lelieveld, and H. Harder (2014). “Direct observation of OH formation from stabilised Criegee intermediates”. In: *Phys. Chem. Chem. Phys.* 16.37, pp. 19941–19951. DOI: 10.1039/C4CP02719A.
- Noziere, B., P. Dziejczak, and A. Cordova (2009). “Products and kinetics of the liquid-phase reaction of glyoxal catalyzed by ammonium ions (NH₄⁺)”. In: *J. Phys. Chem. A* 113, pp. 231–237.
- Nozière, B. and I. Barnes (1998). “Evidence for formation of a PAN analogue of pinonic structure and investigation of its thermal stability”. In: *J. Geophys. Res. - Atmos.* 103.D19, pp. 25587–25597. DOI: 10.1029/98JD01677.
- Oakes, M., N. Rastogi, B. J. Majestic, M. Shafer, J. J. Schauer, E. S. Edgerton, and R. J. Weber (2010). “Characterization of soluble iron in urban aerosols using near-real time data”. In: *J. Geophys. Res. - Atmos.* 115.D15. DOI: 10.1029/2009JD012532.
- O’Brien, J. M., E. Czuba, D. R. Hastie, J. S. Francisco, and P. B. Shepson (1998). “Determination of the hydroxy nitrate yields from the reaction of C₂-C₆ alkenes with OH in the presence of NO”. In: *J. Phys. Chem. A* 102.45, pp. 8903–8908. DOI: 10.1021/jp982320z.
- O’Brien, R. E., B. Wang, S. T. Kelly, N. Lundt, Y. You, A. K. Bertram, S. R. Leone, A. Laskin, and M. K. Gilles (2015). “Liquid–liquid phase separation in aerosol particles: Imaging at the nanometer scale”. In: *Environ. Sci. Technol.* 49.8, pp. 4995–5002. DOI: 10.1021/acs.est.5b00062.
- Ochando-Pardo, M., I. Nebot-Gil, A. Gonzalez-Lafont, and J. M. Lluch (2007). “Methyl vinyl ketone + OH and methacrolein + OH oxidation reactions: A master equation analysis of the pressure- and temperature-dependent rate constants”. In: *Chem. Eur. J.* 13, pp. 1180–1190.

- O'Dowd, C. D., J. A. Lowe, and M. H. Smith (2000). "The effect of clouds on aerosol growth in the rural atmosphere". In: *Atmos. Res.* 54.4, pp. 201–221. DOI: [http://dx.doi.org/10.1016/S0169-8095\(00\)00046-6](http://dx.doi.org/10.1016/S0169-8095(00)00046-6).
- Oktem, B., M. P. Tolocka, and M. V. Johnston (2004). "On-line Analysis of organic components in fine and ultrafine particles by photoionization aerosol mass spectrometry". In: *Anal. Chem.* 76.2, pp. 253–261. DOI: 10.1021/ac0350559.
- Olzmann, M., E. Kraka, D. Cremer, R. Gutbrod, and S. Andersson (1997). "Energetics, kinetics, and product distributions of the reactions of ozone with ethene and 2,3-dimethyl-2-butene". In: *J. Phys. Chem. A* 101.49, pp. 9421–9429. DOI: 10.1021/jp971663e.
- Omar, A. H., J.-G. Won, D. M. Winker, S.-C. Yoon, O. Dubovik, and M. P. McCormick (2005). "Development of global aerosol models using cluster analysis of Aerosol Robotic Network (AERONET) measurements". In: *J. Geophys. Res. - Atmos.* 110.D10. DOI: 10.1029/2004JD004874.
- Orlando, J. J. and G. S. Tyndall (2012). "Laboratory studies of organic peroxy radical chemistry: an overview with emphasis on recent issues of atmospheric significance". In: *Chem. Soc. Rev.* 41, pp. 6294–6317.
- Orlando, J. J., G. S. Tyndall, E. C. Apel, D. D. Riemer, and S. E. Paulson (2003a). "Rate coefficients and mechanisms of the reaction of Cl atoms with a series of unsaturated hydrocarbons under atmospheric conditions". In: *Int. J. Chem. Kinetics* 35.8, pp. 334–353. DOI: 10.1002/kin.10135.
- Orlando, J. J., G. S. Tyndall, S. B. Bertman, W. Chen, and J. B. Burkholder (2002). "Rate coefficient for the reaction of OH with CH₂=C(CH₃)C(O)OONO₂ (MPAN)". In: *Atmos. Environ.* 36.11, pp. 1895–1900. DOI: [http://dx.doi.org/10.1016/S1352-2310\(02\)00090-0](http://dx.doi.org/10.1016/S1352-2310(02)00090-0).
- Orlando, J. J., G. S. Tyndall, M. Bilde, C. Ferronato, T. J. Wallington, L. Vereecken, and J. Peeters (1998). "Laboratory and theoretical study of the oxy radicals in the OH- and Cl-initiated oxidation of ethene". In: *J. Phys. Chem. A* 102.42, pp. 8116–8123. DOI: 10.1021/jp981937d.
- Orlando, J. J., G. S. Tyndall, and S. E. Paulson (1999). "Mechanism of the OH-initiated oxidation of methacrolein". In: *Geophys. Res. Lett.* 26.14, pp. 2191–2194.
- Orlando, J. J., G. S. Tyndall, and T. J. Wallington (2003b). "The atmospheric chemistry of alkoxy radicals". In: *Chem. Rev.* 103.12, pp. 4657–4690. DOI: 10.1021/cr020527p.
- Orsini, D. A., Y. Ma, A. Sullivan, B. Sierau, K. Baumann, and R. J. Weber (2003). "Refinements to the particle-into-liquid sampler (PILS) for ground and airborne measurements of water soluble aerosol composition". In: *Atmos. Environ.* 37.9–10, pp. 1243–1259. DOI: [http://doi.org/10.1016/S1352-2310\(02\)01015-4](http://doi.org/10.1016/S1352-2310(02)01015-4).

- Owicki, J. C., L. L. Shipman, and H. A. Scheraga (1975). "Structure, energetics, and dynamics of small water clusters". In: *J. Phys. Chem.* 79.17, pp. 1794–1811. DOI: 10.1021/j100584a010.
- Pachauri, R. K., M. R. Allen, V. Barros, J. Broome, W. Cramer, R. Christ, J. Church, L. Clarke, Q. Dahe, and P. Dasgupta (2014). *Climate change 2014: Synthesis report. Contribution of working groups I, II and III to the fifth assessment report of the intergovernmental panel on climate change*. IPCC. ISBN: 9291691437.
- Painemal, D. and P. Minnis (2012). "On the dependence of albedo on cloud microphysics over marine stratocumulus clouds regimes determined from Clouds and the Earth's Radiant Energy System (CERES) data". In: *J. Geophys. Res. - Atmos.* 117.D6. DOI: 10.1029/2011JD017120.
- Pankow, J. F. and W. E. Asher (2008). "SIMPOL.1: a simple group contribution method for predicting vapor pressures and enthalpies of vaporization of multifunctional organic compounds". In: *Atmos. Chem. Phys.* 8.10, pp. 2773–2796. DOI: 10.5194/acp-8-2773-2008.
- Park, J., C. G. Jongsma, R. Zhang, and S. W. North (2004). "OH/OD initiated oxidation of isoprene in the presence of O₂ and NO". In: *J. Phys. Chem. A* 108.48, pp. 10688–10697. DOI: 10.1021/jp040421t.
- Park, J., J. C. Stephens, R. Zhang, and S. W. North (2003). "Theoretical study of the alkoxy radicals derived from isoprene: Pressure- and temperature-dependent decomposition rates". In: *J. Phys. Chem. A* 107.33, pp. 6408–6414. DOI: 10.1021/jp0303321.
- Parrish, D. D., J. F. Lamarque, V. Naik, L. Horowitz, D. T. Shindell, J. Staehelin, R. Derwent, O. R. Cooper, H. Tanimoto, A. Volz-Thomas, S. Gilge, H. E. Scheel, M. Steinbacher, and M. Fröhlich (2014). "Long-term changes in lower tropospheric baseline ozone concentrations: Comparing chemistry-climate models and observations at northern midlatitudes". In: *J. Geophys. Res. - Atmos.* 119.9, pp. 5719–5736. DOI: 10.1002/2013JD021435.
- Parshintsev, J., M. Kivilompolo, J. Ruiz-Jimenez, K. Hartonen, M. Kulmala, and M.-L. Riekkola (2010). "Particle-into-liquid sampler on-line coupled with solid-phase extraction-liquid chromatography-mass spectrometry for the determination of organic acids in atmospheric aerosols". In: *J. Chromatography A* 1217.33, pp. 5427–5433. DOI: <http://doi.org/10.1016/j.chroma.2010.06.026>.
- Patchen, A. K., M. J. Pennino, and M. J. Elrod (2005). "Overall rate constant measurements of the reaction of chloroalkylperoxy radicals with nitric oxide". In: *J. Phys. Chem. A* 109.26, pp. 5865–5871. DOI: 10.1021/jp050388q.
- Patchen, A. K., M. J. Pennino, A. C. Kiepe, and M. J. Elrod (2007). "Direct kinetics study of the product-forming channels of the reaction of isoprene-derived hydroxylperoxy radicals with NO". In: *Int. J. Chem. Kinetics* 39.6, pp. 353–361. DOI: 10.1002/kin.20248.

- Paulot, F., J. D. Crouse, H. G. Kjaergaard, J. H. Kroll, J. H. Seinfeld, and P. O. Wennberg (2009a). "Isoprene photooxidation: new insights into the production of acids and organic nitrates". In: *Atmos. Chem. Phys.* 9, pp. 1479–1501.
- Paulot, F., J. D. Crouse, H. G. Kjaergaard, A. Kurten, J. St Clair, J. H. Seinfeld, and P. O. Wennberg (2009b). "Unexpected epoxide formation in the gas-phase photooxidation of isoprene". In: *Science* 325.5941, pp. 730–3. DOI: 10.1126/science.1172910.
- Paulot, F., D. K. Henze, and P. O. Wennberg (2012). "Impact of the isoprene photochemical cascade on tropical ozone". In: *Atmos. Chem. Phys.* 12.3, pp. 1307–1325. DOI: 10.5194/acp-12-1307-2012.
- Paulson, S. E., M. Chung, A. D. Sen, and G. Orzechowska (1998). "Measurement of OH radical formation from the reaction of ozone with several biogenic alkenes". In: *J. Geophys. Res. - Atmos.* 103.D19, pp. 25533–25539. DOI: 10.1029/98JD01951.
- Paulson, S. E., R. C. Flagan, and J. H. Seinfeld (1992). "Atmospheric photooxidation of isoprene part II: The ozone-isoprene reaction". In: *Int. J. Chem. Kinetics* 24.1, pp. 103–125. DOI: 10.1002/kin.550240110.
- Paulson, S. E. and J. H. Seinfeld (1992). "Development and evaluation of a photooxidation mechanism for isoprene". In: *J. Geophys. Res. - Atmos.* 97.D18, pp. 20703–20715. DOI: 10.1029/92JD01914.
- Payne, G. B. (1959). "Reactions of hydrogen peroxide. V. Alkaline epoxidation of acrolein and methacrolein". In: *J. Am. Chem. Soc.* 81.18, pp. 4901–4904.
- Peeters, J. and J. F. Muller (2010). "HO(x) radical regeneration in isoprene oxidation via peroxy radical isomerisations. II: Experimental evidence and global impact". In: *Phys. Chem. Chem. Phys.* 12.42, pp. 14227–35. DOI: 10.1039/c0cp00811g.
- Peeters, J., J. F. Muller, T. Stavrou, and V. S. Nguyen (2014). "Hydroxyl radical recycling in isoprene oxidation driven by hydrogen bonding and hydrogen tunneling: The upgraded LIM1 mechanism". In: *J Phys. Chem. A*, Just Accepted. DOI: 10.1021/jp5033146.
- Peeters, J. and T. L. Nguyen (2012). "Unusually fast 1,6-H shifts of enolic hydrogens in peroxy radicals: formation of the first-generation C2 and C3 carbonyls in the oxidation of isoprene". In: *J. Phys. Chem. A* 116.24, pp. 6134–6141. DOI: 10.1021/jp211447q.
- Peeters, J., T. L. Nguyen, and L. Vereecken (2009). "HOx radical regeneration in the oxidation of isoprene". In: *Phys. Chem. Chem. Phys.* 11.28, pp. 5935–9. DOI: 10.1039/b908511d.
- Peeters, J., G. Fantechi, and L. Vereecken (2004). "A generalized structure-activity relationship for the decomposition of (substituted) alkoxy radicals". In: *J. Atmos. Chem.* 48.1, pp. 59–80. DOI: 10.1023/B:JOCH.0000034510.07694.ce.

- Peltier, R. E., R. J. Weber, and A. P. Sullivan (2007). "Investigating a liquid-based method for online organic carbon detection in atmospheric particles". In: *Aerosol Sci. Technol.* 41.12, pp. 1117–1127. doi: 10.1080/02786820701777465.
- Perring, A. E., S. E. Pusede, and R. C. Cohen (2013). "An observational perspective on the atmospheric impacts of alkyl and multifunctional nitrates on ozone and secondary organic aerosol". In: *Chem. Rev.* 113.8, pp. 5848–5870. doi: 10.1021/cr300520x.
- Perring, A., A. Wisthaler, M. Graus, P. Wooldridge, A. Lockwood, L. Mielke, P. Shepson, A. Hansel, and R. Cohen (2009). "A product study of the isoprene + NO₃ reaction". In: *Atmos. Chem. Phys.* 9.14, pp. 4945–4956.
- Peterson, K. A., T. B. Adler, and H.-J. Werner (2008). "Systematically convergent basis sets for explicitly correlated wavefunctions: The atoms H, He, B–Ne, and Al–Ar". In: *J. Chem. Phys.* 128.8, p. 084102. doi: 10.1063/1.2831537.
- Pfister, G. G., L. K. Emmons, P. G. Hess, J.-F. Lamarque, J. J. Orlando, S. Walters, A. Guenther, P. I. Palmer, and P. J. Lawrence (2008). "Contribution of isoprene to chemical budgets: A model tracer study with the NCAR CTM MOZART-4". In: *J. Geophys. Res.* 113. doi: 10.1029/2007JD008948.
- Pfrang, C., M. D. King, M. Braeckvelt, C. E. Canosa-Mas, and R. P. Wayne (2008). "Gas-phase rate coefficients for reactions of NO₃, OH, O₃ and O(3P) with unsaturated alcohols and ethers: Correlations and structure–activity relations (SARs)". In: *Atmos. Environ.* 42.13, pp. 3018–3034. doi: <http://dx.doi.org/10.1016/j.atmosenv.2007.12.046>.
- Pike, R. C., J. D. Lee, P. J. Young, G. D. Carver, X. Yang, N. Warwick, S. Moller, P. Misztal, B. Langford, D. Stewart, C. E. Reeves, C. N. Hewitt, and J. A. Pyle (2010). "NO_x and O₃ above a tropical rainforest: an analysis with a global and box model". In: *Atmos. Chem. Phys.* 10.21, pp. 10607–10620. doi: 10.5194/acp-10-10607-2010.
- Pope, C. A., R. T. Burnett, M. J. Thun, and et al. (2002). "Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution". In: *J. Am. Med. Assoc.* 287.9, pp. 1132–1141. doi: 10.1001/jama.287.9.1132.
- Pope, C. A. I., M. Ezzati, and D. W. Dockery (2009). "Fine-particulate air pollution and life expectancy in the United States". In: *New England J. Med.* 360.4, pp. 376–386. doi: 10.1056/NEJMsa0805646.
- Pope, C. A. and D. W. Dockery (2006). "Health effects of fine particulate air pollution: Lines that connect". In: *J. Air Waste Management Assoc.* 56.6, pp. 709–742. doi: 10.1080/10473289.2006.10464485.
- Pöschl, U., S. T. Martin, B. Sinha, Q. Chen, S. S. Gunthe, J. A. Huffman, S. Borrmann, D. K. Farmer, R. M. Garland, G. Helas, J. L. Jimenez, S. M. King, A. Manzi, E. Mikhailov, T. Pauliquevis, M. D. Petters, A. J. Prenni, P. Roldin, D. Rose, J. Schneider, H. Su, S. R. Zorn, P. Artaxo, and M. O. Andreae (2010). "Rain-

- forest aerosols as biogenic nuclei of clouds and precipitation in the Amazon”. In: *Science* 329, pp. 1513–1516.
- Pöschl, U., R. von Kuhlmann, N. Poisson, and P. J. Crutzen (2000). “Development and intercomparison of condensed isoprene oxidation mechanisms for global atmospheric modeling”. In: *J. Atmos. Chem.* 37.1, pp. 29–52. DOI: 10.1023/A:1006391009798.
- Prabhakar, G., B. Ervens, Z. Wang, L. C. Maudlin, M. M. Coggon, H. H. Jonsson, J. H. Seinfeld, and A. Sorooshian (2014). “Sources of nitrate in stratocumulus cloud water: Airborne measurements during the 2011 E-PEACE and 2013 NiCE studies”. In: *Atmos. Environ.* 97, pp. 166–173. DOI: <http://dx.doi.org/10.1016/j.atmosenv.2014.08.019>.
- Praske, E., J. D. Crouse, K. H. Bates, T. Kurtén, H. G. Kjaergaard, and P. O. Wennberg (2015). “Atmospheric fate of methyl vinyl ketone: Peroxy radical reactions with NO and HO₂”. In: *J. Phys. Chem. A* 119.19, pp. 4562–4572.
- Pratt, D. A., J. H. Mills, and N. A. Porter (2003). “Theoretical calculations of carbon-oxygen bond dissociation enthalpies of peroxy radicals formed in the autoxidation of lipids”. In: *J. Am. Chem. Soc.* 125.19, pp. 5801–5810. DOI: 10.1021/ja034182j.
- Pusede, S. E. and R. C. Cohen (2012). “On the observed response of ozone to NO_x and VOC reactivity reductions in San Joaquin Valley California 1995-present”. In: *Atmos. Chem. Phys.* 12.18, pp. 8323–8339. DOI: 10.5194/acp-12-8323-2012.
- Pye, H. O., R. W. Pinder, I. R. Piletic, Y. Xie, S. L. Capps, Y. H. Lin, J. D. Surratt, Z. Zhang, A. Gold, D. J. Luecken, W. T. Hutzell, M. Jaoui, J. H. Offenberg, T. E. Kleindienst, M. Lewandowski, and E. O. Edney (2013). “Epoxide pathways improve model predictions of isoprene markers and reveal key role of acidity in aerosol formation”. In: *Environ. Sci. Technol.* 47.19, pp. 11056–11064. DOI: 10.1021/es402106h.
- Raes, F., H. Liao, W.-T. Chen, and J. H. Seinfeld (2010). “Atmospheric chemistry-climate feedbacks”. In: *J. Geophys. Res. - Atmos.* 115.D12. DOI: 10.1029/2009JD013300.
- Raff, J. D., B. Njagic, W. L. Chang, M. S. Gordon, D. Dabdub, R. B. Gerber, and B. J. Finlayson-Pitts (2009). “Chlorine activation indoors and outdoors via surface-mediated reactions of nitrogen oxides with hydrogen chloride”. In: *Proc. Nat'l. Acad. Sci.* 106.33, pp. 13647–13654. DOI: 10.1073/pnas.0904195106.
- Ragains, M. L. and B. J. Finlayson-Pitts (1997). “Kinetics and mechanism of the reaction of Cl atoms with 2-methyl-1,3-butadiene (isoprene) at 298 K”. In: *J. Phys. Chem. A* 101.8, pp. 1509–1517. DOI: 10.1021/jp962786m.
- Rastogi, N., M. M. Oakes, J. J. Schauer, M. M. Shafer, B. J. Majestic, and R. J. Weber (2009). “New technique for online measurement of water-soluble Fe(II) in atmospheric aerosols”. In: *Environ. Sci. Technol.* 43.7, pp. 2425–2430. DOI: 10.1021/es8031902.

- Ravishankara, A. R. (2009). "Are chlorine atoms significant tropospheric free radicals?" In: *Proc. Nat'l. Acad. Sci.* 106.33, pp. 13639–13640. DOI: 10.1073/pnas.0907089106.
- Reitz, J. E., W. S. McGivern, M. C. Church, M. D. Wilson, and S. W. North (2002). "The fate of the hydroxyalkoxy radical in the OH-initiated oxidation of isoprene". In: *Int. J. Chem. Kinetics* 34, pp. 255–261.
- Ren, X., J. R. Olson, J. H. Crawford, W. H. Brune, J. Mao, R. B. Long, Z. Chen, G. Chen, M. a. Avery, G. W. Sachse, J. D. Barrick, G. S. Diskin, L. G. Huey, A. Fried, R. C. Cohen, B. Heikes, P. O. Wennberg, H. B. Singh, D. R. Blake, and R. E. Shetter (2008). "HO_x chemistry during INTEX-A 2004: Observation, model calculation, and comparison with previous studies". In: *J. Geophys. Res.* 113, p. D05310. DOI: 10.1029/2007JD009166.
- Rickard, A. R., D. Johnson, C. D. McGill, and G. Marston (1999). "OH yields in the gas-phase reactions of ozone with alkenes". In: *J. Phys. Chem. A* 103.38, pp. 7656–7664. DOI: 10.1021/jp9916992.
- Ridley, B. and F. Grahek (1990). "A Small, Low Flow, High Sensitivity Reaction Vessel for NO Chemiluminescence Detectors". In: *J. Atmos. Ocean. Tech.* 7.2, pp. 307–311. DOI: 10.1175/1520-0426(1990)007<0307:ASLFHS>2.0.CO;2.
- Riedel, T. P., Y.-H. Lin, S. H. Budisulistiorini, C. J. Gaston, J. A. Thornton, Z. Zhang, W. Vizuete, A. Gold, and J. D. Surratt (2015). "Heterogeneous reactions of isoprene-derived epoxides: Reaction probabilities and molar secondary organic aerosol yield estimates". In: *Environ. Sci. Technol. Lett.* 2.2, pp. 38–42. DOI: 10.1021/ez500406f.
- Riemer, D., E. Apel, J. Orlando, G. Tyndall, W. Brune, E. Williams, W. Lonneman, and J. Neece (2008). "Unique isoprene oxidation products demonstrate chlorine atom chemistry occurs in the Houston, Texas urban area". In: *J. Atmos. Chem.* 61.3, pp. 227–242. DOI: 10.1007/s10874-009-9134-5.
- Riva, M., D. M. Bell, A.-M. K. Hansen, G. T. Drozd, Z. Zhang, A. Gold, D. Imre, J. D. Surratt, M. Glasius, and A. Zelenyuk (2016a). "Effect of organic coatings, humidity and aerosol acidity on multiphase chemistry of isoprene epoxydiols". In: *Environ. Sci. Technol.* 50.11, pp. 5580–5588. DOI: 10.1021/acs.est.5b06050.
- Riva, M., S. H. Budisulistiorini, Y. Chen, Z. Zhang, E. L. D'Ambro, X. Zhang, A. Gold, B. J. Turpin, J. A. Thornton, M. R. Canagaratna, and J. D. Surratt (2016b). "Chemical characterization of secondary organic aerosol from oxidation of isoprene hydroxyhydroperoxides". In: *Environ. Sci. Technol.* 50.18, pp. 9889–9899. DOI: 10.1021/acs.est.6b02511.
- Rivera-Rios, J. C., T. B. Nguyen, J. D. Crouse, W. Jud, J. M. St. Clair, T. Mikoviny, J. B. Gilman, B. M. Lerner, J. B. Kaiser, J. de Gouw, A. Wisthaler, A. Hansel, P. O. Wennberg, J. H. Seinfeld, and F. N. Keutsch (2014). "Conversion of hydroperoxides to carbonyls in field and laboratory instrumentation: Observational bias in diagnosing pristine versus anthropogenically controlled atmospheric chemistry".

- In: *Geophys. Res. Lett.* 41.23. 2014GL061919, pp. 8645–8651. doi: 10.1002/2014GL061919.
- Robert, J. M. and R. W. Fajer (1989). “UV absorption cross sections of organic nitrates of potential atmospheric importance and estimation of atmospheric lifetimes”. In: *Environ. Sci. Technol.* 23.8, pp. 945–951. doi: 10.1021/es00066a003.
- Roberts, J. M. and S. B. Bertman (1992). “The thermal decomposition of peroxyacetic nitric anhydride (PAN) and peroxyacetic nitric anhydride (MPAN)”. In: *Int. J. Chem. Kinetics* 24.3, pp. 297–307. doi: 10.1002/kin.550240307.
- Roberts, J. M., H. D. Osthoff, S. S. Brown, and A. R. Ravishankara (2008). “N₂O₅ oxidizes chloride to Cl₂ in acidic atmospheric aerosol”. In: *Science*. doi: 10.1126/science.1158777. eprint: <http://science.sciencemag.org/content/early/2008/07/03/science.1158777.full.pdf>.
- Roberts, J. M., J. Williams, K. Baumann, M. P. Buhr, P. D. Goldan, J. Holloway, G. Hübler, W. C. Kuster, S. A. McKeen, T. B. Ryerson, M. Trainer, E. J. Williams, F. C. Fehsenfeld, S. B. Bertman, G. Nouaime, C. Seaver, G. Grodzinsky, M. Rodgers, and V. L. Young (1998). “Measurements of PAN, PPN, and MPAN made during the 1994 and 1995 Nashville Intensives of the Southern Oxidant Study: Implications for regional ozone production from biogenic hydrocarbons”. In: *J. Geophys. Res. - Atmos.* 103.D17, pp. 22473–22490. doi: 10.1029/98JD01637.
- Robinson, N. H., J. F. Hamilton, J. D. Allan, B. Langford, D. E. Oram, Q. Chen, K. Docherty, D. K. Farmer, J. L. Jimenez, M. W. Ward, C. N. Hewitt, M. H. Barley, M. E. Jenkin, A. R. Rickard, S. T. Martin, G. McFiggans, and H. Coe (2011). “Evidence for a significant proportion of secondary organic aerosol from isoprene above a maritime tropical forest”. In: *Atmos. Chem. Phys.* 11.3, pp. 1039–1050. doi: 10.5194/acp-11-1039-2011.
- Roehl, C. M., Z. Marka, J. L. Fry, and P. O. Wennberg (2007). “Near-UV photolysis cross sections of CH₃OOH and HOCH₂OOH determined via action spectroscopy”. In: *Atmos. Chem. Phys.* 7.3, pp. 713–720. doi: 10.5194/acp-7-713-2007.
- Rogge, W. F., M. A. Mazurek, L. M. Hildemann, G. R. Cass, and B. R. T. Simoneit (1993). “Quantification of urban organic aerosols at a molecular level: Identification, abundance and seasonal variation”. In: *Atmos. Environ.* 27.8, pp. 1309–1330. doi: [http://dx.doi.org/10.1016/0960-1686\(93\)90257-Y](http://dx.doi.org/10.1016/0960-1686(93)90257-Y).
- Rollins, A. W., E. C. Browne, K.-E. Min, S. E. Pusede, P. J. Wooldridge, D. R. Gentner, A. H. Goldstein, S. Liu, D. A. Day, L. M. Russell, and R. C. Cohen (2012). “Evidence for NO_x control over nighttime SOA formation”. In: *Science* 337, pp. 1210–1212.
- Rollins, A. W., A. Kiendler-Scharr, J. Fry, T. Brauers, S. S. Brown, H.-P. Dorn, W. P. Dubé, H. Fuchs, A. Mensah, T. Mentel, *et al.* (2009). “Isoprene oxidation by nitrate radical alkyl nitrate and secondary organic aerosol yields”. In: *Atmos. Chem. Phys.* 9.18, pp. 6685–6703.

- Rosenstiel, T., M. Potosnak, K. Griffin, R. Fall, and R. Monson (2003). "Increased CO₂ uncouples growth from isoprene emission in an agriforest ecosystem". In: *Nature* 421, pp. 256–259. doi: 10.1038/nature01351.1.
- Rothman, L. S., I. E. Gordon, A. Barbe, D. C. Benner, P. F. Bernath, M. Birk, V. Boudon, L. R. Brown, A. Campargue, J. P. Champion, K. Chance, L. H. Coudert, V. Dana, V. M. Devi, S. Fally, J. M. Flaud, R. R. Gamache, A. Goldman, D. Jacquemart, I. Kleiner, N. Lacome, W. J. Lafferty, J. Y. Mandin, S. T. Massie, S. N. Mikhailenko, C. E. Miller, N. Moazzen-Ahmadi, O. V. Naumenko, A. V. Nikitin, J. Orphal, V. I. Perevalov, A. Perrin, A. Predoi-Cross, C. P. Rinsland, M. Rotger, M. Šimečková, M. A. H. Smith, K. Sung, S. A. Tashkun, J. Tennyson, R. A. Toth, A. C. Vandaele, and J. Vander Auwera (2009). "The HITRAN 2008 molecular spectroscopic database". In: *Journal of Quantitative Spectroscopy and Radiative Transfer* 110.9–10, pp. 533–572. doi: <http://dx.doi.org/10.1016/j.jqsrt.2009.02.013>.
- Rudich, Y., R. K. Talukdar, R. W. Fox, and A. R. Ravishankara (1996). "Rate coefficients for reactions of NO₃ with a few olefins and oxygenated olefins". In: *J. Phys. Chem.* 100.13, pp. 5374–5381. doi: 10.1021/jp953079g.
- Rudolph, J., R. Koppmann, and C. Plass-Dülmer (1996). "The budgets of ethane and tetrachloroethene: Is there evidence for an impact of reactions with chlorine atoms in the troposphere?" In: *Atmos. Environ.* 30.10–11, pp. 1887–1894. doi: [http://dx.doi.org/10.1016/1352-2310\(95\)00385-1](http://dx.doi.org/10.1016/1352-2310(95)00385-1).
- Ruppert, L. and K. Heinz Becker (2000). "A product study of the OH radical-initiated oxidation of isoprene: formation of C₅-unsaturated diols". In: *Atmos. Environ.* 34.10, pp. 1529–1542. doi: [http://dx.doi.org/10.1016/S1352-2310\(99\)00408-2](http://dx.doi.org/10.1016/S1352-2310(99)00408-2).
- Russell, L. M., A. Sorooshian, J. H. Seinfeld, B. A. Albrecht, A. Nenes, L. Ahlm, Y.-C. Chen, M. Coggon, J. S. Craven, R. C. Flagan, A. A. Frossard, H. Jonsson, E. Jung, J. J. Lin, A. R. Metcalf, R. Modini, J. Mülmenstädt, G. Roberts, T. Shingler, S. Song, Z. Wang, and A. Wonaschütz (2013). "Eastern Pacific emitted aerosol cloud experiment". In: *Bull. Am. Met. Soc.* 94.5, pp. 709–729. doi: 10.1175/BAMS-D-12-00015.1.
- Ryzhkov, A. B. and P. A. Ariya (2003). "A theoretical study of the reactions of carbonyl oxide with water in atmosphere: the role of water dimer". In: *Chem. Phys. Lett.* 367.3–4, pp. 423–429. doi: [http://dx.doi.org/10.1016/S0009-2614\(02\)01685-8](http://dx.doi.org/10.1016/S0009-2614(02)01685-8).
- (2004). "A theoretical study of the reactions of parent and substituted Criegee intermediates with water and the water dimer". In: *Phys. Chem. Chem. Phys.* 6.21, pp. 5042–5050. doi: 10.1039/B408414D.
- (2006). "The importance of water clusters (H₂O)_n (n = 2, ..., 4) in the reaction of Criegee intermediate with water in the atmosphere". In: *Chem. Phys. Lett.* 419.4–6, pp. 479–485. doi: <http://dx.doi.org/10.1016/j.cplett.2005.12.016>.

- Salgado, M. S., E. Monedero, F. Villanueva, P. Martín, A. Tapia, and B. Cabañas (2008). "Night-time atmospheric fate of acrolein and crotonaldehyde". In: *Environ. Sci. Technol.* 42.7, pp. 2394–2400. DOI: 10.1021/es702533u.
- Sanadze, G. A. (2004). "Biogenic isoprene (a review)". In: *Russian Journal of Plant Physiology* 51.6, pp. 729–741. DOI: 10.1023/B:RUPP.0000047821.63354.a4.
- Sanchez, K. J., L. M. Russell, R. L. Modini, A. A. Frossard, L. Ahlm, C. E. Corrigan, G. C. Roberts, L. N. Hawkins, J. C. Schroder, A. K. Bertram, R. Zhao, A. K. Y. Lee, J. J. Lin, A. Nenes, Z. Wang, A. Wonaschütz, A. Sorooshian, K. J. Noone, H. Jonsson, D. Toom, A. M. Macdonald, W. R. Leitch, and J. H. Seinfeld (2016). "Meteorological and aerosol effects on marine cloud microphysical properties". In: *J. Geophys. Res. - Atmos.* 121.8, pp. 4142–4161. DOI: 10.1002/2015JD024595.
- Sander, S. P., J. Abbatt, J. R. Barker, J. B. Burkholder, R. R. Friedl, D. M. Golden, R. E. Huie, C. E. Kolb, M. J. Kurylo, G. K. Moortgat, V. L. Orkin, and P. H. Wine (2011). *Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation No. 17*. Report. Jet Propulsion Laboratory. URL: <http://jpldataeval.jpl.nasa.gov>.
- Sareen, N., A. N. Schwier, E. L. Shapiro, D. Mitroo, and V. F. McNeill (2010). "Secondary organic material formed by methylglyoxal in aqueous aerosol mimics". In: *Atmos. Chem. Phys.* 10, pp. 997–1016.
- Sareen, N., S. G. Moussa, and V. F. McNeill (2013). "Photochemical aging of light-absorbing secondary organic aerosol material". In: *J. Phys. Chem. A* 117.14, pp. 2987–2996. DOI: 10.1021/jp309413j.
- Sauer, F., C. Schäfer, P. Neeb, O. Horie, and G. K. Moortgat (1999). "Formation of hydrogen peroxide in the ozonolysis of isoprene and simple alkenes under humid conditions". In: *Atmos. Environ.* 33.2, pp. 229–241. DOI: [http://dx.doi.org/10.1016/S1352-2310\(98\)00152-6](http://dx.doi.org/10.1016/S1352-2310(98)00152-6).
- Saunders, S. M., D. L. Baulch, K. M. Cooke, M. J. Pilling, and P. I. Smurthwaite (1994). "Kinetics and mechanisms of the reactions of OH with some oxygenated compounds of importance in tropospheric chemistry". In: *Int. J. Chem. Kinetics* 26.1, pp. 113–130. DOI: 10.1002/kin.550260112.
- Saunders, S. M., M. E. Jenkin, R. G. Derwent, and M. J. Pilling (2003). "Protocol for the development of the Master Chemical Mechanism, MCM v3 (Part A): tropospheric degradation of non-aromatic volatile organic compounds". In: *Atmos. Chem. Phys.* 3, pp. 161–180.
- Schauer, J. J., B. T. Mader, J. T. DeMinter, G. Heidemann, M. S. Bae, J. H. Seinfeld, R. C. Flagan, R. A. Cary, D. Smith, B. J. Huebert, T. Bertram, S. Howell, J. T. Kline, P. Quinn, T. Bates, B. Turpin, H. J. Lim, J. Z. Yu, H. Yang, and M. D. Keywood (2003). "ACE-Asia intercomparison of a thermal-optical method for the determination of particle-phase organic and elemental carbon". In: *Environ. Sci. Technol.* 37.5, pp. 993–1001. DOI: 10.1021/es020622f.

- Schilling Fahnestock, K. A., L. D. Yee, C. L. Loza, M. M. Coggon, R. Schwantes, X. Zhang, N. F. Dalleska, and J. H. Seinfeld (2015). "Secondary organic aerosol composition from C12 alkanes". In: *J. Phys. Chem. A* 119.19, pp. 4281–4297. DOI: 10.1021/jp501779w.
- Schkolnik, G., A. H. Falkovich, Y. Rudich, W. Maenhaut, and P. Artaxo (2005). "A new method for the determination of levoglucosan, methyl-erythritol and related compounds and its application for rainwater and smoke samples". In: *Environ. Sci. Technol.* 39.8, pp. 2744–2752.
- Schroeder, W. H. and P. Urone (1974). "Formation of nitrosyl chloride from salt particles in air". In: *Environ. Sci. Technol.* 8.8, pp. 756–758. DOI: 10.1021/es60093a015.
- Schwantes, R. H. (2017). "Identifying isoprene and toluene gas-phase oxidation products to better constrain ozone and secondary organic aerosol formation in the atmosphere". Thesis.
- Schwantes, R. H., A. P. Teng, T. B. Nguyen, M. M. Coggon, J. D. Crouse, J. M. S. Clair, X. Zhang, K. A. Schilling, J. H. Seinfeld, and P. O. Wennberg (2015). "Isoprene NO₃ oxidation products from the RO₂ + HO₂ pathway". In: *J. Phys. Chem. A* 119.40, pp. 10158–10171. DOI: 10.1021/acs.jpca.5b06355.
- Sehested, J., L. K. Christensen, O. J. Nielsen, M. Bilde, T. J. Wallington, W. F. Schneider, J. J. Orlando, and G. S. Tyndall (1998). "Atmospheric chemistry of acetone: Kinetic study of the CH₃C(O)CH₂O₂+NO/NO₂ reactions and decomposition of CH₃C(O)CH₂O₂NO₂". In: *Int. J. Chem. Kinetics* 30.7, pp. 475–489. DOI: 10.1002/(SICI)1097-4601(1998).
- Seinfeld, J. H. and S. N. Pandis (2006). *Atmospheric Chemistry and Physics: From Air Pollution to Climate Change*. 2nd ed. Wiley.
- Serjeant, E. P. and B. Dempsey (1979). *Ionisation Constants of Organic Acids in Aqueous Solution*. Vol. 23. IUPAC Chemical Data Series. Oxford; New York: Pergamon Press.
- Sharkey, T. D. (1996). "Isoprene synthesis by plants and animals". In: *Endeavour* 20.2, pp. 74–78. DOI: [http://dx.doi.org/10.1016/0160-9327\(96\)10014-4](http://dx.doi.org/10.1016/0160-9327(96)10014-4).
- Sharkey, T. D., A. E. Wiberley, and A. R. Donohue (2008). "Isoprene emission from plants: Why and how". In: *Annals of Botany* 101.1, pp. 5–18. DOI: 10.1093/aob/mcm240.
- Sharkey, T. D. and S. Yeh (2001). "Isoprene emission from plants". In: *Annual Review of Plant Physiology and Plant Molecular Biology* 52.1, pp. 407–436. DOI: 10.1146/annurev.arplant.52.1.407.
- Sharon, T. M., B. A. Albrecht, H. H. Jonsson, P. Minnis, M. M. Khaiyer, T. M. van Reken, J. Seinfeld, and R. Flagan (2006). "Aerosol and cloud microphysical characteristics of rifts and gradients in maritime stratocumulus clouds". In: *J. Atmos. Sci.* 63.3, pp. 983–997. DOI: 10.1175/JAS3667.1.

- Sharpe, S. W., R. L. Sams, and T. J. Johnson (2002). "The PNNL quantitative IR database for infrared remote sensing and hyperspectral imaging". In: *Applied Imagery Pattern Recognition Workshop, 2002. Proceedings*. Pp. 45–48. doi: 10.1109/AIPR.2002.1182253.
- Sharpe, S. W., T. J. Johnson, R. L. Sams, P. M. Chu, G. C. Rhoderick, and P. A. Johnson (2004). "Gas-phase databases for quantitative infrared spectroscopy". In: *Applied Spectroscopy* 58.12, pp. 1452–1461. doi: 10.1366/0003702042641281.
- Sheps, L., A. M. Scully, and K. Au (2014). "UV absorption probing of the conformer-dependent reactivity of a Criegee intermediate CH₃CHOO". In: *Phys. Chem. Chem. Phys.* 16.48, pp. 26701–26706. doi: 10.1039/C4CP04408H.
- Shi, Y., J. Zhang, J. S. Reid, B. Liu, and E. J. Hyer (2014). "Critical evaluation of cloud contamination in the MISR aerosol products using MODIS cloud mask products". In: *Atmos. Meas. Tech.* 7.6, pp. 1791–1801. doi: 10.5194/amt-7-1791-2014.
- Shim, C., Y. H. Wang, Y. Choi, P. Palmer, D. S. Abbot, and K. Chance (2005). "Constraining global isoprene emissions with Global Ozone Monitoring Experiment (GOME) formaldehyde column measurements". In: *J. Geophys. Res.* 110.D24.
- Shingler, T., S. Dey, A. Sorooshian, F. J. Brechtel, Z. Wang, A. Metcalf, M. Coggon, J. Mülmenstädt, L. M. Russell, H. H. Jonsson, and J. H. Seinfeld (2012). "Characterisation and airborne deployment of a new counterflow virtual impactor inlet". In: *Atmos. Meas. Tech.* 5.6, pp. 1259–1269. doi: 10.5194/amt-5-1259-2012.
- Siese, M., K. H. Becker, K. J. Brockmann, H. Geiger, A. Hofzumahaus, F. Holland, D. Mihelcic, and K. Wirtz (2001). "Direct measurement of OH radicals from ozonolysis of selected alkenes: A EUPHORE simulation chamber study". In: *Environ. Sci. Technol.* 35.23, pp. 4660–4667. doi: 10.1021/es010150p.
- Silva, G. d., C. Graham, and Z.-F. Wang (2010). "Unimolecular beta-hydroxyperoxy radical decomposition with OH recycling in the photochemical oxidation of isoprene". In: *Environ. Sci. Technol.* 44.1, pp. 250–256. doi: 10.1021/es900924d.
- Simonaitis, R., K. J. Olszyna, and J. F. Meagher (1991). "Production of hydrogen peroxide and organic peroxides in the gas phase reactions of ozone with natural alkenes". In: *Geophys. Res. Lett.* 18.1, pp. 9–12. doi: 10.1029/90GL02602.
- Simpson, C. D., M. Paulsen, R. L. Dills, L. J. S. Liu, and D. A. Kalman (2005). "Determination of methoxyphenols in ambient atmospheric particulate matter: Tracers for wood combustion". In: *Environ. Sci. Technol.* 39.2, pp. 631–637. doi: 10.1021/es0486871.
- Singh, H. B., G. L. Gregory, B. Anderson, E. Browell, G. W. Sachse, D. D. Davis, J. Crawford, J. D. Bradshaw, R. Talbot, D. R. Blake, D. Thornton, R. Newell, and J. Merrill (1996). "Low ozone in the marine boundary layer of the tropical Pacific Ocean: Photochemical loss, chlorine atoms, and entrainment". In: *J. Geophys. Res. - Atmos.* 101.D1, pp. 1907–1917. doi: 10.1029/95JD01028.

- Sinha, V., J. Williams, J. N. Crowley, and J. Lelieveld (2008). “The Comparative Reactivity Method - a new tool to measure total OH Reactivity in ambient air”. In: *Atmos. Chem. Phys.* 8.8, pp. 2213–2227. doi: 10.5194/acp-8-2213-2008.
- Sipilä, M., T. Jokinen, T. Berndt, S. Richters, R. Makkonen, N. M. Donahue, R. L. Mauldin III, T. Kurtén, P. Paasonen, N. Sarnela, M. Ehn, H. Junninen, M. P. Rissanen, J. Thornton, F. Stratmann, H. Herrmann, D. R. Worsnop, M. Kulmala, V.-M. Kerminen, and T. Petäjä (2014). “Reactivity of stabilized Criegee intermediates (sCIs) from isoprene and monoterpene ozonolysis toward SO₂ and organic acids”. In: *Atmos. Chem. Phys.* 14.22, pp. 12143–12153. doi: 10.5194/acp-14-12143-2014.
- Skov, H., J. Hjorth, C. Lohse, N. R. Jensen, and G. Restelli (1992). “Products and mechanisms of the reactions of the nitrate radical (NO₃) with isoprene, 1,3-butadiene and 2,3-dimethyl-1,3-butadiene in air”. In: *Atmos. Environ.* 26.15, pp. 2771–2783. doi: 10.1016/0960-1686(92)90015-D.
- Smith, J. N., K. F. Moore, F. L. Eisele, D. Voisin, A. K. Ghimire, H. Sakurai, and P. H. McMurry (2005). “Chemical composition of atmospheric nanoparticles during nucleation events in Atlanta”. In: *J. Geophys. Res. - Atmos.* 110.D22. doi: 10.1029/2005JD005912.
- Solomons, T. W. G. and C. B. Fryhle (2004). *Organic Chemistry*. 8th ed. Hoboken, NJ: John Wiley and Sons, Inc., p. 1255.
- Sorooshian, A., S. M. Murphy, S. Hersey, H. Gates, L. T. Padro, A. Nenes, F. J. Brechtel, H. Jonsson, R. C. Flagan, and J. H. Seinfeld (2008). “Comprehensive airborne characterization of aerosol from a major bovine source”. In: *Atmos. Chem. Phys.* 8.17, pp. 5489–5520. doi: 10.5194/acp-8-5489-2008.
- Sorooshian, A., Z. Wang, M. M. Coggon, H. H. Jonsson, and B. Ervens (2013). “Observations of sharp oxalate reductions in stratocumulus clouds at variable altitudes: Organic acid and metal measurements during the 2011 E-PEACE campaign”. In: *Environ. Sci. Technol.* 47.14, pp. 7747–7756. doi: 10.1021/es4012383.
- Sorooshian, A., F. J. Brechtel, Y. Ma, R. J. Weber, A. Corless, R. C. Flagan, and J. H. Seinfeld (2006). “Modeling and characterization of a Particle-into-Liquid Sampler (PILS)”. In: *Aerosol. Sci. Technol.* 40.6, pp. 396–409. doi: 10.1080/02786820600632282.
- Sorooshian, A., E. Crosbie, L. C. Maudlin, J.-S. Youn, Z. Wang, T. Shingler, A. M. Ortega, S. Hersey, and R. K. Woods (2015). “Surface and airborne measurements of organosulfur and methanesulfonate over the western United States and coastal areas”. In: *J. Geophys. Res. - Atmos.* 120.16, pp. 8535–8548. doi: 10.1002/2015JD023822.
- Sorooshian, A., M.-L. Lu, F. J. Brechtel, H. Jonsson, G. Feingold, R. C. Flagan, and J. H. Seinfeld (2007). “On the source of organic acid aerosol layers above clouds”. In: *Environ. Sci. Technol.* 41.13, pp. 4647–4654. doi: 10.1021/es0630442.

- Spittler, M., I. Barnes, I. Bejan, K. J. Brockmann, T. Benter, and K. Wirtz (2006). “Reactions of NO₃ radicals with limonene and alpha-pinene: Product and SOA formation”. In: *Atmos. Environ.* 40, Supplement 1, pp. 116–127. DOI: <http://dx.doi.org/10.1016/j.atmosenv.2005.09.093>.
- Sprengnether, M., K. L. Demerjian, N. M. Donahue, and J. G. Anderson (2002). “Product analysis of the OH oxidation of isoprene and 1,3-butadiene in the presence of NO”. In: *J. Geophys. Res. - Atmos.* 107.D15. DOI: 10.1029/2001JD000716.
- Squire, O. J., A. T. Archibald, P. T. Griffiths, M. E. Jenkin, D. Smith, and J. A. Pyle (2015). “Influence of isoprene chemical mechanism on modeled changes in tropospheric ozone due to climate and land use over the 21st century”. In: *Atmos. Chem. Phys.* 15.9, pp. 5123–5143. DOI: 10.5194/acp-15-5123-2015.
- St. Clair, J. M., J. C. Rivera-Rios, J. D. Crouse, H. C. Knap, K. H. Bates, A. P. Teng, S. Jorgensen, H. G. Kjaergaard, F. N. Keutsch, and P. O. Wennberg (2015). “Kinetics and products of the reaction of the first-generation isoprene hydroxy hydroperoxide (ISOPOOH) with OH”. In: *J. Phys. Chem. A*, just accepted. DOI: 10.1021/acs.jpca.5b06532.
- St. Clair, J. M., K. M. Spencer, M. R. Beaver, J. D. Crouse, F. Paulot, and P. O. Wennberg (2014). “Quantification of hydroxyacetone and glycolaldehyde using chemical ionization mass spectrometry”. In: *Atmos. Chem. Phys.* 14.8, pp. 4251–4262. DOI: 10.5194/acp-14-4251-2014.
- St. Clair, J. M., D. C. McCabe, J. D. Crouse, U. Steiner, and P. O. Wennberg (2010). “Chemical ionization tandem mass spectrometer for the in situ measurement of methyl hydrogen peroxide”. In: *Review of Scientific Instruments* 81.9. DOI: <http://dx.doi.org/10.1063/1.3480552>.
- Stabel, J. R., M. S. Johnson, and S. Langer (2005). “Rate coefficients for the gas-phase reaction of isoprene with NO₃ and NO₂”. In: *Int. J. Chem. Kinetics* 37.2, pp. 57–65. DOI: 10.1002/kin.20050.
- Starn, T. K., P. B. Shepson, S. B. Bertman, D. D. Riemer, R. G. Zika, and K. Olszyna (1998). “Nighttime isoprene chemistry at an urban-impacted forest site”. In: *J. Geophys. Res. - Atmos.* 103.D17, pp. 22437–22447. DOI: 10.1029/98JD01201.
- Stavrakou, T., J. F. Muller, J. Peeters, A. Razavi, L. Clarisse, C. Clerbaux, P. F. Coheur, D. Hurtmans, M. De Maziere, C. Vigouroux, N. M. Deutscher, D. W. T. Griffith, N. Jones, and C. Paton-Walsh (2012). “Satellite evidence for a large source of formic acid from boreal and tropical forests”. In: *Nature Geosci.* 5.1, pp. 26–30. DOI: <http://www.nature.com/ngeo/journal/v5/n1/abs/ngeo1354.html#supplementary-information>.
- Stein, A. F., R. R. Draxler, G. D. Rolph, B. J. B. Stunder, M. D. Cohen, and F. Ngan (2015). “NOAA’s HYSPLIT atmospheric transport and dispersion modeling system”. In: *Bull. Am. Met. Soc.* 96.12, pp. 2059–2077. DOI: 10.1175/BAMS-D-14-00110.1.

- Stephens, E. R. (1969). “The formation, reactions, and properties of peroxyacyl nitrates (PANs) in photochemical air pollution”. In: *Advances in Environmental Science and Technology*. Ed. by J. N. Pitts and R. L. Metcalf. Vol. 1. New York, NY: Wiley-Interscience.
- Stephens, G. L. and T. J. Greenwald (1991). “The Earth’s radiation budget and its relation to atmospheric hydrology: 2. Observations of cloud effects”. In: *J. Geophys. Res. - Atmos.* 96.D8, pp. 15325–15340. DOI: 10.1029/91JD00972.
- Stevens, B., D. H. Lenschow, G. Vali, H. Gerber, A. Bandy, B. Blomquist, J. L. Brenguier, C. S. Bretherton, F. Burnet, T. Campos, S. Chai, I. Faloon, D. Friesen, S. Haimov, K. Laursen, D. K. Lilly, S. M. Loehrer, S. P. Malinowski, B. Morley, M. D. Petters, D. C. Rogers, L. Russell, V. Savic-Jovicic, J. R. Snider, D. Straub, M. J. Szumowski, H. Takagi, D. C. Thornton, M. Tschudi, C. Twohy, M. Wetzel, and M. C. van Zanten (2003). “Dynamics and chemistry of marine stratocumulus—DYCOMS-II”. In: *Bull. Am. Met. Soc.* 84.5, pp. 579–593. DOI: 10.1175/BAMS-84-5-579.
- Stevens, P., D. L’Esperance, B. Chuong, and G. Martin (1999). “Measurements of the kinetics of the OH-initiated oxidation of isoprene: Radical propagation in the OH + isoprene + O₂ + NO reaction system”. In: *Int. J. Chem. Kinetics* 31.9, pp. 637–643. DOI: 10.1002/(SICI)1097-4601(1999)31:9<637::AID-KIN5>3.0.CO;2-O.
- Stone, D., M. Blitz, L. Daubney, N. U. M. Howes, and P. Seakins (2014). “Kinetics of CH₂OO reactions with SO₂, NO₂, NO, H₂O and CH₃CHO as a function of pressure”. In: *Phys. Chem. Chem. Phys.* 16.3, pp. 1139–1149. DOI: 10.1039/C3CP54391A.
- Stone, D. and D. M. Rowley (2005). “Kinetics of the gas phase HO₂ self-reaction: Effects of temperature, pressure, water and methanol vapours”. In: *Phys. Chem. Chem. Phys.* 7.10, pp. 2156–2163. DOI: 10.1039/B502673C.
- Stroud, C. A., J. M. Roberts, E. J. Williams, D. Hereid, W. M. Angevine, F. C. Fehsenfeld, A. Wisthaler, A. Hansel, M. Martinez-Harder, H. Harder, W. H. Brune, G. Hoenninger, J. Stutz, and A. B. White (2002). “Nighttime isoprene trends at an urban forested site during the 1999 Southern Oxidant Study”. In: *J. Geophys. Res. - Atmos.* 107.D16, ACH 7-1–ACH 7-14. DOI: 10.1029/2001JD000959.
- Su, F., J. G. Calvert, and J. H. Shaw (1980). “A FT IR spectroscopic study of the ozone-ethene reaction mechanism in oxygen-rich mixtures”. In: *J. Phys. Chem.* 84.3, pp. 239–246. DOI: 10.1021/j100440a003.
- Su, T. and W. J. Chesnavich (1982). “Parameterization of the ion-polar molecule collision rate constant by trajectory calculations”. In: *J. Chem. Phys.* 76.10, pp. 5183–5185.
- Su, Y.-T., H.-Y. Lin, R. Putikam, H. Matsui, M. C. Lin, and Y.-P. Lee (2014). “Extremely rapid self-reaction of the simplest Criegee intermediate CH₂OO and its implications in atmospheric chemistry”. In: *Nat. Chem.* 6.6, pp. 477–483. DOI:

- 10.1038/nchem.1890<http://www.nature.com/nchem/journal/v6/n6/abs/nchem.1890.html#supplementary-information>.
- Suarez-Bertoa, R., B. Picquet-Varrault, W. Tamas, E. Pangui, and J.-F. Doussin (2012). “Atmospheric fate of a series of carbonyl nitrates: photolysis frequencies and OH-oxidation rate constants”. In: *Environ. Sci. Technol.* 46.22, pp. 12502–12509. DOI: 10.1021/es302613x.
- Suh, I., W. Lei, and R. Zhang (2001). “Experimental and theoretical studies of isoprene reaction with NO₃”. In: *J. Phys. Chem. A* 105.26, pp. 6471–6478. DOI: 10.1021/jp0105950.
- Suh, I. and R. Zhang (2000). “Kinetic studies of isoprene reactions initiated by chlorine atom”. In: *J. Phys. Chem. A* 104.28, pp. 6590–6596. DOI: 10.1021/jp000605h.
- Sullivan, A. P., R. E. Peltier, C. A. Brock, J. A. de Gouw, J. S. Holloway, C. Warneke, A. G. Wollny, and R. J. Weber (2006). “Airborne measurements of carbonaceous aerosol soluble in water over northeastern United States: Method development and an investigation into water-soluble organic carbon sources”. In: *J. Geophys. Res. - Atmos.* 111.D23. DOI: 10.1029/2006JD007072.
- Sullivan, R. C. and K. A. Prather (2005). “Recent advances in our understanding of atmospheric chemistry and climate made possible by on-line aerosol analysis instrumentation”. In: *Anal. Chem.* 77.12, pp. 3861–3886. DOI: 10.1021/ac050716i.
- Surratt, J. D., M. Lewandowski, J. H. Offenberg, M. Jaoui, T. E. Kleindienst, E. O. Edney, and J. H. Seinfeld (2007a). “Effect of acidity on secondary organic aerosol formation from isoprene”. In: *Environ. Sci. Technol.* 41, pp. 5363–5369.
- Surratt, J. D. (2013). “Atmospheric chemistry: Radical regeneration from isoprene”. In: *Nature Geosci* 6.12, pp. 995–996. DOI: 10.1038/ngeo2022.
- Surratt, J. D., A. W. H. Chan, N. C. Eddingsaas, M. Chan, C. L. Loza, A. J. Kwan, S. P. Hersey, R. C. Flagan, P. O. Wennberg, and J. H. Seinfeld (2010). “Reactive intermediates revealed in secondary organic aerosol formation from isoprene.” In: *Proc. Nat'l. Acad. Sci.* 107, pp. 6640–6645. DOI: 10.1073/pnas.0911114107.
- Surratt, J. D., Y. Gómez-González, A. W. H. Chan, R. Vermeylen, M. Shahgholi, T. E. Kleindienst, E. O. Edney, J. H. Offenberg, M. Lewandowski, M. Jaoui, W. Maenhaut, M. Claeys, R. C. Flagan, and J. H. Seinfeld (2008). “Organosulfate formation in biogenic secondary organic aerosol”. In: *J. Phys. Chem. A* 112.36, pp. 8345–8378. DOI: 10.1021/jp802310p.
- Surratt, J. D., J. H. Kroll, T. E. Kleindienst, E. O. Edney, M. Claeys, A. Sorooshian, N. L. Ng, J. H. Offenberg, M. Lewandowski, M. Jaoui, R. C. Flagan, and J. H. Seinfeld (2007b). “Evidence for organosulfates in secondary organic aerosol”. In: *Environ. Sci. Technol.* 41.2, pp. 517–527. DOI: 10.1021/es062081q.

- Surratt, J. D., S. M. Murphy, J. H. Kroll, N. L. Ng, L. Hildebrandt, A. Sorooshian, R. Szmigielski, R. Vermeylen, W. Maenhaut, M. Claeys, R. C. Flagan, and J. H. Seinfeld (2006). "Chemical composition of secondary organic aerosol formed from the photooxidation of isoprene." In: *J. Phys. Chem. A* 110, pp. 9665–90. doi: 10.1021/jp061734m.
- Szmigielski, R., J. D. Surratt, R. Vermeylen, K. Szmigielska, J. H. Kroll, N. L. Ng, S. M. Murphy, A. Sorooshian, J. H. Seinfeld, and M. Claeys (2007). "Characterization of 2-methylglyceric acid oligomers in secondary organic aerosol formed from the photooxidation of isoprene using trimethylsilylation and gas chromatography/ion trap mass spectrometry". In: *J. Mass Spectrometry* 42.1, pp. 101–116. doi: 10.1002/jms.1146.
- Taatjes, C. A., G. Meloni, T. M. Selby, A. J. Trevitt, D. L. Osborn, C. J. Percival, and D. E. Shallcross (2008). "Direct observation of the gas-phase Criegee intermediate (CH₂OO)". In: *J. Am. Chem. Soc.* 130.36, pp. 11883–11885. doi: 10.1021/ja804165q.
- Taatjes, C. A., O. Welz, A. J. Eskola, J. D. Savee, A. M. Scheer, D. E. Shallcross, B. Rotavera, E. P. F. Lee, J. M. Dyke, D. K. W. Mok, D. L. Osborn, and C. J. Percival (2013). "Direct measurements of conformer-dependent reactivity of the Criegee intermediate CH₃CHOO". In: *Science* 340.6129, pp. 177–180. doi: 10.1126/science.1234689. eprint: <http://science.sciencemag.org/content/340/6129/177.full.pdf>.
- Tan, D., I. Faloon, J. B. Simpas, W. Brune, P. B. Shepson, T. L. Couch, A. L. Sumner, M. A. Carroll, T. Thornberry, E. Apel, D. Riemer, and W. Stockwell (2001). "HO_x budgets in a deciduous forest: Results from the PROPHET summer 1998 campaign". In: *J. Geophys. Res. - Atmos.* 106.D20, pp. 24407–24427. doi: 10.1029/2001JD900016.
- Taylor, W. D., T. D. Allston, M. J. Moscato, G. B. Fazekas, R. Kozlowski, and G. A. Takacs (1980). "Atmospheric photodissociation lifetimes for nitromethane, methyl nitrite, and methyl nitrate". In: *Int. J. Chem. Kinetics* 12.4, pp. 231–240. doi: 10.1002/kin.550120404.
- Teng, A. P., J. D. Crouse, L. Lee, J. M. St. Clair, R. C. Cohen, and P. O. Wennberg (2015). "Hydroxy nitrate production in the OH-initiated oxidation of alkenes". In: *Atmos. Chem. Phys.* 15, pp. 4297–4316.
- Teng, A. P., J. D. Crouse, and P. O. Wennberg (2017). "Isoprene Peroxy Radical Dynamics". In: *J. Am. Chem. Soc.* 139.15, pp. 5367–5377.
- Terai, C. R., C. S. Bretherton, R. Wood, and G. Painter (2014). "Aircraft observations of aerosol, cloud, precipitation, and boundary layer properties in pockets of open cells over the southeast Pacific". In: *Atmos. Chem. Phys.* 14.15, pp. 8071–8088. doi: 10.5194/acp-14-8071-2014.

- Thamm, J., S. Wolff, W. V. Turner, S. Gäb, W. Thomas, F. Zabel, E. H. Fink, and K. H. Becker (1996). "Proof of the formation of hydroperoxymethyl formate in the ozonolysis of ethene: synthesis and FT-IR spectra of the authentic compound". In: *Chem. Phys. Lett.* 258.1, pp. 155–158. DOI: [http://dx.doi.org/10.1016/0009-2614\(96\)00625-2](http://dx.doi.org/10.1016/0009-2614(96)00625-2).
- Thornton, J. A., P. J. Wooldridge, R. C. Cohen, M. Martinez, H. Harder, W. H. Brune, E. J. Williams, J. M. Roberts, F. C. Fehsenfeld, S. R. Hall, R. E. Shetter, B. P. Wert, and A. Fried (2002). "Ozone production rates as a function of NO_x abundances and HO_x production rates in the Nashville urban plume". In: *J. Geophys. Res.* 107.D12. DOI: 10.1029/2001jd000932.
- Thornton, J. A., J. P. Kercher, T. P. Riedel, N. L. Wagner, J. Cozic, J. S. Holloway, W. P. Dubé, G. M. Wolfe, P. K. Quinn, A. M. Middlebrook, B. Alexander, and S. S. Brown (2010). "A large atomic chlorine source inferred from mid-continental reactive nitrogen chemistry". In: *Nature* 464.7286, pp. 271–274. DOI: http://www.nature.com/nature/journal/v464/n7286/supinfo/nature08905_S1.html.
- Tomas, A., E. Villenave, and R. Lesclaux (2001). "Reactions of the HO₂ radical with CH₃CHO and CH₃C(O)O₂ in the gas phase". In: *J. Phys. Chem. A* 105.14, pp. 3505–3514. DOI: 10.1021/jp003762p.
- Torres, A. L. and H. Buchan (1988). "Tropospheric nitric oxide measurements over the Amazon Basin". In: *J. Geophys. Res. - Atmos.* 93.D2, pp. 1396–1406. DOI: 10.1029/JD093iD02p01396.
- Trainer, M., E. J. Williams, D. D. Parrish, M. P. Buhr, E. J. Allwine, H. H. Westberg, F. C. Fehsenfeld, and S. C. Liu (1987). "Models and observations of the impact of natural hydrocarbons on rural ozone". In: *Nature* 329.6141, pp. 705–707.
- Travis, K. R., D. J. Jacob, J. A. Fisher, P. S. Kim, E. A. Marais, L. Zhu, K. Yu, C. C. Miller, R. M. Yantosca, M. P. Sulprizio, A. M. Thompson, P. O. Wennberg, J. D. Crouse, J. M. St. Clair, R. C. Cohen, J. L. Laughner, J. E. Dibb, S. R. Hall, K. Ullmann, G. M. Wolfe, I. B. Pollack, J. Peischl, J. A. Neuman, and X. Zhou (2016). "Why do models overestimate surface ozone in the Southeast United States?" In: *Atmos. Chem. Phys.* 16.21, pp. 13561–13577. DOI: 10.5194/acp-16-13561-2016.
- Treacy, J., M. E. Hag, D. O'Farrell, and H. Sidebottom (1992). "Reactions of ozone with unsaturated organic compounds". In: *Berichte der Bunsengesellschaft für physikalische Chemie* 96.3, pp. 422–427. DOI: 10.1002/bbpc.19920960337.
- Troe, J. (1983). "Theory of thermal unimolecular reactions in the fall-off range. I. Strong collision rate constants". In: *Berichte der Bunsengesellschaft für physikalische Chemie* 87.2, pp. 161–169. DOI: 10.1002/bbpc.19830870217.
- Tuazon, E. C. and R. Atkinson (1989). "A product study of the gas-phase reaction of methyl vinyl ketone with the OH radical in the presence of NO_x". In: *Int. J. Chem. Kinetics* 21.12, pp. 1141–1152. DOI: 10.1002/kin.550211207.

- Tuazon, E. C. and R. Atkinson (1990). "A product study of the gas-phase reaction of methacrolein with the OH radical in the presence of NO_x". In: *Int. J. Chem. Kinetics* 22.6, pp. 591–602. DOI: 10.1002/kin.550220604.
- Turner, A. J., C. Frankenberg, P. O. Wennberg, and D. J. Jacob (2017). "Ambiguity in the causes for decadal trends in atmospheric methane and hydroxyl". In: *Proc. Natl. Acad. Sci.* in press.
- Turpin, B. J., P. Saxena, and E. Andrews (2000). "Measuring and simulating particulate organics in the atmosphere: Problems and prospects". In: *Atmos. Environ.* 34.18, pp. 2983–3013. DOI: [http://doi.org/10.1016/S1352-2310\(99\)00501-4](http://doi.org/10.1016/S1352-2310(99)00501-4).
- Tyndall, G. S., R. A. Cox, C. Granier, R. Lesclaux, G. K. Moortgat, M. J. Pilling, A. R. Ravishankara, and T. J. Wallington (2001). "Atmospheric chemistry of small organic peroxy radicals". In: *J. Geophys. Res. - Atmos.* 106.D11, pp. 12157–12182. DOI: 10.1029/2000JD900746.
- Vakhtin, A. B., J. E. Murphy, and S. R. Leone (2003). "Low-temperature kinetics of reactions of OH radical with ethene, propene, and 1-butene". In: *J. Phys. Chem. A* 107.47, pp. 10055–10062. DOI: 10.1021/jp030230a.
- Valin, L. C., A. R. Russell, and R. C. Cohen (2013). "Variations of OH radical in an urban plume inferred from NO₂ column measurements". In: *Geophys. Res. Lett.* 40.9, pp. 1856–1860. DOI: 10.1002/grl.50267.
- Valverde-Canossa, J., L. Ganzeveld, B. Rappenglück, R. Steinbrecher, O. Klemm, G. Schuster, and G. K. Moortgat (2006). "First measurements of H₂O₂ and organic peroxides surface fluxes by the relaxed eddy-accumulation technique". In: *Atmos. Environ.* 40, Supplement 1, pp. 55–67. DOI: <http://dx.doi.org/10.1016/j.atmosenv.2006.03.038>.
- Varandas, A. J. C. (2012). "Ab initio treatment of bond-breaking reactions: Accurate course of HO₃ dissociation and revisit to isomerization". In: *J. Chem. Theory and Comp.* 8.2, pp. 428–441. DOI: 10.1021/ct200773b.
- Vega-Rodriguez, A. and J. R. Alvarez-Idaboy (2009). "Quantum chemistry and TST study of the mechanisms and branching ratios for the reactions of OH with unsaturated aldehydes". In: *Phys. Chem. Chem. Phys.* 11 (35), pp. 7649–7658. DOI: 10.1039/B906692F.
- Verchot, L. V., E. A. Davidson, H. Cattânio, I. L. Ackerman, H. E. Erickson, and M. Keller (1999). "Land use change and biogeochemical controls of nitrogen oxide emissions from soils in eastern Amazonia". In: *Global Biogeochemical Cycles* 13.1, pp. 31–46. DOI: 10.1029/1998GB900019.
- Vereecken, L., H. Harder, and A. Novelli (2012). "The reaction of Criegee intermediates with NO, RO₂, and SO₂, and their fate in the atmosphere". In: *Phys. Chem. Chem. Phys.* 14 (42), pp. 14682–14695. DOI: 10.1039/C2CP42300F.

- Vereecken, L., H. Harder, and A. Novelli (2014). “The reactions of Criegee intermediates with alkenes, ozone, and carbonyl oxides”. In: *Phys. Chem. Chem. Phys.* 16.9, pp. 4039–4049. doi: 10.1039/C3CP54514H.
- Vereecken, L., J. F. Muller, and J. Peeters (2007). “Low-volatility poly-oxygenates in the OH-initiated atmospheric oxidation of alpha-pinene: impact of non-traditional peroxy radical chemistry”. In: *Phys. Chem. Chem. Phys.* 9.38, pp. 5241–5248. doi: 10.1039/B708023A.
- Vereecken, L., T. L. Nguyen, I. Hermans, and J. Peeters (2004). “Computational study of the stability of alpha-hydroperoxyl-alpha-alkylperoxyl substituted alkyl radicals”. In: *Chem. Phys. Lett.* 393, pp. 432–436.
- Vereecken, L. and J. Peeters (2009). “Decomposition of substituted alkoxy radicals-part I: A generalized structure-activity relationship for reaction barrier heights”. In: *Phys. Chem. Chem. Phys.* 11.40, pp. 9062–9074. doi: 10.1039/B909712K.
- Vereecken, L. and J. Peeters (1999). “Theoretical investigation of the role of intramolecular hydrogen bonding in beta-hydroxyethoxy and beta-hydroxyethylperoxy radicals in the tropospheric oxidation of ethene”. In: *J. Phys. Chem. A* 103.12, pp. 1768–1775. doi: 10.1021/jp9826930.
- Vickers, C. E., J. Gershenzon, M. T. Lerdau, and F. Loreto (2009). “A unified mechanism of action for volatile isoprenoids in plant abiotic stress”. In: *Nature Chem. Biol.* 5.5, pp. 283–291.
- Vilà-Guerau de Arellano, J., K. van den Dries, and D. Pino (2009). “On inferring isoprene emission surface flux from atmospheric boundary layer concentration measurements”. In: *Atmos. Chem. Phys.* 9.11, pp. 3629–3640. doi: 10.5194/acp-9-3629-2009.
- Villalta, P. W. and C. J. Howard (1996). “Direct kinetics study of the CH₃C(O)O₂ + NO reaction using chemical ionization mass spectrometry”. In: *J. Phys. Chem.* 100.32, pp. 13624–13628. doi: 10.1021/jp9614153.
- Voulgarakis, A., V. Naik, J. F. Lamarque, D. T. Shindell, P. J. Young, M. J. Prather, O. Wild, R. D. Field, D. Bergmann, P. Cameron-Smith, I. Cionni, W. J. Collins, S. B. Dalsøren, R. M. Doherty, V. Eyring, G. Faluvegi, G. A. Folberth, L. W. Horowitz, B. Josse, I. A. MacKenzie, T. Nagashima, D. A. Plummer, M. Righi, S. T. Rumbold, D. S. Stevenson, S. A. Strode, K. Sudo, S. Szopa, and G. Zeng (2013). “Analysis of present day and future OH and methane lifetime in the ACCMIP simulations”. In: *Atmos. Chem. Phys.* 13.5, pp. 2563–2587. doi: 10.5194/acp-13-2563-2013.
- Wallington, T. J., P. Dagaut, and M. J. Kurylo (1992). “UV absorption cross sections and reaction kinetics and mechanisms for peroxy radicals in the gas phase”. In: *Chem. Rev.* 92.4, pp. 667–710. doi: 10.1021/cr00012a008.

- Wallington, T. J., M. D. Hurley, W. F. Schneider, J. Sehested, and O. J. Nielsen (1994). "Mechanistic study of the gas-phase reaction of CH₂FO₂ radicals with HO₂". In: *Chem. Phys. Lett.* 218.1, pp. 34–42. doi: [http://dx.doi.org/10.1016/0009-2614\(93\)E1466-T](http://dx.doi.org/10.1016/0009-2614(93)E1466-T).
- Wang, B. and A. Laskin (2014). "Reactions between water-soluble organic acids and nitrates in atmospheric aerosols: Recycling of nitric acid and formation of organic salts". In: *J. Geophys. Res. - Atmos.* 119.6, pp. 3335–3351. doi: 10.1002/2013JD021169.
- Wang, J., J. F. Doussin, S. Perrier, E. Perraudin, Y. Katrib, E. Pangui, and B. Picquet-Varrault (2011). "Design of a new multi-phase experimental simulation chamber for atmospheric photochemistry, aerosol and cloud chemistry research". In: *Atmos. Meas. Tech.* 4.11, pp. 2465–2494. doi: 10.5194/amt-4-2465-2011.
- Wang, J., Y. N. Lee, P. H. Daum, J. Jayne, and M. L. Alexander (2008a). "Effects of aerosol organics on cloud condensation nucleus (CCN) concentration and first indirect aerosol effect". In: *Atmos. Chem. Phys.* 8.21, pp. 6325–6339. doi: 10.5194/acp-8-6325-2008.
- Wang, K. Y. and D. E. Shallcross (2000). "Modelling terrestrial biogenic isoprene fluxes and their potential impact on global chemical species using a coupled sim-ctm model". In: *Atmos. Environ.* 34, pp. 2909–2925.
- Wang, S. C. and R. C. Flagan (1990). "Scanning electrical mobility spectrometer". In: *Aerosol Sci. Technol.* 13.2, pp. 230–240. doi: 10.1080/02786829008959441.
- Wang, Z., A. Sorooshian, G. Prabhakar, M. M. Coggon, and H. H. Jonsson (2014). "Impact of emissions from shipping, land, and the ocean on stratocumulus cloud water elemental composition during the 2011 E-PEACE field campaign". In: *Atmos. Environ.* 89, pp. 570–580. doi: <http://dx.doi.org/10.1016/j.atmosenv.2014.01.020>.
- Wang, Z., C. Y.-T., Z.-B. Xu, and J. Qu (2008b). "Hot water-promoted ring-opening of epoxides and aziridines by water and other nucleophiles". In: *J. Org. Chem.* 73.6, pp. 2270–2274.
- Wängberg, I., I. Barnes, and K. H. Becker (1997). "Product and mechanistic study of the reaction of NO₃ radicals with alpha-pinene". In: *Environ. Sci. Technol.* 31.7, pp. 2130–2135. doi: 10.1021/es960958n.
- Warneke, C., R. Holzinger, A. Hansel, A. Jordan, W. Lindinger, U. Poschl, J. Williams, P. Hoor, H. Fischer, P. J. Crutzen, H. A. Scheeren, and J. Lelieveld (2001). "Isoprene and its oxidation products methyl vinyl ketone, methacrolein, and isoprene related peroxides measure online over the tropical rain forest of suriname in march 1998". In: *J. Atmos. Chem.* 38, pp. 167–185.
- Warren, S., C. Hahn, J. London, R. Chervin, and R. Jenne (1986). "Global distribution of total cloud cover and cloud type over land". In: *NCAR Tech. Note NCAR/TN-273+ STR 200*.

- Watson, J. G. (2002). "Visibility: Science and regulation". In: *J. Air Waste Management Assoc.* 52.6, pp. 628–713. doi: 10.1080/10473289.2002.10470813.
- Weber, R. J., D. Orsini, Y. Daun, Y. N. Lee, P. J. Klotz, and F. Brechtel (2001). "A particle-into-liquid collector for rapid measurement of aerosol bulk chemical composition". In: *Aerosol Sci. Technol.* 35.3, pp. 718–727. doi: 10.1080/02786820152546761.
- Wei, W.-m., R.-h. Zheng, Y.-l. Pan, Y.-k. Wu, F. Yang, and S. Hong (2014). "Ozone dissociation to oxygen affected by Criegee intermediate". In: *J. Phys. Chem. A* 118.9, pp. 1644–1650. doi: 10.1021/jp4121047.
- Weitkamp, E. A., A. M. Sage, J. R. Pierce, N. M. Donahue, and A. L. Robinson (2007). "Organic aerosol formation from photochemical oxidation of diesel exhaust in a smog chamber". In: *Environ. Sci. Technol.* 41.20, pp. 6969–6975. doi: 10.1021/es070193r.
- Wellman, G. R., B. Lam, E. L. Anderson, and E. V. White (1976). "A facile synthesis of 3,4-epoxybutanone". In: *Synthesis* 8, pp. 547–548.
- Welz, O., J. D. Savee, D. L. Osborn, S. S. Vasu, C. J. Percival, D. E. Shallcross, and C. A. Taatjes (2012). "Direct kinetic measurements of Criegee intermediate (CH₂OO) formed by reaction of CH₂I with O₂". In: *Science* 335.6065, pp. 204–207.
- Wennberg, P. O. (2013). "Let's abandon the "high-NO_x" and "low-NO_x" terminology". In: *IGAC*. Ed. by M. L. Melamed.
- Werner, H.-J., P. J. Knowles, G. Knizia, F. R. Manby, and M. Schütz (2012). "Molpro: A general-purpose quantum chemistry program package". In: *Wiley Interdisciplinary Reviews: Computational Molecular Science* 2.2, pp. 242–253. doi: 10.1002/wcms.82.
- Whalley, L. K., K. L. Furneaux, A. Goddard, J. D. Lee, A. Mahajan, H. Oetjen, K. A. Read, N. Kaaden, L. J. Carpenter, A. C. Lewis, J. M. C. Plane, E. S. Saltzman, A. Wiedensohler, and D. E. Heard (2010). "The chemistry of OH and HO₂ radicals in the boundary layer over the tropical Atlantic Ocean". In: *Atmos. Chem. Phys.* 10.4, pp. 1555–1576. doi: 10.5194/acp-10-1555-2010.
- Wiedinmyer, C., A. Guenther, P. Harley, N. Hewitt, C. Geron, P. Artaxo, R. Steinbrecher, and R. Rasmussen (2004). "Global Organic Emissions from Vegetation". In: *Emissions of Atmospheric Trace Compounds*. Ed. by C. Granier, P. Artaxo, and C. E. Reeves. Dordrecht: Springer Netherlands, pp. 115–170. ISBN: 978-1-4020-2167-1. doi: 10.1007/978-1-4020-2167-1_4. URL: http://dx.doi.org/10.1007/978-1-4020-2167-1_4.
- Wiedinmyer, C., X. Tie, A. Guenther, R. Neilson, and C. Granier (2006). "Future changes in biogenic isoprene emissions: how might they affect regional and global atmospheric chemistry?" In: *Earth Interactions* 10, pp. 1–19. doi: 10.1175/EI174.1.

- Wille, U., E. Becker, R. N. Schindler, I. T. Lancar, G. Poulet, and G. Le Bras (1991). “A discharge flow mass-spectrometric study of the reaction between the NO₃ radical and isoprene”. In: *J. Atmos. Chem.* 13.2, pp. 183–193. doi: 10.1007/bf00115972.
- Williams, J., U. Poschl, P. J. Crutzen, A. Hansel, R. Holzinger, C. Warneke, W. Lindinger, and J. Lelieveld (2001). “An atmospheric chemistry interpretation of mass scans obtained from a proton transfer mass spectrometer flown over the tropical rainforest of Surinam”. In: *J. Atmos. Chem.* 38, pp. 133–166.
- Wisthaler, A., N. Jensen, R. Winterhalter, W. Lindinger, and J. Hjorth (2001). “Measurements of acetone and other gas phase product yields from the OH-initiated oxidation of terpenes by proton-transfer-reaction mass spectrometry (PTR-MS)”. In: *Atmos. Environ.* 35.35, pp. 6181–6191. doi: [http://dx.doi.org/10.1016/S1352-2310\(01\)00385-5](http://dx.doi.org/10.1016/S1352-2310(01)00385-5).
- Wittrock, F., A. Richter, H. Oetjen, J. P. Burrows, M. Kanakidou, S. Myriokefalitakis, R. Volkamer, S. Beirle, U. Platt, and T. Wagner (2006). “Simultaneous global observations of glyoxal and formaldehyde from space”. In: *Geophys. Res. Lett.* 33. doi: 10.1029/2006GL026310.
- Wolfe, G. M., M. R. Marvin, S. J. Roberts, K. R. Travis, and J. Liao (2016). “The Framework for 0-D Atmospheric Modeling (F0AM) v3.1”. In: *Geosci. Model Dev.* 9.9, pp. 3309–3319. doi: 10.5194/gmd-9-3309-2016.
- Wolfe, G. M., J. D. Crouse, J. D. Parrish, J. M. St. Clair, M. R. Beaver, F. Paulot, T. P. Yoon, P. O. Wennberg, and F. N. Keutsch (2012). “Photolysis, OH reactivity and ozone reactivity of a proxy for isoprene-derived hydroperoxyenals (HPALDs)”. In: *Phys. Chem. Chem. Phys.* 14.20, pp. 7276–7286. doi: 10.1039/C2CP40388A.
- Wolfs, I. and H. O. Desseyn (1996). “Characteristic vibrational pattern for the cyclic dimer carboxylic acid function in the solid state”. In: *Applied Spectroscopy* 50.8, pp. 1000–1006. doi: 10.1366/0003702963905394.
- Wong, J. P. S., A. K. Y. Lee, and J. P. D. Abbatt (2015). “Impacts of sulfate seed acidity and water content on isoprene secondary organic aerosol formation”. In: *Environ. Sci. Technol.* 49.22, pp. 13215–13221. doi: 10.1021/acs.est.5b02686.
- Woo, J. L. and V. F. McNeill (2015). “simpleGAMMA v1.0 – a reduced model of secondary organic aerosol formation in the aqueous aerosol phase (aaSOA)”. In: *Geosci. Model Dev.* 8.6, pp. 1821–1829. doi: 10.5194/gmd-8-1821-2015.
- Wood, R. (2012). “Stratocumulus clouds”. In: *Monthly Weather Rev.* 140.8, pp. 2373–2423. doi: 10.1175/MWR-D-11-00121.1.
- Worden, H. M., K. W. Bowman, J. R. Worden, A. Eldering, and R. Beer (2008). “Satellite measurements of the clear-sky greenhouse effect from tropospheric ozone”. In: *Nature Geosci.* 1.5, pp. 305–308. doi: http://www.nature.com/ngeo/journal/v1/n5/supinfo/ngeo182_S1.html.

- Worton, D. R., J. D. Surratt, B. W. LaFranchi, A. W. H. Chan, Y. Zhao, R. J. Weber, J.-H. Park, J. B. Gilman, J. de Gouw, C. Park, G. Schade, M. Beaver, J. M. S. Clair, J. Crouse, P. Wennberg, G. M. Wolfe, S. Harrold, J. A. Thornton, D. K. Farmer, K. S. Docherty, M. J. Cubison, J.-L. Jimenez, A. A. Frossard, L. M. Russell, K. Kristensen, M. Glasius, J. Mao, X. Ren, W. Brune, E. C. Browne, S. E. Pusede, R. C. Cohen, J. H. Seinfeld, and A. H. Goldstein (2013). "Observational insights into aerosol formation from isoprene". In: *Environ. Sci. Technol.* 47.11, pp. 5686–5694.
- Wu, S., L. J. Mickley, D. J. Jacob, J. A. Logan, R. M. Yantosca, and D. Rind (2007). "Why are there large differences between models in global budgets of tropospheric ozone?" In: *J. Geophys. Res. - Atmos.* 112.D5.
- Xia, X. and P. K. Hopke (2006). "Seasonal variation of 2-methyltetrols in ambient air samples". In: *Environ. Sci. Technol.* 40.22, pp. 6934–6937.
- Xie, Y., F. Paulot, W. P. L. Carter, C. G. Nolte, D. J. Luecken, W. T. Hutzell, P. O. Wennberg, R. C. Cohen, and R. W. Pinder (2013). "Understanding the impact of recent advances in isoprene photooxidation on simulations of regional air quality". In: *Atmos. Chem. Phys.* 13, pp. 8439–8455. DOI: 10.5194/acp-13-8439-2013.
- Xing, J.-H., K. Takahashi, M. D. Hurley, and T. J. Wallington (2009). "Kinetics of the reaction of chlorine atoms with isoprene (2-methyl 1,3-butadiene, CH₂C(CH₃)CHCH₂) at 297 +/- 2 K". In: *Chem. Phys. Lett.* 472.1–3, pp. 39–43. DOI: <http://dx.doi.org/10.1016/j.cplett.2009.03.002>.
- Xiong, F., C. H. Borca, L. V. Slipchenko, and P. B. Shepson (2016). "Photochemical degradation of isoprene-derived 4,1-nitrooxy enal". In: *Atmos. Chem. Phys.* 16.9, pp. 5595–5610. DOI: 10.5194/acp-16-5595-2016.
- Xiong, F., K. M. McAvey, K. A. Pratt, C. J. Groff, M. A. Hostetler, M. A. Lipton, T. K. Starn, J. V. Seeley, S. B. Bertman, A. P. Teng, J. D. Crouse, T. B. Nguyen, P. O. Wennberg, P. K. Misztal, A. H. Goldstein, A. B. Guenther, A. R. Koss, K. F. Olson, J. A. de Gouw, K. Baumann, E. S. Edgerton, P. A. Feiner, L. Zhang, D. O. Miller, W. H. Brune, and P. B. Shepson (2015). "Observation of isoprene hydroxynitrates in the southeastern United States and implications for the fate of NO_x". In: *Atmos. Chem. Phys.* 15, pp. 11257–11272. DOI: 10.5194/acp-15-11257-2015.
- Xiong, J. Q., M. Zhong, C. Fang, L. C. Chen, and M. Lippmann (1998). "Influence of organic films on the hygroscopicity of ultrafine sulfuric acid aerosol". In: *Environ. Sci. Technol.* 32.22, pp. 3536–3541. DOI: 10.1021/es980019q.
- Xu, L., H. Guo, C. M. Boyd, M. Klein, A. Bougiatioti, K. M. Cerully, J. R. Hite, G. Isaacman-VanWertz, N. M. Kreisberg, C. Knote, K. Olson, A. Koss, A. H. Goldstein, S. V. Hering, J. de Gouw, K. Baumann, S.-H. Lee, A. Nenes, R. J. Weber, and N. L. Ng (2015). "Effect of anthropogenic emissions on aerosol formation from isoprene and monoterpenes in the southeastern United States". In: *Proc. Nat'l. Acad. Sci.* 112.1, pp. 37–42.

- Yamashita, M. and J. B. Fenn (1984). "Negative ion production with the electrospray ion source". In: *J. Phys. Chem.* 88.20, pp. 4671–4675. DOI: 10.1021/j150664a046.
- Yatavelli, R. L. N. and J. A. Thornton (2010). "Particulate organic matter detection using a Micro-Orifice Volatilization Impactor coupled to a Chemical Ionization Mass Spectrometer (MOVI-CIMS)". In: *Aerosol Sci. Technol.* 44.1, pp. 61–74. DOI: 10.1080/02786820903380233.
- Yaws, C. L. (2003). *Handbook of Thermodynamic and Physical Properties of Chemical Compounds*. Norwich, NY: Knovel. ISBN: 1591244447.
- York, D., N. Evensen, M. Martinez, and J. Delgado (2004). "Unified equations for the slope, intercept, and standard errors of the best straight line". In: *Am. J. Phys.* 72.3, pp. 367–375.
- Youn, J. S., E. Crosbie, L. C. Maudlin, Z. Wang, and A. Sorooshian (2015). "Dimethylamine as a major alkyl amine species in particles and cloud water: Observations in semi-arid and coastal regions". In: *Atmos. Environ.* 122, pp. 250–258. DOI: <http://dx.doi.org/10.1016/j.atmosenv.2015.09.061>.
- Yu, G., A. R. Bayer, M. M. Galloway, K. J. Korshavn, C. G. Fry, and F. N. Keutsch (2011). "Glyoxal in aqueous ammonium sulfate solutions: Products, kinetics and hydration effects". In: *Environ. Sci. Technol.* 45.15, pp. 6336–6342. DOI: 10.1021/es200989n.
- Zador, J., A. W. Jasper, and J. A. Miller (2009). "The reaction between propene and hydroxyl". In: *Phys. Chem. Chem. Phys.* 11.46, pp. 11040–11053. DOI: 10.1039/B915707G.
- Zahardis, J., B. W. LaFranchi, and G. A. Petrucci (2006). "The heterogeneous reaction of particle-phase methyl esters and ozone elucidated by photoelectron resonance capture ionization: Direct products of ozonolysis and secondary reactions leading to the formation of ketones". In: *Int. J. Mass Spec.* 253.1–2, pp. 38–47. DOI: <http://doi.org/10.1016/j.ijms.2006.02.010>.
- Zhang, D. and R. Zhang (2002). "Mechanism of OH formation from ozonolysis of isoprene: A quantum-chemical study". In: *J. Am. Chem. Soc.* 124.11, pp. 2692–2703. DOI: 10.1021/ja011518l.
- Zhang, D., R. Zhang, and D. T. Allen (2003a). "C–C bond fission pathways of chloroalkenyl alkoxy radicals". In: *J. Chem. Phys.* 118.4, pp. 1794–1801. DOI: <http://dx.doi.org/10.1063/1.1531660>.
- Zhang, D., R. Zhang, and S. W. North (2003b). "Experimental study of NO reaction with isoprene hydroxyalkyl peroxy radicals". In: *J. Phys. Chem. A* 107.50, pp. 11013–11019. DOI: 10.1021/jp0360016.
- Zhang, H., J. D. Surratt, Y. H. Lin, J. Bapat, and R. M. Kamens (2011). "Effect of relative humidity on SOA formation from isoprene/NO photooxidation: enhancement of 2-methylglyceric acid and its corresponding oligoesters under dry conditions". In: *Atmos. Chem. Phys.* 11.13, pp. 6411–6424. DOI: 10.5194/acp-11-6411-2011.

- Zhang, J. and J. S. Reid (2006). “MODIS aerosol product analysis for data assimilation: Assessment of over-ocean level 2 aerosol optical thickness retrievals”. In: *J. Geophys. Res. - Atmos.* 111.D22. DOI: 10.1029/2005JD006898.
- Zhang, Q., J. L. Jimenez, M. R. Canagaratna, J. D. Allan, H. Coe, I. Ulbrich, M. R. Alfarra, A. Takami, A. M. Middlebrook, Y. L. Sun, K. Dzepina, E. Dunlea, K. Docherty, P. F. DeCarlo, D. Salcedo, T. Onasch, J. T. Jayne, T. Miyoshi, A. Shimono, S. Hatakeyama, N. Takegawa, Y. Kondo, J. Schneider, F. Drewnick, S. Borrmann, S. Weimer, K. Demerjian, P. Williams, K. Bower, R. Bahreini, L. Cottrell, R. J. Griffin, J. Rautiainen, J. Y. Sun, Y. M. Zhang, and D. R. Worsnop (2007). “Ubiquity and dominance of oxygenated species in organic aerosols in anthropogenically-influenced Northern Hemisphere midlatitudes”. In: *Geophys. Res. Lett.* 34.13. DOI: 10.1029/2007GL029979.
- Zhang, X., R. H. Schwantes, M. M. Coggon, C. L. Loza, K. A. Schilling, R. C. Flagan, and J. H. Seinfeld (2014a). “Role of ozone in SOA formation from alkane photooxidation”. In: *Atmos. Chem. Phys.* 14.3, pp. 1733–1753. DOI: 10.5194/acp-14-1733-2014.
- Zhang, X., R. H. Schwantes, R. C. McVay, H. Lignell, M. M. Coggon, R. C. Flagan, and J. H. Seinfeld (2015). “Vapor wall deposition in Teflon chambers”. In: *Atmos. Chem. Phys.* 15.8, pp. 4197–4214. DOI: 10.5194/acp-15-4197-2015.
- Zhang, X. and J. H. Seinfeld (2013). “A functional group oxidation model (FGOM) for SOA formation and aging”. In: *Atmos. Chem. Phys.* 13.12, pp. 5907–5926. DOI: 10.5194/acp-13-5907-2013.
- Zhang, X., C. D. Cappa, S. H. Jathar, R. C. McVay, J. J. Ensberg, M. J. Kleeman, and J. H. Seinfeld (2014b). “Influence of vapor wall loss in laboratory chambers on yields of secondary organic aerosol”. In: *Proc. Nat'l. Acad. Sci.* 111.16, pp. 5802–5807. DOI: 10.1073/pnas.1404727111.
- Zhang, Z., Y.-H. Lin, H. Zhang, J. D. Surratt, L. M. Ball, and A. Gold (2012). “Technical Note: Synthesis of isoprene atmospheric oxidation products: isomeric epoxydiols and the rearrangement products cis- and trans-3-methyl-3,4-dihydroxytetrahydrofuran”. In: *Atmos. Chem. Phys.* 12, pp. 8529–8535. DOI: 10.5194/acp-12-8529-2012.
- Zhang, Z.-S., G. Engling, C.-Y. Chan, Y.-H. Yang, M. Lin, S. Shi, J. He, Y.-D. Li, and X.-M. Wang (2013). “Determination of isoprene-derived secondary organic aerosol tracers (2-methyltetrols) by HPAEC-PAD: Results from size-resolved aerosols in a tropical rainforest”. In: *Atmos. Environ.* 70, pp. 468–476. DOI: 10.1016/j.atmosenv.2013.01.020.
- Zhao, Z., S. Husainy, and G. D. Smith (2011). “Kinetics studies of the gas-phase reactions of NO₃ radicals with series of 1-alkenes, dienes, cycloalkenes, alkenols, and alkenals”. In: *J. Phys. Chem. A* 115.44. PMID: 21995489, pp. 12161–12172. DOI: 10.1021/jp206899w.

- Zhou, S., I. Barnes, T. Zhu, I. Bejan, M. Albu, and T. Benter (2008). "Atmospheric chemistry of acetylacetone". In: *Environ. Sci. Technol.* 42.21, pp. 7905–7910. DOI: 10.1021/es8010282.
- Zhou, Y., H. Hu, L. Li, H. Hou, and B. Wang (2013). "Ab initio study of the elusive HO₃(X₂A") radical and the reaction". In: *Computational and Theoretical Chem.* 1026, pp. 24–30. DOI: <http://dx.doi.org/10.1016/j.comptc.2013.10.010>.
- Zimmermann, J. and D. Poppe (1996). "A supplement for the radm2 chemical mechanism: The photooxidation of isoprene". In: *Atmos. Environ.* 30, pp. 1255–1269.
- Zinser, C., T. Jungblut, W. Heller, H. K. Seidlitz, J.-P. Schnitzler, D. Ernst, and H. S. Jr (2000). "The effect of ozone in Scots pine (*Pinus sylvestris* L.): Gene expression, biochemical changes and interactions with UV-B radiation". In: *Plant, Cell and Environment* 23.9, pp. 975–982. DOI: 10.1046/j.1365-3040.2000.00613.x.
- Zuend, A., C. Marcolli, A. M. Booth, D. M. Lienhard, V. Soonsin, U. K. Krieger, D. O. Topping, G. McFiggans, T. Peter, and J. H. Seinfeld (2011). "New and extended parameterization of the thermodynamic model AIOMFAC: calculation of activity coefficients for organic-inorganic mixtures containing carboxyl, hydroxyl, carbonyl, ether, ester, alkenyl, alkyl, and aromatic functional groups". In: *Atmos. Chem. Phys.* 11.17, pp. 9155–9206. DOI: 10.5194/acp-11-9155-2011.
- Zuend, A., C. Marcolli, B. P. Luo, and T. Peter (2008). "A thermodynamic model of mixed organic-inorganic aerosols to predict activity coefficients". In: *Atmos. Chem. Phys.* 8.16, pp. 4559–4593. DOI: 10.5194/acp-8-4559-2008.
- Zuend, A., C. Marcolli, T. Peter, and J. H. Seinfeld (2010). "Computation of liquid-liquid equilibria and phase stabilities: implications for RH-dependent gas/particle partitioning of organic-inorganic aerosols". In: *Atmos. Chem. Phys.* 10.16, pp. 7795–7820. DOI: 10.5194/acp-10-7795-2010.