

## References

1. F. M. Gardner, *Phaselock Techniques* (2005).
2. D. R. Stephens, *Phase-Locked Loops For Wireless Communications* (Kluwer Academic Publishers, 1998).
3. L. H. Enloe and J. L. Rodda, "Laser Phase-Locked Loop," Proceedings of the Institute of Electrical and Electronics Engineers **53**(2), 165-166 (1965).
4. M. Brunel, F. Bretenaker, S. Blanc, V. Crozatier, J. Brisset, T. Merlet, and A. Poezevara, "High-spectral purity RF beat note generated by a two-frequency solid-state laser in a dual thermooptic and electrooptic phase-locked loop," IEEE Photonics Technology Letters **16**(3), 870-872 (2004).
5. W. R. Leeb, H. K. Philipp, A. L. Scholtz, and E. Bonek, "Frequency Synchronization and Phase Locking of Co<sub>2</sub>-Lasers," Applied Physics Letters **41**(7), 592-594 (1982).
6. R. C. Steele, "Optical Phase-Locked Loop Using Semiconductor-Laser Diodes," Electronics Letters **19**(2), 69-71 (1983).
7. J. Harrison and A. Mooradian, "Linewidth and Offset Frequency Locking of External Cavity GaAs Lasers," IEEE Journal of Quantum Electronics **25**(6), 1152-1155 (1989).
8. K. J. Williams, L. Goldberg, R. D. Esman, M. Dagenais, and J. F. Weller, "6-34 Ghz Offset Phase-Locking of Nd-Yag 1319nm Nonplanar Ring Lasers," Electronics Letters **25**(18), 1242-1243 (1989).
9. Z. F. Fan, P. J. S. Heim, and M. Dagenais, "Highly coherent RF signal generation by heterodyne optical phase locking of external cavity semiconductor lasers," IEEE Photonics Technology Letters **10**(5), 719-721 (1998).
10. U. Gliese, T. N. Nielsen, M. Bruun, E. L. Christensen, K. E. Stubkjaer, S. Lindgren, and B. Broberg, "A Wide-Band Heterodyne Optical Phase-Locked Loop for Generation of 3-18 Ghz Microwave Carriers," IEEE Photonics

- Technology Letters **4**(8), 936-938 (1992).
11. L. N. Langley, M. D. Elkin, C. Edge, M. J. Wale, U. Gliese, X. Huang, and A. J. Seeds, "Packaged semiconductor laser optical phase-locked loop (OPLL) for photonic generation, processing and transmission of microwave signals," *IEEE Transactions on Microwave Theory and Techniques* **47**(7), 1257-1264 (1999).
  12. J. M. Kahn, B. L. Kasper, and K. J. Pollock, "Optical Phaselock Receiver with Multigigahertz Signal Bandwidth," *Electronics Letters* **25**(10), 626-628 (1989).
  13. J. M. Kahn, A. M. Porter, and U. Padan, "Heterodyne-Detection of 310-Mb/S Quadriphase-Shift Keying Using 4th-Power Optical Phase-Locked Loop," *IEEE Photonics Technology Letters* **4**(12), 1397-1400 (1992).
  14. D. A. Atlas and L. G. Kazovsky, "2 Gbit/S Psk Heterodyne Communication-System Using Optical Phase-Locked Loop," *Electronics Letters* **26**(14), 1030-1032 (1990).
  15. M. Z. Win, C. C. Chen, and R. A. Scholtz, "Optical Phase-Locked Loop (Opll) for an Amplitude-Modulated Communications Link Using Solid-State Lasers," *IEEE Journal on Selected Areas in Communications* **13**(3), 569-576 (1995).
  16. S. A. Diddams, J. C. Bergquist, S. R. Jefferts, and C. W. Oates, "Standards of time and frequency at the outset of the 21st century," *Science* **306**(5700), 1318-1324 (2004).
  17. S. A. Diddams, D. J. Jones, J. Ye, S. T. Cundiff, J. L. Hall, J. K. Ranka, R. S. Windeler, R. Holzwarth, T. Udem, and T. W. Hansch, "Direct link between microwave and optical frequencies with a 300 THz femtosecond laser comb," *Physical Review Letters* **84**(22), 5102-5105 (2000).
  18. L. S. Ma, Z. Y. Bi, A. Bartels, L. Robertsson, M. Zucco, R. S. Windeler, G. Wilpers, C. Oates, L. Hollberg, and S. A. Diddams, "Optical frequency synthesis and comparison with uncertainty at the 10<sup>(-19)</sup> level," *Science* **303**(5665), 1843-1845 (2004).

19. R. T. Ramos and A. J. Seeds, "Delay, Linewidth and Bandwidth Limitations in Optical Phase-Locked Loop Design," *Electronics Letters* **26**(6), 389-391 (1990).
20. F. Herzog, K. Kudielka, D. Erni, and W. Bachtold, "Optical phase locked loop for transparent inter-satellite communications," *Optics Express* **13**(10), 3816-3821 (2005).
21. J. F. Cliche and B. Shillue, "Precision timing control for radioastronomy - Maintaining femtosecond synchronization in the atacama large millimeter array," *IEEE Control Systems Magazine* **26**(1), 19-26 (2006).
22. S. Kobayashi, Y. Yamamoto, M. Ito, and T. Kimura, "Direct Frequency-Modulation in AlGaAs Semiconductor-Lasers," *IEEE Journal of Quantum Electronics* **18**(4), 582-595 (1982).
23. P. Correc, O. Girard, and I. F. Defaria, "On the Thermal Contribution to the Fm Response of Dfb Lasers - Theory and Experiment," *IEEE Journal of Quantum Electronics* **30**(11), 2485-2490 (1994).
24. M. Kuznetsov, "High-Speed Frequency-Modulation and Switching of Tunable Distributed Feedback Lasers with 2 Active Segments," *IEEE Journal of Quantum Electronics* **27**(3), 668-677 (1991).
25. S. J. Augst, T. Y. Fan, and A. Sanchez, "Coherent beam combining and phase noise measurements of ytterbium fiber amplifiers," *Optics Letters* **29**(5), 474-476 (2004).
26. G. L. Schuster and J. R. Andrews, "Coherent Beam Combining - Optical Loss Effects on Power Scaling," *Applied Optics* **34**(30), 6801-6805 (1995).
27. C. X. Yu, J. E. Kinsky, S. E. J. Shaw, D. V. Murphy, and C. Higgs, "Coherent beam combining of large number of PM fibres in 2-D fibre array," *Electronics Letters* **42**(18), 1024-1025 (2006).
28. L. Bartelt-Berger, U. Brauch, A. Giesen, H. Huegel, and H. Opower, "Power-scalable system of phase-locked single-mode diode lasers," *Applied*

- Optics **38**(27), 5752-5760 (1999).
29. S. Demoustier, A. Brignon, E. Iallier, and J. P. Huignard, "Coherent Combining of 1.5 $\mu$ m Er-Yb Doped Single Mode Fiber Amplifier," in Conference on Lasers and Electro-Optics/Quantum Electronics and Laser Science Conference and Photonic Applications Systems Technologies, Technical Digest (CD) (Optical Society of America, 2006), paper CThAA5. (2006).
  30. J. L. Hall, "Stabilized Lasers and Precision-Measurements," Science **202**(4364), 147-156 (1978).
  31. B. C. Young, F. C. Cruz, W. M. Itano, and J. C. Bergquist, "Visible lasers with subhertz linewidths," Physical Review Letters **82**(19), 3799-3802 (1999).
  32. L. B. Mercer, "1/F Frequency Noise Effects on Self-Heterodyne Linewidth Measurements," Journal of Lightwave Technology **9**(4), 485-493 (1991).
  33. A. C. Bordonalli, C. Walton, and A. J. Seeds, "High-performance phase locking of wide linewidth semiconductor lasers by combined use of optical injection locking and optical phase-lock loop," Journal of Lightwave Technology **17**(2), 328-342 (1999).
  34. Y. Yamamoto, O. Nilsson, and S. Saito, "Theory of a Negative Frequency Feedback Semiconductor-Laser," IEEE Journal of Quantum Electronics **21**(12), 1919-1928 (1985).
  35. A. Yariv, "Dynamic analysis of the semiconductor laser as a current-controlled oscillator in the optical phased-lock loop: applications," Optics Letters **30**(17), 2191-2193 (2005).
  36. G. S. Pandian and S. Dilwali, "On the Thermal Fm Response of a Semiconductor-Laser Diode," IEEE Photonics Technology Letters **4**(2), 130-133 (1992).
  37. S. Saito, O. Nilsson, and Y. Yamamoto, "Coherent Fsk Transmitter Using a Negative Feedback Stabilized Semiconductor-Laser," Electronics Letters **20**(17),

- 703-704 (1984).
38. W. V. Sorin, K. W. Chang, G. A. Conrad, and P. R. Hernday, "Frequency-Domain Analysis of an Optical Fm Discriminator," *Journal of Lightwave Technology* **10**(6), 787-793 (1992).
  39. A. Yariv, *Optical Electronics in Modern Communications*, Fifth ed. (Oxford University Press, 1996).
  40. M. Ohtsu and S. Kotajima, "Linewidth Reduction of a Semiconductor-Laser by Electrical Feedback," *IEEE Journal of Quantum Electronics* **21**(12), 1905-1912 (1985).
  41. M. Ohtsu and N. Tabuchi, "Electrical Feedback and Its Network Analysis for Linewidth Reduction of a Semiconductor-Laser," *Journal of Lightwave Technology* **6**(3), 357-369 (1988).
  42. M. Poulin, C. Latrassé, D. Touahri, and M. Tétu, "Frequency stability of an optical frequency standard at 192.6 THz based on a two-photon transition of rubidium atoms," *Optics Communications* **207**(1-6), 233-242 (2002).
  43. W. Liang, N. Satyan, A. Yariv, A. Kewitsch, G. Rakuljic, F. Aflatouni, H. Hashemi, and J. Ungar, "Coherent power combination of two Master-oscillator-power-amplifier (MOPA) semiconductor lasers using optical phase lock loops," *Optics Express* **15**(6), 3201-3205 (2007).
  44. S. J. Augst, A. K. Goyal, R. L. Aggarwal, T. Y. Fan, and A. Sanchez, "Wavelength beam combining of ytterbium fiber lasers," *Optics Letters* **28**(5), 331-333 (2003).
  45. J. R. Leger, M. Holz, G. J. Swanson, and W. Veldkamp, "Coherent beam addition: An application of binary optics," *Lincoln Lab Journal* **1**, 225-245 (1988).
  46. T. Y. Fan, "Laser beam combining for high-power, high-radiance sources," *IEEE Journal of Selected Topics in Quantum Electronics* **11**(3), 567-577 (2005).
  47. J. R. Leger, ed., *External methods of phase locking and coherent beam addition of diode lasers*, *Surface Emitting Semiconductor Lasers and Arrays* (Academic,

- Boston, 1993), pp. 379-433.
48. A. F. Glova, "Phase locking of optically coupled lasers," *Quantum Electronics* **33**(4), 283-306 (2003).
  49. R. K. Huang, B. Chann, L. J. Missaggia, J. P. Donnelly, C. T. Harris, G. W. Turner, A. K. Goyal, T. Y. Fan, and A. Sanchez-Rubio, "High-brightness wavelength beam combined semiconductor laser diode arrays," *IEEE Photonics Technology Letters* **19**(2-4), 209-211 (2007).
  50. B. Chann, R. K. Huang, L. J. Missaggia, C. T. Harris, Z. L. Liau, A. K. Goyal, J. P. Donnelly, T. Y. Fan, A. Sanchez-Rubio, and G. W. Turner, "Near-diffraction limited diode laser arrays by wavelength beam combining," *Optics Letters* **30**(16), 2104-2106 (2005).
  51. A. Shirakawa, T. Saitou, T. Sekiguchi, and K. Ueda, "Coherent addition of fiber lasers by use of a fiber coupler," *Optics Express* **10**(21), 1167-1172 (2002).
  52. C. D. Nabors, "Effects of Phase Errors on Coherent Emitter Arrays," *Applied Optics* **33**(12), 2284-2289 (1994).
  53. S. Menard, M. Vampouille, A. Desfarges-Berthelemot, V. Kermene, B. Colombeau, and C. Froehly, "Highly efficient phase locking of four diode pumped Nd : YAG laser beams," *Optics Communications* **160**(4-6), 344-353 (1999).
  54. M. Oka, H. Masuda, Y. Kaneda, and S. Kubota, "Laser-Diode-Pumped Phase-Locked Nd-Yag Laser Arrays," *IEEE Journal of Quantum Electronics* **28**(4), 1142-1147 (1992).
  55. L. J. Mawst, D. Botez, C. Zmudzinski, M. Jansen, C. Tu, T. J. Roth, and J. Yun, "Resonant Self-Aligned-Stripe Antiguided Diode-Laser Array," *Applied Physics Letters* **60**(6), 668-670 (1992).
  56. S. Saunders, R. Waarts, D. Nam, D. Welch, D. Scifres, J. C. Ehlert, W. J. Cassarly, J. M. Finlan, and K. M. Flood, "High power coherent two-dimensional semiconductor laser array," *Applied Physics Letters* **64**, 1478 (1994).

57. Y. Kono, M. Takeoka, K. Uto, A. Uchida, and F. Kannari, "A coherent all-solid-state laser array using the Talbot effect in a three-mirror cavity," *IEEE Journal of Quantum Electronics* **36**(5), 607-614 (2000).
58. L. A. Newman, R. A. Hart, J. T. Kennedy, A. J. Cantor, A. J. Demaria, and W. B. Bridges, "High-Power Coupled Co<sub>2</sub> Wave-Guide Laser Array," *Applied Physics Letters* **48**(25), 1701-1703 (1986).
59. J. R. Leger, G. J. Swanson, and W. B. Veldkamp, "Coherent Laser Addition Using Binary Phase Gratings," *Applied Optics* **26**(20), 4391-4399 (1987).
60. J. S. Osinski, D. Mehuys, D. F. Welch, R. G. Waarts, J. S. Major, K. M. Dzurko, and R. J. Lang, "Phased-Array of High-Power, Coherent, Monolithic Flared Amplifier Master Oscillator Power-Amplifiers," *Applied Physics Letters* **66**(5), 556-558 (1995).
61. K. H. No, R. W. Herrick, C. Leung, R. Reinhart, and J. L. Levy, "One-Dimensional Scaling of 100 Ridge-Wave-Guide Amplifiers," *IEEE Photonics Technology Letters* **6**(9), 1062-1066 (1994).
62. B. A. Demoustier S, lallier E and Huignard J.P., "Coherent Combining of 1.5um Er-Yb Doped Single Mode Fiber Amplifier," (2006).
63. D. S. Elliott, R. Roy, and S. J. Smith, "Extra-Cavity Laser Band-Shape and Bandwidth Modification," *Physical Review A* **26**(1), 12-18 (1982).
64. D. M. A. Janice K. Lawson, R. Edward English, Jr., Wayne T. Whistler, Will House, and Michael A. Nichols "Surface figure and roughness tolerances for NIF optics and the interpretation of the gradient, P-V wavefront, and RMS specifications," presented at the SPIE Optical Manufacturing and Testing III, 1999.
65. G. J. Cowle, P. R. Morkel, R. I. Laming, and D. N. Payne, "Spectral Broadening Due to Fiber Amplifier Phase Noise," *Electronics Letters* **26**(7), 424-425 (1990).
66. E. Desurvire, *Erbium-Doped Fiber Amplifiers Principles and Applications* ( Wiley,

New York:, 1994), pp. 399–404.

67. L. Moller, "Novel aspects of spectral broadening due to fiber amplifier phase noise," *Ieee Journal of Quantum Electronics* **34**(9), 1554-1558 (1998).
68. E. Rochat and R. Dandliker, "New investigations on the effect of fiber amplifier phase noise," *IEEE Journal of Selected Topics in Quantum Electronics* **7**(1), 49-54 (2001).
69. C. Latrassé, F. Pelletier, A. Doyle, S. Savard, A. Babin, F. Costin, A. Biron, J. F. Cliche, M. Allard, and M. Tetu, "High Performances Frequency-Stabilized Semiconductor Laser Metrology Sources for Space-borne Spectrometers " presented at the Sixth International Conference on Space Optics, Proceedings of ESA/CNES ICSO 2006, ESTEC, Noordwijk, The Netherlands, 2006.
70. K. Kuboki and M. Ohtsu, "A Synthesized Method to Improve Coherence in Semiconductor-Lasers by Electrical Feedback," *IEEE Journal of Quantum Electronics* **25**(10), 2084-2090 (1989).
71. "See for example: VIRGO ([www.vascina.virgo.infn.it](http://www.vascina.virgo.infn.it)), LIGO ([www.ligo.caltech.edu](http://www.ligo.caltech.edu)) LISA([lisa.jpl.nasa.gov](http://lisa.jpl.nasa.gov)), ALMA([www.eso.org/projects/alma](http://www.eso.org/projects/alma))".
72. "see for example: <http://www.rp-photonics.com/linewidth.html>, [http://orbitlightwave.com/mainpages/Press\\_release\\_Eternal1060.html](http://orbitlightwave.com/mainpages/Press_release_Eternal1060.html), <http://www.npphotonics.com/>."
73. C. H. Henry, "Theory of the Linewidth of Semiconductor-Lasers," *IEEE Journal of Quantum Electronics* **18**(2), 259-264 (1982).
74. K. Vahala and A. Yariv, "Semiclassical Theory of Noise in Semiconductor-Lasers I," *IEEE Journal of Quantum Electronics* **19**(6), 1096-1101 (1983).
75. K. Vahala and A. Yariv, "Semiclassical Theory of Noise in Semiconductor-Lasers II," *IEEE Journal of Quantum Electronics* **19**(6), 1102-1109 (1983).
76. C. Harder, K. Vahala, and A. Yariv, "Measurement of the Linewidth Enhancement Factor-Alpha of Semiconductor-Lasers," *Applied Physics Letters* **42**(4), 328-330

- (1983).
77. J. A. Barnes, A. R. Chi, L. S. Cutler, D. J. Healey, D. B. Leeson, McGuniga, Te, J. A. Mullen, W. L. Smith, R. L. Sydnor, R. F. C. Vessot, and G. M. R. Winkler, "Characterization of Frequency Stability," *IEEE Transactions on Instrumentation and Measurement* **IM20**(2), 105-& (1971).
  78. P. Lesage and C. Audoin, "Characterization and Measurement of Time and Frequency Stability," *Radio Science* **14**(4), 521-539 (1979).
  79. A. Dandridge and H. F. Taylor, "Correlation of Low-Frequency Intensity and Frequency Fluctuations in Gaaias Lasers," *IEEE Journal of Quantum Electronics* **18**(10), 1738-1750 (1982).
  80. G. M. Stephan, T. T. Tam, S. Blin, P. Besnard, and M. Tetu, "Laser line shape and spectral density of frequency noise," *Physical Review A* **71**(4)(2005).
  81. Y. Yamamoto, S. Saito, and T. Mukai, "Am and Fm Quantum Noise in Semiconductor-Lasers .2. Comparison of Theoretical and Experimental Results for Algaas Lasers," *Ieee Journal of Quantum Electronics* **19**(1), 47-58 (1983).
  82. K. Kikuchi, "Effect of 1/F-Type Fm Noise on Semiconductor-Laser Linewidth Residual in High-Power Limit," *IEEE Journal of Quantum Electronics* **25**(4), 684-688 (1989).
  83. A. Yariv and W. M. Caton, "Frequency, Intensity, and Field Fluctuations in Laser Oscillators," *IEEE Journal of Quantum Electronics* **QE10**(6), 509-515 (1974).
  84. Armstron.Ja, "Theory of Interferometric Analysis of Laser Phase Noise," *Journal of the Optical Society of America* **56**(8), 1024-& (1966).
  85. E. D. Hinkley and C. Freed, "Direct Observation of Lorentzian Line Shape as Limited by Quantum Phase Noise in a Laser above Threshold," *Physical Review Letters* **23**(6), 277-& (1969).
  86. Y. Yamamoto, T. Mukai, and S. Saito, "Quantum Phase Noise and Linewidth of a Semiconductor-Laser," *Electronics Letters* **17**(9), 327-329 (1981).

87. H. E. ROWE, *Signal and Noise in Communication Systems* (Van Nostrand, Princeton, NJ, 1965).
88. D. W. Allan, "Statistics of Atomic Frequency Standards," Proceedings of the Institute of Electrical and Electronics Engineers **54**(2), 221-& (1966).
89. P. B. Gallion and G. Debarge, "Quantum Phase Noise and Field Correlation in Single Frequency Semiconductor-Laser Systems," IEEE Journal of Quantum Electronics **20**(4), 343-349 (1984).
90. K. Y. Lau, N. Barchaim, I. Ury, C. Harder, and A. Yariv, "Direct Amplitude-Modulation of Short-Cavity Gaas-Lasers up to X-Band Frequencies," Applied Physics Letters **43**(1), 1-3 (1983).
91. M. A. Grant, W. C. Michie, and M. J. Fletcher, "The Performance of Optical Phase-Locked Loops in the Presence of Nonnegligible Loop Propagation Delay," Journal of Lightwave Technology **5**(4), 592-597 (1987).