

# Bibliography

- [1] E. M. Purcell. Spontaneous emission probabilities at radio frequencies. *Phys. Rev.*, 69:681, 1946.
- [2] K. H. Drexhage. *Progress in Optics*, volume XII, pages 163–232. Elsevier, New York, 1974. Ed. E. Wolf.
- [3] H. B. G. Casimir and D. Polder. The influence of retardation on the London-van der Waals forces. *Phys. Rev.*, 73:360, 1948.
- [4] P. Goy, J. M. Raimond, M. Gross, and S. Haroche. Observation of cavity-enhanced single-atom spontaneous emission. *Phys. Rev. Lett.*, 50:1903, 1983.
- [5] L. S. Brown and G. Gabrielse. Geonium theory – physics of a single electron or ion in a Penning trap. *Rev. Mod. Phys.*, 58:233, 1986.
- [6] D. J. Heinzen and M. S. Feld. Vacuum radiative level shift and spontaneous-emission linewidth of an atom in an optical-resonator. *Phys. Rev. Lett.*, 59:2623, 1987.
- [7] Y. Zhu and A. Lezama, T. W. Mossberg, and M. Lewenstein. Vacuum-field dressed-state pumping. *Phys. Rev. Lett.*, 61:1946, 1988.
- [8] C. I. Sukenik, M. G. Boshier, D. Cho, V. Sandoghdar, and E. A. Hinds. Measurement of the Casimir-Polder force. *Phys. Rev. Lett.*, 70:560, 1995.
- [9] S. K. Lamoreaux. Demonstration of the Casimir force in the 0.6 to 6  $\mu\text{m}$  range. *Phys. Rev. Lett.*, 78:5, 1997.

- [10] U. Mohideen and A. Roy. Precision measurement of the Casimir force from 0.1 to 0.9  $\mu\text{m}$ . *Phys. Rev. Lett.*, 81:4549, 1998.
- [11] G. Gabrielse and H. Dehmelt. Observation of inhibited spontaneous emission. *Phys. Rev. Lett.*, 55:67, 1985.
- [12] R. Hulet, E. Hilfer, and D. Kleppner. Inhibited spontaneous emission by a Rydberg atom. *Phys. Rev. Lett.*, 55:2137, 1985.
- [13] F. De Martini, G. Innocenti, G. R. Jacobovitz, and P. Mataloni. Anomalous spontaneous emission time in a microscopic optical cavity. *Phys. Rev. Lett.*, 59:2955, 1987.
- [14] D. Kleppner and S. Haroche. Cavity quantum electrodynamics. *Physics Today*, 42:24, 1989.
- [15] D. Meschede. Radiating atoms in confined space – from spontaneous emission to micromasers. *Phys. Rep.*, 211:201, 1992.
- [16] S. Peil and G. Gabrielse. Observing the quantum limit of an electron cyclotron: QND measurements of quantum jumps between Fock states. *Phys. Rev. Lett.*, 83:1287, 1999.
- [17] E. A. Hinds. Cavity quantum electrodynamics. *Adv. Atom. Mol. Opt.*, 28:237, 1990.
- [18] C. J. Hood, H. J. Kimble, and J. Ye. Characterization of high-finesse mirrors: Loss, phase shifts, and mode structure in an optical cavity. *Phys. Rev. A*, 64:033804, 2001. Available as quant-ph/0101103.
- [19] C. J. Hood. *Real-Time Measurement and Trapping of Single Atoms by Single Photons*. PhD thesis, California Institute of Technology, 2000.
- [20] C. J. Hood, M. S. Chapman, T. W. Lynn, and H. J. Kimble. Real-time cavity QED with single atoms. *Phys. Rev. Lett.*, 80:4157, 1998.

- [21] S. Haroche, M. Brune, and J. M. Raimond. Trapping atoms by the vacuum field in a cavity. *Europhys. Lett.*, 14:19, 1991.
- [22] B. Englert, J. Schwinger, A. O. Barut, and M. O. Scully. Reflecting slow atoms from a micromaser field. *Europhys. Lett.*, 14:25, 1991.
- [23] M. O. Scully, G. M. Meyer, and H. Walther. Induced emission due to the quantized motion of ultracold atoms passing through a micromaser cavity. *Phys. Rev. Lett.*, 76:4144, 1996.
- [24] A. C. Doherty, A. S. Parkins, S. M. Tan, and D. F. Walls. Motion of a two-level atom in an optical cavity. *Phys. Rev. A*, 56:833, 1997.
- [25] C. J. Hood, T. W. Lynn, A. Doherty, A. S. Parkins, and H. J. Kimble. The atom-cavity microscope: single atoms bound in orbit by single photons. *Science*, 287:1447, 2000.
- [26] A. C. Doherty, T. W. Lynn, C. J. Hood, and H. J. Kimble. Trapping of single atoms with single photons in cavity QED. *Phys. Rev. A*, 63:013401, 2001. Available as quant-ph/0006015.
- [27] Q. A. Turchette. *Quantum optics with single atoms and single photons*. PhD thesis, California Institute of Technology, 1997.
- [28] E. T. Jaynes and F. W. Cummings. Comparison of quantum and semiclassical radiation theories with application to beam maser. *P. IEEE*, 51:89, 1963.
- [29] S. Haroche. in *Fundamental Systems in Quantum Optics, Les Houches Session LIII, 1990*. Elsevier, Amsterdam, 1992. Eds. J. Dalibard, J.-M. Raimond, and J. Zinn-Justin. For a textbook development of cavity QED basics.
- [30] H. J. Kimble. in *Cavity Quantum Electrodynamics*. Academic Press, San Diego, 1994. Ed. P. Berman.
- [31] H. J. Kimble. Strong interactions of single atoms and photons in cavity QED. *Phys. Scripta*, T76:127, 1998.

- [32] C. Cohen-Tannoudji, J. Dupont-Roc, and G. Grynberg. *Atom-Photon Interactions*. Wiley, New York, 1992.
- [33] H. J. Carmichael. *Statistical Methods in Quantum Optics 1*. Texts and Monographs in Physics. Springer-Verlag, Heidelberg, 1st edition, 1999.
- [34] S. M. Tan. A computational toolbox for quantum and atom optics. *J. Opt. B: Quant. Semiclass. Opt.*, 1:424, 1999.
- [35] L. A. Lugiato. Theory of optical bistability. *Progress in Optics*, 21:69, 1984. A review of the field.
- [36] D. E. Grant and H. J. Kimble. Optical bistability for 2-level atoms in a standing-wave cavity. *Opt. Lett.*, 7:353, 1982.
- [37] K. G. Weyer, H. Wiedenmann, M. Rateike, W. R. M. Gillivray, P. Meystre, and H. Walther. Observation of absorptive optical bistability in a Fabry-Perot cavity containing multiple atomic-beams. *Opt. Commun.*, 37:426, 1981.
- [38] G. Rempe, R. J. Thompson, R. J. Brecha, W. D. Lee, and H. J. Kimble. Optical bistability and photon statistics in cavity quantum electrodynamics. *Phys. Rev. Lett.*, 67:1727, 1991.
- [39] S. L. Mielke, G. T. Foster, and L. A. Orozco. Nonclassical intensity correlations in cavity QED. *Phys. Rev. Lett.*, 80:3948, 1998.
- [40] G. T. Foster, S. L. Mielke, and L. A. Orozco. Intensity correlations in cavity QED. *Phys. Rev. A*, 61:053821, 2000.
- [41] G. T. Foster, L. A. Orozco, H. M. Castro-Beltran, and H. J. Carmichael. Quantum state reduction and conditional time evolution of wave-particle correlations in cavity QED. *Phys. Rev. Lett.*, 85:3149, 2000.
- [42] Q. A. Turchette, C. J. Hood, W. Lange, H. Mabuchi, and H. J. Kimble. Measurement of conditional phase shifts for quantum logic. *Phys. Rev. Lett.*, 75:4710, 1995.

- [43] Q. A. Turchette, N. P. Georgiades, C. J. Hood, H. J. Kimble, and A. S. Parkins. Squeezed excitation in cavity QED: Experiment and theory. *Phys. Rev. A*, 58:4056, 1998.
- [44] J. J. Sanchez-Mondragon, N. B. Narozhny, and J. H. Eberly. Spontaneous vacuum line splitting in a cavity. *J. Opt. Soc. Am. B*, 1:518, 1984.
- [45] R. J. Thompson, G. Rempe, and H. J. Kimble. Observation of normal-mode splitting for an atom in an optical cavity. *Phys. Rev. Lett.*, 68:1132, 1992.
- [46] H. Mabuchi, Q. A. Turchette, M. S. Chapman, and H. J. Kimble. Real-time detection of individual atoms falling through a high-finesse optical cavity. *Opt. Lett.*, 21:1393, 1996.
- [47] H. Mabuchi, J. Ye, and H. J. Kimble. Full observation of single-atom dynamics in cavity QED. *Applied Phys. B*, 68:1095, 1999.
- [48] P. Munstermann, T. Fischer, P. Maunz, P. W. H. Pinkse, and G. Rempe. Dynamics of single-atom motion observed in a high-finesse cavity. *Phys. Rev. Lett.*, 82:3791, 1999.
- [49] Y. Shimizu, N. Shiokawa, N. Yamamoto, M. Kozuma, and T. Kuga. Control of light pulse propagation with only a few cold atoms in a high-finesse microcavity. *Phys. Rev. Lett.*, 89:233001, 2002.
- [50] P. W. H. Pinkse, T. Fischer, P. Maunz, and G. Rempe. Trapping an atom with single photons. *Nature*, 404:365, 2000.
- [51] J. Ye, D. W. Vernooy, and H. J. Kimble. Trapping of single atoms in cavity QED. *Phys. Rev. Lett.*, 83:4987, 1999.
- [52] J. McKeever, J. R. Buck, A. D. Boozer, A. Kuzmich, H.-C. Naegerl, D. M. Stamper-Kurn, and H. J. Kimble. State-insensitive cooling and trapping of single atoms in an optical cavity. *Phys. Rev. Lett.*, to appear in 2003. Available as quant-ph/0211013.

- [53] H. Mabuchi, M. Armen, B. Lev, M. Loncar, J. Vuckovic, H. J. Kimble, J. Preskill, M. Roukes, and A. Scherer. Quantum networks based on cavity QED. *Q. Inf. and Comp.*, 1(Special Issue on Implementation of Quantum Computation):7, 2001.
- [54] W. Lange and H. Walther. private communication, 2003.
- [55] A. B. Mundt, A. Kreuter, C. Becher, D. Leibfried, J. Eschner, F. Schmidt-Kaler, and R. Blatt. Coupling a single atomic quantum bit to a high finesse optical cavity. *Phys. Rev. Lett.*, 89:103001, 2002.
- [56] M. S. Chapman et al. private communication, 2003.
- [57] S. Kuhr, W. Alt, D. Schrader, M. Muller, V. Gomer, D. Meschede, et al. Deterministic delivery of a single atom. *Science*, 293:278, 2001.
- [58] A. Soklakov and R. Schack. Information dynamics in cavity QED. quant-ph/0210024, 2002.
- [59] M. S. Feld and K. W. An. The single-atom laser. *Sci. Am.*, 279:56, 1998.
- [60] L.-M. Duan and H. J. Kimble. Efficient engineering of multi-atom entanglement through single-photon detections. quant-ph/0301164, 2003.
- [61] H. Mabuchi and H. M. Wiseman. Retroactive quantum jumps in a strongly coupled atom-field system. *Phys. Rev. Lett.*, 81:4620, 1998.
- [62] P. Warszawski, H. M. Wiseman, and H. Mabuchi. Quantum trajectories for realistic detection. *Phys. Rev. A*, 65:023802, 2002.
- [63] W. P. Smith, J. E. Reiner, L. A. Orozco, S. Kuhr, and H. M. Wiseman. Capture and release of a conditional state of a cavity QED system by quantum feedback. *Phys. Rev. Lett.*, 89:133601, 2002.
- [64] E. L. Raab, M. Prentiss, A. Cable, S. Chu, and D. E. Pritchard. Trapping of neutral Na atoms with radiation pressure. *Phys. Rev. Lett.*, 59:2631, 1987.

- [65] D. E. Pritchard, E. L. Raab, V. Bagnato, C. E. Wieman, and R. N. Watts. Light traps using spontaneous forces. *Phys. Rev. Lett.*, 57:310, 1986.
- [66] P. D. Lett, R. N. Watts, C. I. Westbrook, W. D. Phillips, P. L. Gould, and H. J. Metcalf. Observation of atoms laser cooled below the Doppler limit. *Phys. Rev. Lett.*, 61:169, 1988.
- [67] J. Dalibard and C. Cohen-Tannoudji. Laser cooling below the doppler limit by polarization gradients: simple theoretical models. *J. Opt. Soc. Am. B*, 6:2023, 1989.
- [68] P. Ungar, D. Weiss, E. Riis, and S. Chu. Optical molasses and multilevel atoms: theory. *J. Opt. Soc. Am. B*, 6:2058, 1989.
- [69] A. M. Steane, M. Chowdhury, and C. J. Foot. Radiation force in a magneto-optical trap. *J. Opt. Soc. Am. B*, 9:2142, 1992.
- [70] D. Sesko, T. Walker, and C. Wieman. Behavior of neutral atoms in a spontaneous force trap. *J. Opt. Soc. Am. B*, 8:946, 1991.
- [71] Y. Castin, H. Wallis, and J. Dalibard. Limit of Doppler cooling. *J. Opt. Soc. Am. B*, 6:2046, 1989.
- [72] X. Y. Xu, T. H. Loftus, M. J. Smith, J. L. Hall, A. Gallagher, and J. Ye. Dynamics in a two-level atom magneto-optical trap. *Phys. Rev. A*, 66:011401, 2002.
- [73] C. E. Tanner, A. E. Livingston, R. J. Rafac, K. W. Kukla, H. G. Berry, and C. A. Kurtz. Precision lifetime measurements using laser excitation of a fast atomic-beam. *Nucl. Instrum. Meth. B*, 99:117, 1995.
- [74] D. A. Steck. Cesium D line data. Available at <http://steck.us/alkalidata/>, 2002.
- [75] W. Demtroder. *Laser Spectroscopy*. Springer-Verlag, New York, 2nd edition edition, 1996.

- [76] J. R. Buck. *Cavity-QED in Microsphere and Fabry-Perot Cavities*. PhD thesis, California Institute of Technology, 2003.
- [77] G. Bjorklund. Frequency-modulated spectroscopy – new method for measuring weak absorptions and dispersions. *Opt. Lett.*, 5:15, 1980.
- [78] J. L. Hall, L. Hollberg, T. Baer, and H. G. Robinson. Optical heterodyne saturation spectroscopy. *Appl. Phys. Lett.*, 39:680, 1981.
- [79] L. Wu, M. Xiao, and H. J. Kimble. Squeezed states of light from an OPO. *J. Opt. Soc. Am. B*, 4:1465, 1987.
- [80] Blake Peterson. Spectrum analysis. Application Note 150, Hewlett-Packard Company, 1212 Valley House Dr., Rohnert Park, CA, USA, November 1989.
- [81] The Mathworks Inc. Matlab Signal Processing Toolbox User’s Guide, December 1996. Version 4 (for Matlab 5).
- [82] H. Mabuchi. Standard quantum limits for broadband position measurement. *Phys. Rev. A*, 58:123, 1998.
- [83] A. C. Doherty. *Motion, Measurement and Control in an Open Quantum System*. PhD thesis, The University of Auckland, 1999.
- [84] C. Cohen-Tannoudji. in *Fundamental Systems in Quantum Optics, Les Houches Session LIII, 1990*. Elsevier, Amsterdam, 1992. Eds. J. Dalibard, J.-M. Raimond, and J. Zinn-Justin.
- [85] P. Horak, G. Hechenblaikner, K. M. Gheri, H. Stecher, and H. Ritsch. Cavity-induced cooling in the strong coupling regime. *Phys. Rev. Lett.*, 79:4974, 1997.
- [86] V. Vuletic and S. Chu. Laser cooling of atoms, ions, or molecules by coherent scattering. *Phys. Rev. Lett.*, 84:3787, 2000.
- [87] T. Fischer, P. Maunz, P. W. H. Pinkse, T. Puppe, and G. Rempe. Feedback on the motion of a single atom in an optical cavity. *Phys. Rev. Lett.*, 88:163002, 2002.



- [88] A. J. Scott and G. J. Milburn. Quantum nonlinear dynamics of continuously measured systems. *Phys. Rev. A*, 63:042101, 2001.
- [89] G. J. Milburn. Classical and quantum conditional statistical dynamics. *Quant. Semiclass. Opt.*, 8:269, 1996.
- [90] A. C. Doherty, S. M. Tan, A. S. Parkins, and D. F. Walls. State determination in continuous measurement. *Phys. Rev. A*, 60:2380, 1999.
- [91] R. E. Kalman. A new approach to linear filtering and prediction problems. *Transactions of the ASME—Journal of Basic Engineering*, 82(Series D):35, 1960.
- [92] R. Legere. Unpublished models of tracking single-atom motion in cavity QED with Kalman filters., 2000.
- [93] G. Welch and G. Bishop. The Kalman filter. Available at <http://www.cs.unc.edu/~welch/kalman/>, 2003. A site containing tutorials, advanced material, and additional references on Kalman filters.
- [94] Lee Barford, Eric Mandres, Gautam Biswas, Pieter Mosterman, Vishnu Ram, and Joel Barnett. Derivative estimation for diagnosis. Technical Report HPL-1999-18, Integrated Solutions Laboratory, HP Laboratories, Palo Alto, CA, February 1999. Available at [www.hpl.hp.com/techreports/1999/HPL-1999-18.html](http://www.hpl.hp.com/techreports/1999/HPL-1999-18.html).
- [95] O. Vainio, M. Renfors, and T. Saramaki. Recursive implementation of FIR differentiators with optimum noise attenuation. *IEEE Trans. inst. Meas.*, 46:5, 1997.
- [96] S. J. van Enk, J. McKeever, H. J. Kimble, and J. Ye. Cooling of a single atom in an optical trap inside a resonator. *Phys. Rev. A*, 64:013407, 2001. Available at [quant-ph/0005133](http://arxiv.org/abs/quant-ph/0005133).
- [97] J. Stockton, M. Armen, and H. Mabuchi. Programmable logic devices in experimental quantum optics. *J. Opt. Soc. Am. B*, 19:3019, 2002.

- [98] J. Gambetta and H. M. Wiseman. State and dynamical parameter estimation for open quantum systems. *Phys. Rev. A*, 64:042105, 2001.
- [99] H. J. Kimble, C. J. Hood, T. W. Lynn, H. Mabuchi, D. W. Vernoooy, and J. Ye. *in Laser Spectroscopy: XIV International Conference*. World Scientific, Singapore, 1999. Eds. Rainer Blatt et al.
- [100] D. W. Vernoooy. *Cold Atoms in Cavity QED for Quantum Information Processing*. PhD thesis, California Institute of Technology, 2000.
- [101] T. Bergeman, G. Erez, and H. J. Metcalf. Magnetostatic trapping fields for neutral atoms. *Phys. Rev. A*, 35:1535, 1987. A good tutorial reference on magnetic field configurations.
- [102] R. W. P. Drever, J. L. Hall, F. V. Kowalski, J. Hough, G. M. Ford, A. J. Munley, and H. Ward. Laser phase and frequency stabilization using an optical-resonator. *Appl. Phys. B*, 31:145, 1983.
- [103] G. C. Bjorklund, M. D. Levenson, W. Lenth, and C. Ortiz. Frequency-modulation (FM) spectroscopy – theory of lineshapes and signal-to-noise analysis. *Appl. Phys. B*, 32:145, 1983.
- [104] R. Panagua (Caltech physics machine shop). private communication, 2002.
- [105] J. Ye and T. W. Lynn. Applications of optical cavities in modern atomic, molecular, and optical physics. *Adv. Atom. Mol. Opt. Phys.*, to appear in 2003.
- [106] A. E. Siegman. *Lasers*. University Science Books, Mill Valley, CA, 1986.
- [107] P. Horak, H. Ritsch, T. Fischer, P. Maunz, T. Puppe, P. W. H. Pinkse, and G. Rempe. Optical kaleidoscope using a single atom. *Phys. Rev. Lett.*, 88:043601, 2002.
- [108] P. Meystre, E. Schumacher, and S. Stenholm. Atomic-beam deflection in a quantum-field. *Opt. Comm.*, 73:443, 1989.

- [109] W. Ren and H. J. Carmichael. Spontaneous emission in a standing-wave cavity: quantum-mechanical center-of-mass motion. *Phys. Rev. A*, 51:752, 1995.
- [110] A. M. Herkommer, H. J. Carmichael, and W. P. Schleich. Localization of an atom by homodyne measurement. *Quant. Semiclass. Opt.*, 8:189, 1996.
- [111] A. C. Doherty, A. S. Parkins, S. M. Tan, and D. F. Walls. Motional states of atoms in cavity QED. *Phys. Rev. A*, 57:4804, 1998.
- [112] D. W. Vernooy and H. J. Kimble. Well-dressed states for wave-packet dynamics in cavity QED. *Phys. Rev. A*, 56:4287, 1997.
- [113] D. Steck and S. Habib. private communication, 2003.
- [114] T. Bhattacharya, S. Habib, and K. Jacobs. Continuous quantum measurement and the emergence of classical chaos. *Phys. Rev. Lett.*, 85:4852, 2000.
- [115] T. Bhattacharya, S. Habib, and K. Jacobs. Continuous quantum measurement and the quantum to classical transition. quant-ph/0211036, 2002.
- [116] A. C. Doherty, S. Habib, K. Jacobs, H. Mabuchi, and S. M. Tan. Quantum feedback control and classical control theory. *Phys. Rev. A*, 62:012105, 2000.
- [117] P. Domokos, P. Horak, and H. Ritsch. Semiclassical theory of cavity-assisted atom cooling. *J. Phys. B – At. Mol. Opt. Phys.*, 34:187, 2001.
- [118] M. Gangl and H. Ritsch. Cavity-mediated dark-state cooling without spontaneous emission. *Phys. Rev. A*, 64:063414, 2001.
- [119] H. J. Briegel, J. I. Cirac, W. Dur, S. J. van Enk, H. J. Kimble, H. Mabuchi, and P. Zoller. Physical implementations for quantum communication in quantum networks. *Quant. Comp. and Quant. Comm. (Lecture Notes in Computer Science)*, 1509:373, 1999.
- [120] T. Pellizzari, S. Gardiner, I. Cirac, and P. Zoller. Decoherence, continuous observation, and quantum computing: a cavity QED model. *Phys. Rev. Lett.*, 75:3788, 1995.

- [121] J. I. Cirac, P. Zoller, H. J. Kimble, and H. Mabuchi. Quantum state transfer and entanglement distribution among distant nodes in a quantum network. *Phys. Rev. Lett.*, 78:3221, 1997.
- [122] S. J. van Enk, J. I. Cirac, and P. Zoller. Photonic channels for quantum communication. *Science*, 279:205, 1998.
- [123] H. Mabuchi and A. C. Doherty. Cavity quantum electrodynamics: coherence in context. *Science*, 298:1372, 2002.
- [124] A. S. Parkins and H. J. Kimble. Quantum state transfer between motion and light. *J. Opt. B – Quant. Semiclass. Opt.*, 1:496, 1999.
- [125] S. Rebic, A. S. Parkins, and S. M. Tan. Photon statistics of a single-atom intracavity system involving electromagnetically induced transparency. *Phys. Rev. A*, 65:063804, 2002.
- [126] T. Bhattacharya, S. Habib, K. Jacobs, and K. Shizume. The delta-function-kicked rotor: momentum diffusion and the quantum-classical boundary. *Phys. Rev. A*, 65(032115), 2002.
- [127] C. Ahn, A. C. Doherty, and A. J. Landahl. Continuous quantum error correction via quantum feedback control. *Phys. Rev. A*, 65:042301, 2002.
- [128] C. A. Fuchs. Information gain vs. state disturbance in quantum theory. *PhysComp96*, 1996. Available as quant-ph/9611010.
- [129] J. Stockton, J. M. Geremia, and H. Mabuchi. private communication, 2002.
- [130] Gordon Moore. No exponential is forever... but we can delay forever. [ftp://download.intel.com/research/silicon/Gordon\\_Moore\\_ISSCC\\_021003.pdf](ftp://download.intel.com/research/silicon/Gordon_Moore_ISSCC_021003.pdf), February 2003. A presentation given at the International Solid State Circuits Conference (ISSCC).