

Bibliography

- [1] S. Anton, R. Ignell, and B. Hansson. Developmental changes in the structure and function of the central olfactory system in gregarious and solitary desert locusts. *Mic. Res. Tech.*, 56:281–291, 2002.
- [2] M. Bazhenov, M. Stopfer, M. Rabinovich, H.D. Abarbanel, T.J. Sejnowski, and G. Laurent. Model of cellular and network mechanisms for odor-evoked temporal patterning in the locust antennal lobe. *Neuron*, 30:569–581, 2001.
- [3] M. Bazhenov, M. Stopfer, M. Rabinovich, R. Huerta, H.D. Abarbanel, T.J. Sejnowski, and G. Laurent. Model of transient oscillatory synchronization in the locust antennal lobe. *Neuron*, 30:553–567, 2001.
- [4] G. Bicker. Sources and targets of nitric oxide signalling in insect nervous systems. *Cell Tissue Res.*, 303:137–146, 2001.
- [5] G. Bicker, S. Schafer, and T.G. Kingan. Mushroom body feedback interneurons in the honeybee show GABA-like immunoreactivity. *Brain Res.*, 360:394–397, 1985.
- [6] L. Buck. Information coding in the vertebrate olfactory system. *Annu. Rev. Neurosci.*, 19:517–544, 1991.
- [7] L. Buck and R. Axel. A novel multigene family may encode odorant receptors: A molecular basis for odor recognition. *Cell*, 65:175–187, 1991.
- [8] M. Burrows. *The Neurobiology of an Insect Brain*. Oxford University Press, Oxford, 1996.

- [9] D. Copenhagen. Unlocking the DOR code. *Neuron*, 30:305–307, 2001.
- [10] J. Crittenden, E.M.C. Skoulakis, K. Han, D. Kalderon, and R. Davis. Tripartite mushroom body architecture revealed by antigenic markers. *Learn. Mem.*, 5:38–51, 1998.
- [11] R. Davis. Olfactory learning. *Neuron*, 44:31–48, 2004.
- [12] M. de Bruyne, K. Foster, and J.R. Carlson. Odor coding in the *Drosophila* antenna. *Neuron*, 30:537–552, 2001.
- [13] P.G. Distler and J. Boeckh. Synaptic connections between identified neuron types in the antennal lobe glomeruli of the cockroach, *Periplaneta americana*: I. Uniglomerular projection neurons. *J. Comp. Neurol.*, 378:307–319, 1997.
- [14] P.G. Distler and J. Boeckh. Synaptic connections between identified neuron types in the antennal lobe glomeruli of the cockroach, *Periplaneta americana*: II. Local multiglomerular interneurons. *J. Comp. Neurol.*, 383:529–540, 1997.
- [15] P.G. Distler and J. Boeckh. An improved model of the synaptic organization of insect olfactory glomeruli. *Ann. NY Acad. Sci.*, 855:508–510, 1998.
- [16] J. Dubnau, L. Grady, T. Kitamoto, and T. Tully. Disruption of neurotransmission in *Drosophila* mushroom body blocks retrieval but not acquisition of memory. *Nature*, 411:476–480, 2001.
- [17] K.D. Ernst, J. Boeckh, and V. Boeckh. A neuroanatomical study of the organization of the central antennal pathways in insects. *Cell Tissue Res.*, 329:143–162, 1977.
- [18] T. Faber, J. Joerges, and R. Menzel. Associative learning modifies neural representations of odors in the insect brain. *Nature Neurosci.*, 2:74–78, 1999.
- [19] S. Farris, A.I. Abrams, and J. Strausfeld. Development and morphology of class II Kenyon cells in the mushroom bodies of the honey bee, *Apis mellifera*. *J. Comp. Neurol.*, 474:325–339, 2004.

- [20] S. Farris and N.J. Strausfeld. Development of laminar organization in the mushroom bodies of the cockroach: Kenyon cell proliferation, outgrowth, and maturation. *J. Comp. Neurol.*, 439:331–351, 2001.
- [21] R.W. Friedrich and G. Laurent. Dynamic optimization of odor representations by slow temporal patterning of mitral cell activity. *Science*, 291:889–894, 2001.
- [22] C. Galizia, S. Sachse, A. Rappert, and R. Menzel. The glomerular code for odor representation is species specific in the honeybee *Apis mellifera*. *Nature Neurosci.*, 2:473–478, 1999.
- [23] Q. Gao, B. Yuan, and A. Chess. Convergent projections of *Drosophila* olfactory neurons to specific glomeruli in the antennal lobe. *Nature Neurosci.*, 3:780–785, 2000.
- [24] M. Giurfa, S. Zhang, A. Jennet, Menzel R., and M.V. Srinivasan. The concepts of 'sameness' and 'difference' in an insect. *Nature*, 410:930–933, 2001.
- [25] B. Grudnewald. Morphology of feedback neurons in the mushroom body of the honeybee, *Apis mellifera*. *J. Comp. Neurol.*, 404:114–126, 1999.
- [26] M. Halpern. The organization and function of the vomeronasal system. *Annu. Rev. Neurosci.*, 10:325–362, 1987.
- [27] B.S. Hansson. *Insect Olfaction*. Springer-Verlag, New York, 1999.
- [28] B.S. Hansson and S. Anton. Function and morphology of the antennal lobe: New developments. *Annu. Rev. Entomol.*, 45:203–231, 2000.
- [29] B.S. Hansson, S.A. Ochieng, X. Grosmaire, S. Anton, and P.G.N. Njagi. Physiological responses and central nervous projections of antennal olfactory receptor neurons in the adult desert locust, *Schistocerca gregaria* (Orthoptera: Acrididae). *J. Comp. Physiol. A*, 179:157–167, 1996.
- [30] M. Heisenberg. What do mushroom bodies do for the insect brain? An introduction. *Learn. Mem.*, 5:1–10, 1998.

- [31] M. Heisenberg. Mushroom body memoir: From maps to models. *Nat. Rev. Neurosci.*, 4:266–275, 2003.
- [32] D. Hekmat-Scafe, A. Steinbrecht, and J. Calrson. Coexpression of two odorant-binding protein homologs in *Drosophila*: Implications for olfactory coding. *J. Neurosci.*, 17:1616–1624, 1997.
- [33] U. Homberg. Neurotransmitters and neuropeptides in the brain of the locust. *Mic. Res. Tech.*, 56:189–209, 2002.
- [34] U. Homberg, C. Brandl, C. Elke, L. Schoofs, and J. Veenstra. Mas-allotropin/Lom-AG-myotropin I immunostaining in the brain of the locust, *Schistocerca gregaria*. *Cell Tis. Res.*, 3181:439–457, 2004.
- [35] K. Ito, K. Suzuki, P. Estes, M. Ramaswami, D. Yamamoto, and J. Strausfeld. The organization of extrinsic neurons and their implications in the functional roles of the mushroom bodies in *Drosophila melanogaster meigen*. *Learn. Mem.*, 5:52–77, 1998.
- [36] F.C. Kenyon. The brain of the bee. A preliminary contribution to the morphology of the nervous system of the arthropoda. *J. Comp. Neurol.*, 6:133–210, 1896.
- [37] G. Laurent. Olfactory processing: Maps, time and codes. *Cur. Op. Neurobiol.*, 7:547–553, 1997.
- [38] G. Laurent. A systems perspective on early olfactory coding. *Science*, 286:723–728, 1999.
- [39] G. Laurent. Olfactory network dynamics and the coding of multidimensional signals. *Nat. Rev. Neurosci.*, 3:884–895, 2002.
- [40] G. Laurent and H. Davidowitz. Endcoding of olfactory information with oscillating neural assemblies. *Science*, 265:1872–1875, 1994.

- [41] G. Laurent, K. MacLeod, M. Stopfer, and M. Wehr. Spatiotemporal structure of olfactory inputs to the mushroom bodies. *Learn. Mem.*, 5:124–132, 1998.
- [42] G. Laurent and M. Naraghi. Odorant-induced oscillations in the mushroom bodies of the locust. *J. Neurosci.*, 14:2993–3004, 1994.
- [43] G. Laurent, M. Stopfer, R. Friedrich, M.I. Rabinovich, A. Volkovskii, and H.D.I. Abarbanel. Odor encoding as an active, dynamical process: Experiments, computations and theory. *Annu. Rev. Neurosci.*, 24:263–297, 2001.
- [44] B. Leitch and G. Laurent. GABAergic synapses in the antennal lobe and mushroom body of the locust olfactory system. *J. Comp. Neurol.*, 372(4):487–514, 1996.
- [45] Y. Li and N. Strausfeld. Morphology and sensory modality of mushroom body extrinsic neurons in the brain of the cockroach, *Periplaneta americana*. *J. Comp. Neurol.*, 387:631–650, 1997.
- [46] Y. Li and N.J. Strausfeld. Multimodal efferent and recurrent neurons in the medial lobes of cockroach mushroom bodies. *J. Comp. Neurol.*, 409:647–663, 1999.
- [47] K. Macleod, A. Backer, and G. Laurent. Who read temporal information contained across synchronized and oscillatory spike trains? *Nature*, 395:693–698, 1998.
- [48] K. Macleod and G. Laurent. Distinct mechanisms for synchronization and temporal patterning of odor-encoding neural assemblies. *Science*, 274:976–979, 1996.
- [49] B. Malnic, J. Hirono, T. Sato, and L. Buck. Combinatorial receptor codes for odors. *Cell*, 96:713–723, 1999.
- [50] D. Malun, U. Waldow, D. Karus, and J. Boechkh. Connections between the deutocerebrum and the protocerebrum, and neuroanatomy of several classes of

- deutocerebral projections neurons in the brain of the male *Periplaneta americana*. *J. Comp. Neurol.*, 176:285–306, 1993.
- [51] E.C. Marin, Jefferis G.S., T. Komiyama, H. Zhu, and L. Luo. Representation of the glomerular olfactory map in the *Drosophila* brain. *Cell*, 109(2):243–255, 2002.
- [52] C. Masson and H. Mustaparta. Chemical information processing in the olfactory system of insects. *Physiol. Rev.*, 70:199–245, 1990.
- [53] R. Menzel, M. Hammer, U. Muller, and H. Rosenboom. Behavioral, neural and cellular components underlying olfactory learning in the honeybee. *J. Physiol. Paris*, 90:395–398, 1996.
- [54] R. Menzel and U. Muller. Learning and memory in honeybees: From behavior to neural substrates. *Annu. Rev. Neurosci.*, 19:379–404, 1996.
- [55] R. Menzel and U. Muller. Learning from a fly’s memory. *Nature*, 411:433–434, 2001.
- [56] M. Mizunami, M. Iwasaki, R. Okada, and M. Nishikawa. Topography of four classes of Kenyon cells in the mushroom bodies of the cockroach. *J. Comp. Neurol.*, 399:162–175, 1998.
- [57] M. Mizunami, M. Iwasaki, R. Okada, and M. Nishikawa. Topography of modular subunits in the mushroom bodies of the cockroach. *J. Comp. Neurol.*, 399:153–161, 1998.
- [58] M. Mizunami, J.M. Weibrech, and N.J. Strausfeld. Mushroom bodies of the cockroach: Their participation in place memory. *J. Comp. Neurol.*, 402:520–537, 1998.
- [59] P.G. Mobbs. The brain of the honeybee *Apis mellifera*. I. Connections and spatial organization of the mushroom bodies. *Phil. Trans. R. Soc. Lond. B*, 298:309–354, 1982.

- [60] P. Mombaerts. Molecular biology of odorant receptors in vertebrates. *Annu. Rev. Neurosci.*, 22:487–509, 1999.
- [61] P. Mombaerts. Seven-transmembrane proteins as odorant and chemosensory receptors. *Science*, 286(5440):707–711, 1999.
- [62] P. Mombaerts. How smell develops. *Nature Neurosci.*, 4:1192–1198, 2001.
- [63] K. Mori and Y. Yoshihara. Molecular recognition and olfactory processing in the mammalian olfactory system. *Prog. Neurobio.*, 45:585–619, 1995.
- [64] M. Nishikawa, H. Nishino, M. Mizunami, and F. Yokohari. Function-specific distribution patterns of axonal terminals of input neurons in the calyces of the mushroom body of the cockroach, *Periplaneta americana*. *Neurosci. Lett.*, 245:33–36, 1998.
- [65] M. O’Shea, R. Colbert, R. Williams, and S. Dunn. Nitric oxide compartments in the mushroom bodies of the locust brain. *Neuroreport*, 9:333–336, 1998.
- [66] S. Ott and M. Burrows. NADPH diaphorase histochemistry in the thoracic ganglia of locusts, crickets and cockroaches: Species differences and the impact of fixation. *J. Comp. Neurol.*, 410:387–397, 1999.
- [67] S. Ott and M. Elphick. Nitric oxide synthase histochemistry in insect nervous systems: Methanol/formalin fixation reveals the neuroarchitecture of formaldehyde-sensitive NADPH diaphorase in the cockroach, *Periplaneta americana*. *J. Comp. Neurol.*, 448:168–185, 2002.
- [68] W. Ott and Elphick M. New techniques for whole-mount NADPH-diaphorase histochemistry demonstrated in insect ganglia. *J. Histochem. Cytochem.*, 51(4):523–532, 2003.
- [69] J. Perez-Orive, M. Bazhenov, and G. Laurent. Intrinsic and circuit properties favor coincidence detection for decoding oscillatory input. *J. Neurosci.*, 24:6037–6047, 2004.

- [70] J. Perez-Orive, O. Mazor, G.C. Turner, S. Cassenaer, R.I. Wilson, and G. Laurent. Oscillations and sparsening of odor representation in the mushroom body. *Science*, 297:359–365, 2002.
- [71] L. Pierre-Marie, G. Gheusi, and J. Vincent. Information processing in the mammalian olfactory system. *Physiol Rev*, 85:281–317, 2005.
- [72] W.G. Quinn, W.A. Harris, and S. Benzer. Conditioned behavior in the *Drosophila melanogaster*. *Proc. Natl. Acad. Sci. U.S.A.*, 3:708–712, 1974.
- [73] M. Rabinovich, R. Huerta, A. Volkovski, H.D. Abarbanel, M. Stopfer, and G. Laurent. Dynamical coding of sensory information with competitive networks. *J. Physiol. Paris*, 94:465–471, 2000.
- [74] M. Rabinovich, A. Volkovskii, P. Lecanda, R. Huerta, H.D. Abarbanel, and G. Laurent. Dynamical encoding by networks of competing neuron groups: Winnerless competition. *Phys. Rev. Lett.*, 87:68–102, 2001.
- [75] I. Rodriguez, P. Feinstein, and P. Mombaerts. Variable patterns of axonal projections of sensory neurons in the mouse vomeronasal system. *Cell*, 97:199–208, 1999.
- [76] G. Roman and R.L. Davis. Molecular biology and anatomy of *Drosophila* olfactory associative learning. *BioEssays*, 23:571–581, 2001.
- [77] K. Schildberger. Local interneurons associated with mushroom bodies and the central body in the brain of *Acheta domesticus*. *Cell Tissue Res*, 230:573–586, 1983.
- [78] F. Schurmann, O. Ottersen, and H. Honegger. Glutamate-like immunoreactivity marks compartments of the mushroom bodies in the brain of the cricket. *J. Comp. Neurol.*, 418:227–239, 2000.
- [79] G. Shepherd. *The synaptic organization of the brain*. Oxford University Press, New York, 1998.

- [80] M.T. Shipley and M. Ennis. Functional organization of olfactory system. *J. Neurobiol.*, 30:123–176, 1996.
- [81] I. Sinakevitch, S. Farris, and N.J. Strausfeld. Taruine-, aspartate- and glutamate-like immunoreactivity identifies chemically distinct subdivisions of Kenyon cells in the cockroach mushroom body. *J. Comp. Neurol.*, 439:352–367, 2001.
- [82] H. Song. On the origin of the desert locust *Schistocerca gregaria* (Forskal) (Orthoptera: Acrididae: Cyrtacanthacridinae). *Proc. R. Soc. Lond. B.*, 271:1641–1648, 2004.
- [83] R.F. Stocker, M.C. Lienhard, A. Borst, and K.F. Fischbach. Neuronal architecture of the antennal lobe in *Drosophila melanogaster*. *Cell Tissue Res.*, 1:9–34, 1990.
- [84] M. Stopfer, S. Bhagavan, B.H. Smith, and G. Laurent. Impaired odour discrimination on desynchronization of odour-encoding neural assemblies. *Nature*, 390:70–74, 1997.
- [85] M. Stopfer, V. Jayaraman, and G. Laurent. Intensity versus identity coding in an olfactory system. *Neuron*, 39:991–1004, 2003.
- [86] M. Stopfer and G. Laurent. Short-term memory in olfactory network dynamics. *Nature*, 402:664–668, 1999.
- [87] J. Strausfeld. Organization of the honey bee mushroom body: Representation of the calyx within the vertical and gamma lobes. *J. Comp. Neurol.*, 450:4–33, 2002.
- [88] J. Strausfeld, U. Homberg, and P. Kloppenberg. Parallel organization in honey bee mushroom bodies by peptidergic Kenyon cells. *J. Comp. Neurol.*, 424:179–195, 2000.

- [89] J. Strausfeld, I. Sinakevitch, and I. Vilinsky. The mushroom bodies of *Drosophila melanogaster*: An immunocytochemical and golgi study of Kenyon cell organization in the calyces and lobes. *Mic Res. Tech.*, 62:151–169, 2003.
- [90] N. Strausfeld, L. Hansen, Y. Li, R. Gomez, and K. Ito. Evolution, discovery and interpretations of arthropod mushroom bodies. *Learning and Memory*, 5:11–73, 1998.
- [91] N.J. Strausfeld. *Atlas of an Insect Brain*. Springer-Verlag, New York, 1976.
- [92] N.J. Strausfeld and J.G. Hildebrand. Olfactory systems: common design, uncommon origins? *Curr. Opin. Neurobiol.*, 5:634–639, 1999.
- [93] N.J. Strausfeld and Y. Li. Organization of olfactory and multimodal afferent neurons supplying the calyx and pedunculus of the cockroach mushroom bodies. *J. Comp. Neurol.*, 409:603–625, 1999.
- [94] N.J. Strausfeld and Y. Li. Representation of the calyces in the medial and vertical lobes of cockroach mushroom bodies. *J. Comp. Neurol.*, 409:626–46, 1999.
- [95] D.M Vowles. The structure and connexions of the *corpora pedunculata* in bees and ants. *Quart. J. Micr. Sci.*, 96:239–255, 1955.
- [96] Gronenberg W. Subdivisions of hymenopteran bushroom body calyces by their afferent supply. *J. Comp. Neurol.*, 436:474–489, 2001.
- [97] H. Watanabe, Y. Kobayashi, M. Sakura, Y. Matsumoto, and M. Mizunami. Classical olfactory conditioning in the cockroach *Periplaneta americana*. *Zoolog. Sci.*, 20:1447–1454, 2003.
- [98] A.H.D. Watson and F. Schurmann. Synaptic structure, distribution, and circuitry in the central nervous system of the locust and related insects. *Mic. Res. Tech.*, 56:210–226, 2002.

- [99] M. Wehr and G. Laurent. Odour encoding by temporal sequences of firing in oscillation neural assemblies. *Nature*, 384:162–166, 1996.
- [100] M. Wehr and G. Laurent. Relationship between afferent and central temporal patterns in the locust olfactory system. *J. Neurosci.*, 19:381–390, 1999.
- [101] M. J. Weiss. Structural patterns in the corpora pedunculata of Orthopera: A reduced silver analysis. *J. Comp. Neurol.*, 203:515–553, 1981.
- [102] B. Wendt and U. Homberg. Immunocytochemistry of dopamine in the brain of the locust *Schistocerca gregaria*. *J. Comp. Neurol.*, 312:387–403, 1992.
- [103] R.I. Wilson, G. Turner, and G. Laurent. Transformation of olfactory representations in the *Drosophila* antennal lobe. *Science*, 303:366–370, 2004.
- [104] K. Yasuyama, I. Meinertzhagen, and F. Schurmann. Synaptic connections of cholinergic antennal lobe relay neurons innervating the lateral horn neuropile in the brain of *Drosophila melanogaster*. *J. Comp. Neurol.*, 466:299–315, 2003.
- [105] K. Yusuyama, I. Meinertzhagen, and F. Schurmann. Synaptic organization of the mushroom body calyx in *Drosophila melanogaster*. *J. Comp. Neurol.*, 445:211–226, 2002.
- [106] Z. Zou, L.F. Horowitz, J.P. Montamayeur, S. Sanpper, and L.B. Buck. Genetic tracing reveals a stereotyped sensory map in the olfactory cortex. *Nature*, 414:173–179, 2001.