

Bibliography

- [1] Brenner, K., et al. (2008) Engineering microbial consortia: a new frontier in synthetic biology. *Trends Biotechnol* 26, 483–489.
- [2] Arkin, A.P., and Fletcher, D.A. (2006) Fast, cheap and somewhat in control. *Genome Biol* 7, 114.
- [3] Drubin, D.A., et al. (2007) Designing biological systems. *Genes Dev* 21, 242–254.
- [4] Endy, D. (2005) Foundations for engineering biology. *Nature* 438, 449–453.
- [5] Yeh, B.J., and Lim, W.A. (2007) Synthetic biology: lessons from the history of synthetic organic chemistry. *Nat Chem Biol* 3, 521–525.
- [6] Di Ventura, B., et al. (2006) From *in vivo* to *in silico* biology and back. *Nature* 443, 527–533.
- [7] Hasty, J., et al. (2002) Engineered gene circuits. *Nature* 420, 224–230.
- [8] Keasling, J.D. (2008) Synthetic biology for synthetic chemistry. *ACS Chem Biol* 3, 64–76.
- [9] McDaniel, R., and Weiss, R. (2005) Advances in synthetic biology: on the path from prototypes to applications. *Curr Opin Biotechnol* 16, 476–483.

- [10] Voigt, C.A. (2006) Genetic parts to program bacteria. *Curr Opin Biotechnol* 17, 548–557.
- [11] Marguet, P., et al. (2007) Biology by design: reduction and synthesis of cellular components and behaviour. *J R Soc Interface* 4, 607–623.
- [12] Sprinzak, D., and Elowitz, M.B. (2005) Reconstruction of genetic circuits. *Nature* 438, 443–448.
- [13] Ro, D.K., et al. (2006) Production of the antimalarial drug precursor artemisinic acid in engineered yeast. *Nature* 440, 940–943.
- [14] Suel, G.M., et al. (2006) An excitable gene regulatory circuit induces transient cellular differentiation. *Nature* 440, 545–550.
- [15] Keller, L., and Surette, M.G. (2006) Communication in bacteria: an ecological and evolutionary perspective. *Nat Rev Microbiol* 4, 249–258.
- [16] Zaldivar, J., et al. (2001) Fuel ethanol production from lignocellulose: a challenge for metabolic engineering and process integration. *Appl Microbiol Biotechnol* 56, 17–34.
- [17] Eiteman, M.A., et al. (2008) A co-fermentation strategy to consume sugar mixtures effectively. *J Biol Eng* 2, 3.
- [18] Lynd, L.R., et al. (2002) Microbial cellulose utilization: fundamentals and biotechnology. *Microbiol Mol Biol Rev* 66, 506–577.
- [19] Arai, T., et al. (2007) Synthesis of *Clostridium cellulovorans* minicellulosomes by intercellular complementation. *Proc Natl Acad Sci U S A* 104, 1456–1460.

- [20] Burmolle, M., et al. (2006) Enhanced biofilm formation and increased resistance to antimicrobial agents and bacterial invasion are caused by synergistic interactions in multispecies biofilms. *Appl Environ Microbiol* 72, 3916–3923.
- [21] Fay, P. (1992) Oxygen relations of nitrogen fixation in cyanobacteria. *Microbiol Rev* 56, 340–373.
- [22] LaPara, T.M., et al. (2002) Functional and structural adaptations of bacterial communities growing on particulate substrates under stringent nutrient limitation. *Microb Ecol* 44, 317–326.
- [23] Arenas, F., et al. (2006) The invasibility of marine algal assemblages: role of functional diversity and identity. *Ecology* 87, 2851–2861.
- [24] Briones, A., and Raskin, L. (2003) Diversity and dynamics of microbial communities in engineered environments and their implications for process stability. *Curr Opin Biotechnol* 14, 270–276.
- [25] Kato, S., et al. (2008) Network relationships of bacteria in a stable mixed culture. *Microb Ecol* 56, 403–411.
- [26] Fuqua, C., et al. (2001) Regulation of gene expression by cell-to-cell communication: acyl-homoserine lactone quorum sensing. *Annu Rev Genet* 35, 439–468.
- [27] Davies, D.G., et al. (1998) The involvement of cell-to-cell signals in the development of a bacterial biofilm. *Science* 280, 295–298.
- [28] Greenberg, E.P. (2003) Bacterial communication and group behavior. *J Clin Invest* 112, 1288–1290.

- [29] Parsek, M.R., and Greenberg, E.P. (2005) Sociomicrobiology: the connections between quorum sensing and biofilms. *Trends Microbiol* 13, 27–33.
- [30] Clarke, M.B., and Sperandio, V. (2005) Events at the host-microbial interface of the gastrointestinal tract III. Cell-to-cell signaling among microbial flora, host, and pathogens: there is a whole lot of talking going on. *Am J Physiol Gastrointest Liver Physiol* 288, G1105–1109.
- [31] De Kievit, T.R., et al. (2001) Quorum-sensing genes in *Pseudomonas aeruginosa* biofilms: their role and expression patterns. *Appl Environ Microbiol* 67, 1865–1873.
- [32] Passador, L., et al. (1993) Expression of *Pseudomonas aeruginosa* virulence genes requires cell-to-cell communication. *Science* 260, 1127–1130.
- [33] Kleerebezem, M., and Quadri, L.E. (2001) Peptide pheromone-dependent regulation of antimicrobial peptide production in Gram-positive bacteria: a case of multicellular behavior. *Peptides* 22, 1579–1596.
- [34] Lyon, G.J., and Novick, R.P. (2004) Peptide signaling in *Staphylococcus aureus* and other Gram-positive bacteria. *Peptides* 25, 1389–1403.
- [35] Kaper, J.B., and Sperandio, V. (2005) Bacterial cell-to-cell signaling in the gastrointestinal tract. *Infect Immun* 73, 3197–3209.
- [36] Wolfaardt, G.M., et al. (1994) Multicellular organization in a degradative biofilm community. *Appl Environ Microbiol* 60, 434–446.
- [37] Kato, S., et al. (2005) Stable coexistence of five bacterial strains as a cellulose-degrading community. *Appl Environ Microbiol* 71, 7099–7106.

- [38] Kobayashi, H., et al. (2004) Programmable cells: interfacing natural and engineered gene networks. *Proc Natl Acad Sci U S A* 101, 8414–8419.
- [39] You, L., et al. (2004) Programmed population control by cell-cell communication and regulated killing. *Nature* 428, 868–871.
- [40] Anderson, J.C., et al. (2006) Environmentally controlled invasion of cancer cells by engineered bacteria. *J Mol Biol* 355, 619–627.
- [41] Basu, S., et al. (2005) A synthetic multicellular system for programmed pattern formation. *Nature* 434, 1130–1134.
- [42] Brenner, K., et al. (2007) Engineered bidirectional communication mediates a consensus in a microbial biofilm consortium. *Proc Natl Acad Sci U S A* 104, 17300–17304.
- [43] Balagadde, F.K., et al. (2008) A synthetic *Escherichia coli* predator-prey ecosystem. *Mol Sys Biol* 4, 187.
- [44] Weber, W., et al. (2007) Synthetic ecosystems based on airborne inter- and intrakingdom communication. *Proc Natl Acad Sci U S A* 104, 10435–10440.
- [45] Bulter, T., et al. (2004) Design of artificial cell-cell communication using gene and metabolic networks. *Proc Natl Acad Sci U S A* 101, 2299–2304.
- [46] Shou, W., et al. (2007) Synthetic cooperation in engineered yeast populations. *Proc Natl Acad Sci U S A* 104, 1877–1882.
- [47] West, S.A., et al. (2006) Social evolution theory for microorganisms. *Nat Rev Microbiol* 4, 597–607.

- [48] Diggle, S.P., et al. (2007) Cooperation and conflict in quorum-sensing bacterial populations. *Nature* 450, 411–414.
- [49] Hogan, D.A., and Kolter, R. (2002) *Pseudomonas-Candida* interactions: an ecological role for virulence factors. *Science* 296, 2229–2232.
- [50] Brenner, K., and Arnold, F.H. (2009) Structure and selection in an engineered symbiotic biofilm consortium. *In submission*.
- [51] Hooper, L.V., et al. (2002) How host-microbial interactions shape the nutrient environment of the mammalian intestine. *Annu Rev Nutr* 22, 283–307.
- [52] Kleessen, B., and Blaut, M. (2005) Modulation of gut mucosal biofilms. *Br J Nutr* 93 Suppl 1, S35–40.
- [53] Macfarlane, S., et al. (2005) Colonization of mucin by human intestinal bacteria and establishment of biofilm communities in a two-stage continuous culture system. *Appl Environ Microbiol* 71, 7483–7492.
- [54] Mishra, S., et al. (2001) In situ bioremediation potential of an oily sludge-degrading bacterial consortium. *Curr Microbiol* 43, 328–335.
- [55] Becskei, A., and Serrano, L. (2000) Engineering stability in gene networks by autoregulation. *Nature* 405, 590–593.
- [56] Becskei, A., et al. (2001) Positive feedback in eukaryotic gene networks: cell differentiation by graded to binary response conversion. *Embo J* 20, 2528–2535.
- [57] Kramer, B.P., et al. (2004) An engineered epigenetic transgene switch in mammalian cells. *Nat Biotechnol* 22, 867–870.

- [58] Elowitz, M.B., and Leibler, S. (2000) A synthetic oscillatory network of transcriptional regulators. *Nature* 403, 335–338.
- [59] Atkinson, M.R., et al. (2003) Development of genetic circuitry exhibiting toggle switch or oscillatory behavior in *Escherichia coli*. *Cell* 113, 597–607.
- [60] Basu, S., et al. (2004) Spatiotemporal control of gene expression with pulse-generating networks. *Proc Natl Acad Sci U S A* 101, 6355–6360.
- [61] Pesci, E.C., and Iglewski, B.H. (1997) The chain of command in *Pseudomonas* quorum sensing. *Trends Microbiol* 5, 132–134; discussion 134–135.
- [62] Pearson, J.P., et al. (1994) Structure of the autoinducer required for expression of *Pseudomonas aeruginosa* virulence genes. *Proc Natl Acad Sci U S A* 91, 197–201.
- [63] Pesci, E.C., et al. (1997) Regulation of las and rhl quorum sensing in *Pseudomonas aeruginosa*. *J Bacteriol* 179, 3127–3132.
- [64] Winson, M.K., et al. (1995) Multiple N-acyl-L-homoserine lactone signal molecules regulate production of virulence determinants and secondary metabolites in *Pseudomonas aeruginosa*. *Proc Natl Acad Sci U S A* 92, 9427–9431.
- [65] Gould, T.A., et al. (2006) Specificity of acyl-homoserine lactone synthases examined by mass spectrometry. *J Bacteriol* 188, 773–783.
- [66] Passador, L., et al. (1996) Functional analysis of the *Pseudomonas aeruginosa* autoinducer PAI. *J Bacteriol* 178, 5995–6000.
- [67] Christensen, B.B., et al. (2002) Metabolic commensalism and competition in a two-species microbial consortium. *Appl Environ Microbiol* 68, 2495–2502.

- [68] Bloemberg, G.V., et al. (2000) Simultaneous imaging of *Pseudomonas fluorescens* WCS365 populations expressing three different autofluorescent proteins in the rhizosphere: new perspectives for studying microbial communities. *Mol Plant Microbe Interact* 13, 1170–1176.
- [69] Sternberg, C., et al. (1999) Distribution of bacterial growth activity in flow-chamber biofilms. *Appl Environ Microbiol* 65, 4108–4117.
- [70] Levskaya, A., et al. (2005) Synthetic biology: engineering *Escherichia coli* to see light. *Nature* 438, 441–442.
- [71] Eberl, L. (1999) N-acyl homoserinelactone-mediated gene regulation in gram-negative bacteria. *Syst Appl Microbiol* 22, 493–506.
- [72] Houdt, R., et al. (2006) N-acyl-l-homoserine lactone signal interception by *Escherichia coli*. *FEMS Microbiol Lett* 256, 83–89.
- [73] Klaus, T., et al. (1999) Silver-based crystalline nanoparticles, microbially fabricated. *Proc Natl Acad Sci U S A* 96, 13611–13614.
- [74] Swartz, J.R. (2001) Advances in *Escherichia coli* production of therapeutic proteins. *Curr Opin Biotechnol* 12, 195–201.
- [75] Karig, D., and Weiss, R. (2005) Signal-amplifying genetic circuit enables in vivo observation of weak promoter activation in the Rhl quorum sensing system. *Biotechnol Bioeng* 89, 709–718.
- [76] Shapiro, J.A. (1998) Thinking about bacterial populations as multicellular organisms. *Annu Rev Microbiol* 52, 81–104.

- [77] Johnson, C.R., and Boerlijst, M.C. (2002) Selection at the level of the community: the importance of spatial structure. *Trends Ecol Evol* 17, 83–90.
- [78] West, S.A., et al. (2002) Conflict and cooperation—cooperation and competition between relatives. *Science* 296, 72–75.
- [79] Lion, S., and van Baalen, M. (2008) Self-structuring in spatial evolutionary ecology. *Ecol Lett* 11, 277–295.
- [80] Millstein, R.L. (2006) Natural selection as a population-level causal process. *British J Phil Sci* 57, 627–653.
- [81] Urban, M.C., and Skelly, D.K. (2006) Evolving metacommunities: toward an evolutionary perspective on metacommunities. *Ecology* 87, 1616–1626.
- [82] Crespi, B.J. (2001) The evolution of social behavior in microorganisms. *Trends Ecol Evol* 16, 178–183.
- [83] West, S.A., et al. (2007) The social lives of microbes. *Annu Rev Ecol Evol Systematics* 38, 53–77.
- [84] Ben Jacob, E., et al. (2004) Bacterial linguistic communication and social intelligence. *Trends Microbiol* 12, 366–372.
- [85] Wingreen, N.S., and Levin, S.A. (2006) Cooperation among microorganisms. *PLoS Biol* 4, e299.
- [86] Fux, C.A., et al. (2005) Survival strategies of infectious biofilms. *Trends Microbiol* 13, 34–40.

- [87] Rainey, P.B., et al. (2000) The emergence and maintenance of diversity: insights from experimental bacterial populations. *Trends Ecol Evol* 15, 243–247.
- [88] Rainey, P.B., and Travisano, M. (1998) Adaptive radiation in a heterogeneous environment. *Nature* 394, 69–72.
- [89] Kerr, B., et al. (2002) Local dispersal promotes biodiversity in a real-life game of rock-paper-scissors. *Nature* 418, 171–174.
- [90] Cho, H., et al. (2007) Self-organization in high-density bacterial colonies: efficient crowd control. *PLoS Biol* 5, e302.
- [91] Kim, H.J., et al. (2008) Defined spatial structure stabilizes a synthetic multispecies bacterial community. *Proc Natl Acad Sci U S A* 105, 18188–18193.
- [92] Keymer, J.E., et al. (2008) Computation of mutual fitness by competing bacteria. *Proc Natl Acad Sci U S A* 105, 20269–20273.
- [93] Hansen, S.K., et al. (2007) Evolution of species interactions in a biofilm community. *Nature* 445, 533–536.
- [94] Bonner, J.T. (2000) *First Signals: The evolution of multicellular development*. Princeton University Press.
- [95] Maynard Smith, J. (1964) Group selection and kin selection. *Nature* 201, 1145–1147.
- [96] Keller, L., ed. (1999) *Levels of selection in evolution*. Princeton University Press.
- [97] Brockhurst, M.A. (2007) Population bottlenecks promote cooperation in bacterial biofilms. *PLoS ONE* 2, e634.

- [98] Brockhurst, M.A., et al. (2007) Cooperation peaks at intermediate disturbance. *Curr Biol* 17, 761–765.
- [99] Buckling, A., et al. (2000) Disturbance and diversity in experimental microcosms. *Nature* 408, 961–964.
- [100] Griffin, A.S., et al. (2004) Cooperation and competition in pathogenic bacteria. *Nature* 430, 1024–1027.
- [101] Johnson, C.R., and Seinen, I. (2002) Selection for restraint in competitive ability in spatial competition systems. *Proc Biol Sci* 269, 655–663.
- [102] Hassell, M.P., et al. (1994) Species coexistence and self-organizing spatial dynamics. *Nature* 370, 290–292.
- [103] Stoodley, P., et al. (2002) Biofilms as complex differentiated communities. *Annu Rev Microbiol* 56, 187–209.
- [104] Tolker-Nielsen, T., and Molin, S. (2000) Spatial organization of microbial biofilm communities. *Microb Ecol* 40, 75–84.
- [105] Costerton, J.W., et al. (1994) Biofilms, the customized microniche. *J Bacteriol* 176, 2137–2142.
- [106] O'Toole, G., et al. (2000) Biofilm formation as microbial development. *Annu Rev Microbiol* 54, 49–79.
- [107] Christensen, B.B., et al. (1998) *In situ* detection of gene transfer in a model biofilm engaged in degradation of benzyl alcohol. *APMIS Suppl* 84, 25–28.

- [108] Christensen, B.B., et al. (1998) Establishment of new genetic traits in a microbial biofilm community. *Appl Environ Microbiol* 64, 2247–2255.
- [109] Davison, J. (1999) Genetic exchange between bacteria in the environment. *Plasmid* 42, 73–91.
- [110] Moller, S., et al. (1998) In situ gene expression in mixed-culture biofilms: evidence of metabolic interactions between community members. *Appl Environ Microbiol* 64, 721–732.
- [111] Chuang, J.S., et al. (2009) Simpson's paradox in a synthetic microbial system. *Science* 323, 272–275.
- [112] Wagner, C.H. (1982) Simpson's paradox in real life. *Am Statistician* 36, 46–48.
- [113] Kolter, R., and Greenberg, E.P. (2006) Microbial sciences: the superficial life of microbes. *Nature* 441, 300–302.
- [114] Komlos, J., et al. (2005) Interaction of *Klebsiella oxytoca* and *Burkholderia cepacia* in dual-species batch cultures and biofilms as a function of growth rate and substrate concentration. *Microb Ecol* 49, 114–125.
- [115] Komlos, J., et al. (2006) Effect of substrate concentration on dual-species biofilm population densities of *Klebsiella oxytoca* and *Burkholderia cepacia* in porous media. *Biotechnol Bioeng* 93, 434–442.
- [116] Reisner, A., et al. (2003) Development and maturation of *Escherichia coli* K-12 biofilms. *Mol Microbiol* 48, 933–946.

- [117] Prigent-Combaret, C., et al. (2000) Developmental pathway for biofilm formation in curli-producing *Escherichia coli* strains: role of flagella, curli and colanic acid. *Environ Microbiol* 2, 450–464.
- [118] Heydorn, A., et al. (2000) Quantification of biofilm structures by the novel computer program COMSTAT. *Microbiology* 146(10), 2395–2407.
- [119] Klausen, M., et al. (2003) Biofilm formation by *Pseudomonas aeruginosa* wild type, flagella and type IV pili mutants. *Mol Microbiol* 48, 1511–1524.
- [120] Stoodley, P.I., et al. (1999) Influence of hydrodynamics and nutrients on biofilm structure. *J Appl Microbiol* 85, 19S–28S.
- [121] Vlamakis, H., et al. (2008) Control of cell fate by the formation of an architecturally complex bacterial community. *Genes Dev* 22, 945–953.
- [122] Barken, K.B., et al. (2008) Roles of type IV pili, flagellum-mediated motility and extracellular DNA in the formation of mature multicellular structures in *Pseudomonas aeruginosa* biofilms. *Environ Microbiol* 10, 2331–2343.
- [123] Stoodley, P., et al. (2001) Growth and detachment of cell clusters from mature mixed-species biofilms. *Appl Environ Microbiol* 67, 5608–5613.
- [124] Malik, A., and Kakii, K. (2008) Novel coaggregating microbial consortium: testing strength for field applications. *Bioresour Technol* 99, 4627–4634.
- [125] Rani, S.A., et al. (2007) Spatial patterns of DNA replication, protein synthesis, and oxygen concentration within bacterial biofilms reveal diverse physiological states. *J Bacteriol* 189, 4223–4233.

- [126] Hoffman, L.R., et al. (2005) Aminoglycoside antibiotics induce bacterial biofilm formation. *Nature* 436, 1171–1175.
- [127] Roberts, M.E., and Stewart, P.S. (2005) Modelling protection from antimicrobial agents in biofilms through the formation of persister cells. *Microbiology* 151, 75–80.
- [128] Richaud, C., et al. (1984) Regulation of expression and nucleotide sequence of the *Escherichia coli* *dapD* gene. *J Biol Chem* 259, 14824–14828.
- [129] Prigent-Combaret, C., et al. (2001) Complex regulatory network controls initial adhesion and biofilm formation in *Escherichia coli* via regulation of the *csgD* gene. *J Bacteriol* 183, 7213–7223.
- [130] Vidal, O., et al. (1998) Isolation of an *Escherichia coli* K-12 mutant strain able to form biofilms on inert surfaces: involvement of a new *ompR* allele that increases curli expression. *J Bacteriol* 180, 2442–2449.
- [131] Olsen, A., et al. (1989) Fibronectin binding mediated by a novel class of surface organelles on *Escherichia coli*. *Nature* 338, 652–655.
- [132] Olsen, A., et al. (1993) The RpoS sigma factor relieves H-NS-mediated transcriptional repression of CsgA, the subunit gene of fibronectin-binding curli in *Escherichia coli*. *Mol Microbiol* 7, 523–536.
- [133] Blomfield, I.C., et al. (1991) Type 1 fimbriae mutants of *Escherichia coli* K12: characterization of recognized afimbriate strains and construction of new fim deletion mutants. *Mol Microbiol* 5, 1439–1445.
- [134] Thomas, W., et al. (2006) Catch-bond model derived from allostery explains force-activated bacterial adhesion. *Biophys J* 90, 753–764.

- [135] Xavier, J.B., and Foster, K.R. (2007) Cooperation and conflict in microbial biofilms. *Proc Natl Acad Sci U S A* 104, 876–881.
- [136] Markovitz, A. (1977) Genetics and regulation of bacterial capsular polysaccharide synthesis and radiation sensitivity. In *Surface carbohydrates of the prokaryotic cell* (Sutherland, I.W., ed.), 415–462, Academic Press.
- [137] Ghigo, J.M. (2001) Natural conjugative plasmids induce bacterial biofilm development. *Nature* 412, 442–445.
- [138] Schembri, M.A., et al. (2003) Global gene expression in *Escherichia coli* biofilms. *Mol Microbiol* 48, 253–267.
- [139] Van Houdt, R., and Michiels, C.W. (2005) Role of bacterial cell surface structures in *Escherichia coli* biofilm formation. *Res Microbiol* 156, 626–633.
- [140] Bascompte, J., et al. (2006) Asymmetric coevolutionary networks facilitate biodiversity maintenance. *Science* 312, 431–433.
- [141] Loreau, M., et al. (2001) Biodiversity and ecosystem functioning: current knowledge and future challenges. *Science* 294, 804–808.
- [142] Kiessling, W. (2005) Long-term relationships between ecological stability and biodiversity in Phanerozoic reefs. *Nature* 433, 410–413.
- [143] Al-Bakri, A.G., et al. (2005) Influence of gentamicin and tobramycin on binary biofilm formation by co-cultures of *Burkholderia cepacia* and *Pseudomonas aeruginosa*. *J Basic Microbiol* 45, 392–396.
- [144] Moss, J.A., et al. (2006) Stability and change in estuarine biofilm bacterial community diversity. *Appl Environ Microbiol* 72, 5679–5688.

- [145] Lyautey, E., et al. (2005) Bacterial community succession in natural river biofilm assemblages. *Microb Ecol* 50, 589–601.
- [146] Canstein, H.F., et al. (2001) Long-term stability of mercury-reducing microbial biofilm communities analyzed by 16S-23S rDNA interspacer region polymorphism. *Microb Ecol* 42, 624–634.
- [147] Newman, D.K., and Banfield, J.F. (2002) Geomicrobiology: how molecular-scale interactions underpin biogeochemical systems. *Science* 296, 1071–1077.
- [148] Turner, P.E., et al. (1996) Tests of ecological mechanisms promoting the stable coexistence of two bacterial genotypes. *Ecology* 77, 2119–2129.
- [149] Balagadde, F.K., et al. (2005) Long-term monitoring of bacteria undergoing programmed population control in a microchemostat. *Science* 309, 137–140.
- [150] Datsenko, K.A., and Wanner, B.L. (2000) One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proc Natl Acad Sci U S A* 97, 6640–6645.
- [151] Kuramitsu, H.K., et al. (2007) Interspecies interactions within oral microbial communities. *Microbiol Mol Biol Rev* 71, 653–670.
- [152] Marsh, P.D. (2006) Dental plaque as a biofilm and a microbial community—implications for health and disease. *BMC Oral Health* 6 Suppl 1, S14.
- [153] Bermudes, D., et al. (2002) Live bacteria as anticancer agents and tumor-selective protein delivery vectors. *Curr Opin Drug Discov Devel* 5, 194–199.
- [154] Lin, J., et al. (2004) Bacteria in the treatment of cancer. *Curr Opin Mol Ther* 6, 629–639.

- [155] Steidler, L. (2004) Live genetically modified bacteria as drug delivery tools: at the doorstep of a new pharmacology? *Expert Opin Biol Ther* 4, 439–441.
- [156] Liu, S.C., et al. (2002) Anticancer efficacy of systemically delivered anaerobic bacteria as gene therapy vectors targeting tumor hypoxia/necrosis. *Gene Ther* 9, 291–296.
- [157] Ryan, R.M., et al. (2006) Use of bacteria in anti-cancer therapies. *Bioessays* 28, 84–94.
- [158] Beninati, C., et al. (2000) Therapy of mucosal candidiasis by expression of an anti-idiotypic in human commensal bacteria. *Nat Biotechnol* 18, 1060–1064.
- [159] Rao, S., et al. (2005) Toward a live microbial microbicide for HIV: commensal bacteria secreting an HIV fusion inhibitor peptide. *Proc Natl Acad Sci U S A* 102, 11993–11998.
- [160] Burlage, R.S., and Kuo, C.T. (1994) Living biosensors for the management and manipulation of microbial consortia. *Annu Rev Microbiol* 48, 291–309.
- [161] Kambam, P.K., et al. (2008) Design and mathematical modelling of a synthetic symbiotic ecosystem. *IET Syst Biol* 2, 33–38.
- [162] Cherepanov, P.P., and Wackernagel, W. (1995) Gene disruption in *Escherichia coli*: TcR and KmR cassettes with the option of Flp-catalyzed excision of the antibiotic-resistance determinant. *Gene* 158, 9–14.