

BIBLIOGRAPHY

- [1] L. Puig, A. Barton, and N. Rando, “A Review on Large Deployable Structures for Astrophysics Missions,” *Acta Astronautica*, vol. 67, no. 1-2, pp. 12–26, 2010. doi: [10.1016/j.actaastro.2010.02.021](https://doi.org/10.1016/j.actaastro.2010.02.021).
- [2] G. Agnes, “Precision Deployable Structures Technology for NASA Large Aperture Missions,” in *Space 2004 Conference and Exhibit*, 2004, p. 5899. doi: [10.2514/6.2004-5899](https://doi.org/10.2514/6.2004-5899).
- [3] E. Gdoutos, C. F. Sommer, A. Truong, *et al.*, “Development of the Deployable on-Orbit ultraLight Composite Experiment (DOLCE) for the Space Solar Power Project Demonstration Mission,” in *AIAA SCITECH 2022 Forum*, 2022, p. 1266. doi: [10.2514/6.2022-1266](https://doi.org/10.2514/6.2022-1266).
- [4] K. Miura and S. Pellegrino, *Forms and Concepts for Lightweight Structures*. Cambridge University Press, 2020, ISBN: 9781139048569. doi: [10.1017/9781139048569](https://doi.org/10.1017/9781139048569).
- [5] M. R. Johnson, “The Galileo High Gain Antenna Deployment Anomaly,” May 1994, pp. 359–377. [Online]. Available: <https://ntrs.nasa.gov/api/citations/19940028813/downloads/19940028813.pdf>.
- [6] A. Rivera and A. Stewart, “Study of Spacecraft Deployables Failures,” Aug. 2021. [Online]. Available: <https://ntrs.nasa.gov/api/citations/20210020397/downloads/Alphonzo%20Stewart-%20Final%20Paper.pdf>.
- [7] P. A. Sabelhaus and J. E. Decker, “An Overview of the James Webb Space Telescope (JWST) Project,” *Proc. SPIE 5487, Optical, Infrared, and Millimeter Space Telescopes*, vol. 5487, pp. 550–563, 2004. doi: [10.1117/12.549895](https://doi.org/10.1117/12.549895).
- [8] “FAQ for Scientists Webb Telescope/NASA.” (2024), [Online]. Available: <https://webb.nasa.gov/content/forScientists/faqScientists.html#astronauts> (visited on 07/2024).
- [9] R. P. Hoyt, “SpiderFab: An Architecture for Self-Fabricating Space Systems,” in *AIAA SPACE 2013 Conference and Exposition*, 2013. doi: [10.2514/6.2013-5509](https://doi.org/10.2514/6.2013-5509).
- [10] “DARPA Kicks Off Program to Explore Space-Based Manufacturing.” (2022), [Online]. Available: <https://www.darpa.mil/news-events/2022-03-23> (visited on 07/2022).
- [11] W. R. Oegerle, L. R. Purves, J. G. Budinoff, *et al.*, “Concept for a Large Scalable Space Telescope: In-Space Assembly,” in *Proc. SPIE 6265, Space Telescopes and Instrumentation I: Optical, Infrared, and Millimeter*, vol. 6265, 2006, p. 62652C. doi: [10.1117/12.672244](https://doi.org/10.1117/12.672244).

- [12] D. Ebbets, J. DeCino, and J. Green, “Architecture Concept for a 10 m UV-Optical Space Telescope,” in *Proc. SPIE 6265, Space Telescopes and Instrumentation I: Optical, Infrared, and Millimeter*, vol. 6265, 2006, 62651S. doi: [10.1117/12.670466](https://doi.org/10.1117/12.670466).
- [13] M. Lake, “Launching a 25-meter Space Telescope. Are Astronauts a Key to the Next Technically Logical Step after NGST?” In *2001 IEEE Aerospace Conference Proceedings (Cat. No.01TH8542)*, vol. 7, 2001, pp. 7–3611. doi: [10.1109/AERO.2001.931444](https://doi.org/10.1109/AERO.2001.931444).
- [14] M. M. Mikulas Jr., H. G. Bush, and M. F. Card, “Structural Stiffness, Strength and Dynamic Characteristics of Large Tetrahedral Space Truss Structures,” *NASA Technical Memorandum (TM) X-74001*, Mar. 1977. [Online]. Available: <http://hdl.handle.net/2060/19770012543>.
- [15] M. M. Mikulas Jr. and J. T. Dorsey, “An Integrated In-Space Construction Facility for the 21st Century,” *NASA Technical Memorandum (TM) 101515*, Nov. 1988. [Online]. Available: <https://ntrs.nasa.gov/api/citations/19890004115/downloads/19890004115.pdf>.
- [16] M. M. Mikulas Jr., T. J. Collins, and J. M. Hedgepeth, “Preliminary Design Approach for Large High Precision Segmented Reflectors,” *NASA Technical Memorandum (TM) 102605*, Feb. 1990. [Online]. Available: <https://ntrs.nasa.gov/api/citations/19900011780/downloads/19900011780.pdf>.
- [17] H. Bush, C. Herstrom, W. Heard Jr, T. Collins, and W. Fichter, “Design and Fabrication of an Erectable Truss for Precision Segmented Reflector Application,” *31st Structures, Structural Dynamics and Materials Conference*, Apr. 1990. doi: [10.2514/6.1990-999](https://doi.org/10.2514/6.1990-999).
- [18] Z. Xue, J. Liu, C. Wu, and Y. Tong, “Review of in-space assembly technologies,” *Chinese Journal of Aeronautics*, vol. 34, no. 11, pp. 21–47, 2021. doi: [10.1016/j.cja.2020.09.043](https://doi.org/10.1016/j.cja.2020.09.043).
- [19] W. Whittaker, C. Urmson, P. Staritz, B. Kennedy, and R. Ambrose, “Robotics for Assembly, Inspection, and Maintenance of Space Macrofacilities,” in *Proceedings of AIAA Space Conference and Exposition*, AIAA, Sep. 2000, pp. 1–6.
- [20] S.-I. Nishida and T. Yoshikawa, “A new end-effector for on-orbit assembly of a large reflector,” in *2006 9th International Conference on Control, Automation, Robotics and Vision*, IEEE, 2006, pp. 1–6. doi: [10.1109/ICARCV.2006.345414](https://doi.org/10.1109/ICARCV.2006.345414).
- [21] W. L. Heard Jr., J. Watson, J. Ross, S. Spring, and M. Cleave, “Results of the ACCESS Space Construction Shuttle Flight Experiment,” in *Proceedings of the 2nd Aerospace Maintenance Conference*, AIAA, American Institute of Aeronautics and Astronautics, vol. 1186, 1986. doi: [10.2514/6.1986-1186](https://doi.org/10.2514/6.1986-1186).

- [22] W. L. Heard Jr. and M. S. Lake, “Neutral buoyancy evaluation of extravehicular activity assembly of a large precision reflector,” *Journal of Spacecraft and Rockets*, vol. 31, no. 4, pp. 569–577, 1994. doi: [10.2514/3.26480](https://doi.org/10.2514/3.26480).
- [23] J. Watson, T. Collins, and H. Bush, “A History of Astronaut Construction of Large Space Structures at NASA Langley Research Center,” in *Proceedings, IEEE Aerospace Conference*, vol. 7, 2002, pp. 7–7. doi: [10.1109/AERO.2002.1035334](https://doi.org/10.1109/AERO.2002.1035334).
- [24] J. P. Trevelyan, S.-C. Kang, and W. R. Hamel, “Robotics in Hazardous Applications,” in *Springer Handbook of Robotics*. Springer Berlin Heidelberg, 2008, pp. 1101–1126, ISBN: 978-3-540-30301-5. doi: [10.1007/978-3-540-30301-5_49](https://doi.org/10.1007/978-3-540-30301-5_49).
- [25] J. M. Davila Delgado, L. Oyedele, A. Ajayi, *et al.*, “Robotics and Automated Systems in Construction: Understanding Industry-Specific Challenges for Adoption,” *Journal of Building Engineering*, vol. 26, p. 100868, 2019, ISSN: 2352-7102. doi: [10.1016/j.jobe.2019.100868](https://doi.org/10.1016/j.jobe.2019.100868).
- [26] R. Smith, E. Cucco, and C. Fairbairn, “Robotic Development for the Nuclear Environment: Challenges and Strategy,” *Robotics*, vol. 9, no. 4, 2020, ISSN: 2218-6581. doi: [10.3390/robotics9040094](https://doi.org/10.3390/robotics9040094).
- [27] B. Xiao, C. Chen, and X. Yin, “Recent Advancements of Robotics in Construction,” *Automation in Construction*, vol. 144, p. 104591, 2022, ISSN: 0926-5805. doi: [10.1016/j.autcon.2022.104591](https://doi.org/10.1016/j.autcon.2022.104591).
- [28] D. W. Miller, S. Mohan, and J. Budinoff, “Assembly of a Large Modular Optical Telescope (ALMOST),” in *Space Telescopes and Instrumentation 2008: Optical, Infrared, and Millimeter*, SPIE, vol. 7010, 2008, pp. 717–727. doi: [10.1117/12.788566](https://doi.org/10.1117/12.788566).
- [29] N. Lee, P. Backes, J. Burdick, *et al.*, “Architecture for In-Space Robotic Assembly of a Modular Space Telescope,” *Journal of Astronomical Telescopes, Instruments, and Systems*, vol. 2, no. 4, pp. 041207–041207, 2016. doi: [10.1117/1.JATIS.2.4.041207](https://doi.org/10.1117/1.JATIS.2.4.041207).
- [30] O. Formoso, C. Gregg, G. Trinh, A. Rogg, and K. Cheung, “Androgynous Fasteners for Robotic Structural Assembly,” in *2020 IEEE Aerospace Conference*, 2020, pp. 1–8. doi: [10.1109/AERO47225.2020.9172583](https://doi.org/10.1109/AERO47225.2020.9172583).
- [31] Q. Lindsey and V. Kumar, “Distributed Construction of Truss Structures,” in *Algorithmic Foundations of Robotics X*, Springer Berlin Heidelberg, 2013, pp. 209–225, ISBN: 978-3-642-36279-8. doi: [10.1007/978-3-642-36279-8_13](https://doi.org/10.1007/978-3-642-36279-8_13).
- [32] R. A. Knepper, T. Layton, J. Romanishin, and D. Rus, “IkeaBot: An Autonomous Multi-Robot Coordinated Furniture Assembly System,” in *2013 IEEE International Conference on Robotics and Automation*, 2013, pp. 855–862. doi: [10.1109/ICRA.2013.6630673](https://doi.org/10.1109/ICRA.2013.6630673).

- [33] J. Werfel, K. Petersen, and R. Nagpal, “Designing Collective Behavior in a Termite-Inspired Robot Construction Team,” *Science*, vol. 343, no. 6172, pp. 754–758, 2014. doi: [10.1126/science.1245842](https://doi.org/10.1126/science.1245842).
- [34] B. Jenett and K. Cheung, “BILL-E: Robotic platform for Locomotion and Manipulation of Lightweight Space Structures,” in *25th AIAA/AHS Adaptive Structures Conference*, 2017. doi: [10.2514/6.2017-1876](https://doi.org/10.2514/6.2017-1876).
- [35] A. G. Roederer and Y. Rahmat-Samii, “Unfurlable Satellite Antennas: A Review,” in *Annales Des Télécommunications*, vol. 44, 1989. doi: [10.1007/BF02995012](https://doi.org/10.1007/BF02995012).
- [36] R. Russell, T. Campbell, and R. Freeland, “A Technology Development Program for Large Space Antennas,” Tech. Rep., 1980.
- [37] K. Miura *et al.*, “Research and Development of the Tension Truss Antenna,” IAF-87-317, Tech. Rep., 1987.
- [38] K. Miura and Y. Miyazaki, “Concept of the Tension Truss Antenna,” *AIAA Journal*, vol. 28, no. 6, pp. 1098–1104, 1990. doi: [10.2514/3.25172](https://doi.org/10.2514/3.25172).
- [39] J. M. Hedgepeth, “Influence of Fabrication Tolerances on the Surface Accuracy of Large Antenna Structures,” *AIAA Journal*, vol. 20, no. 5, pp. 680–686, 1982. doi: [10.2514/3.7936](https://doi.org/10.2514/3.7936).
- [40] M. W. Thomson, “The Astromesh Deployable Reflector,” in *IEEE Antennas and Propagation Society International Symposium. 1999 Digest. Held in conjunction with: USNC/URSI National Radio Science Meeting (Cat. No. 99CH37010)*, IEEE, vol. 3, 1999, pp. 1516–1519. doi: [10.1109/APS.1999.838231](https://doi.org/10.1109/APS.1999.838231).
- [41] M. Thomson, “AstroMesh Deployable Reflectors for Ku and Ka Band Commercial Satellites,” in *20th AIAA International Communication Satellite Systems Conference and Exhibit*, 2002, p. 2032. doi: [10.2514/6.2002-2032](https://doi.org/10.2514/6.2002-2032).
- [42] T. Smith, B. Lee, D. Semler, and D. Chae, “A Large S-Band Antenna for a Mobile Satellite,” in *Space 2004 Conference and Exhibit*, 2004, p. 6120. doi: [10.2514/6.2004-6120](https://doi.org/10.2514/6.2004-6120).
- [43] D. Entekhabi, E. G. Njoku, P. E. O’Neill, *et al.*, “The Soil Moisture Active Passive (SMAP) Mission,” *Proceedings of the IEEE*, vol. 98, no. 5, pp. 704–716, 2010. doi: [10.1109/JPROC.2010.2043918](https://doi.org/10.1109/JPROC.2010.2043918).
- [44] L. Scialino, A. Ihle, M. Migliorelli, *et al.*, “Large Deployable Reflectors for Telecom and Earth Observation Applications,” *CEAS Space Journal*, vol. 5, no. 3-4, pp. 125–146, 2013. doi: [10.1007/s12567-013-0044-7](https://doi.org/10.1007/s12567-013-0044-7).
- [45] L. Datashvili, S. Endler, B. Wei, *et al.*, “Study of Mechanical Architectures of Large Deployable Space Antenna Apertures: from Design to Tests,” *CEAS Space Journal*, vol. 5, no. 3-4, pp. 169–184, 2013. doi: [10.1007/s12567-013-0050-9](https://doi.org/10.1007/s12567-013-0050-9).

- [46] T. Li, J. Jiang, H. Deng, Z. Lin, and Z. Wang, “Form-Finding Methods for Deployable Mesh Reflector Antennas,” *Chinese Journal of Aeronautics*, vol. 26, no. 5, pp. 1276–1282, 2013. doi: [10.1016/j.cja.2013.04.062](https://doi.org/10.1016/j.cja.2013.04.062).
- [47] D. Yang, Y. Zhang, G. Yang, and J. Du, “Least-Squares Minimization of Boundary Cable Tension Ratios for Mesh Reflectors,” *AIAA Journal*, vol. 56, no. 2, pp. 883–888, 2018. doi: [10.2514/1.J056222](https://doi.org/10.2514/1.J056222).
- [48] D. Yang, Y. Zhang, P. Li, and J. Du, “Numerical Form-Finding Method for Large Mesh Reflectors with Elastic Rim Trusses,” *Acta Astronautica*, vol. 147, pp. 241–250, 2018. doi: [10.1016/j.actaastro.2018.04.007](https://doi.org/10.1016/j.actaastro.2018.04.007).
- [49] S. Zhang, S. Zhang, Y. Zhang, and J. Ye, “Force Density Sensitivity Form-Finding Design Method for Cable-Mesh Reflector Antennas considering Interactive Effects between Cable Network and Supporting Truss,” *Engineering Structures*, vol. 244, p. 112722, 2021. doi: [10.1016/j.engstruct.2021.112722](https://doi.org/10.1016/j.engstruct.2021.112722).
- [50] S. Morterolle, B. Maurin, J.-F. Dube, J. Averseng, and J. Quirant, “Modal Behavior of a New Large Reflector Conceptual Design,” *Aerospace Science and Technology*, vol. 42, pp. 74–79, 2015. doi: [10.1016/j.ast.2015.01.002](https://doi.org/10.1016/j.ast.2015.01.002).
- [51] P. Li, C. Liu, Q. Tian, H. Hu, and Y. Song, “Dynamics of a Deployable Mesh Reflector of Satellite Antenna: Form-Finding and Modal Analysis,” *Journal of Computational and Nonlinear Dynamics*, vol. 11, no. 4, 2016. doi: [10.1115/1.4033440](https://doi.org/10.1115/1.4033440).
- [52] P. Li, C. Liu, Q. Tian, H. Hu, and Y. Song, “Dynamics of a Deployable Mesh Reflector of Satellite Antenna: Parallel Computation and Deployment Simulation,” *Journal of Computational and Nonlinear Dynamics*, vol. 11, no. 6, 2016. doi: [10.1115/1.4033657](https://doi.org/10.1115/1.4033657).
- [53] B. Siriguleng, W. Zhang, T. Liu, and Y. Liu, “Vibration Modal Experiments and Modal Interactions of a Large Space Deployable Antenna with Carbon Fiber Material and Ring-Truss Structure,” *Engineering Structures*, vol. 207, p. 109932, 2020. doi: [10.1016/j.engstruct.2019.109932](https://doi.org/10.1016/j.engstruct.2019.109932).
- [54] S. W. Smith, C. S. Pack, and T. J. Bartkowicz, “Understanding Dynamic Challenges of In-Space Modular Assembly and Reconfiguration of Flexible Structures from Early Efforts,” in *AIAA SCITECH 2022 Forum*, 2022. doi: [10.2514/6.2022-2374](https://doi.org/10.2514/6.2022-2374).
- [55] *Abaqus/CAE*, Dassault Systemes Simulia Corp., 2020.
- [56] J. D. Kraus and R. Marhefka, *Antennas for All Applications*. McGraw-Hill, New York, 2002.
- [57] L. T. Tan and S. Pellegrino, “Thin-Shell Deployable Reflectors with Collapsible Stiffeners Part 1: Approach,” *AIAA Journal*, vol. 44, no. 11, pp. 2515–2523, 2006. doi: [10.2514/1.16320](https://doi.org/10.2514/1.16320).

- [58] P. Agrawal, M. Anderson, and M. Card, “Preliminary Design of Large Reflectors with Flat Facets,” *IEEE Transactions on Antennas and Propagation*, vol. 29, no. 4, pp. 688–694, 1981. doi: [10.1109/TAP.1981.1142631](https://doi.org/10.1109/TAP.1981.1142631).
- [59] H. Shi, S. Yuan, and B. Yang, “New Methodology of Surface Mesh Geometry Design for Deployable Mesh Reflectors,” *Journal of Spacecraft and Rockets*, vol. 55, no. 2, pp. 266–281, 2018. doi: [10.2514/1.A33867](https://doi.org/10.2514/1.A33867).
- [60] C. R. Calladine, “Buckminster Fuller’s “Tensegrity” Structures and Clerk Maxwell’s Rules for the Construction of Stiff Frames,” *International Journal of Solids and Structures*, vol. 14, no. 2, pp. 161–172, 1978. doi: [10.1016/0020-7683\(78\)90052-5](https://doi.org/10.1016/0020-7683(78)90052-5).
- [61] S. Pellegrino, “Structural Computations with the Singular Value Decomposition of the Equilibrium Matrix,” *International Journal of Solids and Structures*, vol. 30, no. 21, pp. 3025–3035, 1993. doi: [10.1016/0020-7683\(93\)90210-X](https://doi.org/10.1016/0020-7683(93)90210-X).
- [62] A. Tibert and S. Pellegrino, “Deployable Tensegrity Reflectors for Small Satellites,” *Journal of Spacecraft and Rockets*, vol. 39, no. 5, pp. 701–709, 2002. doi: [10.2514/2.3867](https://doi.org/10.2514/2.3867).
- [63] H. Deng, T. Li, and Z. Wang, “Design of Geodesic Cable Net for Space Deployable Mesh Reflectors,” *Acta Astronautica*, vol. 119, pp. 13–21, 2016, issn: 0094-5765. doi: [10.1016/j.actaastro.2015.10.024](https://doi.org/10.1016/j.actaastro.2015.10.024).
- [64] *M55J High Modulus Carbon Fiber*, Rev. 2.0, Toray Composite Materials America, Inc., Jan. 2020.
- [65] M. Kheradiya, “Effects of Edge Distance, Hole Size Ratio and Hole Spacing on Peak Stresses of Composite Laminate with Multiple Holes,” M.S. thesis, Faculty of the Graduate School of The University of Texas at Arlington, 2008.
- [66] *Falcon user’s guide*, SpaceX, Sep. 2021.
- [67] *Starship user’s guide*, SpaceX, Mar. 2020.
- [68] C. Chen, J. Talnagi, J. Liu, *et al.*, “The Effect of Neutron Irradiation on Sm₂Co₁₇-Based High Temperature Magnets and Nd-Fe-B Magnets,” vol. 41, May 2005, pp. 1967–1968. doi: [10.1109/INTMAG.2005.1464420](https://doi.org/10.1109/INTMAG.2005.1464420).
- [69] A. J. Samin Jr., “An Analysis of Neutron Radiation Effects on NdFeB Permanent Magnets,” Ph.D. dissertation, Ohio State University, 2014.
- [70] H. C. Hua, G. Y. Wang, Q. Z. Xu, H. J. Jin, and G. Q. Xu, “Study of Oxidation of NdFeB Permanent Magnets,” *Physica Status Solidi (a)*, vol. 125, no. 2, pp. 615–624, 1991. doi: [10.1002/pssa.2211250223](https://doi.org/10.1002/pssa.2211250223).
- [71] W. Li, A. Li, and H. Wang, “Anisotropic Fracture Behavior of Sintered Rare-Earth Permanent Magnets,” *IEEE Transactions on Magnetics*, vol. 41, no. 8, pp. 2339–2342, 2005. doi: [10.1109/TMAG.2005.852948](https://doi.org/10.1109/TMAG.2005.852948).

- [72] M. Hoffmann and A. Elwany, “In-Space Additive Manufacturing: A Review,” *Journal of Manufacturing Science and Engineering*, vol. 145, no. 2, p. 020801, 2022. doi: [10.1115/1.4055603](https://doi.org/10.1115/1.4055603).
- [73] J. Block, M. Straubel, and M. Wiedemann, “Ultralight Deployable Booms for Solar Sails and Other Large Gossamer Structures in Space,” *Acta Astronautica*, vol. 68, no. 7-8, pp. 984–992, 2011. doi: [10.1016/j.actaastro.2010.09.005](https://doi.org/10.1016/j.actaastro.2010.09.005).
- [74] “Additive Manufacturing Facility: 3D Printing The Future in Space.” (2019), [Online]. Available: <https://redwirespace.com/newsroom/2019-3-28-additive-manufacturing-facility-3d-printing-the-future-in-space/> (visited on 07/2024).