

Subject Index

- Bayesian Information Criterion (BIC), 26
- clustering, 5, 9, 21, 22, 24, 26–29, 36, 58, 59, 65,
67, 68, 86–88, 90, 98, 127, 128
- density-based, 90
- fuzzy c-means, 90
- K-means, 23, 90
- learning-based, 21
- parameters, 40, 58
- partitional, 23
- pre-clustering, 22, 65
- results, 36, 40, 58, 68, 86, 87
- spectral, 23
- Conditional Array Map (CAM), 71–73
- curvature(s), 19, 25, 80, 90, 124
- Gaussian, 104–106, 120
- mean, 105, 106, 120
- normal, 16, 103, 104, 106
- principal, 15–17, 104–106, 119, 125
- radius of, 16
- curvedness, vi, vii, 15, 16, 24, 25, 75, 106, 119,
120
- dimensionless, 25, 41, 121, 125
- curvelet(s), 10, 11, 13
- coefficients, 11
- transform, 10–13, 31, 42, 43, 85, 90
- Direct Numerical Simulation(s) (DNS), vii, 1, 5,
7, 44, 61, 85, 86
- database, 9, 30, 44, 86
- grid-resolution criterion, 86
- disproportionate allocation, 58, 65, 127, 128
- dissipation, vii, 2–7, 9, 44, 45, 57, 60, 61, 63, 70,
86, 92
- average rate, 45
- average scale, 7
- dynamics, 42
- geometry of structures, 44
- governing equations, 92
- range dynamics, 2
- range of scales, vii
- rate of, vii
- scales, 7, 32
- distance matrix, 21

- enstrophy, vii, 5–7, 9, 44, 45, 60, 61, 63, 86
 - generation of, 93
 - geometry of structures, 44
 - governing equations, 92
 - maximum, 44, 86
- Euler
 - characteristic, 120
 - equations, 2
 - formula, 104
- feature center, 20, 24, 122
- feature space, vi, 21–24, 36, 40, 58, 66, 86, 91
- frequency window, *see* window
- Gauss’ Theorema Egregium, 104
- Gauss-Bonnet theorem, 120
- genus, 120, 121
- grid resolution criterion, 7, 44, 45, 57
- HSB (Hue-Saturation-Brilliance color space), 76
- intermittency, 7, 8, 45, 47, 57, 60, 61, 84
- K-means, *see* clustering
- Kelvin–Helmoltz
 - wave clouds, 1
- Kelvin-Helmoltz
 - instability, 8
- Kolmogorov length scale, 7, 30, 33, 45, 57, 61, 87
- Large Eddy Simulation(s) (LES), 2
 - local scaling, 22
 - affinity matrix, 22
 - normalized, 22
 - parameter, 22
 - Minimum Distance Map (MDM), 71, 72
 - Navier–Stokes equations, 92
 - Navier-Stokes equations, 3
 - optimality score, 23, 25, 58, 59, 67, 68, 87
 - passive scalar, vi, 5, 6, 9, 33, 36, 41, 42, 69
 - anisotropy, 42
 - fluctuation, 6, 30, 31, 37, 38, 42, 86, 91
 - geometry of structures, 30
 - iso-contours, 35
 - plane cuts, 31, 32
 - spectrum, 36
 - volume-data pdfs, 32
 - governing equation, 6
 - mixing, 42
 - Poisson’s equation, 63
 - ramp-cliff structures, 42
 - rotation-rate (tensor), 8, 45, 92, 93
 - Schmidt number, 30
 - shape index, vi, 15, 16, 24, 25, 106, 119, 120, 125
 - range of, 17, 108
 - signature (geometrical), vi, 2, 19–21, 36, 75

- contracted, 21
- silhouette coefficient, 25–27, 36, 40, 58, 59, 66, 67
- spectral, 26
 - clustering, 23
 - differentiation, 89
 - Fourier-Galerkin method, 30
- strain-rate (tensor), 4, 6–8, 45, 92
 - compressional eigenvalue, 8
 - intermediate eigenvalue/vector, 3, 8, 60
 - trace, 8
- stratified random sampling, 58, 59, 65, 127
- stretched spiral vortex, 43, 56, 60
- stretching parameter, vi, 20, 121
- subgrid-scale models, 2
- Taylor Reynolds number, 30, 44, 45
- upper and lower distances, 20, 24, 25, 122
- visualization space, 23–25, 27–29, 34, 36, 39, 50–59, 65, 67, 86, 88
- vortex
 - sheet(s), 63, 84
 - curved, 3
 - flat, 3
 - formation, 43, 60
 - identification/education, 3, 62, 63
 - instabilities, 60
 - interaction, 60
 - roll-up, 8, 70
 - stretching, 7, 94
 - tube(s), 3, 43, 63, 84
 - Burgers, 3
 - coalescence and reconnection, 8
 - core, 62, 70
 - formation, 8, 43, 60, 70
 - identification/education, 3, 9, 62, 63, 65, 70
 - vorticity, 41, 42, 45, 63, 70, 93
 - alignment, 3, 4, 8, 60
 - coherent, 41
 - compressive straining, 8
 - generation of, 93
 - governing equation, 92
 - incoherent, 41
 - intense, 2, 4
 - sheet, 60
- wavelet(s), 10, 11, 41
 - transform, 2, 5
- window (frequency)
 - angular, 11–13
 - radial, 11
 - low-pass filter, 11, 96
 - top-hat filter, 10, 32
- worms, 1, 2, 60, 87