

## Bibliography

- Aki, K. and P. G. Richards (1980). *Quantative Seismology: Theory and Methods*, Volume 1, Chapter 10, pp. 477–524. Freeman, San Francisco.
- Alves, S. W. and J. F. Hall (2003). Nonlinear modeling of Pacoima Dam using earthquake recordings to assess the effect of topographic nonuniformity in ground motion. Technical report, Data Utilization Report, CSMIP (in print).
- Beck, J. L. and E. Chan (1995). Comparison of the Response of Millikan Library to San Fernando and Whittier Narrows Earthquakes. Unpublished Report, Caltech.
- Beck, J. L., B. S. May, and D. C. Polidori (3-5 August 1994). Determination of Modal Parameters from Ambient Vibration Data for Structural Health Monitoring. In *First World Conference on Structural Control*, Los Angeles, California, USA.
- Benz, H. and J. Filson (1998). *Requirement for an Advanced National Seismic System*. U. S. Geological Survey Circular 1188.
- Blandford, R., V. R. McLamore, and J. Aunon (1968). Analysis of Millikan Library from Ambient Vibrations. Technical report, Earth Teledyne Co.
- Boore, D. M. (2001, October). Effect of Baseline Corrections on Displacements and Response Spectra for Several Recordings of the 1999 Chi-Chi, Taiwan, Earthquake. *Bulletin of the Seismological Society of America* 91(5), 1199–1211.
- Bracewell, R. (1965). *The Fourier Transform and Its Applications*. McGraw-Hill, Inc.
- Bradford, S. C., J. F. Clinton, J. Favela, and T. H. Heaton (2004). Results of Millikan Library Forced Vibration Testing. Technical report, California Institute of Technology.
- Brune, J. N. (1970). Tectonic Stress and the Spectra of Seismic Shear Waves from Earthquakes. *J. Geophys. Res.* 75, 4997–5009.

- Camelo, V. S. (2003). *Dynamic Characteristics of Woodframe Buildings*. Ph.D. thesis, California Institute of Technology.
- Chopra, A. K. (1995). *Dynamics of Structures - Theory and Applications to Earthquake Engineering*, Chapter 11, pp. 409–414, 514–515. Prentice Hall.
- Clinton, J. F., S. C. Bradford, T. H. Heaton, and J. Favela (2004). The Observed Wander of the Natural Frequencies in a Structure. *in preparation*.
- Cua, G. (2004). *Creating the Virtual Seismologist: Developments in Ground Motion Characterization and Seismic Early Warning*. Ph.D. thesis, California Institute of Technology.
- Foutch, D. A. (1976). *A Study of the Vibrational Characteristics of Two Multistory Buildings*. Ph.D. thesis, California Institute of Technology, Earthquake Engineering Research Laboratory, Pasadena, California.
- Foutch, D. A. and P. C. Jennings (1978). Foundation Response of a Nine-Storey Reinforced Concrete Building. *Bulletin of the Seismological Society of America* 68(1), 219–229.
- Foutch, D. A., J. E. Luco, M. D. Trifunac, and F. E. Udwadia (1975). Full Scale, Three Dimensional Tests of Structural Deformation During Forced Excitation of a Nine-Storey Reinforced Concrete Building. In *Proceedings, U.S. National Conference on Earthquake Engineering*, Ann Arbor, Michigan, pp. 206–215.
- Hartzell, S. and T. Heaton (1983). Inversion of Strong Ground Motion and Teleseismic Waveform Data for the Fault Rupture History of the 1979 Imperial-Valley, California, Earthquake. *Bulletin of the Seismological Society of America* 73(6), 1553–1583.
- Hartzell, S. and T. Heaton (1985). Teleseismic Time Functions for Large, Shallow Subduction Zone Earthquakes. *Bulletin of the Seismological Society of America* 75(4), 965–1004.

- Hauksson, E., L. M. Jones, and A. F. Shakal (2003). *International Handbook of Earthquake and Engineering Seismology*, Volume B, Chapter 78, pp. 1275 – 1284. Academic Press.
- Hauksson, E., P. Small, K. Hafner, R. Busby, R. Clayton, J. Goltz, T. Heaton, K. Hutton, H. Kanamori, J. Polet, D. Given, L. M. Jones, and D. Wald (2001). Southern California Seismic Network: Caltech/USGS Element of TriNet 1997-2001. *Seismological Research Letters* 72(6), 690–74.
- Heaton, T. (1982). The 1971 San-Fernando Earthquake - a Double Event. *Bulletin of the Seismological Society of America* 72(6), 2037–2062.
- Heaton, T. H. (2003). CE/GE181 Engineering Seismology. California Institute of Technology.
- Heaton, T. H., D. L. Anderson, W. J. Arabasz, R. Buland, W. L. Ellsworth, S. H. Hartzell, T. Lay, and P. Spudich (1989). *National Seismic System Science Plan*. U. S. Geological Survey Circular 1031.
- Hudson, D. E. (1962). Synchronized Vibration Generators for Dynamic Tests of Full-Scale Structures. Technical report, Earthquake Engineering Research Laboratory, California Institute of Technology.
- Iemura, H. and P. C. Jennings (1973). Hysteretic Response of a Nine-Story Reinforced Concrete Building During the San Fernando Earthquake. Technical report, Earthquake Engineering Research Laboratory, California Institute of Technology.
- Iwan, W. D. (1998). CE 151 Dynamics and Vibrations. California Institute of Technology.
- Iwan, W. D., M. A. Moser, and C. Y. Peng (1985). Some Observations on Strong-Motion Earthquake Measurement Using a Digital Accelerograph. *Bulletin of the Seismological Society of America* 75(5), 1225–1246.

- Jennings, P. C. and J. H. Kuroiwa (1968). Vibration and Soil-Structure Interaction Tests of a Nine-Storey Reinforced Concrete Building. *Bulletin of the Seismological Society of America* 58(3), 891–916.
- Kanamori, H., E. Hauksson, and T. Heaton (1991). TERRAscope and CUBE Project at Caltech. *Eos, Trans. Am. Geophys. U.* 72, 564.
- Kanamori, H. K. (2002). GE 264 Physics of Earthquakes. California Institute of Technology.
- Kuroiwa, J. H. (1967). *Vibration Test of a Multistorey Building*. Ph.D. thesis, California Institute of Technology, Earthquake Engineering Research Laboratory, Pasadena, California.
- Larson, K. M., P. Bodin, and J. Gomberg (2003). Using 1-Hz GPS Data to Measure Deformations Caused by the Denali Fault Earthquake. *Science* 300, 1421–1424.
- Lay, T. and T. C. Wallace (1995). *Modern Global Seismology*. Academic Press.
- Lee, W. H. K., T. C. Shin, K. W. Kuo, and K. C. Chen (1999). *CWD Free-Field Strong-Motion Data From 921 Chi-Chi Earthquake*, Volume 1. Digital Acceleration Files on CD-ROM, Pre-Publication Version, Seismology Center, Central Weather Bureau, Taipei, Taiwan.
- Levine, M. B., J. L. Beck, W. D. Iwan, P. C. Jennings, and R. Relles (1988). Accelerograms Recorded at Caltech During the Whittier Narrows Earthquakes of October 1 and 4, 1987 : a Preliminary Report. Technical report, California Institute of Technology. <http://resolver.caltech.edu/CaltechEERL:1988.EERL-88-01>.
- Luco, J., M. Trifunac, and H. Wong (1987). On the Apparent Change in Dynamic Behavior of a 9- Story Reinforced-Concrete Building. *Bulletin of the Seismological Society of America* 77(6), 1961–1983.

- Luco, J. E., W. H. L., and T. M. D. (1986, September). Soil-structure interaction effects on forced vibration tests. Technical Report Report 86-05, University of Southern California, Department of Civil Engineering, Los Angeles, California.
- McVerry, G. H. (1980). *Frequency Domain Identification of Structural Models from Earthquake Records*. Ph.D. thesis, California Institute of Technology.
- Menke, W. (1989). *Geophysical Data Analysis: Discrete Inverse Theory*. Academic Press.
- Okada, Y., K. Kasahara, S. Hori, K. Obara, S. Sekiguchi, H. Fujiwara, and A. Yamamoto (2003, Oct). Recent Progress of Seismic Observation Networks in NIED. In *New Technologies for Urban Safety of Mega Cities in Asia*, Tokyo.
- Peterson, J. (1993). Observations and Modeling of Background Seismic Noise. *Open File Report 92-302, U. S. Geological Survey, Albuquerque, NM*.
- Scherbaum, F. (2001). *Of Poles and Zeros*. Kluwer Academic Publishers.
- Strang, G. and K. Borre (1997). *Linear Algebra, Geodesy, and GPS*. Wellesley-Cambridge Press.
- Streckeisen, G. and A. G. Messgerate. *STS-2 Portable Very-Broad-Band Triaxial Seismometer*. Dattlikonerstrasse 5, CH-8422 Pfungen, Switzerland.
- Teledyne-Geotech-West (1972). Post Earthquake Vibration Measurements Millikan Library. Technical report, Teledyne Geotech West, Monrovia, California.
- Tokyo Sokushin Co. Ltd. (2002a). *Broadband Velocity Type Feedback Seismometer - VSE of Tokyo Sokushin Co. and STS of Streckeisen Co.* Office: 2-22-9, Nishi-Nippori, Arakawa-Ku, Tokyo, 116-0013 Japan: Tokyo Sokushin Co. Ltd.
- Tokyo Sokushin Co. Ltd. (2002b). *Servo Velocity Meter (VSE-355G2) Operation Manual*. Office: 2-22-9, Nishi-Nippori, Arakawa-Ku, Tokyo, 116-0013 Japan: Tokyo Sokushin Co. Ltd.

- Trifunac, M. and M. Todorovska (2001a). Evolution of Accelerographs, Data Processing, Strong Motion Arrays and Amplitude and Spatial Resolution in Recording Strong Earthquake Motion. *Soil Dynamics and Earthquake Engineering* 21(6), 537–555.
- Trifunac, M. and M. Todorovska (2001b). A Note on the Useable Dynamic Range of Accelerographs Recording Translation. *Soil Dynamics and Earthquake Engineering* 21(4), 275–286.
- Trifunac, M. D. (1972). Comparisons Between Ambient and Forced Vibration Experiments. *Earthquake Engineering and Structural Dynamics* 1, 133–150.
- Udwadia, F. E. and P. Z. Marmarelis (1976). The Identification of Building Structural Systems: I. The Linear Case. *Bulletin of the Seismological Society of America* 66(1), 125–151.
- Udwadia, F. E. and M. D. Trifunac (1973). Ambient Vibration Tests of a Full-Scale Structure. In *Proceedings, Fifth World Conference on Earthquake Engineering*, Rome.
- Udwadia, F. E. and M. D. Trifunac (1974). Time and Amplitude Dependent Response of Structures. *Int. J. Earthquake Engineering and Structural Dynamics* 2, 359–378.
- Uzarski, J. and C. Arnold (Eds.) (2001, April). *Earthquake Spectra: 1999 Chi-Chi, Taiwan, Earthquake Reconnaissance Report*, Volume 17, Supplement A, Chapter 2, pp. 5–19.
- Wielandt, E. and J. M. Stein (1986). A Digital Very-Broad-Band Seismograph. *Annales Geophysicae* 4(B, 3), 227–232.
- Wielandt, E. and G. Streckeisen (1982). The Leaf-Spring Seismometer: Design and Performance. *Bulletin of the Seismological Society of America* 72(6), 2349–2367.
- Youd, T. L., J. P. Bardet, and J. D. Bray (Eds.) (2000, December). *Earthquake Spectra: 1999 Kocaeli, Turkey, Earthquake Reconnaissance Report*, Volume 16, Supplement A, Chapter 4–6, pp. 65–140.