

References

- Adami, C. 2004. Information theory in molecular biology. *Physics of Life Reviews* **1**: 3-22.
- Ambler, R.P., Coulson, A.F.W., Frere, J.-M., Ghuysen, J.-M., Joris, B., Forsman, M., Levesque, R.C., Tiraby, G., and Waley, S.G. 1991. A standard numbering scheme for the class A beta-lactamases. *Biochemical Journal* **276**: 269-272.
- Arnold, F.H. 1998. When blind is better: protein design by evolution. *Nature Biotechnology* **16**: 617-618.
- Arnold, F.H. 2000. *Advances in Protein Chemistry*. Academic Press, San Diego.
- Arnold, G.E., and Ornstein, R.L. 1997. Molecular dynamics study of time-correlated protein domain motions and molecular flexibility: cytochrome P450BM-3. *Biophysical Journal* **73**: 1147-1159.
- Axe, D. 2004. Estimating the Prevalence of Protein Sequences Adopting Functional Enzyme Folds. *Journal of Molecular Biology* **341**: 1295-1315.
- Back, K., and Chappell, J. 1996. Identifying functional domains within terpene cyclases using a domain-swapping strategy. *Proceedings of the National Academy of Science, USA* **93**: 6841-6845.
- Bateman, A., Coin, L., Durbin, R., Finn, R.D., Hollich, V., Griffiths-Jones, S., Khanna, A., Marshal, M., Maxon, S., Sonnhammer, E.L.L., et al. 2004. The Pfam Protein Families Database. *Nucleic Acids Research* **32**: D138-D141.
- Bernstein, S., and Bernstein, R. 1999. *Elements of Statistics II: Inferential Statistics*. McGraw-Hill.
- Bloom, J.D., Labthavikul, S.T., Otey, C.R., and Arnold, F.H. 2006. Protein stability promotes evolvability. *Proceedings of the National Academy of Science, USA* **109**: 5869-5874.
- Bloom, J.D., Meyer, M.M., Meinhold, P., Otey, C.R., MacMillan, D., and Arnold, F.H. 2005a. Evolving Strategies for Enzyme Engineering. *Current Opinion in Structural Biology* **15**: 447-452.
- Bloom, J.D., Silberg, J.J., Wilke, C.O., Drummond, D.A., Adami, C., and Arnold, F.H. 2005b. Thermodynamic prediction of protein neutrality. *Proceedings of the National Academy of Science, USA* **102**: 606-611.
- Bogarad, L.D., and Deem, M.W. 1999. A hierarchical approach to protein molecular evolution. *Proceedings of the National Academy of Science, USA* **96**: 2591-2595.
- Bornberg-Bauer, E., and Chan, H.S. 1999. Modeling evolutionary landscapes: Mutational stability, topology and superfunnels in sequence space. *Proceedings of the National Academy of Sciences USA* **96**: 10689-10694.
- Chen, Y., Delman, J., Sirot, J., Shoichet, B., and Bonnet, R. 2005. Atomic resolution structures of CTX-M beta-lactamases: Extended spectrum activities from increased mobility and decreased stability. *Journal of Molecular Biology* **348**: 349-362.
- Chenna, R., Sugawara, H., Koike, T., Lopez, R., Gibson, T.J., Higgins, D.G., and Thompson, J.D. 2003. Multiple sequence alignment with the Clustal series of programs. *Nucleic Acids Research* **31**: 3497-3500.

- Cramer, A., Raillard, S.-A., Bermudez, E., and Stemmer, W.P.C. 1998. DNA shuffling of a family of genes from diverse species accelerates directed evolution. *Nature* **391**: 288-291.
- Cui, Y., Wong, W.H., Bornberg-Bauer, E., and Chan, H.S. 2002. Recombinatoric exploration of novel folded structures: A heteropolymer-based model of protein evolutionary landscapes. *Proceedings of the National Academy of Sciences USA* **99**: 809-814.
- Daugherty, P.S., Chen, G., Iverson, B.I., and Georgiou, G. 2000. Quantitative analysis of the effect of the mutation frequency on the affinity maturation of single chain Fv antibodies. *Proceedings of the National Academy of Sciences USA* **97**: 2029-2034.
- Decousser, J.W., Poirel, L., and Nordmann, P. 2001. Characterization of a Chromosomally Encoded Extended-Spectrum Class A beta-lactamase from *Kluyvery cryocrescens*. *Antimicrobial Agents and Chemotherapy* **45**: 3595-3598.
- Dideberg, O., Charlier, P., Wery, J.P., Dehottay, P., Dusart, J., Erpicum, T., Frere, J.-M., and Ghuysen, J.M. 1987. The crystal structure of the beta-lactamase of *Streptomyces albus G* at 0.3 nm resolution. *Biochem J.* **245**: 991-993.
- Dokholyan, N.V., and Shakhnovich, E. 2001. Understanding Hierarchical Protein Evolution from First Principles. *Journal of Molecular Biology* **312**: 289-307.
- Dooner, H.K., and Martinez-Ferez, I.M. 1997. Recombination Occurs Uniformly within the bronze Gene, a Meiotic Recombination Hotspot in the Maize Genome. *The Plant Cell* **9**: 1633-1646.
- Drummond, D.A., Silberg, J.J., Meyer, M.M., Wilke, C.O., and Arnold, F.H. 2005. On the conservative nature of intragenic recombination. *Proceedings of the National Academy of Sciences USA* **102**: 5280-5385.
- Endelman, J.B. 2005. Design and Analysis of Combinatorial Protein Libraries Created by Site-Directed Recombination. In *Bioengineering*, pp. 122. California Institute of Technology, Pasadena.
- Endelman, J.B., Bloom, J.D., Otey, C.R., Landwehr, M., and Arnold, F.H. 2005. Inferring interactions from an alignment of folded and unfolded protein sequences. *arXiv:q-bio.BM/0505018*.
- Endelman, J.B., Silberg, J.J., Wang, Z.-G., and Arnold, F.H. 2004. Site-directed protein recombination as a shortest-path problem. *Protein Engineering, Design & Selection* **17**: 589-594.
- Ewart, S., Huber, T., Annemarie, H., and Pluckthun, A. 2003. Biophysical Properties of Human Antibody Variable Domains. *Journal of Molecular Biology* **325**: 531-553.
- Feil, E.J., Holmes, E.C., Bessen, D.E., Chan, M.S., Day, N.P.J., Enright, M.C., Goldstein, R., Hood, D.W., Kalla, A., Moore, C.E., et al. 2001. Recombination within natural populations of pathogenic bacteria: Short-term empirical estimates and long-term phylogenetic consequences. *Proceedings of the National Academy of Sciences, USA* **98**: 182-187.
- Feil, E.J., Maiden, M.C.J., Achtman, M., and Spratt, B.G. 1999. The relative contributions of recombination and mutation to the divergence of clones of *Neisseria meningitidis*. *Molecular Biology and Evolution* **16**: 1496-1502.
- Fodor, A.A., and Aldrich, R.W. 2004a. Influence of Conservation on Calculations of Amino Acid Covariance in Multiple Sequence Alignments. *Proteins* **56**: 211-221.

- Fodor, A.A., and Aldrich, R.W. 2004b. On Evolutionary Conservation of Thermodynamic Coupling in Proteins. *Journal of Biological Chemistry* **279**: 19046-19050.
- Fu, H., Zheng, Z., and Dooner, H.K. 2002. Recombination rates between adjacent genetic and retrotransposon regions in maize vary by 2 orders of magnitude. *Proceedings of the National Academy of Sciences, USA* **99**: 1082-1087.
- Gibbs, M.D., Nevalainen, K.M., and Bergquist, P.L. 2001. Degenerate oligonucleotide gene shuffling (DOGS): a method for enhancing the frequency of recombination with family shuffling. *Gene* **271**: 13-20.
- Gobel, U., Sander, C., Schneider, R., and Valencia, A. 1994. Correlated Mutations and Residue Contacts In Proteins. *Proteins-Structure Function And Genetics* **18**: 309-317.
- Govindarajan, S., and Goldstein, R.A. 1996. Why are some protein structures so common? *Proceedings of the National Academy of Sciences USA* **93**: 2241-3345.
- Guex, N., and Peitsch, M.C. 1997a. SWISS-MODEL and the Swiss-PdbViewer: An environment for comparative protein modeling. *Electrophoresis* **18**: 2714-2723.
- Guo, H.H., Choe, J., and Loeb, L. 2004. Protein tolerance to random amino change. *Proceedings of the National Academy of Sciences, USA* **101**: 9205-9210.
- Hernandez, G., and LeMaster, D.M. 2005. Hybrid Native Partitioning of Interactions Among Nonconserved Residues in Chimeric Proteins. *Proteins: Structure, Function and Bioinformatics* **60**: 723-731.
- Herzberg, O. 1991. Refined crystal structure of beta-lactamase from *Staphylococcus aureus* PC1 at 2.0 A resolution. *Journal of Molecular Biology* **217**: 701-719.
- Hiraga, K., and Arnold, F.H. 2003. A general method for sequence-independent site-directed chimeragenesis. *Journal of Molecular Biology* **330**: 287-296.
- Holm, L., and Sander, C. 1996. Mapping the protein universe. *Science* **273**: 595-603.
- Horton, R.M., Hunt, H.D., Ho, S.N., Pullen, J.K., and Pease, L.R. 1989. Engineering hybrid genes without the use of restriction enzymes: gene splicing by overlap extension. *Gene* **77**: 61-68.
- Huang, W., Petrosino, J., Hirsch, M., Shenkin, P.S., and Palzkill, T. 1996. Amino Acid Sequence Determinants of b-lactamase Structure and Activity *Journal of Molecular Biology* **258**: 688-703.
- Huang, W.Z., and Palzkill, T. 1997. A natural polymorphism in beta-lactamase is a global suppressor. *Proceedings of the National Academy of Sciences, USA* **94**: 8801-8806.
- Ibuka, A., Taguchi, A., Ishiguro, M., Fushinobu, S., Ishii, Y., Kamitori, S., Okuyama, K., Yamaguchi, K., Konno, M., and Matsuzawa, H. 1999. Crystal structure of the E166A mutant of extended-spectrum beta-lactamase Toho-1 at 1.8 angstrom resolution. *Journal of Molecular Biology* **285**: 2079-2087.
- Jacoby, G., and Bush, K. 2005. Lahey Clinic page on "Amino Acid Sequences for TEM, SHV and OXA Extended-Spectrum and Inhibitor Resistant beta-lactamases
- Jelsch, C., Mourey, L., Masson, J.M., and Samama, J.P. 1993. Crystal structure of *Escherichia coli* TEM1 beta-lactamase at 1.8 A resolution. *Proteins* **16**: 364-383.
- Joern, J.M., Meinhold, P., and Arnold, F.H. 2002. Analysis of shuffled gene libraries. *Journal of Molecular Biology* **316**: 643-656.

- Kawarasaki, Y., Griswold, K.E., Stevenson, J.D., Selzer, T., and Benkovic, S.J. 2003. Enhanced crossover SCRATCHY: construction and high-throughput screening of a combinatorial library containing multiple non-homologous crossovers. *Nucleic Acids Research* **31**: E126.
- Keefe, A.D., and Szostak, J.W. 2001. Functional proteins from a random-sequence library. *Nature* **410**: 715-718.
- Knox, J.R. 1995. Extended-Spectrum and Inhibitor-Resistant Tem-Type Beta-Lactamases - Mutations, Specificity, And 3-Dimensional Structure. *Antimicrobial Agents and Chemotherapy* **39**: 2593-2601.
- Knox, J.R., and Moews, P.C. 1991. Beta-lactamase of *Bacillus licheniformis* refinement at 2A resolution and analysis of hydration. *Journal of Molecular Biology* **220**: 435-455.
- Kushiro, T., Shibuya, M., and Ebizuka, Y. 1999. Chimeric Triterpene Synthase: A Possible Model for Multifunctional Triterpene Synthase. *Journal of the American Chemical Society* **121**: 1208-1216.
- Kuzin, A.P., Nukaga, M., Nukaga, Y., Hujer, A.M., Bonomo, R.A., and Knox, J.R. 1999. Structure of the SHV-1 β -lactamase. *Biochemistry* **38**: 5720-5727.
- Laurent, F., Poirel, L., Naas, T., Chaibl, E.B., Labia, R., Boiron, P., and Nordmann, P. 1999. Biochemical-Genetic Analysis and Distribution of FAR-1, a Class A beta-lactamase from *Bocardia farcinica*. *Antimicrobial Agents and Chemotherapy* **43**: 1644-1650.
- Lehmann, M., Kostrewa, D., Wyss, M., Brugger, R., D'Arcy, A., Pasamontes, L., and Van Loon, A. 2000. From DNA sequence to improved functionality: using protein sequence comparisons to rapidly design a thermostable consensus phytase. *Protein Engineering* **13**: 49-57.
- Lehmann, M., Loch, C., Middendorf, A., Studer, D., Lassen, S.F., Pasamontes, L., Van Loon, A., and Wyss, M. 2002. The consensus concept for thermostability engineering of proteins: further proof of concept. *Protein Engineering* **15**: 403-411.
- Li, H., Helling, R., Tang, C., and Wingreen, N. 1996. Emergence of Preferred Structures in a Simple Model of Protein Folding. *Science* **273**: 666-669.
- Lim, D., Sanschagrín, F., Passmore, L., De Castro, L., Levesque, R.C., and Strynadka, N.C. 2001a. Insights into the molecular basis for the carbenicillinase activity of PSE-4 beta-lactamase from crystallographic and kinetic studies. *Biochemistry* **40**: 395-402.
- Lim, D., Sanschagrín, F., Passmore, L., De Castro, L., Levesque, R.C., and Strynadka, N.C.J. 2001b. Insights into the Molecular Basis for the Carbenicillinase Activity of PSE-4 β -lactamase from Crystallographic and Kinetic Studies. *Biochemistry* **40**: 395-402.
- Lockless, S.W., and Ranganathan, R. 1999. Evolutionarily Conserved Pathways of Energetic Connectivity in Protein Families. *Science* **286**: 295-299.
- Lutz, S., Ostermeier, M., Moore, G.L., Maranas, C.D., and Benkovic, S.J. 2001. Creating multiple-crossover DNA libraries independent of sequence identity. *Proceedings of the National Academy of Sciences USA* **98**: 11248-11253.

- Madinier, I., Fosse, T., Giudicelli, J., and Labia, R. 2001. Cloning and Biochemical Characterization of a Class A beta-lactamase from *Prevotella intermedia*. *Antimicrobial Agents and Chemotherapy* **45**: 2386-2389.
- Markiewicz, P., Kleina, L.G., Cruz, C., Ehret, S., and Miller, J.H. 1994. Genetic-Studies Of The Lac Repressor: Analysis of 4000 Altered *E. coli* lac Repressors Reveals Essential and Nonessential Residues, As Well As Spacers Which Do Not Require A Specific Sequence. *Journal of Molecular Biology* **240**: 421-433.
- Matagne, A., LaMotte-Brasseur, J., and Frere, J.-M. 1998. Catalytic properties of class A lactamases: efficiency and diversity. *Biochemical Journal* **330**: 581-598.
- Maveyraud, L., Mourey, L., Pedalacq, J.-D., Guillet, V., Kotra, L.K., Mobashery, S., and Samama, J.P. 1998. Structural Basis for Clinical Longevity of Carbapenem Antibiotics in the Face of Challenge by the Common Class A beta-lactamases from Antibiotic-Resistant Bacteria. *Journal of the American Chemical Society* **120**: 9748-9752.
- Maxwell, K.L., Mittermaier, A.K., Forman-Kay, J.D., and Davidson, A.R. 1999. A simple *in vivo* assay for increased protein solubility. *Protein Science* **8**: 1908-1911.
- Meinhold, P., Joern, J.M., and Silberg, J.J. 2003. Analysis of Shuffled Libraries by Oligonucleotide Probe Hybridization. In *Directed Evolution Library Creation*. (eds. F.H. Arnold, and G. Georgiou), pp. 177-187. Humana Press, Totowa, New Jersey.
- Mendes, J., Guerois, R., and Serrano, L. 2002. Energy estimation in protein design. *Current Opinion in Structural Biology* **12**: 441-446.
- Meyer, M.M., Silberg, J.J., Voigt, C.A., Endelman, J.B., Mayo, S.L., Wang, Z.-G., and Arnold, F.H. 2003. Library analysis of SCHEMA-guided recombination. *Protein Science* **12**: 1686-1693.
- Moore, G.L., and Maranas, C.D. 2003. Identifying residue-residue clashes in protein hybrids by using a second-order mean-field approach. *Proceedings of the National Academy of Sciences, USA* **100**: 5091-5096.
- Morimotoa, S., and Tamura, A. 2004. Key Elements for Protein Foldability Revealed by a Combinatorial Approach among Similarly Folded but Distantly Related Proteins. *Biochemistry* **43**: 6596-6605.
- Nelson, D. 2005. Cytochrome P450 Homepage
<http://drnelson.utmem.edu/CytochromeP450.html>
- Nicot, C., Relat, J., Woldegiorgis, Haro, D., and Marrerro, P.F. 2002. Pig Liver Carnitine Palmitoyltransferase. *Journal of Biological Chemistry* **277**: 10044-10049.
- Nikolova, P.V., Henckel, J., Lane, D.P., and Fersht, A.R. 1998. Semirational design of active tumor suppressor p53 DNA binding domain with enhanced stability. *Proceedings of the National Academy of Sciences, USA* **95**: 14675-14680.
- O'Maille, P., Bakhtina, M., and Tsai, M. 2002. Structure-based Combinatorial Protein Engineering (SCOPE). *Journal of Molecular Biology* **321**: 677.
- Olmea, O., Rost, B., and Valencia, A. 1999. Effective use of sequence correlation and conservation in fold recognition. *Journal of Molecular Biology* **193**: 1221-1239.
- Orencia, M.C., Yoon, J.S., Ness, J.E., Stemmer, W.P.C., and Stevens, R.C. 2001. Predicting the emergence of antibiotic resistance by directed evolution and structural analysis. *Nature* **8**: 238-242.

- Ostermeier, M. 2003. Synthetic gene libraries: in search of the optimal diversity. *Trends in Biotechnology* **21**: 244-247.
- Ostermeier, M., Nixon, A.E., and Benkovic, S.L. 1999a. Incremental Truncation as a Strategy in the Engineering of Novel Biocatalysts. *Bioorganic and Medicinal Chemistry* **7**: 2139-2144.
- Ostermeier, M., Shim, J.H., and Benkovic, S.J. 1999b. A combinatorial approach to hybrid enzymes independent of DNA homology. *Nature Biotechnology* **17**: 1205-1209.
- Osuna, J., Perez-Blancas, A., and Soberon, X. 2002. Improving a circularly permuted TEM-1 beta-lactamase by directed evolution. *Protein Engineering* **15**: 463-470.
- Otey, C.R., Landwehr, M., Endelman, J.B., Hiraga, K., Bloom, J.D., and Arnold, F.H. 2006. Structure-Guided Recombination Creates an Artificial Family of Cytochromes P450. *Public Library of Science Biology* **4**: e112.
- Otey, C.R., Silberg, J.J., Endelman, J.B., Bandara, G., and Arnold, F.H. 2004. Functional Evolution and Structural Conservation in Chimeric Cytochromes P450: Calibrating a Structure-Guided Approach. *Chemistry and Biology* **11**: 309-318.
- Patrick, W.M., and Firth, A.E. 2005. Strategies and computational tools for improving randomized protein libraries. *Biomolecular Engineering* **22**: 105-112.
- Petrella, S., Clermont, D., Casin, I., Jarlier, V., and Sougakoff, W. 2001. Novel Class A beta-lactamase Sed-1 from *Citrocater sedlakii*: Genetic Diversity of beta-lactamases within the *Citrobacter* Genus. *Antimicrobial Agents and Chemotherapy* **45**: 2287-2298.
- Petrella, S., Pernot, L., and Sougakoff, W. 2004. Crystallization and preliminary X-ray diffraction study of the class A beta-lactamase SED-1 and its mutant SED-G238C from *Citrobacter sedlakii*. *Acta Crystallographica Section D* **D60**: 125-128.
- Petrosino, J.F., and Palzkill, T. 1996. Systematic Mutagenesis of the Active Site Omega Loop of TEM-1 β -lactamase. *Journal of Bacteriology* **178**: 1821-1828.
- Philipps, B., Hennecke, J., and Glockshuber, R. 2003. FRET-based *in vivo* screening for protein folding and increased protein stability. *Journal of Molecular Biology* **327**: 239-249.
- Poirel, L., Laurent, F., Naas, T., Labia, R., Boiron, P., and Nordmann, P. 2001. Molecular and Biochemical Analysis of AST-1, a Class A beta-lactamase from *Norcardia asteroides* Sensu Stricto. *Antimicrobial Agents and Chemotherapy* **45**: 878-882.
- Poteete, A.R., Rennell, D., Bouvier, S.E., and Hardy, L.W. 1997. Alteration of T4 lysozyme structure by second-site reversion of deleterious mutations. *Protein Science* **6**: 2418-2425.
- Rennell, D., Bouvier, S.E., Hardy, L.W., and Poteete, A.R. 1991. Systematic mutation of bacteriophage-T4 lysozyme. *Journal of Molecular Biology* **222**: 67-87.
- Sabbagh, Y., Theriault, E., Sanschagrín, F., Voyer, N., Palzkill, T., and Levesque, R.C. 1998. Characterization of a PSE-4 mutant with different properties in relation to penicillanic acid sulfones: importance of residues 216 to 218 in class A beta-lactamases. *Antimicrobial Agents Chemotherapy* **42**: 2319-2325.
- Sanschagrín, F., Theriault, E., Sabbagh, Y., Voyer, N., and Levesque, R.C. 2000. Combinatorial biochemistry and shuffling of TEM, SHV and *Streptomyces albus* omega loops in PSE-4 class A β -lactamase. *Journal of Antimicrobial Chemotherapy* **45**: 517-519.

- Saraf, M.C., Horswill, A.R., Benkovic, S.J., and Maranas, C.D. 2004. FamClash: A method for ranking the activity of engineered enzymes. *Proceedings of the National Academy of Science, USA* **101**: 4142-4147.
- Saraf, M.C., and Maranas, C.D. 2003. Using a residue clash map to functionally characterize protein recombination hybrids. *Protein Engineering* **16**: 1025-1034.
- Savoie, A., Sanschagrín, F., Palzkill, T., Voyer, N., and Levesque, R.C. 2000. Structure-function analysis of alpha-helix H4 using PSE-4 as a model enzyme representative of class A beta-lactamases. *Protein Engineering* **13**: 267-274.
- Schroeder, W.A., Locke, T.R., and Jensen, S.E. 2002. Resistance to beta-lactamase Inhibitor Protein Does Not Paralell Resistance to Clavulanic Acid in TEM beta-lactamase Mutants. *Antimicrobial Agents and Chemotherapy* **46**: 3568-3573.
- Shimamura, T., Ibuka, A., Fushinobu, S., Wakagi, T., Ishiguro, M., Ishii, Y., and Matsuzawa, H. 2002. Acyl-intermediate structures of the extended-spectrum class A beta-lactamase, TOHO-1, in complex with cefotaxime, cephalothin and benzylpenicillin. *Journal of Biological Chemistry* **277**: 46601-46608.
- Shimizu-Ibuka, A., Matsuzawa, H., and Sakai, H. 2004. An engineered disulfide bond between residues 69 and 238 in extended-spectrum beta-lactamase Toho-1 reduces its activity toward third-generation cephalosporins. *Biochemistry* **43**: 15737-15745.
- Shindyalov, I.N., and Bourne, P.E. 1998. Protein structure alignment by incremental combinatorial extension (CE) of the optimal path. *Protein Engineering* **11**: 739-747.
- Sideraki, V., Huang, W.Z., Palzkill, T., and Gilbert, H.F. 2001. A secondary drug resistance mutation of TEM-1 beta-lactamase that suppresses misfolding and aggregation. *Proceedings of The National Academy of Sciences USA* **98**: 283-288.
- Sieber, V., Martinez, C.A., and Arnold, F.H. 2001. Libraries of hybrid proteins from distantly related sequences. *Nature Biotechnology* **19**: 456-460.
- Solaiman, F., Zink, M.A., Xu, G., Grunkemeyer, J., Cosgrove, D., Saenz, J., and Hodgson, C.P. 2000. Modular retro-vectors for transgenic and therapeutic use. *Mol Reprod Dev* **56**: 309-315.
- Steipe, B., Schiller, B., Pluckthun, A., and Steinbacher, S. 1994. Sequence Statistics Reliably Predict Stabilizing Mutations In A Protein Domain. *Journal of Molecular Biology* **240**: 188-192.
- Stemmer, W.P.C. 1994. Rapid evolution of a protein *in vitro* by DNA shuffling. *Nature* **370**: 389-391.
- Swarent, P., Maveyraud, L., Raquet, X., Cabantous, S., Duez, C., Pedalacq, J.-D., Mariotte-Boyer, S., Mourey, L., Labia, R., Nicolas-Chanoine, M.-H., et al. 1998. X-ray analysis of the NMC-A b-lactamase at 1.64 Å Resolution, a Class A Carbapenemase with Broad Substrate Specificity. *Journal of Biological Chemistry* **273**: 26714-26721.
- Taverna, D.M., and Goldstein, R.A. 2002. Why Are Proteins So Robust to Site Mutations? *Journal of Molecular Biology* **315**: 479-484.
- Teo, J.W.P., Suwanto, A., and Poh, C.L. 2000. Novel beta-lactamase from two environmental isolates of *Vibrio harveyi*. *Antimicrobial Agents and Chemotherapy* **44**: 1309-1314.

- Therrien, C., Sanschagrín, F., Palzkill, T., and Levesque, R.C. 1998. Roles of Amino Acids 161 to 179 in the PSE-4 omega loop in Substrate specificity and in resistance to ceftazidime. *Antimicrobial Agents and Chemotherapy* **42**: 2576-2583.
- Thompson, J.D., Plewniak, F., and Poch, O. 1999. A comprehensive comparison of multiple sequence alignment programs. *Nucleic Acids Research* **27**: 2682-2690.
- Tranier, S., Bouthors, A.T., Maveyraud, L., Guillet, V., Sougakoff, W., and Samama, J.P. 2000. The High Resolution Crystal Structure for Class A beta-lactamase Per-1 Reveals the Bases for its Increase in Breadth of Activity. *Journal of Biological Chemistry* **275**: 28075-28082.
- Voigt, C.A., Kauffman, S., and Wang, Z.G. 2001a. Rational evolutionary design: The theory of *in vitro* protein evolution. In *Advances in Protein Chemistry, vol 55*, pp. 79-160.
- Voigt, C.A., Martinez, C., Wang, Z.-G., Mayo, S.L., and Arnold, F.H. 2002. Protein Building blocks preserved by recombination. *Nature Structural Biology* **9**: 553-558.
- Voigt, C.A., Mayo, S.L., Arnold, F.H., and Wang, Z.-G. 2001b. Computational method to reduce the search space for directed protein evolution. *Proceedings of the National Academy of Sciences, USA* **98**: 3778-3783.
- Waldo, G.S., Standish, B.M., Berendzen, J., and Terwilliger, T.C. 1999. Rapid protein-folding assay using green fluorescent protein. *Nature Biotechnology* **17**: 691-695.
- Wang, Q., Buckle, A.M., Foster, N.W., Johnson, C.M., and Fersht, A.R. 1999. Design of highly stable functional GroEL minichaperones. *Protein Science* **8**: 2186-2193.
- Wang, X., Misasov, G., and Shoichet, B. 2002. Evolution of an antibiotic resistance enzyme constrained by stability and activity trade-offs. *Journal of Molecular Biology* **320**: 85-95.
- Xia, Y., and Levitt, M. 2002. Roles of mutation and recombination in the evolution of protein thermodynamics. *Proceedings of the National Academy of Sciences, USA* **99**: 10382-10387.
- Xia, Y., and Levitt, M. 2004. Funnel-Like Organization in Sequence Space Determines the Distributions of Protein Stability and Folding Rate Preferred by Evolution. *Proteins: Structure, Function and Bioinformatics* **55**: 107-114.
- Zaccolo, M., and Gherardi, E. 1999. The effect of high-frequency random mutagenesis on *in vitro* protein evolution: A study on TEM-1 beta-lactamase. *Journal of Molecular Biology* **285**: 775-783.