

References

1. Fredriksson, R., and Schiöth, H. B. (2005) "The repertoire of G-protein-coupled receptors in fully sequenced genomes." *Molecular Pharmacology* 67, 1414–1425.
2. Foord, S. M., Bonner, T. I., Neubig, R. R., Rosser, E. M., Pin, J. P., Davenport, A. P., Spedding, M., and Harmar, A. J. (2005) "International Union of Pharmacology. XLVI. G protein-coupled receptor list." *Pharmacological Reviews* 57, 279–288.
3. Schöneberg, T., Schulz, A., Biebermann, H., Hermsdorf, T., Römpler, H., and Sangkuhl, K. (2004) "Mutant G-protein-coupled receptors as a cause of human diseases." *Pharmacology and Therapeutics* 104, 173–206.
4. Josefsson, L. G. (1999) "Evidence for kinship between diverse G-protein coupled receptors." *Gene* 239, 333–340.
5. Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K., and Watson, J. *Molecular Biology of the Cell*, 3rd ed.; Garland Publishing: New York, 1994.
6. Gutkind, J. S. (1998) "The Pathways Connecting G Protein-coupled Recep-

- tors to the Nucleus through Divergent Mitogen-activated Protein Kinase Cascades." *Journal of Biological Chemistry* 273, 1839–1842.
7. Altenbach, C., Kusnetzow, A. K., Ernst, O. P., Hofmann, K. P., and Hubbell, W. L. (2008) "High-resolution distance mapping in rhodopsin reveals the pattern of helix movement due to activation." *Proceedings of the National Academy of Sciences of the United States of America* 105, 7439–7444.
 8. Sutherland, E. W., and Rall, T. W. (1958) "Fractionisation and characterisation of a cyclic adenine ribonucleotide formed by tissue peptides." *Journal of Biological Chemistry* 232, 1077–1091.
 9. Urban, J. D., Clarke, W. P., von Zastrow, M., Nichols, D. E., Kobilka, B., Weinstein, H., Javitch, J. A., Roth, B. L., Christopoulos, A., Sexton, P. M., Miller, K. J., Spedding, M., and Mailman, R. B. (2007) "Functional Selectivity and Classical Concepts of Quantitative Pharmacology." *Journal of Pharmacology and Experimental Therapeutics* 320, 1–13.
 10. Mailman, R. B. (2007) "GPCR functional selectivity has therapeutic impact." *Trends in Pharmacological Sciences* 28, 390–396.
 11. Siehler, S. (2008) "Cell-based assays in GPCR drug discovery." *Biotechnology Journal* 3, 471–483.
 12. Evers, A., and Klabunde, T. (2005) "Structure-based Drug Discovery Using GPCR Homology Modeling: Successful Virtual Screening for Antagonists of the α 1A Adrenergic Receptor." *Journal of Medicinal Chemistry* 48, 1088–1097.

13. Becker, O. M., Marantz, Y., Shacham, S., Inbal, B., Heifetz, A., Kalid, O., Bar-Haim, S., Warshaviak, D., Fichman, M., and Noiman, S. (2004) "G protein-coupled receptors: In silico drug discovery in 3D." *Proceedings of the National Academy of Sciences of the United States of America* 101, 11304–11309.
14. Hopkins, A. L., and Groom, C. R. (2002) "The druggable genome." *Nature Reviews: Drug Discovery* 1, 727–730.
15. Klabunde, T., and Hessler, G. (2002) "Drug Design Strategies for Targeting G-Protein-Coupled Receptors." *ChemBioChem* 3, 928–944.
16. Overington, J. P., Al-Lazikani, B., and Hopkins, A. L. (2006) "How many drug targets are there?." *Nature Reviews: Drug Discovery* 5, 993–996.
17. Unger, V. M., Hargrave, P. A., Baldwin, J. M., and Schertler, G. F. X. (1997) "Arrangement of rhodopsin transmembrane α -helices." *Nature* 389, 203–205.
18. Strader, C. D., Fong, T. M., Graziano, M. P., and Tota, M. R. (1995) "The family of G-protein-coupled receptors." *FASEB Journal* 9, 745–754.
19. Kobilka, B. (1992) "Adrenergic Receptors as Models for G Protein-Coupled Receptors." *Annual Review of Neuroscience* 15, 87–114.
20. Sealfon, S. C., Chi, L., Ebersole, B. J., Rodic, V., Zhang, D., Ballesteros, J. A., and Weinstein, H. (1995) "Related Contribution of Specific Helix 2 and 7 Residues to Conformational Activation of the Serotonin 5-HT Receptor." *Journal of Biological Chemistry* 270, 16683–16688.

21. Ceresa, B. P., and Limbird, L. E. (1994) "Mutation of an aspartate residue highly conserved among G-protein-coupled receptors results in nonreciprocal disruption of α_2 -adrenergic receptor-G-protein interactions. A negative charge at amino acid residue 79 forecasts α_2A -adrenergic receptor sensitivity to allosteric modulation by monovalent cations and fully effective receptor/G-protein coupling." *Journal of Biological Chemistry* 269, 29557–29564.
22. Piasek, M. T., and Perez, D. M. (2001) " α_1 -Adrenergic Receptors: New Insights and Directions." *Journal of Pharmacology and Experimental Therapeutics* 298, 403–410.
23. Shi, L., Liapakis, G., Xu, R., Guarnieri, F., Ballesteros, J. A., and Javitch, J. A. (2002) " β_2 Adrenergic Receptor Activation: Modulation of the Proline Kink in Transmembrane 6 by a Rotamer Toggle Switch." *Journal of Biological Chemistry* 277, 40989–40996.
24. Vilardaga, J.-P. (2006) "Switching modes for G protein-coupled receptor activation." *Nature Chemical Biology* 2, 395–396.
25. Yao, X., Parnot, C., Deupi, X., Ratnala, V. R. P., Swaminath, G., Farrens, D., and Kobilka, B. (2006) "Coupling ligand structure to specific conformational switches in the α_2 -adrenoceptor." *Nature Chemical Biology* 2, 417–422.
26. Scheer, A., Fanelli, F., Costa, T., De Benedetti, P. G., and Cotecchia, S. (1996) "Constitutively active mutants of the α_1B -adrenergic receptor: role of highly

- conserved polar amino acids in receptor activation." *The EMBO Journal* 15, 3566.
27. Ballesteros, J. A., Weinstein, H., and Stuart, C. S. "Integrated methods for the construction of three-dimensional models and computational probing of structure-function relations in G protein-coupled receptors." In *Methods in Neurosciences*; Academic Press, 1995; Vol. 25, pp 366–428.
 28. Paleczewski, K., Kumasaka, T., Hori, T., Behnke, C. A., Motoshima, H., Fox, B. A., Le Trong, I., Teller, D. C., Okada, T., Stenkamp, R. E., Yamamoto, M., and Miyano, M. (2000) "Crystal Structure of Rhodopsin: a G Protein-Coupled Receptor." *Science* 289, 739–45.
 29. Li, J., Edwards, P. C., Burghammer, M., Villa, C., and Schertler, G. F. X. (2004) "Structure of Bovine Rhodopsin in a Trigonal Crystal Form." *Journal of Molecular Biology* 343, 1409–1438.
 30. Okada, T., Fujiyoshi, Y., Silow, M., Navarro, J., Landau, E. M., and Shichida, Y. (2002) "Functional role of internal water molecules in rhodopsin revealed by x-ray crystallography." *Proceedings of the National Academy of Sciences of the United States of America* 99, 5982–5987.
 31. Okada, T., Sugihara, M., Bondar, A.-N., Elstner, M., Entel, P., and Buss, V. (2004) "The Retinal Conformation and its Environment in Rhodopsin in Light of a New 2.2Å Crystal Structure." *Journal of Molecular Biology* 342, 571–583.

32. Salom, D., Lodowski, D. T., Stenkamp, R. E., Trong, I. L., Golczak, M., Jastrzebska, B., Harris, T., Ballesteros, J. A., and Palczewski, K. (2006) "Crystal structure of a photoactivated deprotonated intermediate of rhodopsin." *Proceedings of the National Academy of Sciences of the United States of America* 103, 16123–16128.
33. Standfuss, J., Xie, G., Edwards, P. C., Burghammer, M., Oprian, D. D., and Schertler, G. F. X. (2007) "Crystal Structure of a Thermally Stable Rhodopsin Mutant." *Journal of Molecular Biology* 372, 1179–1188.
34. Nakamichi, H., Buss, V., and Okada, T. (2007) "Photoisomerization Mechanism of Rhodopsin and 9-cis-Rhodopsin Revealed by X-ray Crystallography." *Biophysical Journal* 92, L106–L108.
35. Park, J. H., Scheerer, P., Hofmann, K. P., Choe, H.-W., and Ernst, O. P. (2008) "Crystal structure of the ligand-free G-protein-coupled receptor opsin." *Nature* 454, 183–187.
36. Scheerer, P., Park, J. H., Hildebrand, P. W., Kim, Y. J., Krausz, N., Choe, H.-W., Hofmann, K. P., and Ernst, O. P. (2008) "Crystal structure of opsin in its G-protein-interacting conformation." *Nature* 455, 497–502.
37. Cherezov, V., Rosenbaum, D. M., Hanson, M. A., Rasmussen, S. G. F., Thian, F. S., Kobilka, T. S., Choi, H.-J., Kuhn, P., Weis, W. I., Kobilka, B. K., and Stevens, R. C. (2007) "High-Resolution Crystal Structure of an Engineered Human β 2-Adrenergic G Protein Coupled Receptor." *Science* 318, 1258–1265.

38. Rosenbaum, D. M., Cherezov, V., Hanson, M. A., Rasmussen, S. G. F., Thian, F. S., Kobilka, T. S., Choi, H.-J., Yao, X.-J., Weis, W. I., Stevens, R. C., and Kobilka, B. K. (2007) "GPCR Engineering Yields High-Resolution Structural Insights into β 2-Adrenergic Receptor Function." *Science* 318, 1266–1273.
39. Rasmussen, S. G. F., Choi, H.-J., Rosenbaum, D. M., Kobilka, T. S., Thian, F. S., Edwards, P. C., Burghammer, M., Ratnala, V. R. P., Sanishvili, R., Fischetti, R. F., Schertler, G. F. X., Weis, W. I., and Kobilka, B. K. (2007) "Crystal structure of the human β 2 adrenergic G-protein-coupled receptor." *Nature* 450, 383–387.
40. Hanson, M. A., Cherezov, V., Griffith, M. T., Roth, C. B., Jaakola, V.-P., Chien, E. Y. T., Velasquez, J., Kuhn, P., and Stevens, R. C. (2008) "A Specific Cholesterol Binding Site Is Established by the 2.8 Å Structure of the Human β 2-Adrenergic Receptor." *Structure* 16, 897–905.
41. Warne, T., Serrano-Vega, M. J., Baker, J. G., Moukhametzianov, R., Edwards, P. C., Henderson, R., Leslie, A. G. W., Tate, C. G., and Schertler, G. F. X. (2008) "Structure of a β 1-adrenergic G-protein-coupled receptor." *Nature* 454, 486–491.
42. Jaakola, V.-P., Griffith, M. T., Hanson, M. A., Cherezov, V., Chien, E. Y. T., Lane, J. R., Ijzerman, A. P., and Stevens, R. C. (2008) "The 2.6 Å Crystal Structure of a Human A_{2A} Adenosine Receptor Bound to an Antagonist." *Science* 322, 1211–1217.

43. Martin, A., Damian, M., Laguerre, M., Parello, J., Pucci, B., Serre, L., Mary, S., Marie, J., and Baneres, J. L. (2009) "Engineering a G protein-coupled receptor for structural studies: Stabilization of the BLT1 receptor ground state." *Protein Science* 18, 727–734.
44. Leurs, R., Smit, M. J., Alewijne, A. E., and Timmerman, H. (1998) "Agonist-independent regulation of constitutively active G-protein-coupled receptors." *Trends in Biochemical Sciences* 23, 418 – 422.
45. Samama, P., Cotecchia, S., Costa, T., and Lefkowitz, R. J. (1993) "A mutation-induced activated state of the β 2-adrenergic receptor. Extending the ternary complex model." *Journal of Biological Chemistry* 268, 4625–4636.
46. Lefkowitz, R. J., Cotecchia, S., Samama, P., and Costa, T. (1993) "Constitutive activity of receptors coupled to guanine nucleotide regulatory proteins." *Trends in Pharmacological Sciences* 14, 303–307.
47. Costa, T., and Herz, A. (1989) "Antagonists with negative intrinsic activity at delta opioid receptors coupled to GTP-binding proteins." *Proceedings of the National Academy of Sciences of the United States of America* 86, 7321–7325.
48. Wade, S. M., Lan, K.-L., Moore, D. J., and Neubig, R. R. (2001) "Inverse Agonist Activity at the α 2A-Adrenergic Receptor." *Molecular Pharmacology* 59, 532–542.
49. Vogel, R., Mahalingam, M., Lüdeke, S., Huber, T., Siebert, F., and Sakmar, T. P. (2008) "Functional Role of the "Ionic Lock."—An Interhelical Hydrogen-Bond

- Network in Family A Heptahelical Receptors." *Journal of Molecular Biology* 380, 648–655.
50. Ballesteros, J. A., Jensen, A. D., Liapakis, G., Rasmussen, S. G. F., Shi, L., Gether, U., and Javitch, J. A. (2001) "Activation of the β 2-Adrenergic Receptor Involves Disruption of an Ionic Lock between the Cytoplasmic Ends of Transmembrane Segments 3 and 6." *Journal of Biological Chemistry* 276, 29171–29177.
 51. Lopez-Sendo, J. et al. (2004) "Expert consensus document on beta-adrenergic receptor blockers: The Task Force on β -Blockers of the European Society of Cardiology." *European Heart Journal* 25, 1341–1362.
 52. Prichard, B. N. C., and Gillam, P. M. C. (1964) "Use of propranolol (Inderal) in treatment of hypertension." *British Medical Journal* 2, 725.
 53. Freddolino, P. L., Kalani, M. Y. S., Vaidehi, N., Floriano, W. B., Hall, S. E., Trabano, R. J., Kam, V. W. T., and Goddard, W. A. (2004) "Predicted 3D structure for the human β 2 adrenergic receptor and its binding site for agonists and antagonists." *Proceedings of the National Academy of Sciences of the United States of America* 101, 2736–2741.
 54. Ruffolo, R. R., Bondinell, W., and Hieble, J. P. (1995) " α - and β -Adrenoceptors: From the Gene to the Clinic. 2. Structure-Activity Relationships and Therapeutic Applications." *Journal of Medicinal Chemistry* 38, 3681–3716.
 55. Liapakis, G., Ballesteros, J. A., Papachristou, S., Chan, W. C., Chen, X., and

- Javitch, J. A. (2000) "The Forgotten Serine." *Journal of Biological Chemistry* 275, 37779–37788.
56. Strader, C. D., Candelore, M. R., Hill, W. S., Sigal, I. S., and Dixon, R. A. (1989) "Identification of two serine residues involved in agonist activation of the β -adrenergic receptor." *Journal of Biological Chemistry* 264, 13572–13578.
57. Gether, U., and Kobilka, B. K. (1998) "G Protein-coupled Receptors. II. Mechanism of Agonist Activation." *Journal of Biological Chemistry* 273, 17979–17982.
58. Hieble, J. P., Bylund, D. B., Clarke, D. E., Eikenburg, D. C., Langer, S. Z., Lefkowitz, R. J., Minneman, K. P., and Ruffolo, J., R. R. (1995) "International Union of Pharmacology. X. Recommendation for nomenclature of α 1-adrenoceptors: consensus update." *Pharmacological Reviews* 47, 267–270.
59. Minneman, K. P. (1988) " α 1-adrenergic receptor subtypes, inositol phosphates, and sources of cell Ca^{2+} ." *Pharmacological Reviews* 40, 87–119.
60. Kable, J. W., Murrin, L. C., and Bylund, D. B. (2000) "In Vivo Gene Modification Elucidates Subtype-Specific Functions of α 2-Adrenergic Receptors." *Journal of Pharmacology and Experimental Therapeutics* 293, 1–7.
61. Philipp, M., Brede, M., and Hein, L. (2002) "Physiological significance of α 2-adrenergic receptor subtype diversity: one receptor is not enough." *The American Journal of Physiology - Regulatory, Integrative and Comparative Physiology* 283, R287–295.

62. MacMillan, L. B., Hein, L., Smith, M. S., Piascik, M. T., and Limbird, L. E. (1996) "Central Hypotensive Effects of the α 2a-Adrenergic Receptor Subtype." *Science* 273, 801–803.
63. Franowicz, J. S., Kessler, L. E., Borja, C. M. D., Kobilka, B. K., Limbird, L. E., and Arnsten, A. F. T. (2002) "Mutation of the α 2A-adrenoceptor impairs working memory performance and annuls cognitive enhancement by guanfacine." *Journal of Neuroscience* 22, 8771.
64. Southwick, S. M., Morganlii, C. A., Charney, D. S., and High, J. R. (1999) "Yohimbine use in a natural setting: effects on post traumatic stress disorder." *Biological Psychiatry* 46, 442–444.
65. Chung, S. Y., and Subbiah, S. (1996) "A structural explanation for the twilight zone of protein sequence homology." *Structure* 4, 1123–1127.
66. Bissantz, C., Bernard, P., Hibert, M., and Rognan, D. (2003) "Protein-based virtual screening of chemical databases. II. Are homology models of g-protein coupled receptors suitable targets?." *Proteins: Structure, Function, and Genetics* 50, 5–25.
67. Patny, A., Desai, P. V., and Avery, M. A. (2006) "Homology Modeling of G-Protein-Coupled Receptors and Implications in Drug Design." *Current Medicinal Chemistry* 13, 1667–1691.
68. Shacham, S., Marantz, Y., Bar-Haim, S., Kalid, O., Warshaviak, D., Avisar, N., Inbal, B., Heifetz, A., Fichman, M., and Topf, M. (2004) "PREDICT modeling

- and in-silico screening for G-protein coupled receptors." *Proteins: Structure, Function, and Bioinformatics* 57, 51–86.
69. Fanelli, F., Menziani, C., Scheer, A., Cotecchia, S., and De Benedetti, P. G. (1998) "Ab Initio Modeling and Molecular Dynamics Simulation of the $\alpha 1b$ -Adrenergic Receptor Activation." *Methods* 14, 302–317.
70. Vaidehi, N., Floriano, W. B., Trabanino, R., Hall, S. E., Freddolino, P., Choi, E. J., Zamanakos, G., and Goddard, W. A. (2002) "Prediction of structure and function of G protein-coupled receptors." *Proceedings of the National Academy of Sciences of the United States of America* 99, 12622–12627.
71. Abrol, R., Goddard, W. A., Griffith, A. R., and Kam, V. W. T. "Methods for Predicting Three-dimensional Structures for α Helical Membrane Proteins and their Use in Design of Selective Ligands." Patent 20090037118, 2009.
72. Niv, M. Y., Skrabanek, L., Filizola, M., and Weinstein, H. (2006) "Modeling activated states of GPCRs: the rhodopsin template." *Journal of Computer-Aided Molecular Design* 20, 437–448.
73. Gouldson, P. R., Kidley, N. J., Bywater, R. P., Psaroudakis, G., Brooks, H. D., Diaz, C., Shire, D., and Reynolds, C. A. (2004) "Toward the active conformations of rhodopsin and the $\beta 2$ -adrenergic receptor." *Proteins: Structure, Function, and Bioinformatics* 56, 67–84.
74. Saam, J., Tajkhorshid, E., Hayashi, S., and Schulten, K. (2002) "Molecular

- Dynamics Investigation of Primary Photoinduced Events in the Activation of Rhodopsin." *Biophysical Journal* 83, 3097–3112.
75. Crozier, P. S., Stevens, M. J., and Woolf, T. B. (2007) "How a small change in retinal leads to G-protein activation: initial events suggested by molecular dynamics calculations." *Proteins: Structure, Function, and Bioinformatics* 66, 559–574.
76. Isin, B., Schulten, K., Tajkhorshid, E., and Bahar, I. (2008) "Mechanism of signal propagation upon retinal isomerization: insights from molecular dynamics simulations of rhodopsin restrained by normal modes." *Biophysical Journal* 95, 789–803.
77. Huber, T., Menon, S., and Sakmar, T. P. (2008) "Structural Basis for Ligand Binding and Specificity in Adrenergic Receptors: Implications for GPCR-Targeted Drug Discovery." *Biochemistry* 47, 11013–11023.
78. Trabanino, R. J., Hall, S. E., Vaidehi, N., Floriano, W. B., Kam, V. W. T., and Goddard, W. A. (2004) "First Principles Predictions of the Structure and Function of G-Protein-Coupled Receptors: Validation for Bovine Rhodopsin." *Biophysical Journal* 86, 1904–1921.
79. Goddard, W. A., and Abrol, R. (2007) "3-Dimensional Structures of G Protein-Coupled Receptors and Binding Sites of Agonists and Antagonists." *Journal of Nutrition* 137, 1528S–1538.

80. Floriano, W. B., Vaidehi, N., and Goddard, W. (2004) "Making Sense of Olfaction through Predictions of the 3-D Structure and Function of Olfactory Receptors." *Chemical Senses* 29, 269–290.
81. Hall, S. E., Floriano, W. B., Vaidehi, N., and Goddard, W. A. (2004) "Predicted 3-D Structures for Mouse I7 and Rat I7 Olfactory Receptors and Comparison of Predicted Odor Recognition Profiles with Experiment." *Chemical Senses* 29, 595–616.
82. Kalani, M. Y. S., Vaidehi, N., Hall, S. E., Trabanino, R. J., Freddolino, P. L., Kalani, M. A., Floriano, W. B., Kam, V. W. T., and Goddard, W. A. (2004) "The predicted 3D structure of the human D2 dopamine receptor and the binding site and binding affinities for agonists and antagonists." *Proceedings of the National Academy of Sciences of the United States of America* 101, 3815–3820.
83. Vaidehi, N., Schlyer, S., Trabanino, R. J., Floriano, W. B., Abrol, R., Sharma, S., Kochanny, M., Koovakat, S., Dunning, L., Liang, M., Fox, J. M., de Mendonca, F. L., Pease, J. E., Goddard, I., William A., and Horuk, R. (2006) "Predictions of CCR1 Chemokine Receptor Structure and BX 471 Antagonist Binding Followed by Experimental Validation." *Journal of Biological Chemistry* 281, 27613–27620.
84. Li, Y., Zhu, F., Vaidehi, N., Goddard, W., Sheinerman, F., Reiling, S., Morize, I., Mu, L., Harris, K., Ardati, A. et al. (2007) "Prediction of the 3D Structure and

dynamics of Human DP G-Protein Coupled Receptor bound to an agonist and an antagonist." *Journal of the American Chemical Society* 129, 10720.

85. Heo, J., Han, S.-K., Wendel, N. V. J., Kekenus-Huskey, P., and William A. Goddard, I. (2007) "Prediction of the 3D Structure of FMRF-amide Neuropeptides Bound to the Mouse MrgC11 GPCR and Experimental Validation." *ChemBioChem* 8, 1527–1539.
86. Heo, J., Vaidehi, N., Wendel, J., and Goddard, W. A. (2007) "Prediction of the 3-D structure of rat MrgA G protein-coupled receptor and identification of its binding site." *Journal of Molecular Graphics and Modelling* 26, 800–812.
87. Heo, J., Ja, W. W., Benzer, S., and Goddard, W. A. (2008) "The Predicted Binding Site and Dynamics of Peptide Inhibitors to the Methuselah GPCR from *Drosophila melanogaster*." *Biochemistry* 47, 12740–12749.
88. Bray, J. K., and Goddard, W. A. (2008) "The structure of human serotonin 2c G-protein-coupled receptor bound to agonists and antagonists." *Journal of Molecular Graphics and Modelling* 27, 66–81.
89. White, S. H., and Wimley, W. C. (1998) "Hydrophobic interactions of peptides with membrane interfaces." *Biochimica et Biophysica Acta (BBA) - Reviews on Biomembranes* 1376, 339–352.
90. Tak Kam, V. W., and Goddard, W. A. (2008) "Flat-Bottom Strategy for Improved Accuracy in Protein Side-Chain Placements." *Journal of Chemical Theory and Computation* 4, 2160–2169.

91. Serrano-Vega, M. J., Magnani, F., Shibata, Y., and Tate, C. G. (2008) "Conformational thermostabilization of the β 1-adrenergic receptor in a detergent-resistant form." *Proceedings of the National Academy of Sciences of the United States of America* 105, 877–882.
92. Mayo, S. L., Olafson, B. D., and Goddard, W. A. (1990) "DREIDING: a generic force field for molecular simulations." *The Journal of Physical Chemistry* 94, 8897–8909.
93. Brooks, B. R., Brucoleri, R. E., Olafson, B. D., States, D. J., Swaminathan, S., and Karplus, M. (1983) "CHARMM: A program for macromolecular energy, minimization, and dynamics calculations." *Journal of Computational Chemistry* 4, 187–217.
94. Altschul, S. F., Madden, T. L., Schaffer, A. A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D. J. (1997) "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs.." *Nucleic Acids Research* 25, 3389–402.
95. Katoh, K., Misawa, K., Kuma, K.-i., and Miyata, T. (2002) "MAFFT: a novel method for rapid multiple sequence alignment based on fast Fourier transform." *Nucleic Acids Research* 30, 3059–3066.
96. Katoh, K., Kuma, K.-i., Toh, H., and Miyata, T. (2005) "MAFFT version 5: improvement in accuracy of multiple sequence alignment." *Nucleic Acids Research* 33, 511–518.

97. Katoh, K., and Toh, H. (2008) "Recent developments in the MAFFT multiple sequence alignment program." *Briefings in Bioinformatics* 9, 286–298.
98. Swaminath, G., Xiang, Y., Lee, T. W., Steenhuis, J., Parnot, C., and Kobilka, B. K. (2004) "Sequential Binding of Agonists to the β 2 Adrenoceptor: Kinetic Evidence for Intermediate Conformational States." *Journal of Biological Chemistry* 279, 686–691.
99. Schwartz, T. W., Frimurer, T. M., Holst, B., Rosenkilde, M. M., and Elling, C. E. (2006) "Molecular mechanism of 7TM receptor activation — a global toggle switch model." *Annual Review of Pharmacology and Toxicology* 46, 481–519.
100. Bhattacharya, S., Hall, S. E., and Vaidehi, N. (2008) "Agonist-induced conformational changes in bovine rhodopsin: insight into activation of G-protein-coupled receptors." *Journal of Molecular Biology* 382, 539–555.
101. Murakami, M., and Kouyama, T. (2008) "Crystal structure of squid rhodopsin." *Nature* 453, 363–367.
102. Reynolds, K. A., Katritch, V., and Abagyan, R. (2009) "Identifying conformational changes of the β 2 adrenoceptor that enable accurate prediction of ligand/receptor interactions and screening for GPCR modulators." *Journal of Computer-Aided Molecular Design* 23, 273–288.
103. Beck, M., Sakmar, T. P., and Siebert, F. (1998) "Spectroscopic Evidence for Interaction between Transmembrane Helices 3 and 5 in Rhodopsin." *Biochemistry* 37, 7630–7639.

104. Weitz, C. J., and Nathans, J. (1993) "Rhodopsin activation: effects of the metarhodopsin I-metarhodopsin II equilibrium of neutralization or introduction of charged amino acids within putative transmembrane segments." *Biochemistry* 32, 14176–14182.
105. Weitz, C. J., and Nathans, J. (1992) "Histidine residues regulate the transition of photoexcited rhodopsin to its active conformation, metarhodopsin II." *Neuron* 8, 465–472.
106. Chalmers, D. T., and Behan, D. P. (2002) "The use of constitutively active GPCRs in drug discovery and functional genomics." *Nature Reviews: Drug Discovery* 1, 599–608.
107. Balmforth, A. J., Lee, A. J., Warburton, P., Donnelly, D., and Ball, S. G. (1997) "The Conformational Change Responsible for AT1 Receptor Activation Is Dependent upon Two Juxtaposed Asparagine Residues on Transmembrane Helices III and VII." *Journal of Biological Chemistry* 272, 4245–4251.
108. Rasmussen, S., Jensen, A., Liapakis, G., Ghanouni, P., Javitch, J., and Gether, U. (1999) "Mutation of a highly conserved aspartic acid in the β_2 adrenergic receptor: constitutive activation, structural instability, and conformational rearrangement of transmembrane segment 6." *Molecular Pharmacology* 56, 175–184.
109. Alewijjnse, A. E., Timmerman, H., Jacobs, E. H., Smit, M. J., Roovers, E., Cotecchia, S., and Leurs, R. (2000) "The Effect of Mutations in the DRY Motif on the

- Constitutive Activity and Structural Instability of the Histamine H₂ Receptor." *Molecular Pharmacology* 57, 890–898.
110. Huang, P., Li, J., Chen, C., Visiers, I., Weinstein, H., and Liu-Chen, L. (2001) "Functional Role of a Conserved Motif in TM6 of the Rat μ Opioid Receptor: Constitutively Active and Inactive Receptors Result from Substitutions of Thr6.34 (279) with Lys and Asp." *Biochemistry* 40, 13501–13509.
111. Chen, S., Lin, F., Xu, M., and Graham, R. M. (2002) "Phe303 in TMVI of the α 1B-Adrenergic Receptor Is a Key Residue Coupling TM Helical Movements to G-protein Activation." *Biochemistry* 41, 588–596.
112. Han, M., Smith, S. O., and Sakmar, T. P. (1998) "Constitutive activation of opsin by mutation of methionine 257 on transmembrane helix 6." *Biochemistry* 37, 8253–8261.
113. Kjelsberg, M. A., Cotecchia, S., Ostrowski, J., Caron, M. G., and Lefkowitz, R. J. (1992) "Constitutive activation of the α 1b-adrenergic receptor by all amino acid substitutions at a single site. Evidence for a region which constrains receptor activation." *Journal of Biological Chemistry* 267, 1430–1433.
114. Farrens, D. L., Altenbach, C., Yang, K., Hubbell, W. L., and Khorana, H. G. (1996) "Requirement of Rigid-Body Motion of Transmembrane Helices for Light Activation of Rhodopsin." *Science* 274, 768–770.
115. Phillips, J. C., Braun, R., Wang, W., Gumbart, J., Tajkhorshid, E., Villa, E.,

- Chipot, C., Skeel, R. D., Kalé, L., and Schulten, K. (2005) "Scalable molecular dynamics with NAMD." *Journal of Computational Chemistry* 26, 1781–1802.
116. Timothy R. Forester, W. S. (1998) "SHAKE, rattle, and roll: Efficient constraint algorithms for linked rigid bodies." *Journal of Computational Chemistry* 19, 102–111.
117. Jacobson, M. P., Pincus, D. L., Rapp, C. S., Day, T. J. F., Honig, B., Shaw, D. E., and Friesner, R. A. (2004) "A hierarchical approach to all-atom protein loop prediction." *Proteins: Structure, Function, and Bioinformatics* 55, 351–367.
118. Zhu, K., Pincus, D. L., Zhao, S., and Friesner, R. A. (2006) "Long loop prediction using the protein local optimization program." *Proteins: Structure, Function, and Bioinformatics* 65, 438–452.
119. Raghava, G. P. S. (2002) "APSSP2: A combination method for protein secondary structure prediction based on neural network and example based learning." *CASP 5*, A-132.
120. Ewing, T. J. A., Makino, S., Skillman, A. G., and Kuntz, I. D. (2001) "DOCK 4.0: search strategies for automated molecular docking of flexible molecule databases." *Journal of Computer-Aided Molecular Design* 15, 411–428.
121. Nakanishi, J., Takarada, T., Yunoki, S., Kikuchi, Y., and Maeda, M. (2006) "FRET-based monitoring of conformational change of the α_2 adrenergic receptor in living cells." *Biochemical and Biophysical Research Communications* 343, 1191–1196.

122. Cavasotto, C. N., Orry, A. J. W., Murgolo, N. J., Czarniecki, M. F., Kocsi, S. A., Hawes, B. E., O'Neill, K. A., Hine, H., Burton, M. S., Voigt, J. H., Abagyan, R. A., Bayne, M. L., and Monsma, F. J. (2008) "Discovery of Novel Chemotypes to a G-Protein-Coupled Receptor through Ligand-Steered Homology Modeling and Structure-Based Virtual Screening." *Journal of Medicinal Chemistry* 51, 581–588.
123. Mobarec, J. C., Sanchez, R., and Filizola, M. (2009) "On Template Selection for Homology Modeling of G-Protein Coupled Receptors." *Biophysical Journal* 96, 653a.
124. Pollastri, G., Vullo, A., Frasconi, P., and Baldi, P. (2006) "Modular DAG-RNN architectures for assembling coarse protein structures." *Journal of Computational Biology* 13, 631–650.
125. Jones, D. T. (1999) "Protein secondary structure prediction based on position-specific scoring matrices." *Journal of Molecular Biology* 292, 195–202.
126. Mohamadi, F., Richards, N. G. J., Guida, W. C., Liskamp, R., Lipton, M., Cauffield, C., Chang, G., Hendrickson, T., and Still, W. C. (1990) "MacroModel-an integrated software system for modeling organic and bioorganic molecules using molecular mechanics." *Journal of Computational Chemistry* 11, 440.
127. *Jaguar*, version 7.5, Schrödinger, LLC, New York, NY, 2008..
128. Pallavicini, M., Fumagalli, L., Gobbi, M., Bolchi, C., Colleoni, S., Moroni, B., Pedretti, A., Rusconi, C., Vistoli, G., and Valoti, E. (2006) "QSAR study for

- a novel series of ortho disubstituted phenoxy analogues of α 1-adrenoceptor antagonist WB4101." *European Journal of Medicinal Chemistry* 41, 1025–1040.
129. Waugh, D. J. J., Gaivin, R. J., Zuscik, M. J., Gonzalez-Cabrera, P., Ross, S. A., Yun, J., and Perez, D. M. (2001) "Phe-308 and Phe-312 in Transmembrane Domain 7 Are Major Sites of α 1-Adrenergic Receptor Antagonist Binding; Imidazoline Agonists Bind Like Antagonists." *Journal of Biological Chemistry* 276, 25366–25371.
130. Starke, K., Borowski, E., and Endo, T. (1975) "Preferential blockade of presynaptic alpha-adrenoceptors by yohimbine." *European Journal of Pharmacology* 34, 385.
131. Wang, C. D., Buck, M. A., and Fraser, C. M. (1991) "Site-directed mutagenesis of α 2A-adrenergic receptors: identification of amino acids involved in ligand binding and receptor activation by agonists." *Molecular Pharmacology* 40, 168–179.
132. Suryanarayana, S., Daunt, D. A., Von Zastrow, M., and Kobilka, B. K. (1991) "A point mutation in the seventh hydrophobic domain of the α 2 adrenergic receptor increases its affinity for a family of beta receptor antagonists." *Journal of Biological Chemistry* 266, 15488–15492.
133. Sugimoto, Y., Fujisawa, R., Tanimura, R., Lattion, A. L., Cotecchia, S., Tsujimoto, G., Nagao, T., and Kurose, H. (2002) " β 1-Selective Agonist (-)-1-(3, 4-Dimethoxyphenethylamino)-3-(3, 4-dihydroxy)-2-propanol [(-)-RO363] Differ-

entially Interacts with Key Amino Acids Responsible for β 1-Selective Binding in Resting and Active States." *Journal of Pharmacology and Experimental Therapeutics* 301, 51–58.