

## References

1. 2003 *Denaturing (SDS) discontinuous PAGE: Laemmli method*, in *Short Protocols in Protein Science*, J.E. Coligan, B.M. Dunn, D.W. Speicher, and P.T. Wingfield, Editors. John Wiley & Sons, Inc.: New York. p. 10-4 -10-7.
2. Altschul, S.F., W. Gish, W. Miller, E.W. Myers, and D.J. Lipman. (1990) Basic local alignment search tool. *J. Mol. Biol.*, **215**(3): p. 403-410.
3. Anbar, A.D. and A.H. Knoll. (2002) Proterozoic ocean chemistry and evolution: a bioinorganic bridge? *Science*, **297**: p. 1137-1142.
4. Anbar, A.D., J.E. Roe, J. Barling, and K.H. Nealson. (2000) Nonbiological fractionation of iron isotopes. *Science*, **288**: p. 126-128.
5. Anthony, C. (2004) The quinoprotein dehydrogenases for methanol and glucose. *Arch. Biochem. Biophys.*, **428**: p. 2-9.
6. Appia-Ayme, C., A. Bengrine, C. Cavazza, M. Bruschi, M. Chippaux, and V. Bonnefoy. (1998) The *cyc1* and *cyc2* genes encoding the cytochrome *c4* (*c552*) and a high molecular weight cytochrome *c* from *Thiobacillus ferrooxidans* are co-transcribed. *FEMS Microbiol. Lett.*, **167**: p. 171-177.
7. Appia-Ayme, C., N. Guiliiani, J. Ratouchniak, and V. Bonnefoy. (1999) Characterization of an operon encoding two *c*-type cytochromes, an *aa(3)*-type cytochrome oxidase, and rusticyanin in *Thiobacillus ferrooxidans* ATCC 33020. *Appl. Environ. Microbiol.*, **65**(11): p. 4781-7.
8. Balci, N., T.D. Bullen, K.W. Lien, W.C. Shanks, M. Motelica, and K.W. Mandernack. (2005) Iron isotope fractionation during microbially stimulated Fe(II) oxidation and Fe(III) precipitation. *Geochim. Cosmochim. Acta*, submitted.
9. Battistuzzi, G., M. Borsari, J.A. Cowan, A. Ranieri, and M. Sola. (2002) Control of cytochrome *c* redox potential: axial ligation and protein environment effects. *J. Am. Chem. Soc.*, **124**(19): p. 5315-5324.
10. Beard, B.L., C.M. Johnson, L. Cox, H. Sun, K.H. Nealson, and C. Aguilar. (1999) Iron isotope biosignatures. *Science*, **285**(5435): p. 1889-92.
11. Beard, B.L., C.M. Johnson, J.L. Skulan, K.H. Nealson, J.D. Coates, and H. Sun. (2003) Application of Fe isotopes to tracing the geochemical and biological cycling of Fe. *Chem. Geol.*, **195**: p. 87-117.
12. Beard, B.L., C.M. Johnson, K.L. Von Damm, and R.L. Poulson. (2003) Iron isotope constraints on Fe cycling and mass balance in oxygenated Earth oceans. *Geology*, **31**(7): p. 629-632.
13. Bengrine, A., N. Guiliiani, C. Appia-Ayme, E. Jedlicki, D.S. Holmes, M. Chippaux, and V. Bonnefoy. (1998) Sequence and expression of the rusticyanin structural gene from *Thiobacillus ferrooxidans* ATCC33020 strain. *Biochim. Biophys. Acta*, **1443**(1-2): p. 99-112.
14. Benz, M., A. Brune, and B. Schink. (1998) Anaerobic and aerobic oxidation of ferrous iron at neutral pH by chemoheterotrophic nitrate-reducing bacteria. *Arch. Microbiol.*, **169**(2): p. 159-65.

15. Berg, D.E., M.A. Schmandt, and J.B. Lowe. (1983) Specificity of transposon Tn5 insertion. *Genetics*, **1053**: p. 813-828.
16. Bersch, B., M.J. Blackledge, T.E. Meyer, and D. Marion. (1996) *Ectothiorhodospira halophila* ferrocytochrome  $c_{551}$ : solution structure and comparison with bacterial cytochromes *c*. *J. Mol. Biol.*, **264**(567-584).
17. Blake, R.C., 2nd and E.A. Shute. (1994) Respiratory enzymes of *Thiobacillus ferrooxidans*. Kinetic properties of an acid stable iron:rusticyanin oxidoreductase. *Biochemistry*, **33**: p. 9220-9228.
18. Blake, R.C., 2nd, E.A. Shute, M.M. Greenwood, G.H. Spencer, and W.J. Ingledew. (1993) Enzymes of aerobic respiration on iron. *FEMS Microbiol. Rev.*, **11**(1-3): p. 9-18.
19. Blake, R.C., 2nd, E.A. Shute, J. Waskovsky, and A.P.J. Harrison. (1992) Respiratory components in acidophilic bacteria that respire iron. *Geomicrobiol. J.*, **10**: p. 173-192.
20. Blankenship, R.E. and H. Hartman. (1998) The origin and evolution of oxygenic photosynthesis. *Trends Biochem. Sci.*, **23**(3): p. 94-7.
21. Boschker, H.T., S.C. Nold, P. Wellsbury, D. Bos, W. de Graaf, R. Pel, R.J. Parkes, and T.E. Cappenberg. (1998) Direct linking of microbial populations to specific biogeochemical processes by  $^{13}\text{C}$ -labeling of biomarkers. *Nature*, **392**: p. 801-805.
22. Brantley, S.L., L. Liermann, and T.D. Bullen. (2001) Fractionation of Fe isotopes by soil microbes and organic acids. *Geology*, **29**(6): p. 535-538.
23. Brasier, M.D., O.R. Green, A.P. Jephcoat, A.K. Kleppe, M.J. Van Kranendonk, J.F. Lindsay, A. Steele, and N.V. Grassineau. (2002) Questioning the evidence for Earth's oldest fossils. *Nature*, **416**(6876): p. 76-81.
24. Braterman, P.S., A.G. Carins-Smith, and R.W. Sloper. (1983) Photo-oxidation of hydrated  $\text{Fe}^{2+}$  - significance for banded iron formations. *Nature*, **303**: p. 163-164.
25. Brocks, J.J., G.A. Logan, R. Buick, and R.E. Summons. (1999) Archean molecular fossils and the early rise of eukaryotes. *Science*, **285**(5430): p. 1033-6.
26. Brouwers, G.J., E. Vijgenboom, P.L. Corstjens, J.P. De Vrind, and E.W. De Vrind-De Jong. (2000) Bacterial  $\text{Mn}^{2+}$  oxidizing systems and multicopper oxidases: an overview of mechanisms and functions. *Geomicrobiol. J.*, **17**(1-24).
27. Bullen, T.D., A.F. White, C.W. Childs, D.V. Vivit, and M.S. Schultz. (2001) Demonstration of significant iron isotope fractionation in nature. *Geology*, **29**(8): p. 699-702.
28. Burden, S., Y.X. Lin, and R. Zhang. (2005) Improving promoter prediction for the NNPP2.2 algorithm: a case study using *Escherichia coli* DNA sequences. *Bioinformatics*, **21**(5): p. 601-607.
29. Burke, D.H., M. Alberti, and J.E. Hearst. (1993) The *Rhodobacter capsulatus* chlorin reductase-encoding locus, *bchA*, consists of 3 genes, *bchX*, *bchY*, and *bchZ*. *J. Bacteriol.*, **175**(8): p. 2407-2413.

30. Burlage, R.S. 1998 *Molecular techniques*, in *Techniques in Microbial Ecology*, R.S. Burlage, R. Atlas, D. Stahl, G. Geesey, and G. Saylor, Editors. Oxford University Press, Inc.: New York. p. 328.
31. Canfield, D.E., K.S. Habicht, and B. Thamdrup. (2000) The Archean sulfur cycle and the early history of atmospheric oxygen. *Science*, **288**(5466): p. 658-61.
32. Carins-Smith, A.G. (1978) Precambrian solution photochemistry, inverse segregation, and banded iron formations. *Nature*, **276**(5690): p. 807-8.
33. Catling, D.C., K.J. Zahnle, and C. McKay. (2001) Biogenic methane, hydrogen escape, and the irreversible oxidation of early Earth. *Science*, **293**(5531): p. 839-43.
34. Chaudhuri, S.K., J.G. Lack, and J.D. Coates. (2001) Biogenic magnetite formation through anaerobic biooxidation of Fe(II). *Appl. Environ. Microbiol.*, **67**(6): p. 2844-8.
35. Chiang, S.L. and E.J. Rubin. (2002) Construction of a mariner-based transposon for epitope-tagging and genomic targeting. *Gene*, **296**(1-2): p. 179-85.
36. Clarke, L. and J. Carbon. (1976) A colony bank containing synthetic ColE1 hybrid plasmids representative of the entire *E. coli* genome. *Cell*, **9**(1): p. 91-99.
37. Cloud, P. (1973) Paleogeological significance of banded iron-formation. *Econ. Geol.*, **68**(7): p. 1135-1143.
38. Cobby, J.G. and B.A. Haddock. (1975) The respiratory chain of *Thiobacillus ferrooxidans*: the reduction of cytochromes by Fe<sup>2+</sup> and the preliminary characterization of rusticyanin a novel 'blue' copper protein. *FEBS Lett.*, **60**(1): p. 29-33.
39. Colmer, A.R., K.L. Temple, and M.E. Hinkle. (1949) An iron-oxidizing bacterium from the drainage of some bituminous coal mines. *J. Bacteriol.*, **59**: p. 317-328.
40. Cox, J.C. and D.H. Boxer. (1978) The purification and some properties of rusticyanin, a blue copper protein involved in Fe(II) oxidation from *Thiobacillus ferrooxidans*. *Biochem. J.*, **174**: p. 497-502.
41. Croal, L.R., C.J. Johnson, B.L. Bread, and D.K. Newman. (2004) Iron isotope fractionation by Fe(II)-oxidizing photoautotrophic bacteria. *Geochim. Cosmochim. Acta*, **68**(6): p. 1227-1242.
42. Dailey, H.A., T.A. Dailey, C.K. Wu, A.E. Medlock, K.F. Wang, J.P. Rose, and B.C. Wang. (2000) Ferrochelatase at the millennium: structures, mechanisms and 2Fe-2S clusters. *Cell. Mol. Life Sci.*, **57**(13-14): p. 1909-1926.
43. Darbre, P.D. (1999) *Basic Molecular Biology : Essential Techniques*. Chichester, New York: John Wiley & Sons, Inc.
44. Datsenko, K.A. and B.L. Wanner. (2000) One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proc. Natl. Acad. Sci. U S A*, **97**(12): p. 6640-6645.

45. Davis, J., T.J. Donohue, and S. Kaplan. (1988) Construction, characterization and complementation of a Puf<sup>-</sup> mutant of *Rhodobacter sphaeroides*. *J. Bacteriol.*, **170**(1): p. 320-329.
46. de Vrind-de Jong, E.W., P.L. Corstjens, E.S. Kempers, P. Westbroek, and J.P. de Vrind. (1990) Oxidation of manganese and iron by *Leptothrix discophora*: use of *N,N,N',N'*-tetramethyl-*p*-phenylenediamine as an indicator of metal oxidation. *Appl. Environ. Microbiol.*, **56**(11): p. 3458-3462.
47. Debussche, L., M. Couder, D. Thibaut, B. Cameron, J. Crouzet, and F. Blanche. (1992) Assay, purification, and characterization of cobaltochelatase, a unique complex enzyme catalyzing cobalt insertion in hydrogenobyrinic acid *a,c*-diamide during coenzyme B<sub>12</sub> biosynthesis in *Pseudomonas denitrificans*. *J. Bacteriol.*, **174**(22): p. 7445-7451.
48. Dehio, C. and M. Meyer. (1997) Maintenance of broad-host-range incompatibility group P and group Q plasmids and transposition of Tn5 in *Bartonella henselae* following conjugal plasmid transfer from *Escherichia coli*. *J. Bacteriol.*, **179**(2): p. 538-540.
49. Dutton, P.L., K.M. Petty, H.S. Bonner, and S.D. Morse. (1975) Cytochrome *c*<sub>2</sub> and reaction center of *Rhodospseudomonas sphaeroides* Ga. membranes: extinction coefficients, content, half-reduction potentials, kinetics and electric field alterations. *Biochim. Biophys. Acta*, **387**(3): p. 536-556.
50. Edwards, K.J., P.L. Bond, T.M. Gihring, and J.F. Banfield. (2000) An archaeal iron-oxidizing extreme acidophile important in acid mine drainage. *Science*, **287**(5459): p. 1796-9.
51. Edwards, K.J., D.R. Rogers, C.O. Wirsén, and T.M. McCollom. (2003) Isolation and characterization of novel psychrophilic, neutrophilic, Fe-oxidizing, chemolithoautotrophic alpha- and gamma-Proteobacteria from the deep sea. *Appl. Environ. Microbiol.*, **69**(5): p. 2906-13.
52. Ehrenreich, A. and F. Widdel. (1994) Anaerobic oxidation of ferrous iron by purple bacteria, a new type of phototrophic metabolism. *Appl. Environ. Microbiol.*, **60**(12): p. 4517-26.
53. Ehrlich, H.L. 2002 *Geomicrobiology of Iron*, in *Geomicrobiology*. Dekker: New York. p. 345-429.
54. Emerson, D. and C. Moyer. (1997) Isolation and characterization of novel iron-oxidizing bacteria that grow at circumneutral pH. *Appl. Environ. Microbiol.*, **63**(12): p. 4784-92.
55. Emerson, D. and C.L. Moyer. (2002) Neutrophilic Fe-oxidizing bacteria are abundant at the Loihi Seamount hydrothermal vents and play a major role in Fe oxide deposition. *Appl. Environ. Microbiol.*, **68**(6): p. 3085-93.
56. Emerson, D., J.V. Weiss, and J.P. Megonigal. (1999) Iron-oxidizing bacteria are associated with ferric hydroxide precipitates (Fe-plaque) on the roots of wetland plants. *Appl. Environ. Microbiol.*, **65**(6): p. 2758-61.
57. Ewers, W.E. 1983 *Chemical factors in the deposition and diagenesis of banded iron-formation*, in *Iron Formations: Facts and Problems*, A.F. Trendall and R.C. Morris, Editors. Elsevier: Amsterdam.

58. Farquhar, J. and B.A. Wing. (2003) Multiple sulfur isotopes and the evolution of the atmosphere. *Earth Planet. Sci. Lett.*, **213**: p. 1-13.
59. Fedo, C.M. and M.J. Whitehouse. (2002) Metasomatic origin of quartz-pyroxene rock, Akilia, Greenland, and implications for Earth's earliest life. *Science*, **296**(5572): p. 1448-1452.
60. Fernandez-Prini, R., J.L. Alvarez, and A.H. Harvey. (2003) Henry's constants and vapor-liquid distribution constants for gaseous solutes in H<sub>2</sub>O and D<sub>2</sub>O at high temperatures. *J. Phys. Chem. Ref. Data*, **32**(2): p. 903-916.
61. Francis, R.T. and R.R. Becker. (1984) Specific indication of hemoproteins in polyacrylamide gels using a double-staining process. *Anal. Biochem.*, **136**(2): p. 509-514.
62. Francois, L.M. (1986) Extensive deposition of banded iron formation was possible without photosynthesis. *Nature*, **320**: p. 352-354.
63. Fukumori, Y., T. Yano, A. Sato, and T. Yamanaka. (1988) Fe(II)-oxidizing enzyme purified from *Thiobacillus ferrooxidans*. *FEMS Microbiol. Lett.*, **50**: p. 169-172.
64. Griesbeck, C., G. Hauska, and M. Schutz. 2000 *Biological sulfide oxidation: sulfide quinone reductase (Sqr), the primary reaction*, in *Recent Research Developments in Microbiology*, S.G. Pandalai, Editor. Research Signpost: Trivadrur, India. p. 179-203.
65. Grotzinger, J.P. and J.F. Kasting. (1993) New constraints on Precambrian ocean composition. *J. Geol.*, **101**(2): p. 235-243.
66. Hall, J.F., S.S. Hasnain, and W.J. Ingledew. (1996) The structural gene for rusticyanin from *Thiobacillus ferrooxidans*: cloning and sequencing of the rusticyanin gene. *FEMS Microbiol. Lett.*, **137**(1): p. 85-9.
67. Hartman, H. 1984 *The evolution of photosynthesis and microbial mats: a speculation on banded iron formations*, in *Microbial Mats: Stromatolites*, Y. Cohen, R.W. Castenholz, and H.O. Halvorson, Editors. Alan. R. Liss: New York. p. 451-453.
68. Hauck, S., M. Benz, A. Brune, and B. Schink. (2001) Ferrous iron oxidation by denitrifying bacteria in profundal sediments of a deep lake (Lake Constance). *FEMS Microbiol. Ecol.*, **37**: p. 127-134.
69. Heising, S., L. Richter, W. Ludwig, and B. Schink. (1999) *Chlorobium ferrooxidans* sp. nov., a phototrophic green sulfur bacterium that oxidizes ferrous iron in coculture with a "Geospirillum" sp. strain. *Arch. Microbiol.*, **172**(2): p. 116-24.
70. Heising, S. and B. Schink. (1998) Phototrophic oxidation of ferrous iron by a *Rhodomicrobium vannielii* strain. *Microbiology*, **144**(Pt 8): p. 2263-9.
71. Hinrichs, W., C. Kisker, M. Düvel, A. Müller, K. Tovar, W. Hillen, and W. Saenger. (1994) Structure of the tet repressor-tetracycline complex and regulation of antibiotic resistance. *Science*, **264**: p. 418-420.
72. Holland, H.D. (1973) The oceans: A possible source of iron in iron-formations. *Econ. Geol.*, **68**: p. 1169-1172.
73. Holland, H.D. (1984) *The Chemical Evolution of the Atmosphere and Oceans*. Princeton, NJ: Princeton University Press. 109-122.

74. Holland, H.D. and J.F. Kasting. 1992 *The Environment of the Archean Earth*, in *The Proterozoic Biosphere: An Interdisciplinary Study*, J.W. Schopf and C. Klein, Editors. Cambridge University Press: Cambridge. p. 21-24.
75. Icopini, G.A., S.L. Brantley, S. Ruebush, M. Tien, and T.D. Bullen. (2002) Iron fractionation during microbial reduction of iron. *Eos Trans. AGU Fall Meeting Suppl.*, **83(47)** (Abstract B11A-0706).
76. Ingledew, W.J. and J.G. Copley. (1980) A potentiometric and kinetic study on the respiratory chain of ferrous-iron-grown *Thiobacillus ferrooxidans*. *Biochim. Biophys. Acta*, **590(2)**: p. 141-58.
77. Ingledew, W.J. and A. Houston. (1986) The organization of the respiratory chain of *Thiobacillus ferrooxidans*. *Biotech. Appl. Biochem.*, **8**: p. 242-248.
78. Iyer, L.M., D.D. Leipe, E.V. Koonin, and L. Aravind. (2004) Evolutionary history and higher order classification of AAA plus ATPases. *J. Struct. Biol.*, **146(1-2)**: p. 11-31.
79. Jagura-Burdzy, G., J.P. Ibbotson, and C.M. Thomas. (1991) The *korF* region of broad-host-range plasmid RK2 encodes two polypeptides with transcriptional repressor activity. *J. Bacteriol.*, **173(2)**: p. 826-833.
80. James, H.L. (1954) Sedimentary facies of iron-formation. *Econ. Geol.*, **49**: p. 235-293.
81. Jenney, F.E., Jr., R.C. Prince, and F. Daldal. (1996) The membrane-bound cytochrome *c<sub>v</sub>* of *Rhodobacter capsulatus* can serve as an electron donor to the photosynthetic reaction of *Rhodobacter sphaeroides*. *Biochim. Biophys. Acta*, **1273(2)**: p. 159-64.
82. Jiao, Y. unpublished results.
83. Jiao, Y., A. Kappler, L.R. Croal, and D.K. Newman. (2005) Isolation and characterization of a genetically tractable photoautotrophic Fe(II)-oxidizing bacterium *Rhodopseudomonas palustris* strain TIE-1. *Appl. Environ. Microbiol.*, in press.
84. Johnson, C.M., B.L. Beard, N.J. Beukes, C. Klein, and J.M. O'Leary. (2003) Ancient geochemical cycling in the Earth as inferred from Fe isotope studies of banded iron formations from the Transvaal Craton. *Contrib. Mineral. and Petrol.*, **144(523-547)**.
85. Johnson, C.M., B.L. Beard, S.A. Welch, and E.E. Roden. (2002) Iron isotope fractionation in the system Fe(III)-Fe(II)-hematite-magnetite-Fe carbonate, and implications for the origin of banded iron formations. *Geol. Soc. Ann. Meeting, Denver, CO*, (Abstract # 169-9).
86. Johnson, C.M., J.L. Skulan, B.L. Beard, H. Sun, K.H. Nealson, and P.S. Braterman. (2002) Isotopic fractionation between Fe(III) and Fe(II) in aqueous solutions. *Earth Planet. Sci. Lett.*, **195**: p. 141-153.
87. Johnson, H.A. (2005) Personal communication.
88. Joshi, B., L. Janda, Z. Stoytcheva, and P. Tichy. (2000) PkwA, a WD-repeat protein, is expressed in spore-derived mycelium of *Thermomonospora curvata* and phosphorylation of its WD domain could act as a molecular switch. *Microbiology*, **146**: p. 3259-3267.

89. Kappler, A. and D.K. Newman. (2004) Formation of Fe(III)-minerals by Fe(II)-oxidizing photoautotrophic bacteria. *Geochim. Cosmochim. Acta*, **68**(6): p. 1217-1226.
90. Kasting, J.F. (1993) Earth's early atmosphere. *Science*, **259**(5097): p. 920-6.
91. Kasting, J.F., H.D. Holland, and L.R. Kump. 1992 *Atmospheric evolution: the rise of oxygen.*, in *The Proterozoic Biosphere: An Interdisciplinary Study*, J.W. Schopf and C. Klein, Editors. Cambridge University Press: Cambridge. p. 159-163.
92. Keen, N.T., S. Tamaki, D. Kobayashi, and D. Trollinger. (1988) Improved broad-host-range plasmids for DNA cloning in gram-negative bacteria. *Gene*, **70**(1): p. 191-7.
93. Kim, M.K. and C.S. Harwood. (1991) Regulation of benzoate-CoA ligase in *Rhodospseudomonas-palustris*. *FEMS Microbiol. Lett.*, **83**(2): p. 199-203.
94. Klein, C. and N.J. Beukes. 1983 *Proterozoic Iron-Formations*, in *Iron Formations: Facts and Problems*, A.F. Trendall and R.C. Morris, Editors. Elsevier: Amsterdam. p. 383-469.
95. Klein, C. and N.J. Beukes. (1989) Geochemistry and sedimentology of a facies transition from limestone to iron-formation deposition in the early Proterozoic Transvaal Supergroup, South Africa. *Econ. Geol.*, **84**: p. 1773-1774.
96. Klein, C. and N.J. Beukes. 1992 *Time Distribution, Stratigraphy, and Sedimentologic Setting and Geochemistry of Precambrian Iron-Formations*, in *The Proterozoic Biosphere: An Interdisciplinary Study*, J.W. Schopf and C. Klein, Editors. Cambridge University Press: Cambridge. p. 139-146.
97. Knauth, L.P. and D.R. Lowe. (2003) High Archean climatic temperature inferred from oxygen isotope geochemistry of cherts in the 3.5 Ga Swaziland Supergroup, South Africa. *Geol. Soc. Am. Bull.*, **115**(5): p. 566-580.
98. Knoll, A.H. (2003) The geological consequences of evolution. *Geobiology*, **1**: p. 3-14.
99. Knoll, A.H. and D.E. Canfield. (1998) Isotopic inferences on early ecosystems. *Paleontol. Soc. Papers*, **4**: p. 212-243.
100. Knoll, A.H. and S.A. Carroll. (1999) Early animal evolution: emerging views from comparative biology and geology. *Science*, **284**(5423): p. 2129-2137.
101. Konhauser, K.O., T. Hamade, R. Raiswell, R.C. Morris, F.G. Ferris, G. Southam, and D.E. Canfield. (2002) Could bacteria have formed the Precambrian banded iron formations? *Geology*, **30**(12): p. 1079-1082.
102. Kovach, M.E., P.H. Elzer, D.S. Hill, G.T. Robertson, M.A. Farris, R.M. Roop, and K.M. Peterson. (1995) Four new derivatives of the broad-host-range cloning vector pBBR1MCS, carrying different antibiotic-resistance cassettes. *Gene*, **166**: p. 175-176.

103. Kusano, T., K. Sugawara, C. Inoue, T. Takeshima, M. Numata, and T. Shiratori. (1992) Electrotransformation of *Thiobacillus ferrooxidans* with plasmids containing a *mer* determinant. *J. Bacteriol.*, **174**(20): p. 6617-23.
104. Kusano, T., T. Takeshima, K. Sugawara, C. Inoue, T. Shiratori, T. Yano, Y. Fukumori, and T. Yamanaka. (1992) Molecular cloning of the gene encoding *Thiobacillus ferrooxidans* Fe(II) oxidase. High homology of the gene product with HiPIP. *J. Biol. Chem.*, **267**(16): p. 11242-7.
105. Larimer, F.W., P. Chain, L. Hauser, J. Lamerdin, S. Malfatti, L. Do, M.L. Land, D.A. Pelletier, J.T. Beatty, A.S. Lang, F.R. Tabita, J.L. Gibson, T.E. Hanson, C. Bobst, J. Torres, C. Peres, F.H. Harrison, J. Gibson, and C.S. Harwood. (2004) Complete genome sequence of the metabolically versatile photosynthetic bacterium *Rhodospseudomonas palustris*. *Nat. Biotechnol.*, **22**(1): p. 55-61.
106. Lasaga, A.C. and H. Ohmoto. (2002) The oxygen geochemical cycle: dynamics and stability. *Geochim. Cosmochim. Acta*, **66**(3): p. 361-381.
107. Lepland, A., M.A. van Zuilen, G. Arrhenius, M.J. Whitehouse, and C.M. Fedo. (2005) Questioning the evidence for Earth's earliest life - Akilia revisited. *Geology*, **33**(1): p. 77-79.
108. Levasseur, S., R.J. Warthmann, and A.N. Halliday. (2002) Fractionation of Fe isotopes by anaerobic phototrophic bacteria. *Geochim. Cosmochim. Acta*, **66**(S1): p. A450.
109. Liu, Z., N. Guiliani, C. Appia-Ayme, F. Borne, J. Ratouchniak, and V. Bonnefoy. (2000) Construction and characterization of a *recA* mutant of *Thiobacillus ferrooxidans* by marker exchange mutagenesis. *J. Bacteriol.*, **182**(8): p. 2269-76.
110. Lonergan, D.J., H.L. Jenter, J.D. Coates, E.J. Phillips, T.M. Schmidt, and D.R. Lovley. (1996) Phylogenetic analysis of dissimilatory Fe(III)-reducing bacteria. *J. Bacteriol.*, **178**(8): p. 2402-8.
111. Lowe, D.R. (2005) Personal communication.
112. Mackenzie, C., A.E. Simmons, and S. Kaplan. (1999) Multiple chromosomes in bacteria: the yin and yang of *trp* gene localization in *Rhodobacter sphaeroides* 2.4.1. *Genetics*, **153**: p. 525-538.
113. Madigan, M.T., J.M. Martinko, and J. Parker. (2003) *Brock Biology of Microorganisms*. 10th ed. Upper Saddle River, NJ: Prentice Hall.
114. Madsen, E.L. (2005) Identifying microorganisms responsible for ecologically significant biogeochemical processes. *Nat. Rev. Microbiol.*, **3**(5): p. 439-46.
115. Malasarn, D., C.W. Saltikov, K.M. Campbell, J.M. Santini, J.G. Hering, and D.K. Newman. (2004) *arrA* is a reliable marker for As(V) respiration. *Science*, **306**(5695): p. 455.
116. Mandernack, K.W., D.A. Bazylinski, W.C. Shanks, 3rd, and T.D. Bullen. (1999) Oxygen and iron isotope studies of magnetite produced by magnetotactic bacteria. *Science*, **285**(5435): p. 1892-6.
117. Matthews, A., X. Zhu, and K. O'Nions. (2001) Kinetic iron stable isotope fractionation between iron (-II) and (-III) complexes in solution. *Earth Planet. Sci. Lett.*, **192**: p. 81-92.



118. Meyer, T.E. and M.A. Cusanovich. (2003) Discovery and characterization of electron transfer proteins in the photosynthetic bacteria. *Photosyn. Res.*, **76**: p. 111-126.
119. Meyer, T.E. and T.J. Donohue. 1995 *Cytochromes, iron-sulfur, and copper proteins mediating electron transfer from the cyt bc<sub>1</sub> complex to photosynthetic reaction center complexes*, in *Anoxygenic Photosynthetic Bacteria*, R.E. Blankenship, M.T. Madigan, and C.E. Bauer, Editors. Kluwer Academic Publishers: Netherlands. p. 725-745.
120. Meyer, T.E., C.T. Przysiecki, J.A. Watkins, A. Bhattacharyya, R.P. Simonsen, M.A. Cusanovich, and G. Tollin. (1983) Correlation between rate constant for reduction and redox potential as a basis for systematic investigation of reaction mechanisms of electron transfer proteins. *Proc. Natl. Acad. Sci. U S A*, **80**(22): p. 6740-4.
121. Mojzsis, S.J., G. Arrhenius, K.D. McKeegan, T.M. Harrison, A.P. Nutman, and C.R.L. Friend. (1996) Evidence for life on Earth before 3,800 million years ago. *Nature*, **384**(6604): p. 55-59.
122. Morel, F.M.M. and J.G. Hering. (1993) *Principles and Applications of Aquatic Chemistry*. New York: John Wiley & Sons, Inc.
123. Muyzer, G. and K. Smalla. (1998) Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. *Antonie Van Leeuwenhoek*, **73**(1): p. 127-41.
124. Neer, E.J., C.J. Schmidt, R. Nambudripad, and T.F. Smith. (1994) The ancient regulatory-protein family of WD-repeat proteins. *Nature*, **371**(6495): p. 297-300.
125. Neubauer, S.C., D. Emerson, and J.P. Magonigal. (2002) Life at the energetic edge: kinetics of circumneutral iron oxidation by lithotrophic iron-oxidizing bacteria isolated from the wetland-plant rhizosphere. *Appl. Environ. Microbiol.*, **68**(8): p. 3988-95.
126. Newman, D.K. and J.F. Banfield. (2002) Geomicrobiology: how molecular-scale interactions underpin biogeochemical systems. *Science*, **296**(5570): p. 1071-7.
127. Ng, W.L., M. Schummer, F.D. Cirisano, R.L. Baldwin, B.Y. Karlan, and L. Hood. (1996) High-throughput plasmid mini preparations facilitated by micro-mixing. *Nucleic Acids Res.*, **24**(24): p. 5045-7.
128. Ohmoto, H. (1997) When did the Earth's atmosphere become oxic? *Geochem. News*, **93**: p. 12-13 & 26-27.
129. Orphan, V.J., C.H. House, K.U. Hinrichs, K.D. McKeegan, and E.F. DeLong. (2001) Methane-consuming archaea revealed by directly coupled isotopic and phylogenetic analysis. *Science*, **293**(5529): p. 484-7.
130. Peng, J.B., W.M. Yan, and X.Z. Bao. (1994) Plasmid and transposon transfer to *Thiobacillus ferrooxidans*. *J. Bacteriol.*, **176**(10): p. 2892-7.
131. Petrickova, K. and M. Petricek. (2003) Eukaryotic-type protein kinases in *Streptomyces coelicolor*: variations on a common theme. *Microbiology*, **149**: p. 1609-1621.

132. Polyakov, V.B. and S.D. Mineev. (2000) The use of Mossbauer spectroscopy in stable isotope geochemistry. *Geochim. Cosmochim. Acta*, **64**: p. 849-865.
133. Poulson, R.L., B.L. Beard, C.M. Johnson, and S.A. Welch. (2003) Investigating isotope exchange between dissolved aqueous and precipitated amorphous iron species. *NAI General Meeting, Tempe, AZ*, (Abstract # 12626).
134. Poulton, S.W., P.W. Fralick, and D.E. Canfield. (2004) The transition to a sulphidic ocean ~1.84 billion years ago. *Nature*, **431**: p. 173-177.
135. Radajewski, S., P. Ineson, N.R. Parekh, and J.C. Murrell. (2000) Stable-isotope probing as a tool in microbial ecology. *Nature*, **403**(6770): p. 646-9.
136. Raponi, M., I.W. Dawes, and G.M. Arndt. (2000) Characterization of flanking sequences using long inverse PCR. *Biotechniques*, **28**(5): p. 838-842.
137. Rawlings, D.E. (1994) Molecular genetics of *Thiobacillus ferrooxidans*. *Microbiol. Rev.*, **58**(1): p. 39-55.
138. Rawlings, D.E. (2001) The molecular genetics of *Thiobacillus ferrooxidans* and other mesophilic, acidophilic, chemolithotrophic, iron- or sulfur-oxidizing bacteria. *Hydrometallurgy*, **59**: p. 187-201.
139. Robertson, L.A. and J. Gijs Kuenen. 2002 *The Genus Thiobacillus*, in *The Prokaryotes [computer file] : an evolving electronic resource for the microbiological community*. Release 3.9., M. Dworkin, Editor. Springer-Verlag. Access at: <http://141.150.157.117:8080/prokPUB/index.htm>; New York.
140. Roden, E.E. and J.M. Zachara. (1996) Microbial reduction of crystalline Fe(III)-oxides: influence of oxide surface area and potential for cell growth. *Environ. Sci. Technol*, **30**: p. 1618-1628.
141. Roe, J.E., A.D. Anbar, and J. Barling. (2003) Nonbiological fractionation of Fe isotopes: evidence of an equilibrium isotope effect. *Chem. Geol.*, **195**: p. 69-85.
142. Rosing, M.T. (1999) <sup>13</sup>C-depleted carbon microparticles in >3700-Ma sea-floor sedimentary rocks from West Greenland. *Science*, **283**(5402): p. 674-6.
143. Rosing, M.T. (2004) U-rich Archean sea-floor sediments from West Greenland - indications of >3700-Ma oxygenic photosynthesis. *Earth Planet. Sci. Lett.*, **217**: p. 237-244.
144. Roth, J.R., J.G. Lawrence, and T.A. Bobik. (1996) Cobalamin (coenzyme B<sub>12</sub>): Synthesis and biological significance. *Ann. Rev. Microbiol*, **50**: p. 137-181.
145. Rye, R. and H.D. Holland. (1998) Paleosols and the evolution of atmospheric oxygen: a critical review. *Am. J. Sci.*, **88**: p. 621-672.
146. Schauble, E.A., G.R. Rossman, and H.P. Taylor. (2001) Theoretical estimates of equilibrium Fe-isotope fractionations from vibrational spectroscopy. *Geochim. Cosmochim. Acta*, **65**: p. 2487-2497.

147. Schidlowski, M. (1988) A 3,800-million-year isotopic record of life from carbon in sedimentary rocks. *Nature*, **333**: p. 313-318.
148. Schopf, J.W., A.B. Kudryavtsev, D.G. Agresti, T.J. Wdowiak, and A.D. Czaja. (2002) Laser--Raman imagery of Earth's earliest fossils. *Nature*, **416**(6876): p. 73-6.
149. Schrader, J.A. and D.S. Holmes. (1988) Phenotypic switching of *Thiobacillus ferrooxidans*. *J. Bacteriol.*, **170**(9): p. 3915-23.
150. Schutz, M., I. Maldener, C. Griesbeck, and G. Hauska. (1999) Sulfide-quinone reductase from *Rhodobacter capsulatus*: requirement for growth, periplasmic localization, and extension of gene sequence analysis. *J. Bacteriol.*, **181**(20): p. 6516-23.
151. Schwertmann, U. and R.M. Cornell. (1991) *Iron Oxides in the Laboratory: Preparation and Characterization*. Weinheim, Germany: VCH Publishers.
152. Sharma, M., M. Polizzotto, and A.D. Anbar. (2001) Iron isotopes in hot springs along the Juan de Fuca Ridge. *Earth Planet. Sci. Lett.*, **194**: p. 39-51.
153. Shen, Y., R. Buick, and D.E. Canfield. (2001) Isotopic evidence for microbial sulphate reduction in the early Archaean era. *Nature*, **410**(6824): p. 77-81.
154. Sistrom, W.R. (1960) A requirement for sodium in the growth medium of *Rhodopseudomonas sphaeroides*. *J. Gen. Microbiol.*, **22**: p. 77-85.
155. Skulan, J.L., B.L. Beard, and C.M. Johnson. (2002) Kinetic and equilibrium Fe isotope fractionation between aqueous Fe(III) and hematite. *Geochim. Cosmochim. Acta*, **66**(17): p. 2995-3015.
156. Smith, T.F., C. Gaitatzes, K. Saxena, and E.J. Neer. (1999) The WD repeat: a common architecture for diverse functions. *Trends Biochem. Sci.*, **24**(5): p. 181-185.
157. Sobolev, D. and E.E. Roden. (2001) Suboxic deposition of ferric iron by bacteria in opposing gradients of Fe(II) and oxygen at circumneutral pH. *Appl. Environ. Microbiol.*, **67**(3): p. 1328-34.
158. Sobolev, D. and E.E. Roden. (2004) Characterization of a neutrophilic, chemolithoautotrophic Fe(II)-oxidizing  $\alpha$ -Proteobacterium from freshwater wetland sediments. *Geomicrobiol. J.*, **21**: p. 1-10.
159. Stookey, L.L. (1970) *Ferrozine* - a new spectrophotometric reagent for iron. *Anal. Chem.*, **42**(7): p. 779-781.
160. Straub, K.L., M. Benz, and B. Schink. (2001) Iron metabolism in anoxic environments at near neutral pH. *FEMS Microbiol. Ecol.*, **34**(3): p. 181-186.
161. Straub, K.L., M. Benz, B. Schink, and F. Widdel. (1996) Anaerobic, nitrate-dependent microbial oxidation of ferrous iron. *Appl. Environ. Microbiol.*, **62**(4): p. 1458-1460.
162. Straub, K.L. and B.E. Buchholz-Cleven. (1998) Enumeration and detection of anaerobic ferrous iron-oxidizing, nitrate- reducing bacteria from diverse European sediments. *Appl. Environ. Microbiol.*, **64**(12): p. 4846-56.
163. Straub, K.L., F.A. Rainey, and F. Widdel. (1999) *Rhodovulum iodosum* sp. nov. and *Rhodovulum robiginosum* sp. nov., two new marine phototrophic

- ferrous-iron-oxidizing purple bacteria. *Int. J. Syst. Bacteriol.*, **49**(2): p. 729-35.
164. Strelow, F.W.E. (1980) Improved separation of iron from copper and other elements by anion-exchange chromatography on a 4% cross-linkage resin with high concentrations of hydrochloric acid. *Talanta*, **27**: p. 727-732.
  165. Strunk, O., O. Gross, B. Reichel, M. May, S. Hermann, N. Stuchmann, B. Nonhoff, M. Lenke, A. Ginhart, A. Vilbig, W. Ludwig, A. Bode, K.H. Schleifer, and W. Ludwig. (1998) *Arb: A software environment for sequence data*. Munich, Germany: Department of Microbiology, Technische Universitat Munchen.
  166. Summons, R.E., L.L. Jahnke, J.M. Hope, and G.A. Logan. (1999) 2-Methylhopanoids as biomarkers for cyanobacterial oxygenic photosynthesis. *Nature*, **400**(6744): p. 554-7.
  167. Takamiya, K.I. and P.L. Dutton. (1979) Ubiquinone in *Rhodopseudomonas sphaeroides*: Some thermodynamic properties. *Biochim. Biophys. Acta*, **546**(1): p. 1-16.
  168. Taylor, D.P., S.N. Cohen, W.G. Clark, and B.L. Marrs. (1983) Alignment of genetic and restriction maps of the photosynthesis region of the *Rhodopseudomonas capsulata* chromosome by a conjugation-mediated marker rescue technique. *J. Bacteriol.*, **154**(2): p. 580-590.
  169. Temple, K.L. and A.R. Colmer. (1951) The autotrophic oxidation of iron by a new bacterium, *Thiobacillus ferrooxidans*. *J. Bacteriol.*, **62**(5): p. 605-11.
  170. Tian, F., O.B. Toon, A.A. Pavlov, and H. De Sterck. (2005) A hydrogen-rich early Earth atmosphere. *Science*, **308**(5724): p. 1014-1017.
  171. Tice, M.M. and D.R. Lowe. (2004) Photosynthetic microbial mats in the 3,416-Myr-old ocean. *Nature*, **431**(7008): p. 549-52.
  172. Trendall, A.H. and R.C. Morris. (1983) *Iron Formation: Facts & Problems*. Amsterdam: Elsevier.
  173. Turner, J.V. (1982) Kinetic fractionation of carbon-13 during calcium carbonate precipitation. *Geochim. Cosmochim. Acta*, **46**: p. 1183-1191.
  174. Valkova-Valchanova, M.B. and S.H. Chan. (1994) Purification and characterization of two new c-type cytochromes involved in Fe<sup>2+</sup> oxidation from *Thiobacillus ferrooxidans*. *FEMS Microbiol. Lett.*, **121**(1): p. 61-9.
  175. van Zuilen, M.A., A. Lepland, and G. Arrhenius. (2002) Reassessing the evidence for the earliest traces of life. *Nature*, **418**: p. 627-630.
  176. Venturoli, G., J.G. Fernandez-Velasco, A.R. Crofts, and B.A. Melandri. (1986) Demonstration of a collisional interaction of ubiquinol with the ubiquinol-cytochrome c2 oxidoreductase complex in chromatophores from *Rhodobacter sphaeroides*. *Biochim. Biophys. Acta*, **851**(3): p. 340-352.
  177. Vernon, L.P., J.H. Mangum, J.V. Beck, and F.M. Shafia. (1960) Studies on a ferrous-ion-oxidizing bacterium. II. Cytochrome composition. *Arch. Biochem. Biophys.*, **88**: p. 227-31.
  178. Vignais, P.M. and A. Colbeau. (2004) Molecular biology of microbial hydrogenases. *Curr. Iss. Mol. Biol.*, **6**: p. 159-188.
  179. Wandersman, C. and P. Delepeleire. (2004) Bacterial iron sources: from siderophores to hemophores. *Ann. Rev. Microbiol.*, **58**: p. 611-647.

180. Weaver, P.F., J.D. Wall, and H. Gest. (1975) Characterization of *Rhodospseudomonas capsulata*. *Arch. Microbiol.*, **105**(3): p. 207-216.
181. Welch, S.A., B.L. Beard, C.M. Johnson, and P.S. Braterman. (2003) Kinetic and equilibrium Fe isotope fractionation between aqueous Fe(II) and Fe(III). *Geochim. Cosmochim. Acta*, **67**(22): p. 4231-4250.
182. Widdel, F., S. Schnell, S. Heising, A. Ehrenreich, B. Assmus, and B. Schink. (1993) Ferrous iron oxidation by anoxygenic phototrophic bacteria. *Nature*, **362**(6423): p. 834-6.
183. Woods, D.R., D.E. Rawlings, M.E. Barros, I. Pretorius, and R. Ramesar. (1986) Molecular genetic studies of *Thiobacillus ferrooxidans*: the development of genetic systems and the expression of cloned genes. *Biotechnol. App. Biochem.*, **8**: p. 231-241.
184. Wu, J., E. Boyle, W. Sunda, and L.S. Wen. (2001) Soluble and colloidal iron in the oligotrophic North Atlantic and North Pacific. *Science*, **293**(5531): p. 847-9.
185. Xiong, J., W.M. Fischer, K. Inoue, M. Nakahara, and C.E. Bauer. (2000) Molecular evidence for the early evolution of photosynthesis. *Science*, **289**(5485): p. 1724-30.
186. Yamanaka, T. and Y. Fukumori. (1995) Molecular aspects of the electron transfer system which participates in the oxidation of ferrous ion by *Thiobacillus ferrooxidans*. *FEMS Microbiol. Rev.*, **17**(4): p. 401-13.
187. Yamanaka, T., T. Yano, M. Kai, H. Tamegai, A. Sato, and Y. Fukumori. 1991 *The electron transfer system in an acidophilic iron-oxidizing bacterium*, in *New era of bioenergetics*, Y. Mukohata, Editor. Academic Press: Tokyo. p. 223-246.
188. Yarzabal, A., C. Appia-Ayme, J. Ratouchniak, and V. Bonnefoy. (2004) Regulation of the expression of the *Acidithiobacillus ferrooxidans rus* operon encoding two cytochromes c, a cytochrome oxidase and rusticyanin. *Microbiology*, **150**(Pt 7): p. 2113-23.
189. Yarzabal, A., G. Basseur, and V. Bonnefoy. (2002) Cytochromes c of *Acidithiobacillus ferrooxidans*. *FEMS Microbiol. Lett.*, **209**(2): p. 189-95.
190. Yarzabal, A., G. Basseur, J. Ratouchniak, K. Lund, D. Lemesle-Meunier, J.A. DeMoss, and V. Bonnefoy. (2002) The high-molecular-weight cytochrome c Cyc2 of *Acidithiobacillus ferrooxidans* is an outer membrane protein. *J. Bacteriol.*, **184**(1): p. 313-7.
191. Yarzabal, A., K. Duquesne, and V. Bonnefoy. (2003) Rusticyanin gene expression of *Acidithiobacillus ferrooxidans* ATCC 33020 in sulfur- and ferrous iron media. *Hydrometallurgy*, **71**: p. 107-114.
192. Yen, H.C. and B. Marrs. (1976) Map of genes for carotenoid and bacteriochlorophyll biosynthesis in *Rhodospseudomonas capsulata*. *J. Bacteriol.*, **126**: p. 619-629.

