

Contents

Acknowledgments	iii
Abstract	v
List of Tables	xiii
List of Figures	xv
1 Introduction and Overview	1
2 Standard Model and Neutrino Production at LEP	5
2.1 The Standard Model	5
2.1.1 Introduction	5
2.1.2 Electroweak Interactions	8
2.1.3 Status of the Standard Model	12
2.2 Neutrino Production at LEP	15
2.2.1 The Reaction $e^+e^- \rightarrow \nu\bar{\nu}$	16
2.2.2 Production of Single- and Multi-Photon Events at LEP	19
2.2.3 Monte Carlo Event Generators	24
3 Supersymmetry and Models with Large Extra Dimensions	27
3.1 Supersymmetry	27
3.1.1 Introduction	27
3.1.2 The Minimal Supersymmetric Standard Model	32
3.1.3 Supersymmetry Breaking	36
3.2 Single- and Multi-Photon Signatures in SUSY	41
3.2.1 Neutralino Production in GMSB	41
3.2.2 The CDF Event	46

3.2.3	Neutralino Production in SUGRA	47
3.2.4	The Reactions $e^+e^- \rightarrow \tilde{\chi}_1^0 \tilde{G}$ and $e^+e^- \rightarrow \tilde{G} \tilde{G} \gamma$	50
3.2.5	Summary	54
3.3	Models with Large Extra Dimensions	56
3.3.1	Graviton-Photon Production	57
3.3.2	Branon Pair-Production in e^+e^- Collisions	58
4	The L3 Detector at LEP	61
4.1	The LEP Collider	61
4.1.1	LEP Injector Chain	61
4.1.2	LEP Physics Program	63
4.2	The L3 Detector	68
4.2.1	The Magnet	71
4.2.2	Central Tracking Detectors	72
4.2.3	Electromagnetic Calorimeter	74
4.2.4	Scintillation Counters	81
4.2.5	Hadron Calorimeter	81
4.2.6	Muon Spectrometer	83
4.2.7	Active Lead Rings	84
4.2.8	Luminosity Monitors	85
4.2.9	L3 Trigger System	86
4.2.10	Detector Reconstruction and Simulation in L3	88
5	The RFQ Calibration	91
5.1	Particle Reconstruction in the BGO	91
5.2	Test Beam Studies	96
5.3	Monitoring of the BGO Calorimeter	99
5.3.1	Temperature Control and Monitoring	100
5.3.2	Dead Crystals	102
5.3.3	Xenon Monitoring System	104
5.4	RFQ Calibration Concept	106

5.5	The RFQ Calibration System	108
5.6	BGO Calibration	110
5.6.1	Intercalibration with the RFQ System	110
5.6.2	Absolute Calibration with Bhabha Events	117
5.6.3	Calibration Results	123
6	Selection of Photonic Events with Missing Energy	131
6.1	Data and Monte Carlo Samples	131
6.2	Event Topologies	135
6.3	Single-Photon Selection	137
6.3.1	Shower-Shape Analysis	139
6.3.2	Trigger Efficiency	144
6.3.3	Background Rejection	147
6.3.4	Photon Conversion	152
6.3.5	Cosmic Contamination	161
6.3.6	Longitudinal Shower Leakage	169
6.3.7	Detector Noise	171
6.3.8	Selection Results	176
6.4	Multi-Photon Selection	181
6.5	Soft-Photon Selection	186
7	Neutrino Production and Searches for New Physics	189
7.1	Measurement of the Neutrino Production	189
7.1.1	Measurement of the $e^+e^- \rightarrow \nu\bar{\nu}\gamma(\gamma)$ cross section	190
7.1.2	Determination of the Number of Light Neutrino Species	197
7.2	Searches for SUSY Signatures	203
7.2.1	Calculating Limits on New Physics	204
7.2.2	Single-Photon Signatures	208
7.2.3	Multi-Photon Signatures	213
7.2.4	Searches for Events with Non-Pointing Photons	219
7.3	Searches for Extra Dimensions	231

7.4	Measurements of Gauge-Boson Couplings	233
7.4.1	Searches for Anomalous Quartic Gauge Couplings	234
7.4.2	Measurement of Triple Gauge Boson Couplings	245
8	Summary and Conclusions	247
8.1	Summary of Results	247
8.2	Prospects at LHC	255
8.3	Conclusion	256
 Appendices		
A	Monte Carlo Simulation of Single- and Multi-Photon Events	257
A.1	The Reaction $e^+e^- \rightarrow \nu\bar{\nu}\gamma$ at Tree Level	257
A.2	Structure Function Techniques	259
A.3	The YFS Scheme	261
B	RFQ System in Detail	263
B.1	RFQ Accelerator System	264
B.1.1	Ion Source	265
B.1.2	RFQ Accelerator	267
B.1.3	Beam Neutralizer	269
B.2	Neutral Beam Transport	271
B.3	Target	272
B.4	Neutral Beam Detectors	274
B.5	Data Acquisition System	275
C	Studies of the BGO Performance	277
C.1	Crystal Ball Lineshape Fit	277
C.2	Showers with Dead or Missing Crystals	279
C.3	Aging of the BGO Calorimeter	282
C.4	Non-linearity of the BGO Calorimeter	284
C.5	BGO Angular Resolution	286

D	Additional Results of the Event Selection	289
E	Combinations with Other LEP Experiments	297
E.1	The LEP Combined Event Samples	298
E.2	Searches for SUSY Signatures	300
E.3	Searches for Extra Dimensions	304
	Bibliography	309

List of Tables

2.1	Fundamental constituents of the Standard Model	6
2.2	Fermion quantum numbers	10
3.1	Particle content of the MSSM	33
3.2	Single- and multi-photon signatures in SUSY	55
5.1	Evolution of the BGO temperature during 1998-2000	100
5.2	Factors contributing to the BGO energy resolution	124
6.1	The L3 data sets	132
6.2	Summary of the Monte Carlo event samples	134
6.3	Efficiency of the shower-shape selection	144
6.4	Inefficiency induced by the detector noise	176
6.5	Results of the single-photon selection	178
6.6	Results of the multi-photon selection	185
6.7	Results of the soft-photon selection	187
7.1	Measured $e^+e^- \rightarrow \nu\bar{\nu}\gamma(\gamma)$ cross sections	191
7.2	Systematic errors in the cross section measurement	197
7.3	Limits derived in framework of the minimal GMSB model	230
7.4	Results of the searches for extra dimensions	233
7.5	Summary of limits on anomalous quartic gauge couplings	244
B.1	RFQ system specifications	265
C.1	Characteristics of the bumps with missing or dead crystals	281
D.1	Detailed summary of the single-photon selection	294
D.2	Detailed summary of the multi-photon selection	295
D.3	Detailed summary of the combined single- and soft-photon selections	296
E.1	Summary of the LEP-combined single- and multi-photon samples	299
E.2	Limits on the gravity scale derived at LEP	304

E.3	Results of the LEP–combined search for extra spatial dimensions . . .	307
-----	---	-----

List of Figures

2.1	Success of the Standard Model at LEP	8
2.2	Quality of the global electroweak fit	13
2.3	Current limits on the Higgs mass	14
2.4	Feynman diagrams of the tree-level process $e^+e^- \rightarrow \nu\bar{\nu}$	16
2.5	Total cross section of the neutrino pair-production process	18
2.6	Feynman diagrams for the reaction $e^+e^- \rightarrow \nu\bar{\nu}\gamma$	19
2.7	Definition of the single-photon final state	21
2.8	Differential cross sections of the single-photon production at LEP2	22
2.9	Feynman diagrams for the reaction $e^+e^- \rightarrow \nu\bar{\nu}\gamma$	23
2.10	Differential cross sections of the multi-photon production process	24
2.11	Comparison between the available $e^+e^- \rightarrow \nu\bar{\nu}\gamma$ MC programs	26
3.1	Quantum corrections to the Higgs Mass	29
3.2	Gauge Unification in the Standard Model and Supersymmetry	30
3.3	Schematic structure of the supersymmetry breaking	37
3.4	Sparticle masses in models with GMSB	39
3.5	Feynman graph for the two-body neutralino decay $\tilde{\chi}_1^0 \rightarrow \gamma\tilde{G}$	40
3.6	Feynman diagrams for the neutralino pair-production at LEP	41
3.7	Cross section of the reaction $e^+e^- \rightarrow \tilde{\chi}_1^0\tilde{\chi}_1^0$	43
3.8	Kinematic distributions for the reaction $e^+e^- \rightarrow \tilde{\chi}_1^0\tilde{\chi}_1^0 \rightarrow \tilde{G}\tilde{G}\gamma\gamma$	45
3.9	The $ee\gamma\gamma$ event observed by the CDF experiment	46
3.10	Feynman graphs for the radiative neutralino decay $\tilde{\chi}_2^0 \rightarrow \tilde{\chi}_1^0\gamma$	48
3.11	Sparticle masses in the LNZ model	51
3.12	Feynman diagrams for the reaction $e^+e^- \rightarrow \tilde{\chi}_1^0\tilde{G}$	52
3.13	Kinematic distributions for the reaction $e^+e^- \rightarrow \tilde{\chi}_1^0\tilde{G} \rightarrow \tilde{G}\tilde{G}\gamma$	53
3.14	Differential cross sections of the reaction $e^+e^- \rightarrow \tilde{G}\tilde{G}\gamma$	54

3.15	Feynman diagrams for the emission of a real graviton and a photon	58
3.16	Differential cross section of the $e^+e^- \rightarrow \gamma G$ process	59
3.17	Feynman diagrams for the reaction $e^+e^- \rightarrow \tilde{\pi}\tilde{\pi}\gamma$	60
4.1	LEP collider at CERN	62
4.2	LEP injector chain	63
4.3	Time evolution of the LEP beam energy	64
4.4	Integrated luminosity recorded by L3	67
4.5	L3 perspective view	69
4.6	L3 inner detectors	70
4.7	L3 Magnet	71
4.8	L3 tracking system	73
4.9	BGO electromagnetic calorimeter	75
4.10	A BGO crystal	77
4.11	Side view of the L3 electromagnetic calorimeter	78
4.12	BGO floating-point ADC	80
4.13	Hadron calorimeter and muon filter	82
4.14	L3 active lead rings	85
4.15	Luminosity detectors	86
5.1	Crystals forming 3×3 and 5×5 matrices	93
5.2	S_1 and S_9 energies as functions of the impact point position	94
5.3	Distributions of S_1 , S_9 and S_9^c for 45 GeV electrons	95
5.4	BGO energy resolution as a function of the shower energy	97
5.5	BGO energy resolution as a function of S_1/S_9	99
5.6	Typical BGO temperature distributions	101
5.7	Distribution of the BGO dead channels	103
5.8	Diagram of the Xenon monitoring system	104
5.9	Comparison between Xenon and RFQ calibrations	105
5.10	Side view of the RFQ system installed in L3	107
5.11	Schematic drawing of the RFQ system	109
5.12	Energy spectrum of the photons produced by the RFQ system	110

5.13	Propagation of the calibration photon flux	111
5.14	Crystal occupancy for the September 2000 RFQ run	113
5.15	Calibration constants from the September 2000 RFQ run	114
5.16	Relative difference between two sets of calibration constants from the March and September 2000 RFQ runs	115
5.17	Bhabha energy spectra obtained with RFQ intercalibration constants	116
5.18	Typical Bhabha scattering event in the L3 detector	117
5.19	Azimuthal distribution of the Bhabha events used in the absolute cal- ibration of the BGO calorimeter	119
5.20	Energy spectrum of the Bhabha events selected in 2000	123
5.21	η and π^0 mass peaks measured in the two-photon decay modes	126
5.22	Comparison between the Bhabha and di-photon energy spectra	127
6.1	Transverse momentum distribution of the single-photon events	136
6.2	Typical single-photon event in the L3 detector	139
6.3	Distributions of the photon identification variables	142
6.4	Efficiency of the BGO triggers	146
6.5	Energy distributions for clusters in the forward calorimeters	149
6.6	Schematic diagram of a tagged single-electron event	151
6.7	Veto efficiency of the forward calorimeters	152
6.8	Photon conversion candidate	153
6.9	Material in front of the BGO	154
6.10	Study of the photon conversions in the BGO endcaps	156
6.11	Study of the photon conversions in the BGO barrel	159
6.12	Events accepted by the conversion selection in the barrel	160
6.13	Cosmic ray event with a cosmic muon traversing the BGO calorimeter	163
6.14	Scintillator efficiency as a function of the BGO shower energy	164
6.15	Cosmic ray event with a cosmic muon traversing the central tracker .	166
6.16	Energy and azimuthal distributions of the cosmic ray events	168
6.17	Leakage of the electromagnetic showers from the BGO into the HCAL	172
6.18	Noise levels in the main subdetectors of L3	174

6.19	Noise levels in the forward calorimeters	175
6.20	Recoil mass distribution of the single-photon candidates	177
6.21	Kinematic distributions of the single-photon candidates	180
6.22	A multi-photon event with missing energy in the L3 detector	182
6.23	Acoplanarity distributions of the multi-photon events	183
6.24	M_{rec} and E_{γ_2} distributions of the multi-photon events	184
6.25	Energy and polar angle distributions of the soft-photon events	187
7.1	$e^+e^- \rightarrow \nu\bar{\nu}\gamma(\gamma)$ cross sections measured at different energies	192
7.2	Recoil mass spectrum of the combined single- and multi-photon sample	198
7.3	The log-likelihood functions of the fits for N_ν and f_W	199
7.4	Technical tests of the fitting procedure	200
7.5	Recoil mass spectra and polar angle distributions of the fully simulated $e^+e^- \rightarrow \tilde{\chi}_1^0 \tilde{G} \rightarrow \tilde{G} \tilde{G} \gamma$ events	208
7.6	Results of the searches for single-photon SUSY signatures	210
7.7	Energy and polar angle distributions of the single-photon events used in the search for pair-produced gravitinos	212
7.8	Kinematic distributions of the fully simulated $\tilde{\chi}_1^0 \tilde{\chi}_1^0 \rightarrow \tilde{G} \tilde{G} \gamma \gamma$ events .	214
7.9	Distributions of the final discriminant variable	215
7.10	Results of the searches for multi-photon SUSY signatures	217
7.11	Limits on the pair-production of neutralinos $e^+e^- \rightarrow \tilde{\chi}_2^0 \tilde{\chi}_2^0 \rightarrow \tilde{\chi}_1^0 \tilde{\chi}_1^0 \gamma \gamma$	218
7.12	Schematic diagram of a Monte Carlo event with non-pointing photons	220
7.13	Search for non-pointing photons in the BGO	222
7.14	Typical Bhabha event with two electromagnetic showers in HCAL . .	224
7.15	Energy distributions of the Bhabha electrons in HCAL	225
7.16	Cosmic ray event with a photon in hadronic calorimeter	227
7.17	Results of the searches for events with non-pointing photons	229
7.18	Energy and polar angle distributions of the single-photon events used in searches for extra dimensions	232
7.19	Searches for branons produced in the $e^+e^- \rightarrow \tilde{\pi} \tilde{\pi} \gamma$ process	234
7.20	Diagrams sensitive to possible anomalous quartic gauge couplings . .	235

7.21	Sensitivity of $e^+e^- \rightarrow \nu\bar{\nu}\gamma\gamma$ to anomalous quartic couplings	238
7.22	Effects of anomalous quartic gauge couplings on the M_{rec} and E_{γ_2} distributions of the multi-photon events	239
7.23	The log-likelihood functions of the fits for anomalous QGCs	242
7.24	Results of the two-parameter fits for anomalous QGCs	243
7.25	Diagram sensitive to possible anomalous triple gauge couplings	245
7.26	Measurements of the triple gauge couplings	246
8.1	Comparison of the LEP measurements of N_ν	250
8.2	Comparison between the LEP and Tevatron limits on the fundamental scale of gravity	255
B.1	Photograph of the RFQ system during its dismantling	264
B.2	Schematic diagram showing the RF-driven H^- ion source	266
B.3	RFQ output current as a function of the L3 magnetic field strength	268
B.4	H^- neutralization efficiency as a function of pressure in the gas cell	270
B.5	The mechanical structure of the target	272
B.6	Radiative capture yield as a function of depth into the target material	273
C.1	Comparison between the Gaussian and Crystal Ball lineshape fits	278
C.2	Average energy fractions in the 3×3 crystal matrix	280
C.3	Bhabha energy spectra for showers with dead crystals	282
C.4	Aging of the BGO calorimeter during 1995-2000	283
C.5	Non-linearity of the BGO energy response	285
C.6	Angular resolution of the BGO calorimeter	287
D.1	E_γ and P_t^γ distributions of the single-photon candidates	290
D.2	M_{rec} distributions of the single-photon events collected at different \sqrt{s}	291
D.3	M_{rec} distributions of the multi-photon events collected at different \sqrt{s}	292
D.4	E_γ distributions of the soft-photon events collected at different \sqrt{s}	293
E.1	Recoil mass spectra for the LEP-combined event samples	298
E.2	Results of the LEP-combined search for $e^+e^- \rightarrow \tilde{G}\tilde{\chi}_1^0$	301
E.3	Results of the LEP-combined search for $e^+e^- \rightarrow \tilde{\chi}_2^0\tilde{\chi}_1^0$	302
E.4	LEP-combined searches for multi-photon SUSY signatures	303

E.5	The energy spectrum of the single-photon events selected by L3 and DELPHI	305
E.6	Log-likelihoods of the LEP–combined fits for the new gravity scale .	306
E.7	LEP–combined limits on the size of extra spatial dimensions	308