

Bibliography

- [1] Netlib repository. <http://www.netlib.org>. 102
- [2] M. Abramowitz and I. A. Stegun, editors. *Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables*. Dover, 1965. 24, 25, 38, 94, 98
- [3] K. E. Atkinson. *An Introduction to Numerical Analysis*. Wiley, second edition, 1989. 32, 39, 40
- [4] S. Balay, K. Buschelman, W. D. Gropp, D. Kaushik, L. C. McInnes, and B. F. Smith. PETSc home page. <http://www.mcs.anl.gov/petsc>, 2001. 57
- [5] S. Balay, W. D. Gropp, L. C. McInnes, and B. F. Smith. Efficient management of parallelism in object oriented numerical software libraries. In E. Arge, A. M. Bruaset, and H. P. Langtangen, editors, *Modern Software Tools in Scientific Computing*, pages 163–202. Birkhauser Press, 1997. 57
- [6] S. Balay, W. D. Gropp, L. C. McInnes, and B. F. Smith. PETSc users manual. Technical Report ANL-95/11 - Revision 2.1.0, Argonne National Laboratory, 2001. 57
- [7] R. L. Berger, B. F. Lasinski, T. B. Kaiser, E. A. Williams, A. B. Langdon, and B. I. Cohen. Theory and three-dimensional simulation of light filamentation in laser-produced plasma. *Phys. Fluids B*, 5(7):2243–2258, July 1993. 2, 91
- [8] L. Bers, F. John, and M. Schechter. *Partial Differential Equations*. Interscience, 1964. 19
- [9] N. N. Bojarski. The k -space formulation of the scattering problem in the time domain. *J. Opt. Soc. Amer.*, 72:570–584, 1982. 6

- [10] J. J. Bowman, T. B. A. Senior, and P. L. E. Uslenghi, editors. *Electromagnetic and Acoustic Scattering by Simple Shapes*. North-Holland Publishing Company, 1969. [25](#), [94](#)
- [11] A. Brandt and I. Livshits. Wave-ray multigrid method for standing wave equations. *Electronic Transactions on Numerical Analysis*, 6:162–181, December 1997. [91](#)
- [12] O. P. Bruno and L. A. Kunyansky. A fast, high-order algorithm for the solution of surface scattering problems: Basic implementation, tests and applications. *J. Comput. Phys.*, 169:80–110, 2001. [55](#), [91](#)
- [13] O. P. Bruno and A. Sei. A fast high-order solver for EM scattering from complex penetrable bodies: TE case. *IEEE Trans. in Antenn. Propag.*, 48(12):1862–1864, December 2000. [12](#), [14](#), [28](#), [31](#), [32](#), [90](#)
- [14] L. F. Canino, J. J. Ottusch, M. A. Stalzer, J. L. Visher, and S. M. Wandzura. Numerical solution of the Helmholtz equation in 2D and 3D using a high-order Nyström discretization. *J. Comput. Phys.*, 146:627–663, 1998. [6](#)
- [15] R. Coifman, V. Rokhlin, and S. Wandzura. The fast multipole method for the wave equation: A pedestrian prescription. *IEEE Antennas and Propagation*, 35(7), 1993. [5](#)
- [16] D. Colton and R. Kress. *Integral Equation Methods in Scattering Theory*. Wiley-Interscience, 1983. [14](#)
- [17] D. Colton and R. Kress. *Inverse Acoustic and Electromagnetic Scattering Theory*. Springer-Verlag, second edition, 1998. [4](#), [5](#), [14](#), [15](#), [44](#), [55](#), [81](#)
- [18] E. Darve. The fast multipole method: Numerical implementation. *J. Comput. Phys.*, 160:195–240, 2000. [5](#)
- [19] B. Dembart and E. Yip. The accuracy of fast multipole methods for Maxwell’s equations. *IEEE Comput. Sci. Eng.*, 4:48, 1998. [5](#)
- [20] A. Ditkowski, K. Dridi, and J. S. Hesthaven. Convergent Cartesian grid methods for Maxwell’s equations in complex geometries. *J. Comput. Phys.*, 170(1):39–80, 2001. [5](#)

- [21] M. R. Dorr, F. X. Garaizar, and J. F. A. Hittinger. Simulation of laser plasma filamentation using adaptive mesh refinement. Submitted to the *Journal of Comput. Phys.*, June 2001. [2](#), [91](#)
- [22] C. Elachi. *Introduction to the Physics and Techniques of Remote Sensing*. John Wiley & Sons, 1987. [1](#)
- [23] M. D. Feit and Jr. J. A. Fleck. Beam nonparaxiality, filament formation, and beam breakup in the self-focusing of optical beams. *Journal of the Optical Society of America B*, 5(3), 1988. [91](#)
- [24] G. B. Folland. *Introduction to Partial Differential Equations*. Princeton University Press, 1976. [10](#), [19](#)
- [25] M. Frigo and S. G. Johnson. FFTW home page. <http://www.fftw.org>. [57](#)
- [26] M. Frigo and S. G. Johnson. FFTW: An adaptive software architecture for the FFT. In *Proceedings of the International Conference on Acoustics, Speech, and Signal Processing (ICASSP)*, volume 3, pages 1381–1384, 1998. [57](#)
- [27] B. Fultz and J. M. Howe. *Transmission Electron Microscopy and Diffractometry of Materials*. Springer, 2001. [2](#), [92](#)
- [28] D. Gilbarg and N. S. Trudinger. *Elliptic Partial Differential Equations of Second Order*. Springer-Verlag, 1977. [19](#), [45](#)
- [29] A. Greenbaum. *Iterative Methods for Solving Linear Systems*. SIAM, 1997. [41](#), [42](#)
- [30] L. Greengard, J. F. Huang, V. Rokhlin, and S. Wandzura. Accelerating fast multipole methods for the Helmholtz equation at low frequencies. *IEEE Comput. Sci. Eng.*, 5: 32, 1998. [5](#)
- [31] L. Greengard and V. Rokhlin. A fast algorithm for particle simulations. *J. Comput. Phys.*, 135:280, 1997. [5](#)
- [32] L. R. Hamilton, J. J. Ottusch, M. A. Stalzer, R. S. Turley, J. L. Visher, and S. M. Wandzura. Numerical solution of 2-D scattering problems using high-order methods. *IEEE Antenn. Propag.*, 47:683–691, 1999. [6](#)

- [33] J. W. Hettinger, M. d. l. P. Mattozzi, W. R. Myers, M. E. Williams, A. Reeves, R. L. Parsons, R. C. Haskell, D. C. Petersen, R. Wang, and J. I. Medford. Optical coherence microscopy. A technology for rapid, in vivo, non-destructive visualization of plants and plant cells. *Plant Physiology*, 123:3–15, May 2000. 2
- [34] G. N. Hounsfield. Computerized transverse axial scanning (tomography). 1. Description of system. *British Journal of Radiology*, 46:1016–1022, 1973. 2
- [35] E. M. Hyde. The validity of a paraxial approximation in the simulation of laser-plasma interactions. Technical Report UCRL-JC-139805, Lawrence Livermore National Laboratory, August 2000. *Presented at Student Sym. 2000, Technical Presentations & Career Fair, August 10, 2000, Sandia NL, Albuquerque, NM.* 2
- [36] A. Kirsch and P. Monk. Convergence analysis of a coupled finite element and spectral method in acoustic scattering. *IMA Journal of Numerical Analysis*, 1990. 5
- [37] A. Kirsch and P. Monk. An analysis of the coupling of finite-element and Nyström methods in acoustic scattering. *IMA Journal of Numerical Analysis*, 14:523–544, 1994. 5
- [38] R. Kress. *Linear Integral Equations*. Springer-Verlag, 1989. 17
- [39] R. Kress and G. F. Roach. Transmission problems for the Helmholtz equation. *J. Math. Phys.*, 19:1433–1437, 1979. 14
- [40] B. Lee, T. A. Manteuffel, S. F. McCormick, and J. Ruge. First-order system least-squares for the helmholtz equation. *SIAM Journal on Scientific Computing*, 21(5):1927–1949, May 2000. 91
- [41] J. H. Lin and W. C. Chew. BiCG-FFT T-Matrix method for solving for the scattering solution from inhomogeneous bodies. *IEEE Transactions on Microwave Theory and Techniques*, 44(7):1150–1155, July 1996. 61
- [42] G. Liu and S. Gedney. High-order Nyström solution of the volume EFIE for TM-wave scattering. *Microwave and Optical Technology Letters*, 25(1):8–11, April 2000. 6
- [43] B. R. Masters. Early development of optical low-coherence reflectometry and some

recent biomedical applications. *Journal of Biomedical Optics*, 4(2):236–247, April 1999.

[2](#)

- [44] L. M. Peng, K. Gjønnnes, and J. Gjønnnes. Bloch wave treatment of symmetry and multiple beam cases in reflection high energy electron diffraction and reflection electron microscopy. *Microscopy Research and Technique*, 20:360–370, 1992. [2](#)
- [45] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery. *Numerical Recipes in Fortran 77: The Art of Scientific Computing*, volume 1. Cambridge University Press, 2 edition, 1992. [8](#), [26](#), [30](#), [36](#), [52](#), [56](#), [57](#), [101](#), [103](#)
- [46] W. Rachowicz and L. Demkowicz. An hp-adaptive finite element method for electromagnetic Part 1: Data structure and constrained approximation. *Computer Methods in Applied Mechanics and Engineering*, 187:307–335, 2000. [5](#)
- [47] V. Rokhlin. Rapid solution of integral equations of classical potential theory. *J. Comput. Phys.*, 60:187–207, 1985. [5](#)
- [48] V. Rokhlin. Rapid solution of integral equations of scattering theory in two dimensions. *J. Comput. Phys.*, 86:414, 1990. [5](#)
- [49] G. M. Vainikko. Fast solvers of the Lippmann-Schwinger equation. In R. P. Gilbert, J. Kajiwara, and Y. S. Xu, editors, *Direct and Inverse Problems of Mathematical Physics*, pages 423–440. Kluwer, 2000. [7](#)
- [50] K. Watanabe, S. Hara, Y. Horio, and I. Hashimoto. A two-dimensional Bloch-wave method for dynamical RHEED calculations. *Acta Cryst.*, A(54):452–459, 1998. [2](#)
- [51] X. M. Xu and Q. H. Liu. Fast spectral-domain method for acoustic scattering problems. *IEEE Trans. Ultrasonics, Ferroelectrics, and Frequency Control*, 48(2):522–529, March 2001. [6](#), [61](#)
- [52] B. Yang, D. Gottlieb, and J. S. Hesthaven. Spectral simulations of electromagnetic wave scattering. *J. Comput. Phys.*, 134(2):216–230, 1997. [5](#)
- [53] P. Zwamborn and P. Van den Berg. Three dimensional weak form of the conjugate gradient FFT method for solving scattering problems. *IEEE Trans. Microwave Theory Tech.*, 40:1757–1766, Sept. 1992. [6](#)