

# Bibliography

- [1] P. Jenniskens. “DIB Catalogue.” (2001). <http://www-space.arc.nasa.gov/~leonid/DIBcatalog.html>.
- [2] B.J. McCall (2004). <http://dib.uiuc.edu/~bjmccall/>.
- [3] N. Solcà and O. Dopfer. “Protonated benzene: IR spectrum and structure of  $C_6H_7^+$ .” *Angew. Chem. Int. Ed.*, **41**, 3628–3631 (2002).
- [4] E. Anders and M. Ebihara. “Solar-system abundances of the elements.” *Geochim. Cosmochim. Acta*, **46**, 2363–2380 (1982).
- [5] P. Ehrenfreund and S.B. Charnley. “Organic molecules in the interstellar medium, comets, and meteorites: A voyage from dark clouds to the early earth.” *Annu. Rev. Astron. Astrophys.*, **38**, 427–483 (2000).
- [6] “Identified Interstellar and Circumstellar Molecules.” (2004). <http://www-691.gsfc.nasa.gov/cosmic.ice.lab/interste.htm>.
- [7] J. Cernicharo, A.M. Heras, A.G.G.M. Tielens, J.R. Pardo, F. Herpin, M. Guélin and L.B.F.M. Waters. “Infrared Space Observatorys discovery of  $C_4H_2$ ,  $C_6H_2$ , and benzene in CRL 618.” *Astrophys. J.*, **546**, L123-L126 (2001).
- [8] F.C. Gillett, W.J. Forrest and K.M. Merrill. “8–13-micron spectra of NGC-7027, BD+30°3639, and NGC-6572.” *Astrophys. J.*, **183**, 87–93 (1973).

- [9] R.W. Russell, B.T. Soifer and S.P. Willner. “4 to 8 micron spectrum of NGC-7027.” *Astrophys. J.*, **217**, L149–L153 (1977).
- [10] M.M. Phillips, D.K. Aitken and P.F. Roche. “8–13- $\mu$ m spectrophotometry of galaxies. 1. Galaxies with giant H–II region nuclei.” *Mon. Not. R. Astron. Soc.*, **207**, 25–33 (1984).
- [11] S.P. Willner, R.C. Puetter, R.W. Russell and B.T. Soifer. “Unidentified infrared spectral features.” *Astrophys. Space Sci.*, **65**, 95–101 (1979).
- [12] D.K. Aitken. C.G. Wynn-Williams, D.P. Cruikshank, eds., “*Infrared astronomy.*” 207, Reidel, Dordrecht (1981).
- [13] S.P. Willner. M.F. Kessler, J.P. Phillips, eds., “*Galactic and extragalactic infrared spectroscopy.*” 37, Reidel, Dordrecht (1984).
- [14] K. Sellgren. “Spatial observations of the Orion nebula in the unidentified 3.28 micron feature.” *Astrophys. J.*, **245**, 138–147 (1981).
- [15] A. Léger and J.L. Puget. “Identification of the “unidentified” IR emission features of interstellar dust?”, *Astron. Astrophys.*, **137**, L5–L8 (1984).
- [16] L.J. Allamandola and A.G.G.M. Tielens, and J.R. Barker. “Polycyclic aromatic hydrocarbons and the Unidentified Infrared Emission bands: Auto exhaust along the Milky Way.” *Astrophys. J.*, **299**, L93–L97 (1985).
- [17] W.W. Duley, D.A. Williams. “The infrared spectrum of interstellar dust: Surface functional groups on carbon.” *Mon. Not. R. Astron. Soc.*, **196**, 269–274 (1981).

- [18] M. Cohen, A.G.G.M. Tielens and L.J. Allamandola. “A new emission feature in *IRAS* spectra and the polycyclic aromatic hydrocarbon spectrum.” *Astrophys. J.*, **299**, L93–L97 (1985).
- [19] L.J. Allamandola, A.G.G.M. Tielens and J.R. Barker. “Interstellar polycyclic aromatic hydrocarbons: The infrared emission bands, the excitation/emission mechanism, and the astrophysical implications.” *Astrophys. J. Suppl. Ser.*, **71**, 733–775 (1989).
- [20] L.J. Allamandola, S.A. Sandford, D.M. Hudgins, F.C. Witteborn. “Airborne and laboratory studies of interstellar PAHs.” In “*Airborne astronomy symposium on the galactic ecosystem.*” M.R. Haas, J.A. Davidson, E.F. Erickson, eds., no. 73, 23–32, San Francisco (1995). Astronomical Society of the Pacific.
- [21] A.G.G.M. Tielens, E. Peeters, S. Palfner, C. Kramer, C. Straubmeier, A. Heithausen, eds., “*The dense interstellar medium in galaxies.*” 497–506, Springer-Verlag, Berlin (2004).
- [22] J. Szczepanski and M. Vala. “Laboratory evidence for ionized polycyclic aromatic hydrocarbons in the interstellar medium.” *Nature*, **363**, 699–701 (1993).
- [23] D.M. Hudgins, C.W. Bauschlicher, Jr, L.J. Allamandola. “Closed-shell polycyclic aromatic hydrocarbon cations: a new category of interstellar polycyclic aromatic hydrocarbons.” *Spectrochim. Acta A*, **57**, 907–930 (2001).
- [24] D.M. Hudgins and L.J. Allamandola. “Interstellar PAH emission in the 11-14 micron region: New insights from laboratory data and a tracer of ionized PAHs.” *Astrophys. J.*, **516**, L41–L44 (1999).

- [25] E. Dwek, R.G. Arendt, D.J. Fixsen, T.J. Sodroski, N. Odegard, J.L. Weiland, W.T. Reach, M.G. Hauser, T. Kelsall, S.H. Moseley, R.F. Silverberg, R.A. Shafer, J. Ballester, D. Bazell, and R. Isaacman. “Detection and characterization of cold interstellar dust and polycyclic aromatic hydrocarbon emission, from *COBE* observations.” *Astrophys. J.*, **475**, 565–579 (1997).
- [26] A.G.G.M. Tielens and T.P. Snow, eds. “*The Diffuse Interstellar Bands.*” Kluwer Academic Press, Dordrecht (1994).
- [27] M.L. Heger. *Lick Obs. Bull.*, **10**, 146 (1922).
- [28] P.W. Merrill. *Publs. Astr. Soc. Pacific*, **46**, 206 (1934).
- [29] P.W. Merrill. *Publs. Astr. Soc. Pacific*, **48**, 179 (1936).
- [30] G.H. Herbig. “The diffuse interstellar bands. IV. The region 4400–6850 Å.” *Astrophys. J.*, **196**, 129–162 (1975).
- [31] P. Jenniskens and F.-X. Desert. “A survey of diffuse interstellar bands (3800 – 8680 Å).” *Astron. Astrophys. Suppl. Ser.*, **106**, 39–78 (1994).
- [32] J. Krelowski, C. Sneden, D. Hiltgen. “A survey of weak diffuse interstellar bands in selected ranges between 5600 and 7000 Å.” *Planet. Space Sci.*, **43**, 1195–1203 (1995).
- [33] P. Jenniskens, I. Porceddu, P. Benvenuti, and F.-X. Desert. “Diffuse interstellar bands: Resolved rotational band structure at 5850 Å.” *Astron. Astrophys.*, **313**, 649–656 (1996).
- [34] L.J. Allamandola. “Laboratory studies of DIB carriers.” A.G.G.M. Tielens and T.P. Snow, eds., “*The Diffuse Interstellar Bands.*” Kluwer Academic Press, Dordrecht (1994).

- [35] S. Leach. "Spectroscopy and photophysics of possible large molecule carriers of the diffuse interstellar bands." A.G.G.M. Tielens and T.P. Snow, eds., *"The Diffuse Interstellar Bands."* Kluwer Academic Press, Dordrecht (1994).
- [36] A.E. Douglas. "Origin of diffuse interstellar lines." *Nature*, **269**, 130-132 (1977).
- [37] P. Thaddeus. "Carbon chains and the diffuse interstellar bands." A.G.G.M. Tielens and T.P. Snow, eds., *"The Diffuse Interstellar Bands."* Kluwer Academic Press, Dordrecht (1994).
- [38] M.B. Bell, P.A. Feldman, M.J. Travers, M.C. McCarthy, C.A. Gottlieb and P. Thaddeus. "Detection of HC<sub>11</sub>N in the cold dust cloud TMC-1." *Astrophys. J.*, **483**, L61–L64 (1997).
- [39] M.B. Bell, P.A. Feldman, J.K.G. Watson, M.C. McCarthy, M.J. Travers, C.A. Gottlieb and P. Thaddeus. "Observations of long C<sub>n</sub>H molecules in the dust cloud TMC-1." *Astrophys. J.*, **518**, 740–747 (1999).
- [40] M.C. McCarthy, M.J. Travers, A. Kovács, C.A. Gottlieb and P. Thaddeus. "Eight new carbon chain molecules." *Astrophys. J. Suppl. Ser.*, **113**, 105–120 (1997).
- [41] P. Thaddeus, M.C. McCarthy, M.J. Travers, C.A. Gottlieb and W. Chen. "New carbon chains in the laboratory and in interstellar space." *Faraday Discuss.*, **109**, 121–135 (1998).
- [42] M.C. McCarthy and P. Thaddeus. "Microwave and laser spectroscopy of carbon chains and rings." *Chem. Soc. Rev.*, **30**, 177–185 (2001).
- [43] J.P. Maier. "Electronic spectroscopy of carbon chains." *Chem. Soc. Rev.*, **26**, 21–28 (1997).

- [44] J.P. Maier. “Electronic spectroscopy of carbon chains.” *J. Phys. Chem. A*, **102**, 3462–3469 (1998).
- [45] D.A. Kirkwood, M. Tulej, M.V. Pachkov, M. Schnaiter, F. Guthe, M. Grutter, M. Wyss and J.P. Maier, G. Fischer. “Electronic spectra of carbon chain anions:  $C_{2n}H^-$  ( $n=5-12$ ).” *J. Chem. Phys.*, **111**, 9280–9286 (1999).
- [46] T. Piño, H.B. Ding, F. Guthe and J.P. Maier. “Electronic spectra of the chains  $HC_{2n}H$  ( $n=8-13$ ) in the gas phase.” *J. Chem. Phys.*, **114**, 2208–2212 (2001).
- [47] H. Ding, T.W. Schmidt, T. Piño, A.E. Boguslavskiy, F. Guthe and J.P. Maier. “Gas phase electronic spectra of the linear carbon chains  $HC_{2n+1}H$  ( $n = 3-6, 9$ ).” *J. Chem. Phys.*, **119**, 814–819 (2003).
- [48] M. Tulej, D.A. Kirkwood, G. Maccaferri, O. Dopfer and J.P. Maier. “Electronic spectra of linear carbon anions.” *Chem. Phys.*, **228**, 293–299 (1998).
- [49] M. Tulej, D.A. Kirkwood, M. Pachkov and J.P. Maier. “Gas-phase electronic transitions of carbon chain anions coinciding with diffuse interstellar bands.” *Astrophys. J.*, **506**, L69–L73 (1998).
- [50] G.A. Galazutdinov, J. Krelowski and F.A. Musaev. “On bare carbon chain anions as possible carriers of the diffuse interstellar features.” *Mon. Not. R. Astron. Soc.*, **310**, 1017–1022 (1999).
- [51] B.J. McCall, J. Thorburn, L.M. Hobbs, T. Oka and D.G. York. “Rejection of the  $C_7^-$  diffuse interstellar band hypothesis.” *Astrophys. J.*, **559**, L49–L53 (2001).
- [52] T. Motylewski, H. Linnartz, O. Vaizert and J.P. Maier, G.A. Galazutdinov and F.A. Musaev, J. Krelowski, G.A.H. Walker and D.A. Bohlender. “Gas-phase electronic

- spectra of carbon-chain radicals compared with diffuse interstellar band observations.” *Astrophys. J.*, **531**, 312–320 (2000).
- [53] J.P. Maier, G.A.H. Walker and D.A. Bohlender. “On the possible role of carbon chains as carriers of diffuse interstellar bands.” *Astrophys. J.*, **602**, 286–290 (2004).
- [54] F. Salama, G.A. Galazutdinov, J. Krelowski, L.J. Allamandola and F.A. Musaev. “Polycyclic aromatic hydrocarbons and the diffuse interstellar bands: A survey.” *Astrophys. J.*, **526**, 265–273 (1999).
- [55] J. Krelowski, G.A. Galazutdinov, F.A. Musaev and J. Nirski. “Identification of naphthalene cation in space?”, *Mon. Not. R. Astron. Soc.*, **328**, 810–814 (2001).
- [56] R. Ruiterkamp, T. Halasinski, F. Salama, B.H. Foing, L.J. Allamandola, W. Schmidt and P. Ehrenfreund. “Spectroscopy of large PAHs. Laboratory studies and comparison to the Diffuse Interstellar Bands.” *Astron. Astrophys.*, **390**, 1153–1170 (2002).
- [57] T.M. Halasinski, D.M. Hudgins, F. Salama, L.J. Allamandola, T. Bally. “Electronic absorption spectra of neutral pentacene ( $C_{22}H_{14}$ ) and its positive and negative ions in Ne, Ar, and Kr matrices.” *J. Phys. Chem. A*, **104**, 7484–7491 (2000).
- [58] C. Joblin, F. Salama, L. Allamandola. “Absorption and emission spectroscopy of perylene ( $C_{20}H_{12}$ ) isolated in Ne, Ar, and  $N_2$  matrices.” *J. Chem. Phys.*, **110**, 7287–7297 (1999).
- [59] F. Salama, C. Joblin and L.J. Allamandola. “Electronic absorption spectroscopy of matrix-isolated polycyclic aromatic hydrocarbon cations. II. The phenanthrene cation ( $C_{14}H_{10}^+$ ) and its 1-methyl derivative.” *J. Chem. Phys.*, **101**, 10252–10262 (1994).

- [60] M. Hartmann, A. Lindinger, J.P. Toennies and A.F. Vilesov. “The phonon wings in the  $S_1 \leftarrow S_0$  spectra of tetracene, pentacene, porphin and phthalocyanine in liquid helium droplets.” *Phys. Chem. Chem. Phys.*, **4**, 4839-4844 (2002).
- [61] G. Rouillé, S. Krasnokutski, F. Huisken, and T. Henning, O. Sukhorukov and A. Staicu. “Ultraviolet spectroscopy of pyrene in a supersonic jet and in liquid helium droplets.” *J. Chem. Phys.*, **120**, 6028–6034 (2004).
- [62] D. Romanini, L. Biennier, F. Salama, A. Kachanov, L.J. Allamandola, F. Stoeckel. “Jet-discharge cavity ring-down spectroscopy of ionized polycyclic aromatic hydrocarbons: Progress in testing the PAH hypothesis for the diffuse interstellar band problem.” *Chem. Phys. Lett.*, **303**, 165–170 (1999).
- [63] L. Biennier, F. Salama and L.J. Allamandola, J.J. Scherer. “Pulsed discharge nozzle cavity ringdown spectroscopy of cold polycyclic aromatic hydrocarbon ions.” *J. Chem. Phys.*, **118**, 7863–7872 (2003).
- [64] L. Biennier, F. Salama and M. Gupta, A. O’Keefe. “Multiplex integrated cavity output spectroscopy of cold PAH cations.” *Chem. Phys. Lett.*, **387**, 287–294 (2004).
- [65] L.A. Chewter, M. Sander, K. Müller–Dethlefs and E.W. Schlag. “High resolution zero kinetic energy photoelectron spectroscopy of benzene and determination of the ionization potential.” *J. Chem. Phys.*, **86**, 7763–7772 (1987).
- [66] G.I. Nemeth, H.L. Selzle and E.W. Schlag. “Magnetic ZEKE experiments with mass analysis.” *Chem. Phys. Lett.*, **215**, 151–155 (1993).
- [67] J.A. Syage and J.E. Wessel. “Resonance ion dissociation spectroscopy of naphthalene ions prepared in a supersonic expansion.” *J. Chem. Phys.*, **87**, 3313–3320 (1987).



- [68] M.C.R. Cockett, H. Ozeki, K. Okuyama and K. Kimura. “Vibronic coupling in the ground cationic state of naphthalene: A laser threshold photoelectron [zero kinetic energy (ZEKE)-photoelectron] spectroscopic study.” *J. Chem. Phys.*, **98**, 7763–7772 (1993).
- [69] M.C.R. Cockett and K. Kimura. “A study of anthracene-Ar<sub>n</sub> ( $n = 0-5$ ) in the ground cationic state by laser threshold photoelectron spectroscopy: Selective ionization of complex isomers formed in the free jet expansion.” *J. Chem. Phys.*, **100**, 3429–3441 (1994).
- [70] T. Vondrak, S. Sato and K. Kimura. “Zero kinetic energy photoelectron study of the naphthalene-Ar van der Waals complex.” *Chem. Phys. Lett.*, **261**, 481–485 (1996).
- [71] T. Pino, N. Boudin and P. Bréchnignac. “Electronic absorption spectrum of cold naphthalene cation in the gas phase by photodissociation of its van der Waals complexes.” *J. Chem. Phys.*, **111**, 7337–7347 (1999).
- [72] P. Bréchnignac and T. Pino. “Electronic spectra of cold gas phase PAH cations: Towards the identification of the Diffuse Interstellar Bands carriers.” *Astron. Astrophys.*, **343**, L49-L52 (1999).
- [73] P. Bréchnignac, T. Pino, N. Boudin. “Laboratory spectra of cold gas phase polycyclic aromatic hydrocarbon cations, and their possible relation to the diffuse interstellar bands.” *Spectrochim. Acta A*, **57**, 745–756 (2001).
- [74] N. Boudin, T. Pino and P. Bréchnignac. “Visible spectroscopy of polycyclic aromatic hydrocarbons ionic derivatives: Application to astrophysics.” *J. Mol. Struct.*, **563**, 209–214 (2001).

- [75] T.P. Snow, V. Le Page, Y. Keheyan and V.M. Bierbaum. “The interstellar chemistry of PAH cations.” *Nature*, **391**, 259–260 (1998).
- [76] E. Herbst and V. Le Page. “Do H atoms stick to PAH cations in the interstellar medium?” *Astron. Astrophys.*, **344**, 310–316 (1999).
- [77] T.R. Geballe and T. Oka. “Detection of  $\text{H}_3^+$  in interstellar space.” *Nature*, **384**, 334–335 (1996).
- [78] B.J. McCall, K.H. Hinkle, T.R. Geballe and T. Oka. “ $\text{H}_3^+$  in dense and diffuse clouds.” *Faraday Discuss.*, **109**, 267–280 (1998).
- [79] P.J. Huggins, T.G. Phillips, G. Neugebauer, M.W. Werner, P.G. Wannier and D. Ennis. “Detection of the  $J = 3-2$  lines of HCN, HNC, and  $\text{HCO}^+$  in the Orion molecular cloud.” *Astrophys. J.*, **227**, 441–445 (1979).
- [80] A. Wootten, J.G. Mangum, B.E. Turner, M. Bogey, F. Boulanger, F. Combes, P.J. Encrenaz and M. Gerin. “Detection of interstellar  $\text{H}_3\text{O}^+$ : A confirming line.” *Astrophys. J.*, **380**, L79–L83 (1991).
- [81] T.G. Phillips, E.F. van Dishoeck and J. Keene. “Interstellar  $\text{H}_3\text{O}^+$  and its relation to the  $\text{O}_2$  and  $\text{H}_2\text{O}$  abundances.” *Astrophys. J.*, **399**, 533–550 (1992).
- [82] D.B. Milligan, P.F. Wilson, C.G. Freeman, M. Meot-Ner (Mautner) and M.J. McEwan. “Dissociative proton transfer reactions of  $\text{H}_3^+$ ,  $\text{N}_2\text{H}^+$ , and  $\text{H}_3\text{O}^+$  with acyclic, cyclic, and aromatic hydrocarbons and nitrogen compounds, and astrochemical implications.” *J. Phys. Chem. A*, **106**, 9745–9755 (2002).

- [83] V. Le Page, T.P. Snow and V.M. Bierbaum. "Hydrogenation and charge states of PAHs in diffuse clouds. I. Development of a model." *Astrophys. J. Suppl. Ser.*, **132**, 233–251 (2001).
- [84] V. Le Page, T.P. Snow and V.M. Bierbaum. "Hydrogenation and charge states of PAHs in diffuse clouds. II. Results." *Astrophys. J.*, **584**, 316–330 (2003).
- [85] G.A. Olah. "Aromatic substitution. XXVIII. Mechanism of electrophilic aromatic substitutions." *Acc. Chem. Res.*, **4**, 240–248 (1971).
- [86] C. Reid. "The aromatic carbonium ions." *J. Am. Chem. Soc.*, **76**, 3264–3268 (1954).
- [87] von H. Luther and G. Pockels. "Molekülverbindungen mit ansolvosäuren. 1. Ultraviolettpektren von systemen aromat–aluminiumhalogenid–(halogenwasserstoff)." *Z. Elektrochem.*, **59**, 159–168 (1955).
- [88] H.-H. Perkampus and E. Baumgarten. "Proton-addition complexes of aromatic hydrocarbons." *Angew. Chem. Int. Ed.*, **3**, 776–783 (1964).
- [89] B.S. Freiser and J.L. Beauchamp. "Photochemistry of organic ions in the gas phase. Comparison of the gas phase photodissociation and solution absorption spectra of benzoyl cation, protonated benzene and protonated mesitylene." *J. Am. Chem. Soc.*, **98**, 3136–3139 (1976).
- [90] B.S. Freiser and J.L. Beauchamp. "Acid-base properties of molecules in excited electronic states utilizing ion cyclotron resonance spectroscopy." *J. Am. Chem. Soc.*, **99**, 3214–3225 (1977).
- [91] J.L. Beauchamp. Private communication.

- [92] H.-J. Köhler and H. Lischka. "Theoretical investigations on carbocations. Structure and stability of  $C_3H_5^+$ ,  $C_4H_9^+$  (2-butyl cation),  $C_5H_5^+$ ,  $C_6H_7^+$  (protonated benzene) and  $C_7H_{11}^+$  (2-norbornyl cation)." *J. Am. Chem. Soc.*, **101**, 3479–3486 (1979).
- [93] M. Eckert-Maksić, Z.B. Maksić and M. Klessinger. "Protonation of fused aromatic systems – ab-initio study of some model Wheland intermediates." *Int. J. Quantum Chem.*, **49**, 383–396 (1994).
- [94] M.N. Glukhovtsev, A. Pross, A. Nicolaides and L. Radom. "Is the most stable gas-phase isomer of the benzenium cation a face-protonated  $\pi$ -complex?" *J. Chem. Soc. Chem. Commun.*, **1**, 2347–2348 (1995).
- [95] R. Sumathy and E.S. Kryachko. "Multiprotonation of benzene: a theoretical study." *J. Phys. Chem. A*, **106**, 510–519 (2002).
- [96] N. Solcà and O. Dopfer. "Interaction of the benzenium ion with inert ligands: IR spectra of  $C_6H_7^+-L_n$  cluster cations ( $L = Ar, N_2, CH_4, H_2O$ )." *Chem. Eur. J.*, **9**, 3154–3163 (2003).
- [97] W. Jones, P. Boissel, B. Chiavarino, M.E. Crestoni, S. Fornarini, J. Lemaire and P. Maitre. "Infrared fingerprint of protonated benzene in the gas phase." *Angew. Chem. Int. Ed.*, **42**, 2057–2059 (2003).
- [98] M.J. Frisch, G.W. Trucks, H.B. Schlegel, G.E. Scuseria, M.A. Robb, J.R. Cheeseman, V.G. Zakrzewski, J.A. Montgomery, Jr, R.E. Stratmann, J.C. Burant, S. Dapprich, J.M. Millam, A.D. Daniels, K.N. Kudin, M.C. Strain, O. Farkas, J. Tomasi, V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G.A. Petersson, P.Y. Ayala, Q. Cui, K. Morokuma, D.K. Malick, A.D. Rabuck, K.

- Raghavachari, J.B. Foresman, J. Cioslowski, J.V. Ortiz, A.G. Baboul, B.B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R.L. Martin, D.J. Fox, T. Keith, M.A. Al-Laham, C. Y. Peng, A. Nanayakkara, M. Challacombe, P.M.W. Gill, B. Johnson, W. Chen, M.W. Wong, J.L. Andres, C. Gonzalez, M. Head-Gordon, E.S. Replogle and J.A. Pople. “GAUSSIAN 98, Revision A.9.” Gaussian, Inc., Pittsburgh, PA (1998).
- [99] P. Hohenberg and W. Kohn. “Inhomogeneous electron gas.” *Phys. Rev.*, **136**, B864–B871 (1964).
- [100] W. Kohn and L.J. Sham. “Self-consistent equations including exchange and correlation effects.” *Phys. Rev.*, **140**, A1133–A1138 (1965).
- [101] A.D. Becke. “Density-functional thermochemistry. III. The role of exact exchange.” *J. Chem. Phys.*, **98**, 5648–5652 (1993).
- [102] C. Lee, W. Yang and R.G. Parr. “Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density.” *Phys. Rev. B*, **37**, 785–789 (1988).
- [103] A.D. McLean and G.S. Chandler. “Contracted Gaussian basis sets for molecular calculations. I. Second row atoms, Z=11–18.” *J. Chem. Phys.*, **72**, 5639–5648 (1980).
- [104] R. Krishnan, J.S. Binkley, R. Seeger and J.A. Pople. “Self-consistent molecular orbital methods. XX. A basis set for correlated wave functions.” *J. Chem. Phys.*, **72**, 650–654 (1980).
- [105] M.J. Frisch, J.A. Pople and J.S. Binkley. “Self-consistent molecular orbital methods. 25. Supplementary functions for Gaussian basis sets.” *J. Chem. Phys.*, **80**, 3265–3269 (1984).

- [106] T. Clark, J. Chandrasekhar, G.W. Spitznagel and P.v.R. Schleyer. “Efficient diffuse function-augmented basis-sets for anion calculations. 3. The 3–21+G basis set for 1st-row elements, LI–F.” *J. Comp. Chem.*, **4**, 294–301 (1983).
- [107] “*GaussView, ver. 2.1.*” Gaussian, Inc., Pittsburgh, PA (2000).
- [108] A.P. Scott and L. Radom. “Harmonic vibrational frequencies: An evaluation of Hartree–Fock, Møller–Plesset, quadratic configuration interaction, density functional theory, and semiempirical scale factors.” *J. Phys. Chem.*, **100**, 16502–16513 (1996).
- [109] J.M.L. Martin, J. El-Yazal and J.-P. François. “Structure and vibrational spectrum of some polycyclic aromatic compounds studied by density functional theory. 1. Naphthalene, azulene, phenanthrene and anthracene.” *J. Phys. Chem.*, **100**, 15358–15367 (1996).
- [110] M.W. Wong. “Vibrational frequency prediction using density functional theory.” *Chem. Phys. Lett.*, **256**, 391–399 (1996).
- [111] A. Miani, E. Cané, P. Palmieri and A. Trombetti, N.C. Handy. “Experimental and theoretical anharmonicity for benzene using density functional theory.” *J. Chem. Phys.*, **112**, 248–259 (2000).
- [112] E. Cané, A. Miani, P. Palmieri, R. Tarroni and A. Trombetti. “The gas-phase infrared spectra of anthracene- $h_{10}$  and anthracene- $d_{10}$ .” *J. Chem. Phys.*, **106**, 9004–9012 (1997).
- [113] “NIST Chemistry WebBook.” (2003). <http://webbook.nist.gov/chemistry/>.
- [114] E.P. Hunter, S.G. Lias. “Evaluated gas phase basicities and proton affinities of molecules: An update.” *J. Phys. Chem. Ref. Data*, **27**, 413–656 (1998).

- [115] J.W. Hager, S.C. Wallace. "Two-laser photoionization supersonic jet mass spectrometry of aromatic molecules." *Anal. Chem.*, **60**, 5–10 (1988).
- [116] C.W. Bauschlicher, Jr and S.R. Langhoff. "Bond dissociation energies for substituted polycyclic aromatic hydrocarbons and their cations." *Mol. Phys.*, **96**, 471–476 (1999).
- [117] C.W. Bauschlicher, Jr. "The reaction of polycyclic aromatic hydrocarbon cations with hydrogen atoms: the astrophysical implications." *Astrophys. J.*, **509**, L125–L127 (1998).
- [118] R.J. McMahon, M.C. McCarthy, C.A. Gottlieb, J.B. Dudek, J.F. Stanton and P. Thaddeus. "The radio spectrum of the phenyl radical." *Astrophys. J.*, **590**, L61–L64 (2003).
- [119] D.J. DeFrees, A.D. McLean and E. Herbst. "Theoretical investigation of the interstellar CH<sub>3</sub>NC/CH<sub>3</sub>CN ratio." *Astrophys. J.*, **293**, 236–242 (1985).
- [120] C. Joblin, C. Masselon, P. Boissel, P. de Parseval, S. Martinovic and J.F. Muller. "Simulation of interstellar aromatic hydrocarbons using ion cyclotron resonance. Preliminary results." *Rapid Comm. Mass Spectrom.*, **11**, 1619–1623 (1997).
- [121] M. Hirama, T. Ishida, J.-I. Aihara. "Possible molecular hydrogen formation mediated by the radical cations of anthracene and pyrene." *J. Comp. Chem.*, **24**, 1378–1382 (2003).
- [122] J.B. Foresman, M. Head-Gordon, J.A. Pople and M.J. Frisch. "Toward a systematic molecular orbital theory for excited states." *J. Phys. Chem.*, **96**, 135–149 (1992).

- [123] J.M.O. Matos, B. Roos and P.-Å. Malmqvist. “A CASSCF–CCI study of the valence and lower excited states of the benzene molecule.” *J. Chem. Phys.*, **86**, 1458–1466 (1987).
- [124] J.V. Goodpaster, J.F. Harrison and V.L. McGuffin. “*Ab Initio* Study of Polycyclic Aromatic Hydrocarbons in Their Ground and Excited States.” *J. Phys. Chem. A*, **102**, 3372–3381 (1998).
- [125] R. González-Luque, L. Serrano-Andrés, M. Merchán, M.P. Fülcher. “Theoretical characterization of the absorption spectra of phenanthrene and its radical cation.” *Theor. Chem. Acc.*, **110**, 224–232 (2003).
- [126] J.L. Weisman, T.J. Lee and M. Head-Gordon. “Electronic spectra and ionization potentials of a stable class of closed shell polycyclic aromatic hydrocarbon cations.” *Spectrochim. Acta A*, **57**, 931–945 (2001).
- [127] T. Hashimoto, H. Nakano and K. Hirao. “Theoretical study of the valence  $\pi \rightarrow \pi^*$  excited states of polyacenes: Benzene and naphthalene.” *J. Chem. Phys.*, **104**, 6244–6258 (1996).
- [128] J.B. Foresman and Æ. Frisch. “*Exploring Chemistry with Electronic Structure Methods*.” second ed., Gaussian, Inc., Pittsburgh, PA (1996).
- [129] G. Müller, J.Y. Fan, J.L. Lyman, W.E. Schmid and K.L. Kompa. “Two-laser resonance-enhanced photoionization spectrum of benzene.” *J. Chem. Phys.*, **90**, 3490–3497 (1989).
- [130] T. Troxler, R. Knochenmuss and S. Leutwyler. “Isomer-specific spectra and ionization potentials of van der Waals clusters.” *Chem. Phys. Lett*, **159**, 554–558 (1989).



- [131] J.W. Hager and S.C. Wallace. “Two-laser photoionization supersonic jet mass spectrometry of aromatic molecules.” *Anal. Chem.*, **60**, 5–10 (1988).
- [132] E.A. Mangle and M.R. Topp. “Excited-state dynamics of jet-cooled pyrene and some molecular complexes.” *J. Phys. Chem.*, **90**, 802–807 (1986).
- [133] “*ChemOffice 2000: ChemDraw, Chem3D, ChemFinder.*” CambridgeSoft Corp., Cambridge, MA (2000).
- [134] D.C. Harris and M.D. Bertolucci. “*Symmetry and Spectroscopy. An introduction to vibrational and electronic spectroscopy.*” Dover Publications, Inc., New York (1989).
- [135] Y. Ohshima and Y. Endo. “Structure of C<sub>3</sub>S studied by pulsed-discharge-nozzle Fourier-transform microwave spectroscopy.” *J. Mol. Spectr.*, **153**, 627–634 (1992).
- [136] M. Tulej, D.A. Kirkwood, G. Maccaferri, O. Dopfer and J.P. Maier. “Electronic spectra of linear carbon anions.” *Chem. Phys.*, **228**, 293–299 (1998).
- [137] S. Davis, D.T. Anderson, G. Duxbury and D.J. Nesbitt. “Jet-cooled molecular radicals in slit supersonic discharges: Sub-Doppler infrared studies of methyl radical.” *J. Chem. Phys.*, **107**, 5661–5675 (1997).
- [138] D. Rolland, A.A. Specht, M.W. Blades, J.W. Hepburn. “Resonance enhanced multiphoton dissociation of polycyclic aromatic hydrocarbons cations in an RF ion trap.” *Chem. Phys. Lett.*, **373**, 292–298 (2003).
- [139] W.H. Robertson, J.A. Kelley and M.A. Johnson. “A pulsed supersonic entrainment reactor for the rational preparation of cold ionic complexes.” *Rev. Sci. Instr.*, **71**, 4431–4434 (2000).

- [140] W.C. Wiley, I.H. McLaren. “Time-of-flight mass spectrometer with improved resolution.” *Rev. Sci. Instr.*, **26**, 1150–1157 (1955).
- [141] V.I. Karataev, B.A. Mamyurin and D.V. Shmikk. “New method for focusing ion bunches in time-of-flight mass spectrometers.” *Sov. Phys. – Tech. Phys. USSR*, **16**, 1177 (1972).
- [142] B.A. Mamyurin, V.I. Karataev, D.V. Shmikk and V.A. Zagulin. “Mass-reflectron: A new nonmagnetic time-of-flight high-resolution mass-spectrometer.” *Sov. Phys. – JETP*, **64**, 82–89 (1973).
- [143] D.A. Rodham. “Spectroscopic studies of the gas phase complexes benzene–ammonia, sodium–water, and sodium–ammonia.” Ph.D. thesis, *California Institute of Technology* (1997).
- [144] S. Wu. “Development of broadly tunable parametric light sources and their application to alkali metal – small molecule cluster spectroscopy.” Ph.D. thesis, *California Institute of Technology* (1999).
- [145] H. Zhang. “Spectroscopic studies of  $\text{N}_2\text{O}$  and  $\text{HNO}_4$ : A window into the global biogeochemistry of nitrogen.” Ph.D. thesis, *California Institute of Technology* (2001).
- [146] S. Wu, G.A. Blake, Z.Y. Sun and J.W. Ling. “Simple, high-performance type II  $\beta$ - $\text{BaB}_2\text{O}_4$  optical parametric oscillator.” *Appl. Optics*, **36**, 5898–5901 (1997).
- [147] G. Anstett, G. Göritz, R. Urschel, R. Wallenstein, A. Borsutzky. “Reduction of the spectral width and beam divergence of a BBO–OPO by using collinear type–II phase matching and back reflection of the pump beam.” *Appl. Phys. B*, **72**, 583–589 (2001).

- [148] D.J. Armstrong and A.V. Smith. "Demonstration of improved beam quality in an image-rotating optical parametric oscillator." *Optics Lett.*, **27**, 40–42 (2002).
- [149] B.S. Freiser and J.L. Beauchamp. "Laser photodissociation of benzene radical cations. Evidence for a two photon process involving a long lived intermediate." *Chem. Phys. Lett.*, **35**, 35–40 (1975).
- [150] O. Dopfer, R.V. Olkhov and J.P. Maier. "Infrared photodissociation spectra of the CH stretch vibrations of  $C_6H_6^+-Ar$ ,  $C_6H_6^+-N_2$ , and  $C_6H_6^+-(CH_4)_{1-4}$ ." *J. Chem. Phys.*, **111**, 10754–10757 (1999).
- [151] R.G. Satink, H. Piest, G. von Helden and G. Meijer. "The infrared spectrum of the benzene-Ar cation." *J. Chem. Phys.*, **111**, 10750–10753 (1999).
- [152] J.M. Bakker, R.G. Satink, G. von Helden and G. Meijer. "Infrared photodissociation spectroscopy of benzene-Ne,Ar complex cations." *Phys. Chem. Chem. Phys.*, **4**, 24–33 (2002).
- [153] H. Piest, G. von Helden and G. Meijer. "Infrared spectroscopy of jet-cooled cationic polyaromatic hydrocarbons: Naphthalene." *Astrophys. J.*, **520**, L75–L78 (1999).
- [154] J.A. Piest, J. Oomens, J. Bakker, G. von Helden and G. Meijer. "Vibrational spectroscopy of gas-phase neutral and cationic phenanthrene in their electronic ground-states." *Spectrochim. Acta A*, **57**, 717–735 (2001).
- [155] S. Suzuki, P.G. Green, R.E. Bumgarner, S. Dasgupta, W.A. Goddard, G.A. Blake. "Benzene forms hydrogen-bonds with water." *Science*, **257**, 942–944 (1992).
- [156] E.S. Kryachko and M.T. Nguyen. "Low energy barrier proton transfer in protonated benzene-water complex." *J. Phys. Chem. A*, **105**, 153–155 (2001).

- [157] P.M. Palmer, M.R. Topp. "Electronic spectroscopy of jet-cooled anthracene( $\text{H}_2\text{O}$ ) $_n$  clusters ( $n = 1 - 16$ ): comparisons of inhomogeneous structure." *Chem. Phys.*, **239**, 65–81 (1998).
- [158] P.M. Palmer, M.R. Topp. "Spectroscopic properties of jet-cooled methanol clusters ( $n = 1 - 6$ ) attached to anthracene." *Chem. Phys. Lett.*, **292**, 307–316 (1998).