

# Bibliography

- Adam, G., and Gibbs, J. H. (1965). On the temperature dependence of cooperative relaxation properties in glass-forming liquids. *J. Chem. Phys.*, 43(1):139.
- Adams, J. L., Graessley, W. G., and Register, R. A. (1994). Rheology and the microphase separation transition in styrene-isoprene block copolymers. *Macromolecules*, 27:6026.
- Adams, J. L., Quiram, D. J., Graessley, W. W., Register, R. A., and Marchand, G. R. (1996). Ordering dynamics of compositionally asymmetric styrene-isoprene block copolymers. *Macromolecules*, 29(8):2929.
- Albersdörfer, A., Feder, T., and Sackmann, E. (1997). Adhesion-induced domain formation by interplay of long-range repulsion and short-range attraction force: a model membrane study. *Biophys. J.*, 73:245–257.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., and Walter, P. (2002). *Molecular Biology of the Cell*. Garland, New York, 4th edition.
- Almdal, K., and Bates, F. S. (1992). Order, disorder and fluctuation effects in an asymmetric pep-pee diblock copolymer. *J. Chem. Phys.*, 96:9122.
- Almdal, K., Rosedale, J. H., Bates, F. S., Wignall, G. D., and Fredrickson, G. H. (1990). Gaussian-to stretched-coil transition in block copolymer melts. *Phys. Rev. Lett.*, 65:1112.
- Anderson, P. W. (1972). More is different. *Science*, 177:393–396.
- Angell, C. A. (1995). Formation of glasses from liquids and biopolymers. *Science*, 267(5206):1924.
- Bagchi, B., Cerjan, C., and Rice, S. A. (1983). Theoretical analysis of the achievement of random close packing of hard spheres and a conjecture on spinodal decomposition. *Phys. Rev. B*, 28(11):6411.
- Bahiana, M., and Oono, Y. (1990). Cell dynamical system approach to block copolymers. *Phys. Rev. A*, 41(12):6763–6771.

- Balsara, N. P., Garetz, B. A., Newstein, M. C., Bauer, B. J., and Prosa, T. J. (1998). Evolution of microstructure in the liquid and crystal directions in a quenched block copolymer melt. *Macromolecules*, 31(22):7668.
- Baltimore, D., Ludish, H., Berk, A., Zipursky, L. S., Matsudaira, P., and Darnell, J. (2003). *Molecular Cell Biology*. Freeman and Company, New York, 5th edition.
- Barrat, J.-L., and Fredrickson, G. H. (1991). Collective and single-chain correlations near the block copolymer order-disorder transition. *J. Chem. Phys.*, 95:1281.
- Bates, F. S., Cohen, R. E., and Berney, C. V. (1982). Small-angle neutron scattering determination of macrolattice structure in a polystyrene-polybutadiene diblock copolymer. *Macromolecules*, 15:589.
- Bates, F. S., and Fredrickson, G. H. (1990). Block copolymer thermodynamics: theory and experiment. *Annu. Rev. Phys. Chem.*, 41:525.
- Bates, F. S., and Fredrickson, G. H. (1999). Block copolymers—designer soft materials. *Phys. Today*, 52(2):32.
- Bates, F. S., Rosedale, J. H., and Fredrickson, G. H. (1990). Fluctuation effects in a symmetric diblock copolymer near the order-disorder transition. *J. Chem. Phys.*, 92:6255.
- Bates, F. S., Schulz, M. F., Khandpur, A. K., Förster, S., and Rosedale, J. H. (1994). Fluctuations, conformational asymmetry and block copolymer. *Faraday Discuss.*, 98.
- Baudry, J., Bertrand, E., Lequeux, N., and Bibette, J. (2004). Bio-specific recognition and applications: From molecular to colloidal scales. *J. Phys. Condens. Matter*, 16:R469–R480.
- Bell, G. I. (1978). Models for the specific adhesion of cells to cells. *Science*, 200:618.
- Bell, G. I., Dembo, M., and Bongrand, P. (1984). Cell adhesion: Competition between nonspecific repulsion and specific bonding. *Biophys. J.*, 45:1051–1064.
- Berg, J. M., Tymoczko, J. L., and Stryer, L. (2002). *Biochemistry*. W. H. Freeman, New York, 5th edition.
- Bermúdez, H., Hammer, D. A., and Discher, D. E. (2004). Effect of bilayer thickness on membrane bending rigidity. *Langmuir*, 20:540–543.
- Bongrand, P. (1999). Ligand-receptor interactions. *Rep. Prog. Phys.*, 62:921.
- Boulbitch, A., Guttenberg, Z., and Sackmann, E. (2001). Kinetics of membrane adhesion mediated by ligand-receptor interaction studied with a biomimetic system. *Biophys. J.*, 81:2743–2751.

- Brazovskii, S. A. (1975). Phase transition of an isotropic system to a nonuniform state. *Sov. Phys. JETP*, 41:85.
- Bruinsma, R., Behrisch, A., and Sackmann, E. (2000). Adhesive switching of membranes: Experiment and theory. *Phys. Rev. E*, 61(4):4253–4267.
- Bruinsma, R., and Sackmann, E. (2002). Cell adhesion as wetting transition? In Flyvbjerg, H., Ormos, P., and David, F., Eds. *Physics of Biomolecules and Cells*, Vol. 75 of *Les Houches Summer School*, Springer, pp. 287–309.
- Canham, P. B. (1970). The minimum energy of bending as a possible explanation of the biconcave shape of the human red blood cell. *J. Theor. Biol.*, 26(1):61–81.
- Carignano, M. A., and Szleifer, I. (2003). Controlling surface interactions with grafted polymers. *Interface Science*, 11:187–197.
- Chen, C.-C., and Dormidontova, E. E. (2005). Architectural and structural optimization of the protective polymer layer for enhanced targeting. *Langmuir*, 21:5605–5615.
- Choi, S., Lee, K. M., Han, C. D., Sota, N., and Hashimoto, T. (2003). Phase transitions in sphere-forming PS-PI-PS copolymer and its blends with homopolymer. *Macromolecules*, 36:793.
- Coluzzi, B., Parisi, G., and Verrocchio, P. (2000). Thermodynamical liquid-glass transition in a lennard-jones binary mixture. *Phys. Rev. Lett.*, 84(2):306–309.
- Coniglio, A. N., Stanley, H. E., and Klein, W. (1979). Site-bond correlated percolation problem: A statistical mechanical model of polymer gelation. *Phys. Rev. Lett.*, 42(8):518–522.
- Coniglio, A. N., Stanley, H. E., and Klein, W. (1982). Solvent effects on polymer gel. *Phys. Rev. B*, 25(11):6805–6821.
- Coombs, D., Dembo, M., Wolfsy, C., and Goldstein, B. (2004). Equilibrium thermodynamics of cell-cell adhesion mediated by multiple ligand-receptor pairs. *Biophys. J.*, 86:1408–1423.
- Cornwall, J. M., Jackiw, R., and Tomboulis, E. (1974). Effective action for composite operators. *Phys. Rev. D*, 10(8):2428.
- Cuvelier, D., and Nassoy, P. (2004). Hidden dynamics of vesicle adhesion induced by specific stickers. *Phys. Rev. Lett.*, 93:228101.
- Cuvelier, D., Vezy, C., Viallat, A., Bassereau, P., and Nassoy, P. (2004). Mimicking cell/extracellular matrix adhesion with lipid membranes and solid substrates: Requirements, pitfalls and proposals. *J. Phys. Condens. Matter*, 16:S2427–S2437.

- de Gennes, P. G. (1979). *Scaling Concepts in Polymer Physics*. Cornell University Press, Ithaca.
- de la Cruz, M. O. (1991). Transitions to periodic structures in block copolymer melts. *Phys. Rev. Lett.*, 67:85.
- Debenedetti, P. G., and Stillinger, F. H. (2001). Supercooled liquids and the glass transition. *Nature*, 410:259.
- Dembo, M., and Bell, G. I. (1987). The thermodynamics of cell adhesion. *Current Topics in Membranes and Transport*, 29:71–89.
- Discher, B. M., Won, Y.-Y., Ege, D. S., Lee, J. C.-M., Bates, F. S., Discher, D. E., and Hammer, D. A. (1999). Polymersomes: Tough vesicles made from diblock copolymers. *Science*, 284:1143–1146.
- Dobrynin, A. V., and Erukhimovich, I. Y. (1991). Fluctuation effects in the theory of weak supercrystallization in block copolymer systems of complicated chemical structure. *J. Phys. II France*, 11:1387.
- Doi, M. (1996). *Introduction to Polymer Physics*. Clarendon Press, Oxford.
- Doi, M., and Edwards, S. F. (1986). *The Theory of Polymer Dynamics*. Oxford University Press.
- Dormidontova, E. E., and Lodge, T. P. (2001). The order-disorder transition and the disordered micelle regime in sphere-forming block copolymer melts. *Macromolecules*, 34:9143.
- Drolet, F., and Fredrickson, G. H. (1999). Combinatorial screening of complex block copolymer assembly with self-consistent field theory. *Phys. Rev. Lett.*, 83:4317–4320.
- Drolet, F., and Fredrickson, G. H. (2001). Optimizing chain bridging in complex block copolymers. *Macromolecules*, 34:5317.
- Dustin, M. L., Ferguson, L. M., Chan, P.-Y., Springer, T. A., and Golan, D. E. (1996). Visualization of CD2 interaction with LFA-3 and determination of the two-dimensional dissociation constant for adhesion receptors in a contact area. *J. Cell. Bio.*, 132(3):465–474.
- E, W., Ren, W., and Vanden-Eijnden, E. (2002). String method for the study of rare events. *Phys. Rev. E.*, 66:052301.
- Edwards, S. F., and Anderson, P. W. (1976). Theory of spin glasses II. *J. Phys. F*, 6(10):1927.
- Eniola, A. O., Willcox, P. J., and Hammer, D. A. (2003). Interplay between rolling and firm adhesion elucidated with a cell-free system engineered with two distinct receptor-ligand pairs. *Biophys. J.*, 85:2720–2731.

- Evans, E., and Ritchie, K. (1999). Strength of a weak bond connecting flexible polymer chains. *Biophys. J.*, 76(5):2439.
- Finger, E. B., Puri, K. D., Alon, R., Lawrence, M. B., von Andrian, U. H., and Springer, T. A. (1996). Adhesion through L-selectin requires a threshold hydrodynamic shear. *Nature*, 379:266–269.
- Flory, P. J. (1953). *Principles of Polymer Chemistry*. Cornell University Press, Ithaca and London.
- Flyvbjerg, H., Hertz, J., Jensen, M. H., Mouritsen, O. G., and Sneppen, K., Eds. (1997). *Physics of Biological Systems: From molecules to species*. Springer Verlag.
- Fraaije, J. G. E. M., van Vlimmeren, B. A. C., Maurits, N. M., Postma, M., Evers, O. A., Hoffman, C., Altevogt, P., and Goldbeck-Wood, G. (1997). The dynamic mean-field density functional method and its application to the mesoscopic dynamics of quenched block copolymer melts. *J. Chem. Phys.*, 106:4260.
- Fredrickson, G. H., and Binder, K. (1989). Kinetics of metastable states in block copolymer melts. *J. Chem. Phys.*, 91:7265.
- Fredrickson, G. H., Ganesan, V., and Drolet, F. (2002). Field-theoretic computer simulation methods for polymers and complex fluids. *Macromolecules*, 35:16–39.
- Fredrickson, G. H., and Helfand, E. (1987). Fluctuation effects in the theory of microphase separation in block copolymers. *J. Chem. Phys.*, 87:697.
- Fredrickson, G. H., and Leibler, L. (1989). Theory of block copolymer solutions: Nonselective good solvents. *Macromolecules*, 22(1238-1250).
- Garcia, A. J. (2006). Interfaces to control cell-biomaterial adhesive interactions. *Adv. Polym. Sci.*, 203:171–190.
- Geissler, P. L., and Reichman, D. R. (2004). Nature of slow dynamics in a minimal model of frustrated-limited domains. *Phys. Rev. E*, 69(2):021501(9).
- Gido, S. P., and Thomas, E. L. (1994). Lamellar diblock copolymer grain boundary morphology. 4. Tilt boundaries. *Macromolecules*, 27(21):6137.
- Götze, W. (1989). Aspects of structural glass transitions. In Hansen, J. P., Levesque, D., and Zinn-Justin, J., editors, *Liquids, Freezing and Glass Transition, Part I*, Vol. 51 of *Les Houches*. North-Holland.

- Grakoui, A., Bromley, S. K., Sumen, C., Davis, M. M., Shaw, A. S., Allen, P. M., and Dustin, M. L. (1999). The immunological synapse: A molecular machine controlling t cell activation. *Science*, 285:221–227.
- Grousson, M., Krakoviack, V., Tarjus, G., and Viot, P. (2002a). Langevin dynamics of the coulomb frustrated ferromagnet: A mode-coupling analysis. *Phys. Rev. E*, 66(2):026126.
- Grousson, M., Tarjus, G., and Viot, P. (2001). Monte carlo study of the three-dimensional coulomb frustrated ising ferromagnet. *Phys. Rev. E*, 64(3):036109.
- Grousson, M., Tarjus, G., and Viot, P. (2002b). Evidence for “fragile” glass-forming behavior in the relaxation of coulomb frustrated three-dimensional systems. *Phys. Rev. E*, 65(6):065103.
- Guttenberg, Z., Lorz, B., Sackmann, E., and Boulbitch, A. (2001). First-order transition between adhesion states in a system mimicking cell-tissue interaction. *EuroPhys. Lett.*, 54(6):826–832.
- Hall, R. W., and Wolynes, P. G. (1987). The aperiodic crystal picture and free energy barriers in glasses. *J. Chem. Phys.*, 86(5):2943.
- Hamley, I. W. (1998). *The Physics of Block Copolymers*. Oxford University Press.
- Hamley, I. W., Ed. (2004). *Developments in Block Copolymer Science and Technology*. John Wiley and Sons.
- Hammer, D. A. and Tirrell, M. (1996). Biological adhesion at interfaces. *Annu. Rev. Mater. Sci.*, 26:651.
- Han, C. D., Vaidya, N. Y., Kim, D., Shin, G., Yamaguchi, D., and Hashimoto, T. (2000). Lattice disordering/ordering and demicelliation/micellization transitions in highly asymmetric PS-PI copolymers. *Macromolecules*, 33:3767.
- Helfrich, W. (1973). Elastic properties of lipid bilayers: theory and possible experiments. *Z. Naturforsch. C*, 28(11):693–703.
- Hiddessen, A. L., Rodgers, S. D., Weitz, D. A., and Hammer, D. A. (2000). Assembly of binary colloidal structures via specific biological adhesion. *Langmuir*, 16:9744–9753.
- Hohenberg, P. C., and Swift, J. B. (1995). Metastability in fluctuation-driven first-order transitions: Nucleation of lamellar phases. *Phys. Rev. A*, 52:1828.
- Ikkai, F., and Shibayama, M. (1999). Static inhomogeneities in thermoreversible physical gels. *Phys. Rev. Lett*, 82(24):4946–4949.
- Ishida, M., and Tanaka, F. (1997). Theoretical study of the postgel regime in thermoreversible gelation. *Macromolecules*, 30(13):3900–3909.

- Israelachvili, J. N. (1992). *Intermolecular and Surface Forces*. Academic Press, 2nd edition. (3rd edition to be published by Elsevier in 2008.)
- Jeppesen, C., Wong, J. Y., Kuhl, T. L., Israelachvili, J. N., Mullah, N., Zalipsky, S., and Marques, C. M. (2001). Impact of polymer tether length on multiple ligand-receptor bond formation. *Science*, 293:465.
- Kauzmann, W. (1948). The nature of the glassy state and the behavior of liquids at low temperatures. *Chem. Rev.*, 43:219.
- Kielhorn, L., and Muthukumar, M. (1997). Fluctuation theory of diblock copolymer/homopolymer blends and its effect on the lifshitz point. *J. Chem. Phys.*, 107(14):5588.
- Kim, J. K., Lee, H. H., Sakurai, S., Aida, S., Masamoto, J., Nomura, S., Kitagawa, Y., and Suda, Y. (1999). Lattice disordering and domain dissolution transitions in polystyrene-block-poly(ethylene-co-but-1-ene)-block-polystyrene triblock copolymer having a highly asymmetric composition. *Macromolecules*, 32(20):6707.
- Kim, W. G., Chang, M. Y., Garetz, B. A., Newstein, M. C., Balsara, N. P., Lee, J. H., Han, H., and Patel, S. S. (2001). Effect of quench depth on grain structure in quiescently ordered block copolymers. *J. Chem. Phys.*, 114(22):10196.
- Kirkpatrick, T. R., and Thirumalai, D. (1989). Random solutions from a regular density functional hamiltonian: a static and dynamical theory for the structural glass transition. *J. Phys. A: Math. Gen.*, 22:L149.
- Kirkpatrick, T. R., Thirumalai, D., and Wolynes, P. G. (1989). Scaling concepts for the dynamics of viscous liquids near an ideal glassy state. *Phys. Rev. A*, 40(2):1045.
- Kirkpatrick, T. R., and Wolynes, P. G. (1987). Connections between some kinetic and equilibrium theories of the glass transition. *Phys. Rev. A*, 35(7):3072.
- Kloboucek, A., Behrisch, A., Faix, J., and Sackmann, E. (1999). Adhesion-induced receptor segregation and adhesion plaque formation: a model membrane study. *Biophys. J.*, 77:2311–2328.
- Komura, S., and Andelman, D. (2000). Adhesion-induced lateral phase separation in membranes. *Euro. Phys. J. E*, 3:259–271.
- Kudlay, A., and Stepanow, S. (2003). Short-range fluctuations in the Hartree theory of diblock copolymer melts. *J. Chem. Phys.*, 118(9):4272.
- Kumar, S. K., and Douglas, J. F. (2001). Gelation in physically associating polymer solutions. *Phys. Rev. Lett.*, 87(18):188301.

- Kumar, S. K., and Panagiotopoulos, A. Z. (1999). Thermodynamics of reversible associating polymer solutions. *Phys. Rev. Lett.*, 82(25):5060–5063.
- Kuo, S. C., and Lauffenburger, D. A. (1993). Relationship between receptor/ligand binding affinity and adhesion strength. *Biophys. J.*, 65:2191–2200.
- Lauffenburger, D. A., and Linderman, J. J. (1993). *Receptors: Models for Binding, Trafficking and Signaling*. Oxford University Press, New York.
- Laughlin, R. B., Pines, D., Schmalian, J., Stojkovic, B. P., and Wolynes, P. (2000). The middle way. *Proc. Natl. Acad. Sci.*, 97(1):32–37.
- Lawrence, M. B., and Springer, T. A. (1991). Leukocytes roll on a selectin at physiologic flow rates: Distinction from and prerequisite for adhesion through integrins. *Cell*, 65:859–873.
- Lee, S.-J. E., Hori, Y., and Chakraborty, A. K. (2003). Low t cell receptor expression and thermal fluctuations contribute to formation of dynamic multifocal synapses in thymocytes. *Proc. Natl. Acad. Sci.*, 100(8):4383–4388.
- Leibler, L. (1980). Theory of microphase separation in block copolymers. *Macromolecules*, 13:1602.
- Lin, J. J., Bates, F. S., Hammer, D. A., and Silas, J. A. (2005). Adhesion of polymer vesicles. *Phys. Rev. Lett.*, 95:026101.
- Lin, J. J., Silas, J. A., Bermúdez, H., Milam, V. T., Bates, F. S., and Hammer, D. A. (2004). The effect of polymer chain length and surface density on the adhesiveness of functionalized polymersomes. *Langmuir*, 20:5493–5500.
- Ling, D. D., Friman, B., and Grinstein, G. (1981). First- and second-order transitions in models with a continuous set of energy minima. *Phys. Rev. B*, 24(5):2718.
- Lipowsky, R. (1994). Discontinuous unbinding transitions of flexible membranes. *J. Phys. II France*, 4:1755–1762.
- Lipowsky, R. (1995). Generic interactions of flexible membranes. In Lipowsky, R. and Sackmann, E., Eds. *Structure and Dynamics of Membranes Generic and Specific Interactions*, Handbook of Biological Physics (ab), Elsevier Science (North Holland), p. 521.
- Lipowsky, R. (1996). Adhesion of membranes via anchored stickers. *Phys. Rev. Lett.*, 77(8):1652–1655.
- Lipowsky, R., and Dimova, R. (2003). Domains in membranes and vesicles. *J. Phys. Condens. Matter*, 15:S31–S45.



- Lipowsky, R., and Leibler, S. (1986). Unbinding transitions of interacting membranes. *Phys. Rev. Lett.*, 56(23):2541–2544.
- Manghi, M., and Aubouy, M. (2003). Mobile polymer connectors. *Euro. Phys. J. E*, 11:243–254.
- Martin, J. I., Zhang, C.-Z., and Wang, Z.-G. (2006). Polymer-tethered ligand-receptor interactions between surfaces. *J. Polym. Sci. Part B Polymer Physics*, 44:2621–2637.
- Matsen, M. W., and Bates, F. S. (1996). Unifying weak- and strong-segregation block copolymer theories. *Macromolecules*, 29:1091.
- Matsen, M. W., and Schick, M. (1994). Stable and unstable phases of a diblock copolymer melt. *Phys. Rev. Lett.*, 72:2660.
- Maurits, N. M., and Fraaije, J. G. E. M. (1997). Mesoscopic dynamics of copolymer melts: From density dynamics to external potential dynamics using nonlocal kinetic coupling. *J. Chem. Phys.*, 107:5879.
- Mézard, M., and Parisi, G. (2000). Statistical physics of structural glasses. *J. Phys. Condens. Matter*, 12:6655.
- Mézard, M., Parisi, G., and Virasoro, M. A., Eds. (1987). *Spin Glass Theory and Beyond*. World Scientific.
- Monasson, R. (1995). Structural glass transition and the entropy of the metastable states. *Phys. Rev. Lett.*, 75:2847–2850.
- Moore, N. W., and Kuhl, T. L. (2006). The role of flexible tethers in multiple ligand-receptor bond formation between curved surfaces. *Biophysical J.*, 91:1675–1687.
- Moreira, A. G., Jeppesen, C., Tanaka, F., and Marques, C. M. (2003). Irreversible vs. reversible bridging: When is kinetics relevant for adhesion? *EuroPhys. Lett.*, 62(6):876–882.
- Moreira, A. G., and Marques, C. M. (2004). The role of polymer spacers in specific adhesion. *J. Chem. Phys.*, 120(13):6229–6237.
- Müller, M., Katsov, K., and Schick, M. (2006). Biological and synthetic membranes: What can be learned from a coarse-grained description. *Phys. Rept.*, 434:113–176.
- Nap, R., and Szleifer, I. (2005). Control of carbon nanotube-surface interactions: The role of grafted polymers. *Langmuir*, 21:12072–12075.
- Nelson, D., Piran, T., and Weinberg, S., Eds. (2004). *Statistical Mechanics of Membranes and Surfaces*. World Scientific, Singapore, 2nd edition.

- Nussinov, Z. (2004). Avoided phase transitions and glassy dynamics in geometrically frustrated systems and non-abelian theories. *Phys. Rev. B*, 69(1):014208.
- Nussinov, Z., Rudnick, J., Kivelson, S. A., and Chayes, L. N. (1999). Avoided critical behavior in  $O(n)$  systems. *Phys. Rev. Lett.*, 83(3):472.
- Ohta, T., and Kawasaki, K. (1986). Equilibrium morphology of block copolymer melts. *Macromolecules*, 19:2621.
- Orsello, C. E., Lauffenburger, D. A., and Hammer, D. A. (2001). Molecular properties in cell adhesion: A physical and engineering perspective. *Trends in Biotechnology*, 19(8):310–316.
- Palmer, R. G. (1982). Broken ergodicity. *Adv. Phys.*, 31(6):669.
- Peliti, L. (1994). Amphiphilic membranes. In David, F., Ginzparg, P., and Zinn-Justin, J., Eds. *Fluctuating Geometries in Statistical Mechanics and Field Theory*, Vol. 62 of *Les Houches Summer School*, Elsevier, pp. 195–286.
- Peliti, L., and Leibler, S. (1985). Effects of thermal fluctuations on systems with small surface tension. *Phys. Rev. Lett.*, 54(15):1690–1693.
- Petka, W. A., Harden, J. L., McGrath, K. P., Wirtz, D., and Tirrell, D. A. (1998). Reversible hydrogels from self-assembling artificial proteins. *Science*, 281.
- Phillips, R., and Quake, S. R. (2006). The biological frontier of physics. *Phys. Today*, 59(5):38–43.
- Pochan, D. J., Gido, S. P., Pispas, S., and Mays, J. W. (1996). Morphologies of microphase-separated a(2)-b simple graft-copolymers. *Macromolecules*, 29(22):5099.
- Qi, S.-Y., Groves, J. T., and Chakraborty, A. K. (2001). Synaptic pattern formation during cellular recognition. *Proc. Natl. Acad. Sci.*, 98(12):6548–6553.
- Rädler, J., and Sackmann, E. (1993). Imaging optical thicknesses and separation distances of phospholipid vesicles at solid surfaces. *J. Phys. II Paris*, 3:727–748.
- Rädler, J. O., Feder, T. J., Strey, H. H., and Sackmann, E. (1995). Fluctuation analysis of tension-controlled undulation forces between giant vesicles and solid substrates. *Phys. Rev. E*, 51(5):4526–4536.
- Raphaël, E., Gay, C., and de Gennes, P. G. (1997). Progressive construction of an “Olympic” gel. *J. Stat. Phys.*, 89(1/2):111–118.
- Raychaudhuri, S., Chakraborty, A. K., and Kardar, M. (2003). Effective membrane model of the immunological synapse. *Phys. Rev. Lett.*, 91(20):208101.

- Ren, S. Z., and Sorensen, C. M. (1993). Relaxations in gels: Analogies to  $\alpha$  and  $\beta$  relaxations in glasses. *Phys. Rev. Lett.*, 70(11):1727–1730.
- Rosedale, J. H., and Bates, F. S. (1990). Rheology of ordered and disordered symmetric PEP-PEE diblock copolymers. *Macromolecules*, 23:2329.
- Sackmann, E. (1996). Supported membranes: Scientific and practical applications. *Science*, 271:43–48.
- Sackmann, E. (2006). Thermo-elasticity and adhesion as regulators of cell membrane architecture and function. *J. Phys. Condens. Matter*, 18:R785–R825.
- Sackmann, E., and Bruinsma, R. F. (2002). Cell adhesion as wetting transition? *Chem. Phys. Chem.*, 3:262–269.
- Sackmann, E., and Goennenwein, S. (2006). Cell adhesion as dynamic interplay of lock-and-key, generic and elastic forces. *Prog. Theo. Phys. Suppl.*, 165:78–99.
- Safran, S. A. (1994). *Statistical Thermodynamics of Surfaces, Interfaces and Membranes*. Addison-Wesley Publishing Company.
- Sain, A., and Wortis, M. (2004). Influence of tether dynamics on forced Kramers escape from a kinetic trap. *Phys. Rev. E*, 70:031102.
- Schmalian, J., and Wolynes, P. G. (2000). Stripe glasses: Self-generated randomness in a uniformly frustrated system. *Phys. Rev. Lett.*, 85(4):836–839.
- Schmalian, J., Wu, S., and Wolynes, P. G. (2003). cond-mat/0305420.
- Schmid, F. (1998). Self-consistent-field theories for complex fluids. *J. Phys. Condens. Matter*, 19:8105–8138.
- Schwab, M., and Stühn, B. (1996). Thermotropic transition from a state of liquid order to a macrolattice in asymmetric diblock copolymers. *Phys. Rev. Lett.*, 76:924.
- Segrè, P. N., Prasad, V., Schofield, A. B., and Weitz, D. A. (2001). Glasslike kinetic arrest at the colloidal-gelation transition. *Phys. Rev. Lett.*, 86(26):6042–6045.
- Semenov, A. N. (1989). Microphase separation in diblock-copolymer melts: Ordering of micelles. *Macromolecules*, 22:2849.
- Semenov, A. N., Joanny, J. F., and Khokhlov, A. R. (1995a). Associating polymers: Equilibrium and linear viscoelasticity. *Macromolecules*, 28(4):1066–1075.

- Semenov, A. N., Nyrkova, I. A., and Cates, M. E. (1995b). Phase equilibria in solutions of associating telechelic polymers: Rings vs. reversible network. *Macromolecules*, 28(23):7879–7885.
- Semenov, A. N., and Rubinstein, M. (1998a). Thermoreversible gelation in solutions of associative polymers 1. statics. *Macromolecules*, 31(4):1373–1385.
- Semenov, A. N., and Rubinstein, M. (1998b). Thermoreversible gelation in solutions of associative polymers 2. linear dynamics. *Macromolecules*, 31(4):1386–1385.
- Shankar, R. (1994). Renormalization-group approach to interacting fermions. *Rev. Mod. Phys.*, 66(1):129.
- Shen, W., Zhang, K., Kornfield, J. A., and Tirrell, D. A. (2006). Tuning the erosion rate of artificial protein hydrogels through control of network topology. *Nature Mat.*, 5:153–158.
- Shibayama, M., Tsujimoto, M., and Ikkai, F. (2000). Static inhomogeneities in physical gels: Comparison of temperature-induced and concentration-induced sol-gel transition. *Macromolecules*, 33(21):7868–7876.
- Simson, R., Wallraff, E., Faix, J., Nienöhner, J., Gerisch, G., and Sackmann, E. (1998). Membrane bending modulus and adhesion energy of wild-type and mutant cells of *Dictyostelium* lacking talin or cortexillins. *Biophys. J.*, 74:514–522.
- Singh, Y., Stoessel, J. P., and Wolynes, P. G. (1985). Hard-sphere glass and the density-functional theory of aperiodic crystals. *Phys. Rev. Lett.*, 54(10):1059–1062.
- Sota, N., Sakamoto, N., Saijo, K., and Hashimoto, T. (2003). Phase transition from disordered sphere to hex-cylinder via transient ordering into bcc-sphere in SIS triblock copolymer. *Macromolecules*, 36(12):4534.
- Springer, T. A. (1990). Adhesion receptors of the immune system. *Nature*, 346:425–434.
- Springer, T. A. (1994). Traffic signals for lymphocytes recirculation and leukocyte emigration: Multistep paradigm. *Cell*, 76:301–314.
- Stauffer, D., Coniglio, A., and Adam, M. (1982). Gelation and critical phenomena. *Adv. Polym. Sci.*, 44:103–158.
- Swift, J., and Hohenberg, P. C. (1977). Hydrodynamic fluctuations at the convective instability. *Phys. Rev. A*, 15:319.
- Szleifer, I., and Carignano, M. A. (1996). Tethered polymer layers. *Adv. Chem. Phys.*, 94:165–260.
- Tanaka, F. (1989). Theory of thermoreversible gelation. *Macromolecules*, 22(4):1989–1994.

- Tanaka, F. (1990). Thermodynamic theory of network-forming polymer solutions. 1. *Macromolecules*, 23(16):3784–3789.
- Tanaka, F., and Matsuyama, A. (1989). Tricriticality in thermoreversible gels. *Phys. Rev. Lett.*, 62(23):2759–2762.
- Tanaka, F., and Stockmayer, W. H. (1994). Thermoreversible gelation with junctions of variable multiplicity. *Macromolecules*, 27(14):3943–3954.
- Tanaka, M., and Sackmann, E. (2005). Polymer-supported membranes as models of the cell surface. *Nature*, 437:656–663.
- Tanaka, T., Swislow, G., and Ohmine, I. (1979). Phase separation and gelation in gelatin gels. *Phys. Rev. Lett.*, 42(23):1556–1559.
- Torney, D. C., Dembo, M., and Bell, G. I. (1986). Thermodynamics of cell adhesion II. freely mobile repellents. *Biophys. J.*
- Tzeremes, G., Rasmussen, K. O., Lookman, T., and Saxena, A. (2002). Efficient computation of the structural phase behavior of block copolymers. *Phys. Rev. E*, 65(4):041806.
- Uneyama, T., and Doi, M. (2005). Density functional theory for block copolymer melts and blends. *Macromolecules*, 38:196–205.
- Volmer, A., Seifert, U., and Lipowsky, R. (1998). Critical behavior of interacting surfaces with tension. *Euro. Phys. J. B*, 5:811–823.
- Wang, J., Wang, Z.-G., and Yang, Y. (2005). Nature of disordered micelles in sphere-forming block copolymer melts. *Macromolecules*, 38(5):1979.
- Wang, X., Dormidontova, E. E., and Lodge, T. P. (2002). The order disorder transition and the disordered micelle regime for poly(ethylene-propylene-*b*-dimethylsiloxane) spheres. *Macromolecules*, 35:9687.
- Wang, Z.-G. (2002). Concentration fluctuation in binary polymer blends:  $\chi$  parameter, spinodal and Ginzburg criterion. *J. Chem. Phys.*, 117(1):481.
- Weikl, T. R., Andelman, D., Komura, S., and Lipowsky, R. (2002). Adhesion of membranes with competing specific and generic interactions. *Euro. Phys. J. E*, 8:59–66.
- Westfahl, H., Schmalian, J., and Wolynes, P. G. (2001). Self-generated randomness, defect wandering, and viscous flow in stripe glasses. *Phys. Rev. B*, 64(17):174203(16).
- Wong, J. Y., Kuhl, T. L., Israelachvili, J. N., Mullah, N., and Zalipsky, S. (1997). Direct measurement of a tethered ligand-receptor interaction potential. *Science*, 275:820.

- Wood, S. M., and Wang, Z.-G. (2002). Nucleation in binary polymer blends: A self-consistent field study. *J. Chem. Phys.*, 116(5):2289–2300.
- Wu, S., Schmalian, J., Kotliar, G., and Wolynes, P. G. (2004). Solution of local-field equations for self-generated glasses. *Phys. Rev. B*, 70:024207.
- Wu, S., Westfahl, Jr., H., Schmalian, J., and Wolynes, P. G. (2002). Theory of microemulsion glasses. *Chem. Phys. Lett.*, 359:1.
- Xia, X., and Wolynes, P. G. (2000). Fragilities of liquids predicted from the random first-order transition theory of glasses. *Proc. Natl. Aca. Sci.*, 97(7):2990–2994.
- Zhu, C., Bao, G., and Wang, N. (2000). Cell mechanics: Mechanical response, cell adhesion and molecular deformation. *Annu. Rev. Biomed. Eng.*, 2:189–226.
- Zilman, A. G. and Safran, S. A. (2002). Thermodynamics and structure of self-assembled networks. *Phys. Rev. E*, 66(5):051107.
- Zinn-Justin, J. (2002). *Quantum Field Theory and Critical Phenomena*. Clarendon Press, Oxford, 4th edition.
- Zukerman, D., and Bruinsma, R. (1995). Statistical mechanics of membrane adhesion by reversible molecular bonds. *Phys. Rev. Lett.*, 74(19):3900–3903.