

COMPREHENSIVE BIBLIOGRAPHY

- Achmatowitz, O.; Cieplak, P.; Rozwadowski, J. The Ene Reaction of Dimethyl Mesoxalate with Electron Deficient Olefins. *Pol. J. Chem.* **1989**, *63*, 531–539.
- Ahmed, A. F.; Shiue, R.-T.; Wang, G.-H.; Dai, C.-F.; Kuo, Y.-H.; Sheu, J.-H. Five novel norcembranoids from *Sinularia leptoclados* and *S. parva*. *Tetrahedron* **2003**, *59*, 7337–7344.
- Ahmed, A. F.; Su, J.-H.; Kuo, Y.-H.; Sheu, J.-H. Scabrolides E–G, three new norditerpenoids from the soft coral *Sinularia scabra*. *J. Nat. Prod.* **2004**, *67*, 2079–2082.
- Aikawa, K.; Kainuma, S.; Hatano, M.; Mikami, K. Asymmetric catalysis of ene reactions with trifluoropyruvate catalyzed by dicationic palladium(II) complexes. *Tetrahedron Lett.* **2004**, *45*, 183–185.
- Akiyama, T.; Ishikawa, K.; Ozaki, S. Asymmetric Synthesis of Functionalized Tertiary Alcohols by Diastereoselective Aldol Reaction of Silyl Enol Ether and Ketene Silyl Acetal with α -Keto Esters Bearing an Optically Active Cyclitol as a Chiral Auxiliary. *Synlett* **1994**, *4*, 275–276.
- Albéniz, A. C.; Catalina, N. M.; Espinet, P.; Redón, R. Bonding Modes in Palladium(II) Enolates: Consequences for Dynamic Behavior and Reactivity. *Organometallics* **1999**, *18*, 5571–5576.
- Alino, P. M. PhD. Thesis, James Cook University of North Queensland, Townsville, 1989, 150 pp.

- Anjaneyulu, A. S. R.; Venugopal, J. R. V.; Sarada, P. On the novel cembranoids of the soft coral *Sinularia granosa* of the Indian Ocean and their biogenesis. *Indian Journal of Chemistry* **2000**, *39B*, 530–535.
- Arndt, F.; Eistert, B. Ein Verfahren zur Überführung von Carbonsäuren in ihre höheren Homologen bzw. deren Derivate. *Ber. Dtsch. Chem. Ges. B* **1935**, *68*, 200–208.
- Bachmann, C.; N'Guessan, T. Y.; Debü, F.; Monnier, M.; Pourcin, J.; Aycard, J.-P.; Bodot, H. Oxirenes and Ketocarbenes from α -Diazoketone Photolysis: Experiments in Rare Gas Matrices. Relative Stabilities and Isomerization Barriers from MNDOC-BWEN Calculations. *J. Am. Chem. Soc.* **1990**, *112*, 7488–7497.
- Bäckvall, J.-E.; Nordberg, R. E.; Björkman, E. E.; Moberg, C. Stereochemistry of Nucleophilic Attack on π -Allylpalladium Complexes. Evidence for *cis*-Migration of Acetate from Palladium to Carbon. *J. Chem. Soc., Chem. Commun.* **1980**, 943–944.
- Bäckvall, J.-E.; Nordberg, R. E.; Wilhelm, D. Dual Stereoselectivity in the Nucleophilic Attack on (π -Allyl)palladium Complexes. *J. Am. Chem. Soc.* **1985**, *107*, 6892–6898.
- Bailey, R. J.; Card, P. J.; Shechter, H. Chemistry of 8-Substituted 1-Naphthylmethylenes and 2-Substituted Benzylienes. A Simple Entry to 1*H*-Cyclobuta[*de*]naphthalenes. *J. Am. Chem. Soc.* **1983**, *105*, 6096–6103.
- Baldwin, J. E.; Adlington, R. M.; Marquess, D. G.; Pitt, A. R.; Porter, M. J.; Russell, A. T. Evidence for an Insertion-Homolysis Mechanism for Carbon-Sulphur Bond Formation in Penicillin Biosynthesis; 1. Synthesis of Tripeptide Probes. *Tetrahedron* **1996**, *52*, 2515–2536.

- Balegrone, F.; Grandjean, D.; Lakkisb, D.; Matt, D. Transition Metal Enolate Chemistry. Formation of a Palladium Alkyl Complex from a Highly Reactive Enolato Palladium Complex. *J. Chem. Soc., Chem. Commun.* **1992**, 1084–1085.
- Bandurraga, M. M.; Fenical, W.; Donovan, S. F.; Clardy, J. Pseudopterolide, an Irregular Diterpenoid with Unusual Cytotoxic Properties from the Caribbean Sea Whip *Pseudopterogorgia acerosa* (Pallas) (Gorgonacea). *J. Am. Chem. Soc.* **1982**, *104*, 6463–6466.
- Barco, A.; Benetti, S.; De Risi, C.; Marchetti, P.; Pollini, G. P.; Zanirato, V. D-(–)-Quinic acid: a chiron store for natural product synthesis. *Tetrahedron: Asymmetry* **1997**, *8*, 3515–3545.
- Basavaiah, D.; Bharathi, T. K. Enantioselective synthesis of α - and β -hydroxy acids using *trans*-2-phenylcyclohexan-1-ol-as chiral auxiliary. *Tetrahedron Lett.* **1991**, *32*, 3417–3420.
- Basavaiah, D.; Pandiaraju, S.; Bathados, M.; Mathukumar, K. (1*R*, 2*R*)-2-nitroxycyclohexan-1-ol: First example of a cyclohexyl based chiral auxiliary with nitroxy function as diastereoface discriminating group. *Tetrahedron: Asymmetry* **1996**, *7*, 997–1000.
- Battiste, M. A.; Pelphrey, P. M.; Wright, D. L. The Cycloaddition Strategy for the Synthesis of Natural Products Containing Carbocyclic Seven-Membered Rings. *Chem.-Eur. J.* **2006**, *12*, 3438–3447.
- Baum, J. S.; Shook, D. A.; Davies, H. M. L.; Smith, H. D. Diazotransfer Reactions with *p*-Acetamidobenzenesulfonyl Azide. *Synth. Comm.* **1987**, *17*, 1709–1716.

- Behenna, D. C.; Stoltz, B. M. The Enantioselective Tsuji Allylation. *J. Am. Chem. Soc.* **2004**, *126*, 15044–15045.
- Bélangier, É.; Cantin, K.; Messe, O.; Tremblay, M.; Paquin, J.-F. Enantioselective Pd-Catalyzed Allylation Reaction of Fluorinated Silyl Enol Ethers. *J. Am. Chem. Soc.* **2007**, *129*, 1034–1035.
- Belokon, Y. N.; Green, B.; Ikonnikov, N. S.; North, M. The asymmetric addition of trimethylsilyl cyanide to ketones catalysed by a bimetallic, chiral (salen)titanium complex. *Tetrahedron Lett.* **1999**, *40*, 8147–8150.
- Bernardelli, P.; Moradei, O. M.; Friedrich, D.; Yang, J.; Gallou, F.; Dyck, B. P.; Doskotch, R. W.; Lange, T.; Paquette, L. A. Total Asymmetric Synthesis of the Putative Structure of the Cytotoxic Diterpenoid (–)-Sclerophytin A and of the Authentic Natural Sclerophytins A and B. *J. Am. Chem. Soc.* **2001**, *123*, 9021–9032.
- Berson, J. A.; Dervan, P. B. Incremental Substituent Effects Leading to Steric Blockade of the Boat-Like Six-Center Cope Rearrangement of *cis*-1,2-Dialkenylcyclobutanes. *J. Am. Chem. Soc.* **1972**, *94*, 7597–7598.
- Berson, J. A.; Dervan, P. B.; Jenkins, J. A. Stereospecific Double Rearrangement of *trans*-3,4-Dimethyl-*cis*, *trans*-cycloocta-1,5-diene to *cis*-3,4-Dimethyl-*cis,cis*-cycloocta-1,5-diene. *J. Am. Chem. Soc.* **1972**, *94*, 7598–7599.
- Berson, J. A.; Jones, M., Jr. A Synthesis of Ketones by the Thermal Isomerization of 3-Hydroxy-1,5-hexadienes. The Oxy-Cope Rearrangement. *J. Am. Chem. Soc.* **1964**, *86*, 5019–5020.

- Berson, J. A.; Walsh, E. J., Jr. Allylic and α -oxygen resonance energy effects on the “strengths” of carbon–carbon bonds. Activation parameters in stepwise biallyl rearrangements. *J. Am. Chem. Soc.* **1968**, *90*, 4730–4732.
- Blay, G.; Fernández, I.; Marco-Aleixandre, A.; Pedro, J. R. Catalytic Asymmetric Addition of Dimethylzinc to α -Ketoesters, Using Mandelamides as Ligands. *Org. Lett.* **2006**, *8*, 1287–1290.
- Blay, G.; Fernández, I.; Marco-Aleixandre, A.; Pedro, J. R. Enantioselective Addition of Dimethylzinc to α -Keto Esters. *Synthesis* **2007**, 3754–3757.
- Boeckman, R. K., Jr.; Shao, P.; Mullins, J. J. The Dess-Martin Periodinane: 1,1,1-Triacetoxy-1,1-dihydro-1,2-benziodoxol-3(1H)-one. *Org. Syn.* **2000**, *77*, 141–146.
- Boehnlein, J. M.; Santiago-Vázquez, L. Z.; Kerr, R. G. Diterpene biosynthesis by the dinoflagellate symbiont of the Caribbean gorgonian *Pseudopterogorgia bipinnata*. *Mar. Ecol. Prog. Ser.* **2005**, *303*, 105–111.
- Bogdanova, A.; Popik, V. V. Experimental and Theoretical Analysis of the Photochemistry and Thermal Reactivity of Ethyl Diazomalonate and Its Diazirino Isomer. The Role of Molecular Geometry in the Decomposition of Diazocarbonyl Compounds. *J. Am. Chem. Soc.* **2004**, *126*, 11293–11302.
- Bogdanova, A.; Popik, V. V. Experimental and Theoretical Investigation of Reversible Interconversion, Thermal Reactions, and Wavelength-Dependent Photochemistry of Diazo Meldrum’s Acid and Its Diazirine Isomer, 6,6-Dimethyl-5,7-dioxo-1,2-diazaspiro[2,5]oct-1-ene-4,8-dione. *J. Am. Chem. Soc.* **2003**, *125*, 14153–14162.
- Borden, W. T.; Loncharich, R. J.; Houk, K. N. Synchronicity in Multibond Reactions. *Ann. Rev. Phys. Chem.* **1988**, *39*, 213–236.

- Bouzide, A.; Sauvé, G. Highly Selective Silver(I) Oxide Mediated Monoprotection of Symmetrical Diols. *Tetrahedron Lett.* **1997**, *38*, 5945–5948.
- Bowden, B. F.; Coll, J. C.; Wright, D. Studies of Australian Soft Corals. XLIV New Diterpenes from *Sinularia polydactyla* (Coelenterata, Anthozoa, Octocorallia). *Aust. J. Chem.* **1989**, *42*, 757–763.
- Bramley, R. K.; Grigg, R. Thermal Sigmatropic Rearrangement of 3-Allylindolenines to Indoles and of a 4-Allylisopyrazole to a Pyrazole. *J. Chem. Soc. D* **1969**, 99–100.
- Brown, J. M.; Golding, B. T.; Stofko, J. J., Jr. *cis*-Divinylcyclopropane and the Hexafluoroacetylacetonatorhodium(I) Complexes of *cis*- and *trans*-Divinylcyclopropane. *J. Chem. Soc., Perkin Trans. 2* **1978**, 436–444.
- Brown, J. M.; Golding, B. T.; Stofko, J. J. Isolation and Characterisation of *cis*-Divinylcyclopropane. *J. Chem. Soc., Chem. Commun.* **1973**, 319b–320.
- Burdzinski, G.; Réhault, J.; Wang, J.; Platz, M. S. A Study of the Photochemistry of Diazo Meldrum's Acid by Ultrafast Time-Resolved Spectroscopies. *J. Phys. Chem. A* **2008**, *112*, 10108–10112.
- Burdzinski, G. T.; Wang, J.; Gustafson, T. L.; Platz, M. S. Study of Concerted and Sequential Photochemical Wolff Rearrangement by Femtosecond UV-vis and IR Spectroscopy. *J. Am. Chem. Soc.* **2008**, *130*, 3746–3747.
- Burger, E. C.; Barron, B. R.; Tunge, J. A. Catalytic Asymmetric Synthesis of Cyclic α -Allylated α -Fluoroketones. *Synlett* **2006**, 2824–2826.
- Burkhardt, E. R.; Bergman, R. G.; Heathcock, C. H. Synthesis and Reactions of Nickel and Palladium Carbon-Bound Enolate Complexes. *Organometallics* **1990**, *9*, 30–44.

- Byers, P. K.; Canty, A. J.; Skelton, B. W.; Traill, P. R.; Watson, A. A.; White, A. H. ^1H NMR Detection of Cationic Organopalladium(IV) Intermediates in Oxidative-Addition Reactions and the Structure of *fac*-PdBrMe₂(CH₂COPh)(bpy). *Organometallics* **1992**, *11*, 3085–3088.
- Calderari, C.; Seebach, D. Asymmetrische Michael-Additionen. Stereoselektive Alkylierung chiraler, nicht racemischer Enolate durch Nitroolefine. Herstellung enantiomerenreiner gamma-Aminobuttersäure- und Bernsteinsäure-Derivate. *Helv. Chim. Acta* **1985**, *68*, 1592–1604.
- Cantrell, W. R., Jr.; Davies, H. M. L. Stereoselective Convergent Synthesis of Hydroazulenes via an Intermolecular Cyclopropanation/Cope Rearrangement. *J. Org. Chem.* **1991**, *56*, 723–727.
- Chapman, O. L.; Weiss, D. S. Photochemistry of Cyclic Ketones. *Org. Photochem.* **1973**, *3*, 197–277.
- Chen, F.; Feng, X.; Qin, B.; Zhang, G.; Jiang, Y. Enantioselective Cyanosilylation of Ketones by a Catalytic Double-Activation Method Employing Chiral Lewis Acid and Achiral *N*-Oxide Catalysts. *Org. Lett.* **2003**, *5*, 949–952.
- Chen, J.; Marx, J. N. A Stereoselective Total Synthesis of (–)-Rishitin. *Tetrahedron Lett.* **1997**, *38*, 1889–1892.
- Chen, F.-X.; Qin, B.; Feng, X.; Zhang, G.; Jiang, Y. Enantioselective cyanosilylation of ketones catalyzed by double-activation catalysts with *N*-oxides. *Tetrahedron* **2004**, *60*, 10449–10460.

- Chen, F.-X.; Zhou, H.; Liu, X.; Qin, B.; Feng, X.; Zhang, G.; Jiang, Y. Enantioselective Cyanosilylation of Ketones by a Catalytic Double-Activation Method with an Aluminium Complex and an *N*-Oxide. *Chem. Eur. J.* **2004**, *10*, 4790–4797.
- Christensen, C.; Juhl, K.; Jørgensen, K. A. Catalytic asymmetric Henry reactions—a simple approach to optically active β -nitro α -hydroxy esters. *Chem. Commun.* **2001**, 2222–2223.
- Christensen, C.; Juhl, K.; Jørgensen, K. A. Copper-Catalyzed Enantioselective Henry Reactions of α -Keto Ester: An Easy Entry to Optically Active β -Nitro- α -hydroxy Esters and β -Amino- α -hydroxy Esters. *J. Org. Chem.* **2002**, *67*, 4875–4881.
- Choudary, B. M.; Ranganath, K. V. S.; Pal, U.; Kantam, M. L.; Sreedhar, B. J. Nanocrystalline MgO for Asymmetric Henry and Michael Reactions. *J. Am. Chem. Soc.* **2005**, *127*, 13167–13171.
- Clardy, J.; Springer, J. P.; Buechi, G.; Matsuo, K.; Wightman, R. Tryptoquivaline and tryptoquivalone, two tremorgenic metabolites of *Aspergillus clavatus*. *J. Am. Chem. Soc.* **1975**, *97*, 663–665.
- Coll, J. C. The Chemistry and Chemical Ecology of Octocorals. *Chem. Rev.* **1992**, *92*, 613–631.
- Coll, J. C.; Bowden, B. F.; Tapiolas, D. M.; Dunlap, W. C. In Situ Isolation of Allelochemicals Released from Soft Corals (Coelenterata: Octocorallia): A Totally Submersible Sampling Apparatus. *J. Exp. Mar. Biol. Ecol.* **1982**, *60*, 293–299.
- Cope, A. C.; Hardy, E. M. Introduction of Substituted Vinyl Groups. V. A Rearrangement Involving the Migration of an Allyl Group in a Three-Carbon System. *J. Am. Chem. Soc.* **1940**, *62*, 441–444.

- Coppola, G. M.; Schuster, H. F. *α -Hydroxy Acids in Enantioselective Syntheses*, WILEY-VCH, Weinheim, **1997**.
- Corey, E. J.; Guzmán-Pérez, A. The Catalytic Enantioselective Construction of Molecules with Quaternary Carbon Stereocenters. *Angew. Chem. Int. Ed.* **1998**, *37*, 388–401.
- Corma, A.; García, H.; Moussaif, A.; Sabater, M. J.; Zniber, R.; Redouane, A. Chiral copper(II) bisoxazoline covalently anchored to silica and mesoporous MCM-41 as a heterogeneous catalyst for the enantioselective Friedel–Crafts hydroxyalkylation. *Chem. Comm.* **2002**, 1058–1059.
- Cormier, R. A. Chemical evidence for oxirene intermediates. *Tetrahedron Lett.* **1980**, *21*, 2021–2024.
- Cormier, R. A.; Freeman, K. M.; Schnur, D. M. Reinvestigation of the Photodecomposition of 3-diazo-4-heptanone. *Tetrahedron Lett.* **1977**, 2231–2234.
- Corminboeuf, O.; Overman, L. E.; Pennington, L. D. Enantioselective Total Synthesis of Briarellins E and F: The First Total Syntheses of Briarellin Diterpenes. *J. Am. Chem. Soc.* **2003**, *125*, 6650–6652.
- Culkin, D. A.; Hartwig, J. F. C–C Bond-Forming Reductive Elimination of Ketones, Esters, and Amides from Isolated Arylpalladium(II) Enolates. *J. Am. Chem. Soc.* **2001**, *123*, 5816–5817.
- Csizmadia, I. G.; Font, J.; Strausz, O. P. The Mechanism of the Wolff Rearrangement. *J. Am. Chem. Soc.* **1968**, *90*, 7360–7361.
- Csizmadia, I. G.; Gunning, H. E.; Gosavi, R. K.; Strausz, O. P. Mechanism of the Wolff Rearrangement. V. Semiempirical Molecular Orbital Calculations on α -Diazo

- Ketones, Oxirenes, and Related Reaction Intermediates. *J. Am. Chem. Soc.* **1973**, *95*, 133–137.
- Culkin, D. A.; Hartwig, J. F. Carbon–Carbon Bond-Forming Reductive Elimination from Arylpalladium Complexes Containing Functionalized Alkyl Groups. Influence of Ligand Steric and Electronic Properties on Structure, Stability, and Reactivity. *Organometallics* **2004**, *23*, 3398–3416.
- D'Ambrosio, M. A.; Guerriero, A.; Pietra, F. Corralloidolide F, the First Example of a 2,6-Cyclized Cembranolide: Isolation from the Mediterranean Alcyonacean Coral *Alcyonium coralloides*. *Helv. Chim. Acta*, **1990**, *73*, 804–807.
- Danheiser, R. L.; Miller, R. F.; Brisbois, R. G.; Park, S. Z. An Improved Method for the Synthesis of α -Diazo Ketones. *J. Org. Chem.* **1990**, *55*, 1959–1964.
- Datta, B. K.; Rashid, M. A.; Datta, S. K.; Sarker, S. D. Viscozulenolic Acid: A Novel Sesquiterpene Acid from *Polygonum viscosum*. *Pharm. Biol.* **2001**, *39*, 198–201.
- Davies, H. M. L. Tandem Cyclopropanation/Cope Rearrangement: A General Method for the Construction of Seven-Membered Rings. *Tetrahedron* **1993**, *49*, 5203–5223.
- Davies, H. M. L.; Ahmed, G.; Churchill, M. R. Asymmetric Synthesis of Highly Functionalized 8-Oxabicyclo[3.2.1]octane Derivatives. *J. Am. Chem. Soc.* **1996**, *118*, 10774–10782.
- Davies, H. M. L.; Calvo, R. L.; Townsend, R. J.; Ren, P.; Churchill, R. M. An Exploratory Study of Type II [3+4] Cycloadditions Between Vinylcarbenoids and Dienes. *J. Org. Chem.* **2000**, *65*, 4261–4268.

- Davies, H. M. L.; Clark, T. J. Synthesis of Highly Functionalized Tropolones by Rhodium(II)-Catalyzed Reactions of Vinyl diazomethanes with Oxygenated Dienes. *Tetrahedron* **1994**, *50*, 9883–9892.
- Davies, H. M. L.; Clark, T. J.; Kimmer, G. F. Versatile Synthesis of Tropones by Reaction of Rhodium(II)-Stabilized Vinylcarbenoids with 1-Methoxy-1-[(trimethylsilyl)oxy]buta-1,3-diene. *Tetrahedron Lett.* **1992**, *33*, 6935–6938.
- Davies, H. M. L.; Clark, D. M.; Smith, T. K. [3+4] Cycloaddition Reactions of Vinyl Carbenoids with Furans. *Tetrahedron Lett.* **1985**, *26*, 5659–5662.
- Davies, H. M. L.; Clark, T. J.; Smith, H. D. Stereoselective Synthesis of Seven-Membered Carbocycles by a Tandem Cyclopropanation/Cope Rearrangement Between Rhodium(II)-Stabilized Vinylcarbenoids and Dienes. *J. Org. Chem.* **1991**, *56*, 3817–3824.
- Davies, H. M. L.; Doan, B. D. Asymmetric Synthesis of the Tremulane Skeleton by a Tandem Cyclopropanation/Cope Rearrangement. *Tetrahedron Lett.* **1996**, *37*, 3967–3970.
- Davies, H. M. L.; Doan, B. D. Enantioselective Synthesis of Fused Cycloheptadienes by a Tandem Intramolecular Cyclopropanation/Cope Rearrangement Sequence. *J. Org. Chem.* **1999**, *64*, 8501–8508.
- Davies, H. M. L.; Doan, B. D. Total Synthesis of (±)-Tremulenolide A and (±)-Tremulenediol A via a Stereoselective Cyclopropanation/Cope Rearrangement Annulation Strategy. *J. Org. Chem.* **1998**, *63*, 657–660.
- Davies, H. M. L.; Hodges, L. M. Rhodium Carboxylate Catalyzed Decomposition of Vinyl diazoacetates in the Presence of Heterodienes: Enantioselective Synthesis of

- the 6-Azabicyclo[3.2.2]nonane and 6-Azabicyclo[3.2.2]nonanone Ring Systems. *J. Org. Chem.* **2002**, *67*, 5683–5689.
- Davies, H. M. L.; Huby, N. J. S. Enantioselective Synthesis of Tropanes by Reaction of Rhodium-Stabilized Vinylcarbenoids with Pyrroles. *Tetrahedron Lett.* **1992**, *33*, 6935–6938.
- Davies, H. M. L.; Huby, N. J. S.; Cantrell, W. R., Jr.; Olive, J. L. α -Hydroxy Esters as Chiral Auxiliaries in Asymmetric Cyclopropanations by Rhodium(II)-Stabilized Vinylcarbenoids. *J. Am. Chem. Soc.* **1993**, *115*, 9468–9479.
- Davies, H. M. L.; Loe, Ø.; Stafford, D. G. Sequential Cycloaddition Approach to the Tricyclic Core of Vibsanin E. Total Synthesis of (\pm)-5-*epi*-10-*epi*-Vibsanin E. *Org. Lett.* **2005**, *7*, 5561–5563.
- Davies, H. M. L.; Matasi, J. J.; Hodges, L. M.; Huby, N. J. S.; Thornley, C.; Kong, N.; Houser, J. H. Enantioselective Synthesis of Functionalized Tropanes by Rhodium(II) Carboxylate-Catalyzed Decomposition of Vinyl diazomethanes in the Presence of Pyrroles. *J. Org. Chem.* **1997**, *62*, 1095–1105.
- Davies, H. M. L.; McAfee, M. J.; Oldenburg, C. E. M. Scope and Stereochemistry of the Tandem Intramolecular Cyclopropanation/Cope Rearrangement Sequence. *J. Org. Chem.* **1989**, *54*, 930–936.
- Davies, H. M. L.; Oldenburg, C. E. M.; McAfee, M. J.; Nordahl, J. G.; Henretta, J. P.; Romines, K. R. Novel Approach to Seven-membered Rings by the Intramolecular Tandem Cyclopropanation/Cope Rearrangement Sequence. *Tetrahedron Lett.* **1988**, *29*, 975–978.

- Davies, H. M. L.; Peng, Z.-Q.; Houser, J. H. Asymmetric Synthesis of 1,4-Cycloheptadienes and Bicyclo[3.2.1]octa-2,6-dienes by Rhodium(II) N-(p-(*tert*-butyl)phenylsulfonyl)prolinate Catalyzed Reactions Between Vinyldiazomethanes and Dienes. *Tetrahedron Lett.* **1994**, *35*, 8939–8942.
- Davies, H. M. L.; Saikali, E.; Young, W. B. Synthesis of (±)-Ferruginine and (±)-Anhydroecogonine Methyl Ester by a Tandem Cyclopropanation/Cope Rearrangement. *J. Org. Chem.* **1991**, *56*, 5696–5700.
- Davies, H. M. L.; Smith, H. D.; Korkor, O. Tandem Cyclopropanation/Cope Rearrangement Sequence. Stereospecific [3+4] Cycloaddition Reaction of Vinylcarbenoids with Cyclopentadiene. *Tetrahedron Lett.* **1987**, *28*, 1853–1856.
- Davies, H. M. L.; Stafford, D. G.; Doan, B. D.; Houser, J. H. Tandem Asymmetric Cyclopropanation/Cope Rearrangement. A Highly Diastereoselective and Enantioselective Method for the Construction of 1,4-Cycloheptadienes. *J. Am. Chem. Soc.* **1998**, *120*, 3326–3331.
- de Boer, Th. J.; Backer, H. J. Diazomethane. *Org. Syn.* **1963**, *Coll. Vol. 4*, 250–253.
- De Leeuw, J. W.; De Waard, E. R.; Beetz, T.; Huisman, H. O. α,β -Unsaturated Acetals. *Recl. Trav. Chim. Pays-Bas* **1973**, *92*, 1047–1052.
- Deng, H.; Isler, M. P.; Snapper, M. L.; Hoveyda, A. H. Aluminum-Catalyzed Asymmetric Addition of TMS-CN to Aromatic and Aliphatic Ketones Promoted by an Easily Accessible and Recyclable Peptide Ligand. *Angew. Chem. Int. Ed.* **2002**, *41*, 1009–1012.
- Dewick, P. M. The biosynthesis of C₅–C₂₅ terpenoid compounds. *Nat. Prod. Rep.* **1999**, *16*, 97–130.

- Dewick, P. M. The biosynthesis of C₅–C₂₅ terpenoid compounds. *Nat. Prod. Rep.* **2002**, *19*, 181–222.
- DiMauro, E. F.; Kozlowski, M. C. Development of Bifunctional Salen Catalysts: Rapid, Chemoselective Alkylations of α -Ketoesters. *J. Am. Chem. Soc.* **2002**, *124*, 12668–12669.
- DiMauro, E. F.; Kozlowski, M. C. The First Catalytic Asymmetric Addition of Dialkylzincs to α -Ketoesters. *Org. Lett.* **2002**, *4*, 3781–3784.
- Doering, W. von E.; Roth, W. R. Overlap of Two Allyl Radicals or a Four-Centered Transition State in Cope Rearrangement. *Tetrahedron* **1962**, *18*, 67–74.
- Doering, W. von E.; Toscano, V. G.; Beasley, G. H. Kinetics of the Cope rearrangement of 1,1-dideuteriohexa-1,5-diene. *Tetrahedron* **1971**, *27*, 5299–5306.
- Doyle, M. P.; Yan, M. Effective and Highly Stereoselective Coupling with Vinylidiazomethanes To Form Symmetrical Trienes. *J. Org. Chem.* **2002**, *67*, 602–604.
- Doyle, M. P.; Yan, M.; Gao, H.-M.; Blossy, E. C. Catalysts with Mixed Ligands on Immobilized Supports. Electronic and Steric Advantages. *Org. Lett.* **2003**, *5*, 561–563.
- Du, D.-M.; Lu, S.-F.; Fang, T.; Xu, J. Asymmetric Henry Reaction Catalyzed by C₂-Symmetric Tridentate Bis(oxazoline) and Bis(thiazoline) Complexes: Metal-Controlled Reversal of Enantioselectivity *J. Org. Chem.* **2005**, *70*, 3712–3715.
- Dueber, M. T.; Adolf, W.; West, C. A. Biosynthesis of the Diterpene Phytoalexin Casbene. *Plant Physiol.* **1978**, *62*, 598–603.

- Duh, C.-Y.; Wang, S.-K.; Chia, M.-C.; Chiang, M. Y. A novel cytotoxic norditerpenoid from the Formosan soft coral *Sinularia inelegans*. *Tetrahedron Lett.* **1999**, *40*, 6033–6035.
- Duncan, J. A.; Aki, L. Y.; Absalon, M. J.; Kwong, K. S.; Hendricks, R. T. Photosensitized Cope rearrangement of syn-7-(1,2-butadienyl)bicyclo[2.2.1]hept-2-ene [syn-7-(3-methylallenyl)norbornene]. *J. Org. Chem.* **1988**, *53*, 196–198.
- Duret, P.; Figadère, B.; Hocquemiller, R.; Cavé, A. Epimerization of Annonaceous Acetogenins under Basic Conditions. *Tetrahedron Lett.* **1997**, *38*, 8849–8852.
- Eames, J.; Mitchell, H. J.; Nelson, A.; O'Brien, P.; Warren, S.; Wyatt, P. An efficient protocol for Sharpless-style racemic dihydroxylation. *J. Chem. Soc. Perkin Trans. 1* **1999**, *8*, 1095–1103.
- Eklund, Ann-Marie; Forsblom, Ingrid; Berg, Jan-Eric; Damberg, Charlotta; Wahlberg, Inger. Tobacco chemistry. 83. Four new cyclized cembranoids from tobacco. *Acta Chemica Scandinavica* **1998**, *52*, 1254–1262.
- Enders, D.; Bettray, W. in *Asymmetric Synthesis with Chemical and Biological Methods* (Eds: D. Enders, K.-E. Jaeger), WILEY-VCH, Weinheim, **2007**, pp. 38–75.
- Enders, D.; Bockstiegel, B. Enantioselective Alkylation of 2,2-Dimethyl-1,3-dioxan-5-one Using the SAMP-/RAMP-Hydrazone Method. *Synthesis*, **1989**, 493–496.
- Enders, D.; Breuer, I.; Drosdow, E. Asymmetric Synthesis of 4'-epi-Trachycladines A and B. *Synthesis* **2005**, 3239–3244.
- Enders, D.; Grondal, C. Direct Organocatalytic De Novo Synthesis of Carbohydrates. *Angew. Chem. Int. Ed.* **2005**, *44*, 1210–1212.

- Enders, D.; Herriger, C. Asymmetric Synthesis of 2-Trifluoromethyl-1,2,3-triols. *Eur. J. Org. Chem.* **2007**, 7, 1085–1090.
- Enders, D.; Hundertmark, T.; Lazny, R. Copper(II) Chloride Mediated Racemization-Free Hydrolysis of α -Alkylated Ketone SAMP-Hydrazones. *Synth. Commun.* **1999**, 29, 27–34.
- Enders, D.; Jegelka, U.; Dücker, B. Diastereo- and Enantioselective Synthesis of C₂-Symmetrical HIV-1 Protease Inhibitors. *Angew. Chem. Int. Ed.* **1993**, 32, 423–425.
- Enders, D.; Muller-Huwen, A. Asymmetric Synthesis of 2-Amino-1,3-diols and D-erythro-Sphinganine. *Eur. J. Org. Chem.* **2004**, 8, 1732–1739.
- Enders, D.; Voith, M. Asymmetric Synthesis of Monoprotected Double Allylic Alcohols. *Synthesis* **2002**, 11, 1571–1577.
- Enders, D.; Voith, M.; Ince, S. J. Preparation and Reactions of 2,2-Dimethyl-1,3-dioxan-5-one-SAMP-Hydrazone: A Versatile Chiral Dihydroxyacetone Equivalent. *Synthesis* **2002**, 12, 1775–1779.
- Evans, D. A.; Burgey, C. S.; Kozlowski, M. C.; Tregay, S. W. C₂-Symmetric Copper(II) Complexes as Chiral Lewis Acids. Scope and Mechanism of the Catalytic Enantioselective Aldol Additions of Enolsilanes to Pyruvate Esters. *J. Am. Chem. Soc.* **1999**, 121, 686–699.
- Evans, D. A.; Golob, A. M. [3,3] Sigmatropic rearrangements of 1,5-diene alkoxides. Powerful accelerating effects of the alkoxide substituent. *J. Am. Chem. Soc.* **1975**, 97, 4765–4766.

- Evans, D. A.; Janey, J. M. C_2 -Symmetric Cu(II) Complexes as Chiral Lewis Acids. Catalytic, Enantioselective Cycloadditions of Silyl Ketenes. *Org. Lett.* **2001**, *3*, 2125–2128.
- Evans, D. A.; MacMillan, D. W. C.; Campos, K. R. C_2 -Symmetric Tin(II) Complexes as Chiral Lewis Acids. Catalytic Enantioselective *Anti* Aldol Additions of Enolsilanes to Glyoxylate and Pyruvate Esters. *J. Am. Chem. Soc.* **1997**, *119*, 10859–10860.
- Evans, D.A.; Tregay, S. W.; Burgey, C. S.; Paras, N. A.; Vojkovsky, T. C_2 -Symmetric Copper(II) Complexes as Chiral Lewis Acids. Catalytic Enantioselective Carbonyl–Ene Reactions with Glyoxylate and Pyruvate Esters. *J. Am. Chem. Soc.* **2000**, *122*, 7936–7943.
- Fennie, M. W.; DiMauro, E. F.; O'Brien, E. M.; Annamalai, V.; Kozlowski, M. C. Mechanism and scope of salen bifunctional catalysts in asymmetric aldehyde and α -ketoester alkylation. *Tetrahedron* **2005**, *61*, 6249–6265.
- Fenwick, J.; Frater, G.; Ogi, K.; Strausz, O. P. Mechanism of the Wolff Rearrangement. IV. The Role of Oxirene in the Photolysis of α -Diazo Ketones and Ketenes. *J. Am. Chem. Soc.* **1973**, *95*, 124–132.
- Fieser, L. F.; Fieser, M. Reagents for Organic Synthesis, John Wiley and Sons, Inc. (New York) **1967**, 584–595.
- Forbes, D. C.; Ene, D. G.; Doyle, M. P. Stereoselective Synthesis of Substituted 5-Hydroxy-1,3-dioxanes. *Synthesis* **1998**, *6*, 879–882.
- Frater, G.; Strausz, O. P. Mechanism of the Wolff Rearrangement. III. *J. Am. Chem. Soc.* **1970**, *92*, 6654–6656.

- Freeman, P. K.; Kuper, D. G. Synthesis of Bicyclo[3.2.1] octa-3,6-Dien-2-One: An Unusual Valence Isomerisation. *Chem. Ind.* **1965**, 424–425.
- Friedrich, D.; Duskotch, R. W.; Paquette, L. A. Revised Constitution of Sclerophytins A and B. *Org. Lett.* **2000**, 2, 1879–1882.
- Frigerio, M.; Santagostino, M.; Sputore, S. A User-Friendly Entry to 2-Iodoxybenzoic Acid (IBX). *J. Org. Chem.* **1999**, 64, 4537–4538.
- Fuerst, D. E.; Jacobsen, E. N. Thiourea-Catalyzed Enantioselective Cyanosilylation of Ketones. *J. Am. Chem. Soc.* **2005**, 127, 8964–8965.
- Funabashi, K.; Jachmann, M.; Kanai, M.; Shibasaki, M. Multicenter Strategy for the Development of Catalytic Enantioselective Nucleophilic Alkylation of Ketones: Me₂Zn Addition to α -Ketoesters. *Angew. Chem. Int. Ed.* **2003**, 42, 5489–5492.
- Gajewski, J. J. Energy Surfaces of Sigmatropic Shifts. *Acc. Chem. Res.* **1980**, 13, 142–148.
- Gajewski, J. J. *Hydrocarbon Thermal Isomerizations*. Amsterdam; New York: Elsevier, 2004.
- Gallou, F.; MacMillan, D. W. C.; Overman, L. E.; Paquette, L. A.; Pennington, L. D.; Yang, J. Enantioselective Syntheses of Authentic Sclerophytin A, Sclerophytin B, and Cladiell-11-ene-3,6,7-triol. *Org. Lett.* **2001**, 3, 135–137.
- García, C.; Martín, V. S. Asymmetric Addition to Ketones: Enantioselective Formation of Tertiary Alcohols. *Curr. Org. Chem.* **2006**, 10, 1849–1889.
- García Ruano, J. L.; Barros, D.; Carmen Maestro, M.; Alcludia, A.; Fernández, I. Synthesis of enantiomerically pure (*R*)- and (*S*)-2-ethoxycarbonylmethyl-2-hydroxy-cyclohexanones. *Tetrahedron: Asymmetry* **1998**, 9, 3445–3453.

- García Ruano, J. L.; Barros, D.; Maestro, M. C.; Slawin, A. M. Z.; Bulman Page, P. C. High Stereocontrol in Aldol Reaction with Ketones: Enantioselective Synthesis of β -Hydroxy γ -Ketoesters by Ester Enolate Aldol Reactions with 2-Acyl-2-alkyl-1,3-dithiane 1-Oxides. *J. Org. Chem.* **2000**, *65*, 6027–6034.
- Garg, N. K.; Caspi, D. D.; Stoltz, B. M. Development of an Enantiodivergent Strategy for the Total Synthesis of (+)- and (-)-Dragmacidin F from a Single Enantiomer of Quinic Acid. *J. Am. Chem. Soc.* **2005**, *127*, 5970–5978.
- Garg, N. K.; Caspi, D. D.; Stoltz, B. M. The Total Synthesis of (+)-Dragmacidin F. *J. Am. Chem. Soc.* **2004**, *126*, 9552–9553.
- Garg, N. K.; Caspi, D. D.; Stoltz, B. M. The Utility of the Classical and Oxidative Heck Reactions in Natural Product Synthesis: Studies Directed toward the Total Synthesis of Dragmacidin F. *Synlett* **2006**, 3081–3087.
- Garg, N. K.; Stoltz, B. M. A unified synthetic approach to the pyrazinone dragmacidins. *Chem. Commun.* **2006**, 3769–3779.
- Ge, C.-S.; Jang, E. G.; Jefferson, E. A.; Liu, W.; Moss, R. A.; Wlostowska, J.; Xue, S. The Kinetic Range of Carbene–Pyridine Ylide forming Reactions. *J. Chem. Soc., Chem. Commun.* **1994**, 1479–1480.
- Gill, G. B. in *Comprehensive Organic Synthesis, Vol. 3* (Trost, B. M.; Fleming, I.; Pattenden, G., Eds.) Pergamon, Oxford, **1991**, pp. 887–912.
- Grennberg, H.; Langer, V.; Bäckvall, J.-E. Structure and Reactivity of *cis*- and *trans*-Bis-[[5-carbomethoxy-(1,2,3- η)-cyclohexenyl]palladium]. Evidence for a (σ -Allyl) palladium Intermediate in the *cis*-Migration of Acetate from Palladium to Coordinated π -Allyl. *J. Chem. Soc., Chem. Commun.* **1991**, 1190–1192.

- Guilford, W. J.; Coates, R. M. Stereochemistry of Casbene Biosynthesis. *J. Am. Chem. Soc.* **1982**, *104*, 3506–3508.
- Haiss, P.; Zeller, K.-P. Partial Oxygen Migration in the Photochemical Wolff Rearrangement — α -Oxocarben-Oxiren-Isomerization or Intermolecular Mechanism? *Z. Naturforsch.* **2003**, *58b*, 595–605.
- Hamann, M. T.; Harrison, K. N.; Carroll, A. R.; Scheuer, P. J. Briarane Diterpenes from Micronesian Gorgonians *Heterocycles* **1996**, *42*, 325–331.
- Hamashima, Y.; Kanai, M.; Shibasaki, M. Catalytic enantioselective cyanosilylation of ketones: improvement of enantioselectivity and catalyst turn-over by ligand tuning. *Tetrahedron Lett.* **2001**, *42*, 691–694.
- Hashimoto, T.; Naganawa, Y.; Maruoka, K. Stereoselective Construction of Seven-Membered Rings with an All-Carbon Quaternary Center by Direct Tiffeneau–Demjanov-type Ring Expansion. *J. Am. Chem. Soc.* **2009**, *131*, 6614–6617.
- He, B.; Chen, F.-X.; Li, Y.; Feng, X.; Zhang, G. Achiral phenolic *N*-oxides as additives: an alternative strategy for asymmetric cyanosilylation of ketones. *Tetrahedron Lett.* **2004**, *45*, 5465–5467.
- He, B.; Chen, F.-X.; Feng, X.; Zhang, G. Effective Activation of the Chiral Salen/Ti(*Oi*Pr)₄ Catalyst with Achiral Phenolic *N*-Oxides as Additives in the Enantioselective Cyanosilylation of Ketones. *Eur. J. Org. Chem.* **2004**, 4657–4666.
- Helmchen, G.; Pfaltz, A. Phosphinooxazolines—A New Class of Versatile, Modular P,N-Ligands for Asymmetric Catalysis. *Acc. Chem. Res.* **2000**, *33*, 336–345.

- Herscovici, J.; Egron, M.-J.; Antonakis, K. New Oxidative Systems for Alcohols: Molecular Sieves with Chromium (VI) Reagents. *J. Chem. Soc., Perkin Trans. 1* **1982**, 1967–1973.
- Higa, T. Briarane Diterpenes from Two Species of Octocorals, *Ellisella* sp. And *Pteroeides* sp. *J. Nat. Prod.* **2004**, *67*, 1368–1373.
- Hill, A. M.; Cane, D. E.; Mau, C. J. D.; West, C. A. High Level Expression of *Ricinus communis* Casbene Synthase in *Escherichia coli* and Characterization of the Recombinant Enzyme. *Arch. Biochem. Biophys.* **1996**, *336*, 283–289.
- Hill, R. K.; Gilman, N. W. Asymmetric Induction in the Cope Rearrangement. *Chem. Commun.* **1967**, 619–620.
- Hodgson, D. M.; Petroligi, M. Rh(II)-binaphthol phosphate catalyst in the enantioselective intramolecular oxonium ylide formation–[3,2] sigmatropic rearrangement of α -diazo- β -ketoesters. *Tetrahedron: Asymmetry* **2001**, *12*, 877–881.
- Hoffmann, R.; Woodward, R. B. Conservation of Orbital Symmetry. *Acc. Chem. Res.* **1968**, *1*, 17–22.
- Hoffmann, R.; Woodward, R. B. Orbital Symmetries and endo-exo Relationships in Concerted Cycloaddition Reactions. *J. Am. Chem. Soc.* **1965**, *87*, 4388–4389.
- Hoffmann, R.; Woodward, R. B. Orbital Symmetries and Orientational Effects in a Sigmatropic Reaction. *J. Am. Chem. Soc.* **1965**, *87*, 4389–4390.
- Hoffmann, R.; Woodward, R. B. Selection Rules for Concerted Cycloaddition Reactions. *J. Am. Chem. Soc.* **1965**, *87*, 2046–2048.
- Horspool, W. M. Photolysis of Carbonyl Compounds. *Photochemistry* **1994**, *25*, 67–100.

- Hrovat, D. A.; Morokuma, K.; Houk, K. N.; Borden, W. T. Cooperative and Competitive Substituent Effects on the Cope Rearrangements of Phenyl-Substituted 1,5-Hexadienes Elucidated by Becke3LYP/6-31G. *J. Am. Chem. Soc.* **2000**, *122*, 7456–7460.
- Humski, K.; Malojcic, R.; Borcic, S.; Sunko, D. E. Thermodynamic and kinetic secondary isotope effects in the Cope rearrangement. *J. Am. Chem. Soc.* **1970**, *92*, 6534–6538.
- Hurd, C. D.; Bollman, H. T. The Allyltoluenes. *J. Am. Chem. Soc.* **1934**, *56*, 447–449.
- Hurd, C. D.; Bollman, H. T. The Pyrolysis of Alpha Unsaturated Hydrocarbons. *J. Am. Chem. Soc.* **1933**, *55*, 699–702.
- Hurd, C. D.; Lui, S. C. Vinyl diazomethane. *J. Am. Chem. Soc.* **1935**, *57*, 2656–2657.
- Hutchinson, I. S.; Matlin, S. A.; Mete, A. The synthesis of 3-diazo-2-nitromethylenepiperidine. *Tetrahedron Lett.* **2001**, *42*, 1773–1776.
- Ibrahim, I.; Córdoba, A. Direct Catalytic Intermolecular α -Allylic Alkylation of Aldehydes by Combination of Transition-Metal and Organocatalysis. *Angew. Chem. Int. Ed.* **2006**, *45*, 1952–1956.
- Iguchi, K. Yonarolide: a New Marine Norditerpenoid Possessing a Novel Tricyclic Skeleton, from the Okinawan Soft Coral of the Genus, *Sinularia*. *Tetrahedron Lett.* **1995**, *36*, 8807–8808.
- Illuminati, G.; Mandolini, L. Ring closure reactions of bifunctional chain molecules. *Acc. Chem. Res.* **1981**, *14*, 95–102.
- Jackson, K. L.; Henderson, J. A.; Motoyoshi, H.; Phillips, A. J. A Total Synthesis of Norhalichondrin B. *Angew. Chem. Int. Ed.* **2009**, *48*, 2346–2350.

- Jiang, B.; Chen, Z.; Tang, X. Highly Enantioselective Alkynylation of α -Keto Ester: An Efficient Method for Constructing a Chiral Tertiary Carbon Center. *Org. Lett.* **2002**, *4*, 3451–3453.
- Jiao, H.; Schleyer, P. v. R. The Cope Rearrangement Transition Structure Is Not Diradicaloid, but Is It Aromatic? *Angew. Chem. Int. Ed.* **1995**, *34*, 334–337.
- Jin, P.; Deng, Z.; Pei, Y.; Fu, H.; Li, J.; Van Ofwegen, L.; Proksch, P.; Lin, W. Polyhydroxylated steroids from the soft coral *Sinularia dissecta*. *Steroids* **2005**, *70*, 487–493.
- Johannsen, M.; Yao, S.; Jørgensen, K. A. The first highly enantioselective catalytic hetero-Diels–Alder reaction of ketones. *Chem. Commun.* **1997**, 2169–2170.
- Jones, M., Jr.; Wataru, A.; Hendrick, M. E.; Kulczycki, A., Jr.; Howley, P. M.; Hummel, K. F.; Malament, D. S. Irradiation of Methyl Diazomalonate in Solution. Reactions of Singlet and Triplet Carbenes with Carbon–Carbon Double Bonds. *J. Am. Chem. Soc.* **1972**, *94*, 7469–7479.
- Kaden, S.; Hiersemann, M. The First Catalytic Asymmetric Domino Claisen Rearrangement/Intramolecular Carbonyl Ene Reaction. *Synlett* **2002**, 1999–2002.
- Kamel, H. N.; Slattery, M. Terpenoids of *Sinularia*: Chemistry and Biomedical Applications. *Pharmaceutical Biology*. **2005**, *43*, 253–269.
- Kamino, T.; Murata, Y.; Kawai, N.; Hosokawa, S.; Kobayashi, S. Stereochemical control of tertiary alcohol: aldol condensation of lactate derivatives. *Tetrahedron Lett.* **2001**, *42*, 5249–5252.

- Kang, H. J.; Paquette, L. A. Claisen-based strategy for the de novo construction of basmane diterpenes. Enantiospecific synthesis of (+)-7,8-epoxy-2-basmen-6-one. *J. Am. Chem. Soc.* **1990**, *112*, 3252–3253.
- Kanoh, S.; Muramoto, H.; Kobayashi, N.; Motoi, M.; Suda, H. Practical Method for the Synthesis and Optical Resolution of Axially Dissymmetric 6,6'-Dimethylbiphenyl-2,2'-dicarboxylic Acid. *Bull. Chem. Soc. Jpn.* **1987**, *60*, 3659–3662.
- Karlsson, R. The Structure and Absolute Configuration of Sinulariolide, a Cembranolide Diterpene. *Acta Crystallogr.* **1977**, *B33*, 2027–2031.
- Katritzky, A. R.; Bobrov, S. The homologation of carbonyl compounds by single carbon insertion reactions. *ARKIVOC*, **2005**, 174–188.
- Kawasaki, T.; Nonaka, Y.; Watanabe, K.; Ogawa, A.; Higuchi, K.; Terashima, R.; Masuda, K.; Sakamoto, M. Reverse Aromatic Cope Rearrangement of 2-Allyl-3-alkylideneindolines Driven by Olefination of 2-Allylindolin-3-ones: Synthesis of α -Allyl-3-indole Acetate Derivatives. *J. Org. Chem.* **2001**, *66*, 1200–1204.
- Kawatsura, M.; Hartwig, J. F. Simple, Highly Active Palladium Catalysts for Ketone and Malonate Arylation: Dissecting the Importance of Chelation and Steric Hindrance. *J. Am. Chem. Soc.* **1999**, *121*, 1473–1478.
- Keith, J. A.; Behenna, D. C.; Mohr, J. T.; Ma, S.; Marinescu, S. C.; Oxgaard, J.; Stoltz, B. M.; Goddard, W. A., III. The Inner-Sphere Process in the Enantioselective Tsuji Allylation Reaction with (*S*)-*t*-Bu-phosphinooxazoline Ligands. *J. Am. Chem. Soc.* **2007**, *129*, 11876–11877.
- Kende, A. S.; Smalley, T. L., Jr.; Huang, H. Total synthesis of (\pm)-Isostemofoline. *J. Am. Chem. Soc.* **1999**, *121*, 7431–7432.

- Kim, S. S. Asymmetric cyanohydrin synthesis from aldehydes and ketones using chiral metal (salen) complex as catalyst. *Pure Appl. Chem.* **2006**, *78*, 977–983.
- Kim, S. S.; Kwak, J. M. Asymmetric addition of trimethylsilyl cyanide to ketones catalyzed by Al(salen)/triphenylphosphine oxide. *Tetrahedron* **2006**, *62*, 49–53.
- Kim, S. S.; Lee, S. H.; Kwak, J. M. Enantioselective cyanosilylation of ketones catalyzed by Mn(salen)/Ph₃PO. *Tetrahedron: Asymmetry* **2006**, *17*, 1165–1169.
- Kim, Y. H.; Kim, S. H. Highly Stereoselective Allylation to Chiral α -Keto Amides Derived from (*S*)-Indoline-2-carboxylic Acid. Asymmetric Synthesis of Functionalized Tertiary Homoallyl Alcohols. *Tetrahedron Lett.* **1995**, *36*, 6895–6898.
- Kirmse, W. 100 Years of the Wolff Rearrangement. *Eur. J. Org. Chem.* **2002**, 2193–2256.
- Kirmse, W. *Carbene Chemistry*, 2nd Ed., Academic Press, New York, **1971**, pp. 475–493.
- Kirmse, W. Carbenes and the O–H Bond. *Adv. Carbene Chem.* **1994**, *1*, 1–57.
- Kitching, W.; Sakakiyama, T.; Rappoport, Z.; Sleezer, P. D.; Winstein, S.; Young, W. G. Metal Acetate Promoted Reactions of σ and π Allylic Organometallics. *J. Am. Chem. Soc.* **1972**, *94*, 2329–2335.
- Kobayashi, M.; Appa Rao, K. M. Ch.; Krishna, M. M.; Anjaneyulu, V. Marine terpenes and terpenoids. Part 19. Structure of a tetracyclic norcembranolid derivative isolated from the soft coral *Sinularia dissecta*. *J. Chem. Res., Synopses* **1995**, 188–189.
- Kozlowski, P. M.; Dupuis, M.; Davidson, E. R. The Cope Rearrangement Revisited with Multireference Perturbation Theory. *J. Am. Chem. Soc.* **1995**, *117*, 774–778.

- Krout, M. R.; Mohr, J. T.; Stoltz, B. M. Preparation of (S)-*tert*-ButylPHOX. *Org. Synth.* **2009**, *86*, 181–193.
- Krow, G. R. One carbon ring expansions of bridged bicyclic ketones. *Tetrahedron* **1987**, *43*, 3–38.
- Lane, J. F.; Wallis, E. S. Molecular Rearrangements Involving Optically Active Radicals. X. The Retention of Configuration in the Wolff Rearrangement. *J. Am. Chem. Soc.* **1941**, *63*, 1674–1676.
- Langner, M.; Remy, P.; Bolm, C. C₁-Symmetric Aminosulfoximines as Ligands in Copper-Catalyzed Carbonyl-Ene Reactions. *Synlett* **2005**, *5*, 781–784.
- Larock, R. C.; Yum, E. K.; Yang, H. Palladium-Catalyzed Intermolecular Arylation of Functionally-Substituted Cycloalkenes by Aryl Iodides. *Tetrahedron* **1994**, *50*, 305–321.
- Lautens, M.; Stammers, T. A. Oxabicyclo[3.2.1]oct-6-enes as Templates for the Stereoselective Synthesis of Polypropionates: Total Synthesis of Callystatin A and C19-*epi*-Callystatin A. *Synthesis* **2002**, 1993–2012.
- Li, H.; Wang, B.; Deng, L. Enantioselective Nitroaldol Reaction of α -Ketoesters Catalyzed by Cinchona Alkaloids. *J. Am. Chem. Soc.* **2006**, *128*, 732–733.
- Lievens, S. C.; Hope, H.; Molinski, T. F. New 3-Oxo-chol-4-en-24-oic Acids from the Marine Soft Coral *Eleutherobia* sp. *J. Nat. Prod.* **2004**, *67*, 2130–2132.
- Likhotvorik, I.; Zhu, Z.; Tae, E. L.; Tippmann, E.; Hill, B. T.; Platz, M. S. Carbomethoxychlorocarbene: Spectroscopy, Theory, Chemistry and Kinetics. *J. Am. Chem. Soc.* **2001**, *123*, 6061–6068.

- Liu, H.-J.; Zhu, B.-Y. Efficient Addition of Cerium(III) Enolate of Ethyl Acetate to Ketones: Application to the Synthesis of β -Ethoxycarbonylmethyl α,β -Unsaturated Ketones. *Can. J. Chem.* **1991**, *69*, 2008–2013.
- Liu, Q.; Ferreira, E. M.; Stoltz, B. M. Convergency and Divergency as Strategic Elements in Total Synthesis: The Total Synthesis of (–)-Drupacine and the Formal Total Synthesis of (\pm)-Cephalotaxine, (–)-Cephalotaxine, and (+)-Cephalotaxine. *J. Org. Chem.* **2007**, *72*, 7352–7358.
- Liu, X.; Qin, B.; Zhou, X.; He, B.; Feng, X. Catalytic Asymmetric Cyanosilylation of Ketones by a Chiral Amino Acid Salt. *J. Am. Chem. Soc.* **2005**, *127*, 12224–12225.
- López, F.; Castedo, L.; Mascareñas, J. L. A Practical Route to Enantiopure, Highly Functionalized Seven-Membered Carbocycles and Tetrahydrofurans: Concise Synthesis of (+)-Nemorensic Acid. *Chemistry—A European Journal* **2002**, *8*, 884–899.
- Loupy, A.; Monteux, D. A. Isomannide and isosorbide as new chiral auxiliaries for the stereoselective synthesis of tertiary α -hydroxy acids. *Tetrahedron* **2002**, *58*, 1541–1549.
- Lu, S.-F.; Du, D.-M.; Zhang, S. W.; Xu, J. Facile synthesis of C_2 -symmetric tridentate bis(thiazoline) and bis(oxazoline) ligands and their application in the enantioselective Henry reaction. *Tetrahedron: Asymmetry* **2004**, *15*, 3433–3441.
- Maas, G. in *Methoden Org. Chem. (Houben-Weyl)*, Vol. E 19b (Regitz, M., Ed.) Thieme, Stuttgart, **1989**, pp. 1232–1264.
- MacMillan, D. W. C.; Overman, L. E.; Pennington, L. D. A General Strategy for the Synthesis of Cladiellin Diterpenes: Enantioselective Total Syntheses of 6-

- Acetoxycladiell-7(16),11-dien-3-ol (Deacetoxyalcyonin Acetate), Cladiell-11-ene-3,6,7-triol, Sclerophytin A, and the Initially Purported Structure of Sclerophytin A. *J. Am. Chem. Soc.* **2001**, *123*, 9033–9044.
- Maier, G.; Schmidt, C.; Reisenauer, H. P.; Endlein, E.; Becker, E.; Eckwert, J.; Hess, B. A.; Schaad, W. J. Blausäure-*N*-methyloid: Darstellung, spektroskopische Eigenschaften und seine Beziehung zu anderen C₂H₃N-Isomeren. *Chem. Ber.* **1993**, *126*, 2337–2352.
- Majerski, Z.; Redvanly, C. S. Mechanism of the Wolff Rearrangement of α -Diazohomoadamantanone: Evidence against Oxiren Participation. *J. Chem. Soc. Chem. Commun.* **1972**, 694–695.
- Majewski, M.; Gleave, D. M.; Nowak, P. 1,3-Dioxan-5-ones: synthesis, deprotonation, and reactions of their lithium enolates. *Can. J. Chem.* **1995**, *73*, 1616–1626.
- Marshall, J. A.; Van Devender, E. A. Synthesis of (–)-Deoxypukalide, the Enantiomer of a Degradation Product of the Furanocembranolide Pukalide. *J. Org. Chem.* **2001**, *66*, 8037–8041.
- Masumoto, S.; Suzuki, M.; Kanai, M.; Shibasaki, M. A practical synthesis of (*S*)-oxybutynin. *Tetrahedron Lett.* **2002**, *43*, 8647–8651.
- Matlin, S. A.; Sammes, P. G. Decomposition of α -Diazo-ketones: the Oxiren-Oxocarbene Equilibrium. *J. Chem. Soc., Perkin Trans. 1* **1972**, 2623–2630.
- May, J. A.; Stoltz, B. M. Non-Carbonyl-Stabilized Metallocarbenoids in Synthesis: The Development of a Tandem Rhodium-Catalyzed Bamford-Stevens/Thermal Aliphatic Claisen Rearrangement Sequence. *J. Am. Chem. Soc.* **2002**, *124*, 12426–12427.

- Meier, H.; Zeller, K. P. The Wolff Rearrangement of α -Diazo Carbonyl Compounds. *Angew. Chem. Int. Ed. Engl.* **1975**, *14*, 32–42.
- Méndez, M.; Cuerva, J. M.; Gómez-Bengoa, E.; Cárdenas, D. J.; Echavarren, A. M. Intramolecular Coupling of Allyl Carboxylates with Allyl Stannanes and Allyl Silanes: A New Type of Reductive Elimination Reaction? *Chem. Eur. J.* **2002**, *8*, 3620–3628.
- Michalek-Wagner, K.; Bourne, D. J.; Bowden, B. F. The effects of different strains of zooxanthellae on the secondary-metabolite chemistry and development of the soft-coral host *Lobophytum compactum*. *Marine Biology* **2001**, *138*, 753–760.
- Mikami, K.; Kawakami, Y.; Akiyama, K.; Aikawa, K. Enantioselective Catalysis of Ketoester-ene Reaction of Silyl Enol Ether to Construct Quaternary Carbons by Chiral Dicationic Palladium(II) Complexes. *J. Am. Chem. Soc.* **2007**, *129*, 12950–12951.
- Miller, B. Dienone–Phenol Rearrangements of 6-Allylcyclohexa-2,4-dienones and 4-Allylcyclohexa-2,5-dienones. Acid Catalysis of Cope Rearrangements. *J. Am. Chem. Soc.* **1965**, *87*, 5115–5120.
- Miller, L. C.; Ndungu, M.; Sarpong, R. Parallel Kinetic Resolution Approach to the Cyathane and Cyathiwigin Diterpenes Using a Cyclopropanation/Cope Rearrangement. *Angew. Chem. Int. Ed.* **2009**, *48*, 2398–2402.
- Mohr, J. T.; Behenna, D. C.; Harned, A. M.; Stoltz, B. M. Deracemization of Quaternary Stereocenters by Pd-Catalyzed Enantioconvergent Decarboxylative Allylation of Racemic β -Ketoesters. *Angew. Chem. Int. Ed.* **2005**, *44*, 6924–6927.

- Mohr, J. T.; Stoltz, B. M. Enantioselective Tsuji Allylations. *Chem. Asian J.* **2007**, *2*, 1476–1491.
- Molander, G. A. Diverse Methods for Medium Ring Synthesis. *Acc. Chem. Res.* **1998**, *31*, 603–609.
- Morita, H.; Arisaka, M.; Yoshida, N.; Kobayashi, J. Cephaloxomines A–F, Potent Cytotoxic Alkaloids from *Cephalotaxus harringtonia* var. *nana*. *Tetrahedron* **2000**, *56*, 2929–2934.
- Moss, R. A. Dynamics of intramolecular carbonic rearrangements. *Pure Appl. Chem.* **1995**, *67*, 741–747.
- Müller, A.; Vogt, C.; Sewald, N. Synthesis of Fmoc- β -Homoamino Acids by Ultrasound-Promoted Wolff Rearrangement. *Synthesis* **1998**, 837–841.
- Mulzer, J.; Giester, G.; Gilbert, M. Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes — Concise Route to a Highly Functionalized Cyclopentane Key Intermediate. *Helv. Chim. Acta* **2005**, *88*, 1560–1579.
- Myers, Andrew G.; Condroski, Kevin R. Synthesis of (\pm)-7,8-epoxy-4-basmen-6-one by a transannular cyclization strategy. *J. Am. Chem. Soc.* **1993**, *115*, 7926–7927.
- Nakamura, M.; Hajra, A.; Endo, K.; Nakamura, E. Synthesis of Chiral α -Fluoroketones through Catalytic Enantioselective Decarboxylation. *Angew Chem. Int. Ed.* **2005**, *44*, 7248–7251.
- Nakao, Y.; Yoshida, S.; Matsunaga, S.; Fusetani, N. (*Z*)-Sarcodictyin A, a New Highly Cytotoxic Diterpenoid from the Soft Coral *Bellonella albiflora*. *J. Nat. Prod.* **2003**, *66*, 524–527.

- Nakata, M.; Rei, H. Chemical Trapping of Electronically Excited Biradicals upon Visible Light-Induced Oxygen-Atom Transfer from NO₂ to Allene and Dimethylacetylene in a Cryogenic Matrix. *J. Am. Chem. Soc.* **1992**, *114*, 1363–1372.
- Naruta, Y.; Uno, H.; Maruyama, K. New Synthesis of Methyl 2-Triorganosilyl-3-butenates as a new synthon of 3-Methoxycarbonylallyl Anion. *Chem. Lett.* **1982**, 961–964.
- Nicolaou, K. C.; Edmonds, D. J.; Bulger, P. G. Cascade Reactions in Total Synthesis. *Angew. Chem. Int. Ed.* **2006**, *45*, 7134–7186.
- Nikolaev, V. A.; Kimich, N. N.; Korobitsyna, T. K. Photolysis of 5-Diazo-2,2-dimethyl-4,6-dioxo-1,3-dioxane (Diazoisopropopylidenemalonic Acid). *Zh. Org. Khim.* **1986**, *22*, 264–268.
- Nikolaev, V. A.; Korobitsina, I. K. Ylides from Carbenes. *Zh. Vses. Khim. Ob-va.* **1979**, *24*, 495–505.
- Nikolaev, V. A.; Shevchenko, V. V.; Platz, M. S.; Khimich, N. N. XXV. Comparative Photochemistry of Diazo Compounds: XXV. Comparative Photochemistry of Diazo Compounds and Sulfur Ylides of the 1,3-Dioxane-4,6-dione Series. *Russ. J. Org. Chem.* **2006**, *42*, 815–827.
- Nozaki, H.; Takaya, H.; Moriuti, S.; Noyori, R. Homogeneous catalysis in the decomposition of the diazo compounds by copper chelates: Asymmetric carbenoid reactions. *Tetrahedron* **1968**, *24*, 3655–3669.
- Ojima, I.; Miyazawa, Y.; Kumagai, M. Asymmetric Addition of Allyltrimethylsilane to (–)-Menthyl Pyruvate and Phenylglyoxylate. *J. Chem. Soc. Chem. Commun.* **1976**, 927–928.

- Olson, J. P.; Davies, H. M. L. Asymmetric [4+3] Cycloadditions between Benzofuranyldiazoacetates and Dienes: Formal Synthesis of (+)-Fronodosin B. *Org. Lett.* **2008**, *10*, 573–576.
- Ooi, T.; Fukumoto, K.; Maruoka, K. Construction of Enantiomerically Enriched Tertiary α -Hydroxycarboxylic Acid Derivatives by Phase-Transfer-Catalyzed Asymmetric Alkylation of Diaryloxazolidin-2,4-diones. *Angew. Chem. Int. Ed.* **2006**, *45*, 3839–3842.
- Padwa, A.; Kulkarni, Y. S.; Zhang, Z. Reaction of Carbonyl Compounds with Ethyl Lithiodiazoacetate. Studies Dealing with the Rhodium(II)-Catalyzed Behavior of the Resulting Adducts. *J. Org. Chem.* **1990**, *55*, 4144–4153.
- Parlow, J. J.; Case, B. L.; South, M. S. High-Throughput Purification of Solution-Phase Periodinane Mediated Oxidation Reactions Utilizing a Novel Thiosulfate Resin. *Tetrahedron* **1999**, *55*, 6785–6796.
- Paquette, Leo A.; Kang, Ho Jung. Synthetic studies on basmane diterpenes. Enantiospecific total synthesis of (+)-7,8-epoxy-2-basmen-6-one by Claisen ring expansion. *J. Am. Chem. Soc.* **1991**, *113*, 2610–2621.
- Paquette, L. A.; Sturino, C. F.; Wang, X.; Prodger, J. C.; Koh, D. A Unified Strategy for Stereocontrolled Construction of Structurally Unusual Sesquiterpene Lactones. Asymmetric Synthesis of Vulgarolide and Deoxocrispolide. *J. Am. Chem. Soc.* **1996**, *118*, 5620–5633.
- Pellicciari, R.; Natalini, B.; Sadeghpour, B. M.; Marinozzi, M.; Snyder, J. P.; Williamson, B. L.; Kuethe, J. T.; Padwa, A. The Reaction of α -Diazo- β -hydroxy Esters with Boron Trifluoride Etherate: Generation and Rearrangement of

- Destabilized Vinyl Cations. A Detailed Experimental and Theoretical Study. *J. Am. Chem. Soc.* **1993**, *118*, 1–12.
- Phillips, G. H.; Bailey, E. J.; Bain, B. M.; Borella, R. A.; Buckton, J. B.; Clark, J. C.; Doherty, A. E.; English, A. F.; Fazakerley, H.; Laing, S. B.; Lane-Allman, E.; Robinson, J. D.; Sandford, P. E.; Sharratt, P. J.; Steeples, I. P.; Stonehouse, R. D.; Williamson, C. Synthesis and Structure–Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17 β -carbothiolates and -17 β -carboselenoates. *J. Med. Chem.* **1994**, *37*, 3717–3729.
- Pierson, N.; Fernández-García, C.; McKerverey, M. A. Catalytic asymmetric oxonium ylide – [2,3] sigmatropic rearrangement with diazocarbonyl compounds: First use of C₂-symmetry in Rh(II) carboxylates. *Tetrahedron Lett.* **1997**, *38*, 4705–4708.
- Piva, O.; Comesse, S. Tandem Michael–Wittig–Horner Reaction: One-Pot Synthesis of δ -Substituted α,β -Unsaturated Carboxylic Acid Derivatives – Application to a Concise Synthesis of (*Z*)- and (*E*)-Ochtoden-1-al. *Eur. J. Org. Chem.* **2000**, *2000*, 2417–2424.
- Popik, V. V. The role of molecular geometry in the Wolff rearrangement of α -diazocarbonyl compounds – Conformational control or structural constraints? *Can. J. Chem.* **2005**, *83*, 1382–1390.
- Qin, B.; Xiao, X.; Liu, X.; Huang, J.; Wen, Y.; Feng, X. Highly Enantioselective Henry (Nitroaldol) Reaction of Aldehydes and α -Ketoesters Catalyzed by *N,N'*-Dioxide-Copper(I) Complexes. *J. Org. Chem.* **2007**, *72*, 9323–9328.

- Radhika, P.; Subba Rao, P. V.; Anjaneyulu, V.; Asolkar, R. N.; Laatsch, H. Horiolide, a Novel Norditerpenoid from Indian Ocean Soft Coral of the Genus *Sinularia*. *J. Nat. Prod.* **2002**, *65*, 737–739.
- Raffaelli, B.; Pohjoispää, M.; Hase, T.; Cardin, C. J.; Gan, Y.; Wähälä, K. Stereochemistry and rearrangement reactions of hydroxylignan lactones. *Org. Biomol. Chem.* **2008**, *6*, 2619–2627.
- Ramesh, P.; Reddy, N. S.; Venkateswarlu, Y.; Reddy, M. V. R.; Faulkner, D. J. Rameswaralide, A Novel Diterpenoid from the Soft Coral *Sinularia dissecta*. *Tetrahedron Lett.* **1998**, *38*, 8217–8220.
- Ramón, D. J.; Yus, M. Chiral Tertiary Alcohols Made By Catalytic Enantioselective Addition of Unreactive Zinc Reagents to Poorly Electrophilic Ketones? *Angew. Chem. Int. Ed.* **2004**, *43*, 284–287.
- Ramón, D. J.; Yus, M. Enantioselective Synthesis of Oxygen-, Nitrogen-, and Halogen-Substituted Quaternary Carbon Centers. *Curr. Org. Chem.* **2004**, *8*, 149–183.
- Rapado, L. P.; Bulughapitiya, V.; Renauld, P. Synthesis of Non-Racemic 1-Hydroxycycloalkene-1-carboxylic-Acid Derivatives by Metathesis of α,α -Dialkylated Glycolate Derivatives. *Helv. Chim. Acta* **2000**, *83*, 1625–1623.
- Reddy, R. P.; Davies, H. M. L. Asymmetric Synthesis of Tropanes by Rhodium-Catalyzed [4+3] Cycloaddition. *J. Am. Chem. Soc.* **2007**, *129*, 10312–10313.
- Regitz, M. New Methods of Preparative Organic Chemistry. Transfer of Diazo Groups. *Angew. Chem., Int. Ed. Engl.* **1967**, *6*, 733–749.
- Regitz, M. Recent Synthetic Methods in Diazo Chemistry. *Synthesis* **1972**, 351–373.

- Rémy, P.; Langner, M.; Bolm, C. Sulfoximines as Ligands in Copper-Catalyzed Asymmetric Vinylogous Mukaiyama-Type Aldol Reactions *Org. Lett.* **2006**, *8*, 1209–1211.
- Rodríguez, A. D. Studies on the Minor Constituents of the Caribbean Gorgonian Octocoral *Briareum asbestinium* PALLAS. Isolation and Structure Determination of the Eunicellin-Based Diterpenoids Briarellins E–I. *Chem. Pharm. Bull.* **1995**, *43*, 1853–1858.
- Rodríguez, A. D.; Shi, J.-G.; Huang, S. D. Pinnatins A–E: Marine Diterpenes of the Rare Gersolane Class Derived from a Photochemically Induced Rearrangement of a Conjugated 2,5-Bridged Furanocembrane Precursor. *J. Org. Chem.* **1998**, *63*, 4425–4432.
- Rodríguez, A. D.; Shi, Y.-P. Verrillin: A Highly Oxygenated Marine Diterpene Based on the Novel Verrillane Carbon Skeleton. *J. Org. Chem.* **2000**, *65*, 5839–5842.
- Rozenboom, M. D.; Kiplinger, J. P.; Bartmess, J. E. The anionic oxy-Cope rearrangement: structural effects in the gas phase in solution. *J. Am. Chem. Soc.* **1984**, *106*, 1025–1029.
- Ryu, D. H.; Corey, E. J. Enantioselective Cyanosilylation of Ketones Catalyzed by a Chiral Oxazaborolidinium Ion. *J. Am. Chem. Soc.* **2005**, *127*, 5384–5387.
- Saegusa simultaneously reported work with allyl ester substrates, see: Tsuda, T.; Chujo, Y.; Nishi, S.-i.; Tawara, K; Saegusa, T. Facile Generation of a Reactive Palladium(II) Enolate Intermediate by the Decarboxylation of Palladium(II) β -Ketocarboxylate and Its Utilization in Allylic Acylation. *J. Am. Chem. Soc.* **1980**, *102*, 6381–6384.

- Sammarco, P. W.; Coll, J. C.; La Barre, S. C.; Willis, B. Competitive strategies of soft corals (Coelenterata: Octocorallia): Allelopathic effects on selected scleratinian corals. *Coral Reefs* **1983**, *1*, 173–178.
- Sandler, J. S.; Colin, P. L.; Kelly, M.; Fenical, W. Cytotoxic Macrolides from a New Species of the Deep-Water Marine Sponge *Leiodermatium*. *J. Org. Chem.* **2006**, *71*, 7245–7251.
- Sarpong, R.; Su, J. T.; Stoltz, B. M. The Development of a Facile Tandem Wolff/Cope Rearrangement for the Synthesis of Fused Carbocyclic Skeletons. *J. Am. Chem. Soc.* **2003**, *125*, 13624–13625.
- Schneider, M. P.; Rau, A. Synthesis and Cope rearrangement of cis-1,2-dialeknylcyclopropanes. *J. Am. Chem. Soc.* **1979**, *101*, 4426–4427.
- Scholl, M.; Ding, S.; Lee, C. W.; Grubbs, R. H. Synthesis and Activity of a New Generation of Ruthenium-Based Olefin Metathesis Catalysts Coordinated with 1,3-Dimesityl-4,5-dihydroimidazol-2-ylidene Ligands. *Org. Lett.* **1999**, *1*, 953–956.
- Schröter, G. Über die Hofmann-Curtiusche, die Beckmannsche und die Benzilsäure-Umlagerung. *Ber. Dtsch. Chem. Ges.* **1909**, *42*, 2336–2349.
- Schuster, G. B. Structure and Reactivity of Carbenes having Aryl Substituents. *Adv. Phys. Org. Chem.* **1986**, *23*, 311–361.
- Seebach, D.; Boes, M.; Naef, R.; Schweizer, W. B. Alkylation of Amino Acids without Loss of the Optical Activity: Preparation of α -Substituted Proline Derivatives. A Case of Self-Reproduction of Chirality. *J. Am. Chem. Soc.* **1983**, *105*, 5390–5402.
- Seebach, D.; Naef, R.; Calderari, G. Selective 1,4-addition of methoxyallylcopper to enone. *Tetrahedron* **1984**, *40*, 1313–1324.

- Senanayake, C. H.; Fang, K.; Grover, P.; Bakale, R. P.; Vandebossche, C. P.; Wald, S. A. Rigid Aminoalcohol Backbone as a Highly Defined Chiral Template for the Preparation of Optically Active Tertiary α -Hydroxyl Acids. *Tetrahedron Lett.* **1999**, *40*, 819–822.
- Shen, Y.; Feng, X.; Li, Y.; Zhang, G.; Jiang, Y. Asymmetric Cyanosilylation of Ketones Catalyzed by Bifunctional Chiral *N*-Oxide Titanium Complex Catalysts. *Eur. J. Org. Chem.* **2004**, 129–137.
- Sherden, N.; Behenna, D. C.; Virgil, S. C.; Stoltz, B. M. Unusual Allylpalladium Carboxylate Complexes: Identification of the Resting State of Catalytic Enantioselective Decarboxylative Allylic Alkylation Reactions of Ketones. *Angew. Chem. Int. Ed.* **2009**, *48*, 6840–6843.
- Sheu, J.-H.; Ahmed, A. F.; Shiue, R.-T.; Dai, C.-F.; Kuo, Y.-H. Scabrolides A–D, Four New Norditerpenoids Isolated from the Soft Coral *Sinularia scabra*. *J. Nat. Prod.* **2002**, *65*, 1904–1908.
- Shibuya, M.; Tomizawa, M.; Iwabuchi, Y. Oxidative Rearrangement of Tertiary Allylic Alcohols Employing Oxoammonium Salts. *J. Org. Chem.* **2008**, *73*, 4750–4752.
- Shimizu, I.; Yamada, T.; Tsuji, J. Palladium-catalyzed rearrangement of allylic esters of acetoacetic acid to give α,β -unsaturated methyl ketones. *Tetrahedron Lett.* **1980**, *21*, 3199–3202.
- Smith, A. M. R.; Billen, D.; Hii, K. K. (M.) Palladium-catalysed enantioselective α -hydroxylation of β -ketoesters. *Chem. Commun.* **2009**, 3925–3927.
- Soai, K.; Ishizaki, M. Asymmetric Synthesis of Functionalized Tertiary Homoallyl Alcohols by Diastereoselective Allylation of Chiral α -Keto Amides Derived from

- (*S*)-Proline Esters. Control of Stereochemistry Based on Saturated Coordination of Lewis Acid. *J. Org. Chem.* **1986**, *51*, 3290–3295.
- Sodeoka, M.; Tokunoh, R.; Miyazaki, F.; Hagiwara, E.; Shibasaki, M. Stable Diaqua Palladium(II) Complexes of BINAP and Tol-BINAP as Highly Efficient Catalysts for Asymmetric Aldol Reactions. *Synlett* **1997**, 463–466.
- Song, J. J.; Tan, Z.; Xu, J.; Reeves, J. T.; Yee, N. K.; Ramdas, R.; Gallou, F.; Kuzmich, K.; DeLattre, L.; Lee, H.; Feng, X.; Senanayake, C. H. Practical Stereoselective Synthesis of an α -Trifluoromethyl- α -alkyl Epoxide via a Diastereoselective Trifluoromethylation Reaction. *J. Org. Chem.* **2007**, *72*, 292–294.
- Staroverov, V. N.; Davidson, E. R. Diradical Character of the Cope Rearrangement Transition State. *J. Am. Chem. Soc.* **2000**, *122*, 186–187.
- Staroverov, V. N.; Davidson, E. R. The Cope rearrangement in theoretical retrospect. *THEOCHEM* **2001**, *573*, 81–89.
- Staudinger, H. Ketene, eine neue Körperklasse. *Ber. Dtsch. Chem. Ges.* **1905**, *38*, 1735–1739.
- Staudinger, H. Über Ketene. XIX). Über Bildung und Darstellung des Diphenylketens. *Ber. Dtsch. Chem. Ges.* **1911**, *44*, 1619–1623.
- Staudinger, H. Über Ketene. 4. Mitteilung: Reaktionen des Diphenylketens. *Ber. Dtsch. Chem. Ges.* **1907**, *40*, 1145–1148.
- Steigerwald, M. L.; Goddard III, W. A.; Evans, D. A. Theoretical Studies of the Oxy Anionic Substituent Effect. *J. Am. Chem. Soc.* **1979**, *101*, 1994–1997.
- Su, J. T.; Goddard, W. A. G., III. Enhancing 2-Iodobenzoic Acid Reactivity by Exploiting a Hypervalent Twist. *J. Am. Chem. Soc.* **2005**, *127*, 14146–14147.

- Su, J. T.; Sarpong, R.; Stoltz, B. M.; Goddard, W. A., III Substituent Effects and Nearly Degenerate Transition States: Rational Design of Substrates for the Tandem Wolff–Cope Reaction. *J. Am. Chem. Soc.* **2004**, *126*, 24–25.
- Sudrik, S. G.; Chaki, N. K.; Chavan, V. B.; Chavan, S. P.; Chavan, S. P.; Sonawane, H. R.; Vijayamohanan, K. Silver Nanocluster Redox-Couple-Promoted Nonclassical Electron Transfer: An Efficient Electrochemical Wolff Rearrangement of α -Diazoketones. *Chem. Eur. J.* **2006**, *12*, 859–864.
- Sudrik, S. G.; Maddanimath, T.; Chaki, N. K.; Chavan, S. P.; Chavan, S. P.; Sonawane, H. R. Evidence for the Involvement of Silver Nanoclusters during the Wolff Rearrangement of α -Diazoketones. *Org. Lett.* **2003**, *5*, 2355–2358.
- Sudrik, S. G.; Sharma, J.; Chavan, V. B.; Chaki, N. K.; Sonawane, H. R.; Vijayamohanan, K. P. Wolff Rearrangement of α -Diazoketones Using in Situ Generated Silver Nanoclusters as Electron Mediators. *Org. Lett.* **2006**, *8*, 1089–1092.
- Suga, H.; Inoue, K.; Inoue, S.; Kakehi, A. Highly Enantioselective 1,3-Dipolar Cycloaddition Reactions of 2-Benzopyrylium-4-olate Catalyzed by Chiral Lewis Acids. *J. Am. Chem. Soc.* **2002**, *124*, 14836–14837.
- Suhrada, C. P.; Selçuki, C.; Nendel, M.; Cannizzaro, C.; Houk, K. N.; Rissing, P.-J.; Baumann, D.; Hasselmann, D. Dynamic Effects on [3,3] and [1,3] Shifts of 6-Methylenebicyclo[3.2.0]hept-2-ene. *Angew. Chem. Int. Ed.* **2005**, *44*, 3548–3552.
- Suleimenova, A. M.; Kalinovskii, A. I.; Raldugin, V. A.; Shevtsov, S. A.; Bagryanskaya, I. Y.; Gatilov, Y. V.; Kuznetsova, T. A.; Elyalkov, G. B. New Derivatives of (–)-

- Neocembrene from the Soft Coral *Sarcophyton trocheliophorum*. *Chem. Nat. Compd. (Engl. Transl.)* **1988**, 453–458.
- Taglialatela-Scafati, O.; Craig, K. S.; Reberieux, D.; Roberge, M.; Andersen, R. J. Briarane, Erythrane, and Aquariane Diterpenoids from the Caribbean Gorgonian *Erythropodium caribaeorum*. *Eur. J. Org. Chem.* **2003**, 3515–3523.
- Takada, K.; Takemura, N.; Cho, K.; Sohtome, Y.; Nagasawa, K. Asymmetric organocatalytic nitroaldol reaction of α -ketoesters: stereoselective construction of chiral tertiary alcohols at subzero temperature. *Tetrahedron Lett.* **2008**, *49*, 1623–1626.
- Takano, I.; Yasuda, I.; Nishijima, M.; Hitotsuyanagi, Y.; Takeya, K.; Itokawa, H. Drupangtonine, A Novel Antileukemic Alkaloid from *Cephalotaxus Harringtonia* var. *Drupacea*. *Bioorg. Med. Chem. Lett.* **1996**, *6*, 1689–1690.
- Takano, I.; Yasuda, I.; Nishijima, M.; Yanagi, Y.; Takeya, K.; Itokawa, H. Ester-type Cephalotaxus Alkaloids from *Cephalotaxus Harringtonia* var. *Drupacea*. *Phytochemistry* **1997**, *44*, 735–738.
- Tamai, Y.; Nakano, T.; Miyano, S. An Investigation of the Inherent Chiral Induction Ability of Axially Chiral 1,1'-Binaphthalene Framework in the Prelog's Atrolactic Acid Synthesis. *Chem. Lett.* **1992**, 807–808.
- Tamai, Y.; Nakano, T.; Miyano, S. Investigation of the Diastereoselectivity in the Addition of Organometallics to the α -Keto Esters of Axially Chiral 1,1'-Binaphthalen-2-ol Derivatives *J. Chem. Soc. Perkin Trans. I* **1994**, 439–445.

- Tamura, Y.; Kondo, H.; Annoura, H.; Takeuchi, R.; Fujioka, H. Diastereoselective addition of grignard reagents to chiral α -ketoacetals. *Tetrahedron Lett.* **1986**, *27*, 81–82.
- Tang, F.; Moeller, K. D. Intramolecular Anodic Olefin Coupling Reactions: The Effect of Polarization on Carbon–Carbon Bond Formation. *J. Am. Chem. Soc.* **2007**, *129*, 12414–12415.
- Tani, K.; Behenna, D. C.; McFadden, R. M.; Stoltz, B. M. A Facile and Modular Synthesis of Phosphinooxazoline Ligands. *Org. Lett.* **2007**, *9*, 2529–2531.
- Tanigaki, K.; Ebbesen, T. W. Dynamics of the Wolff Rearrangement of Six-Membered Ring *o*-Diazo Ketones by Laser Flash Photolysis. *J. Phys. Chem.* **1989**, *93*, 4531–4536.
- Tei, T.; Sugimura, T.; Katagiri, T.; Tai, A.; Okuyama, T. Application of modified hydroxy-directed diastereodifferentiating Simmons-Smith reaction to an unreactive conjugated triene. Stereocontrolled tandem cyclopropanation–Cope rearrangement–cyclopropanation. *Tetrahedron: Asymmetry* **2001**, *12*, 2727–2730.
- Thornton, E. R. A Simple Theory for Predicting the Effects of Substituent Changes on Transition-State Geometry. *J. Am. Chem. Soc.* **1967**, *89*, 2916–2927.
- Thornton, D.E.; Gosavi, R. G.; Strausz, O. P. Mechanism of the Wolff Rearrangement. II. *J. Am. Chem. Soc.* **1970**, *92*, 1768–1769.
- Tian, G.; Boyle, P. D.; Novak, B. M. Synthesis and Crystal Structure of a Dinuclear Palladium Complex Containig C,O-Bridging Ester–Enolato Moieties. *Organometallics* **2002**, *21*, 1462–1465.

- Tian, S.-K.; Deng, L. Enantioselective cyanocarbonylation of ketones with chiral base. *Tetrahedron* **2006**, *62*, 11320–11330.
- Tian, S. K.; Deng, L. A Highly Enantioselective Chiral Lewis Base-Catalyzed Asymmetric Cyanation of Ketones. *J. Am. Chem. Soc.* **2001**, *123*, 6195–6196.
- Tian, S. K.; Hong, R.; Deng, L. Catalytic Asymmetric Cyanosilylation of Ketones with Chiral Lewis Base. *J. Am. Chem. Soc.* **2003**, *125*, 9900–9901.
- Tidwell, T. T. *Ketenes*. Wiley, Hoboken, N. J., **2006**.
- Timm, U.; Zeller, K.-P.; Meier, H. Über die Bildung von Oxirenen aus cyclischen α -Diazoketonen. *Chem. Ber.* **1978**, *111*, 1549–1557.
- Tomioka, H.; Okuno, H.; Kondo, S.; Izawa, Y. Direct evidence for ketocarbene-ketocarbene interconversion. *J. Am. Chem. Soc.* **1980**, *102*, 7123–7125.
- Toscano, J. P.; Platz, M. S. Lifetimes of Simple Ketocarbenes. *J. Am. Chem. Soc.* **1995**, *117*, 4712–4713.
- Trost, B. M.; Dogra, K.; Franzini, M. 5*H*-Oxazol-4-ones as Building Blocks for Asymmetric Synthesis of α -Hydroxycarboxylic Acid Derivatives. *J. Am. Chem. Soc.* **2004**, *126*, 1944–1945.
- Trost, B. M.; Xu, J.; Reichle, M. Enantioselective Synthesis of α -Tertiary Hydroxyaldehydes by Palladium-Catalyzed Asymmetric Allylic Alkylation of Enolates. *J. Am. Chem. Soc.* **2007**, *129*, 282–283.
- Tsuji, J. New general synthetic methods involving π -allylpalladium complexes as intermediates and neutral reaction conditions. *Tetrahedron* **1986**, *42*, 4361–4401.

- Tsuji, J.; Minami, I. New Synthetic Reactions of Allyl Alkyl Carbonates, Allyl β -Keto Carboxylates, and Allyl Vinylic Carbonates Catalyzed by Palladium Complexes. *Acc. Chem. Res.* **1987**, *20*, 140–145.
- Tsuji, J.; Minami, I.; Shimizu, I. Allylation of ketones via their enol acetates catalyzed by palladium-phosphine complexes and organotin compounds. *Tetrahedron Lett.* **1983**, *24*, 4713–4714.
- Tsuji, J.; Minami, I.; Shimizu, I. Palladium-catalyzed allylation of ketones and aldehydes via allyl enol carbonates. *Tetrahedron Lett.* **1983**, *24*, 1793–1796.
- Tsuji, J.; Minami, I.; Shimizu, I. Palladium-Catalyzed Allylation of Ketones and Aldehydes with Allylic Carbonates via Silyl Enol Ethers Under Neutral Conditions. *Chem. Lett.* **1983**, 1325–1326.
- Tsukada, N.; Sugawara, S.; Inoue, Y. Benzannulation from Alkynes and Allyl Tosylates via a π -Allylpalladium Intermediate. *Org. Lett.* **2000**, *2*, 655–657.
- Turner, R. B.; Mallon, B. J.; Tichy, M.; Doering, W. von E.; Roth, W. R.; Schröder, G. Heats of Hydrogenation. X. Conjugative Interaction in Cyclic Dienes and Trienes. *J. Am. Chem. Soc.* **1973**, *95*, 6605–8610.
- Tursch, B.; Braekman, J. C.; Daloz, D.; Kaisin, M. In *Marine Natural Products: Chemical and Biological Perspectives*; Scheuer, P. J., Ed.; Academic Press: New York, 1978; Vol. II, pp 247–296.
- Tseng, Y.-J.; Ahmed, A. F.; Dai, C.-F.; Chiang, M. Y.; Sheu, J.-H. Sinlochmodins A–C, Three Novel Terpenoids from the Soft Coral *Sinularia lochmodes*. *Org. Lett.* **2005**, *7*, 3813–3816.

- Tseng, Y.-J.; Ahmed, A. F.; Hsu, C.-H.; Su, J.-H.; Dai, C.-F.; Sheu, J.-H. New Norcembranoids from the Soft Coral *Sinularia lochmodes*. *J. Chinese Chem. Soc.* **2007**, *54*, 1041–1044.
- Uchio, Y.; Nakatani, M.; Hase, T.; Fakazawa, Y.; Kodama, M. A new ichthyotoxic cembranolide from the soft coral *Sinularia flexibilis*. *Symp. Chem. Nat. Prod.* **1988**, *16*, Abstr. Pa. 38, 640.
- Uneyama, K.; Matsuda, H.; Torii, S. Grignard-type allylation of carbonyl compounds in methanol by the electrochemically recycled allyltin reagent. *Tetrahedron Lett.* **1984**, *25*, 6017–6020.
- Uozumi, Y.; Kyota, H.; Kato, K.; Ogasawara, M.; Hayashi, T. Design and Preparation of 3,3'-Disubstituted 2,2'-Bis(oxazolyl)-1,1'-binaphthyls (boxax): New Chiral Bis(oxazoline) Ligands for Catalytic Asymmetric Wacker-Type Cyclization. *J. Org. Chem.* **1999**, *64*, 1620–1625.
- Vander Stouw, G. G.; Kraska, A. R.; Shechter, H. Rearrangement and Insertion Reactions of 2-Methylbenzylidenes. *J. Am. Chem. Soc.* **1972**, *94*, 1655–1661.
- Veya, P.; Floriani, C.; Chiesi-Villa, A.; Rizzoli, C. Terminal and Bridging Bonding Modes of the Acetophenone Enolate to Palladium(II): The Structural Evidence and the Insertion of Isocyanides. *Organometallics* **1993**, *12*, 4899–4901.
- Vicente, J.; Arcas, A.; Fernández-Hernández, J. M.; Bautista, D. $[\text{Pd}\{\text{CH}_2\text{C}(\text{O})\text{Me}\}\text{Cl}]_n$, a Key Product for the Synthesis of Acetyl­palladium(II) Complexes. *Organometallics* **2001**, *20*, 2767–2774.
- Vogel, E. Klein Kohlenstoff-Ringe. *Angew. Chem.* **1960**, *72*, 4–26.

- Vogel, E. Kleine Kohlenstoff-Ringe I Über den Mechanismus der Butadien-Dimerisation Zum Achtring. *Justus Liebigs Ann. Chem.* **1958**, *615*, 1–13.
- Wahlberg, Inger; Eklund, Ann Marie; Nishida, Toshiaki; Enzell, Curt R.; Berg, Jan Eric. Tobacco chemistry. Part 58. 7,8-epoxy-4-basmen-6-one, a tobacco diterpenoid having a novel skeleton. *Tetrahedron Letters* **1983**, *24*, 843–846.
- Wang, J.; Burdzinski, G.; Kubicki, J.; Gustafson, T. L.; Platz, M. S. Ultrafast Carbene–Carbene Isomerization. *J. Am. Chem. Soc.* **2008**, *130*, 5418–5419.
- Wang, J.; Burdzinski, G.; Kubicki, J.; Platz, M. Ultrafast UV–Vis and IR Studies of *p*-Biphenyl Acetyl and Carbomethoxy Carbenes. *J. Am. Chem. Soc.* **2008**, *130*, 11195–11209.
- Wang, Y.; Yuzawa, T.; Hamaguchi, H.; Toscano, J. Time-Resolved IR Studies of 2-Naphthyl(carbomethoxy)carbene: Reactivity and Direct Experimental Estimate of the Singlet/Triplet Energy Gap. *J. Am. Chem. Soc.* **1999**, *121*, 2875–2882.
- Wang, J.-L.; Toscano, J. P.; Platz, M. S.; Nikolaev, V.; Popik, V. Dicarbomethoxycarbene. A Laser Flash Photolysis Study. *J. Am. Chem. Soc.* **1995**, *117*, 5477–5483.
- Wehrli, R.; Schmidt, H.; Bellûs, D. E.; Hansen, H. J. Über den Mechanismus der Cope-Umlagerung. *Helv. Chim. Acta* **1977**, *60*, 1325–1356.
- Weist, O.; Black, K. A.; Houk, K. N. Density Functional Theory Isotope Effects and Activation Energies for the Cope and Claisen Rearrangements. *J. Am. Chem. Soc.* **1994**, *116*, 10336–10337.
- Wender, P. A.; Bi, F. C.; Gamber, G. G.; Gosselin, F.; Bubbard, R. D.; Scanio, M. J. C.; Sun, R.; Williams, T. J.; Zhang, L. Toward ideal synthesis. New transition metal-

- catalyzed reactions inspired by novel medicinal leads. *Pure Appl. Chem.* **2002**, *74*, 25–31.
- Wiberg, K. B. The Concept of Strain in Organic Chemistry. *Angew. Chem. Int. Ed.* **1986**, *25*, 312–322.
- Wieland, L. C.; Deng, H.; Snapper, M. L.; Hoveyda, A. H. Al-Catalyzed Enantioselective Alkylation of α -Ketoesters by Dialkylzinc Reagents. Enhancement of Enantioselectivity and Reactivity by an Achiral Lewis Base Additive. *J. Am. Chem. Soc.* **2005**, *127*, 15453–15456.
- Williams, J. M. J. The Ups and Downs of Allylpalladium Complexes in Catalysis. *Synlett* **1996**, 705–710.
- Winum, J.-Y.; Kamal, M.; Leydet, A.; Roque, J.-P.; Montero, J.-L. Homologation of Carboxylic Acids by Arndt-Eistert Reaction under Ultrasonic Waves. *Tetrahedron Lett.* **1996**, *37*, 1781–1782.
- Wipf, P.; Stephenson, C. R. J. Dimethylzinc-Mediated Addition of Alkenylzirconocenes to α -Keto and α -Imino Esters. *Org. Lett.* **2003**, *5*, 2449–2452.
- Wohlfarth, Ch. *Landolt-Börnstein—Group IV Physical Chemistry*. Ed. Lechner, M. D. Springer-Verlag, Berlin Heidelberg, 2008.
- Wolff, L. Ueber Diazoanhydride. *Justus Liebigs Ann. Chem.* **1902**, *325*, 129–195.
- Wolinsky, J.; Novak, R.; Vasilev, R. A Stereospecific Synthesis of (\pm)-Quinic Acid. *J. Org. Chem.* **1964**, *29*, 3596–3598.
- Wolpert, D.; Schade, M.; Brixner, T. Femtosecond midinfrared study of the photoinduced Wolff rearrangement of diazonaphthoquinone. *J. Chem. Phys.* **2008**, *129*, 094504-1–094504-10.

- Woodward, R. B.; Hoffmann, R. Selection Rules for Sigmatropic Reactions. *J. Am. Chem. Soc.* **1965**, *87*, 2511–2513.
- Woodward, R. B.; Hoffmann, R. Stereochemistry of Electrocyclic Reactions. *J. Am. Chem. Soc.* **1965**, *87*, 395–397.
- Wylie, C. R.; Paul, V. J. Chemical defenses in three species of *Sinularia* (Coelenterata, Alcyonacea): effects against generalist predators and the butterflyfish *Chaetodon unimacalatus* Bloch. *J. Exp. Mar. Biol. Ecol.* **1989**, *129*, 141–160.
- Xu, X.-Y.; Tang, Z.; Wang, Y. Z.; Luo, S.-W.; Cun, L.-F.; Gong, L.-Z. Asymmetric Organocatalytic Direct Aldol Reactions of Ketones with α -Keto Acids and Their Application to the Synthesis of 2-Hydroxy- γ -butyrolactones. *J. Org. Chem.* **2007**, *72*, 9905–9913.
- Yabu, K.; Masumoto, S.; Kanai, M.; Curran, D. P.; Shibasaki, M. Studies toward practical synthesis of (20*S*)-camptothecin family through catalytic enantioselective cyanosilylation of ketones: improved catalyst efficiency by ligand-tuning. *Tetrahedron Lett.* **2002**, *43*, 2923–2926.
- Yabu, K.; Masumoto, S.; Yamasaki, S.; Hamashima, Y.; Kanai, M.; Du, W.; Curran, D. P.; Shibasaki, M. Switching Enantiofacial Selectivities Using One Chiral Source: Catalytic Enantioselective Synthesis of the Key Intermediate for (20*S*)-Camptothecin Family by (*S*)-Selective Cyanosilylation of Ketones. *J. Am. Chem. Soc.* **2001**, *123*, 9908–9909.
- Yamad, K.; Tozawa, T.; Nishida, M.; Mukaiyama, T. Asymmetric Allylation of Carbonyl Compounds with Tartrate-Modified Chiral Allylic Tin Reagents. *Bull. Chem. Soc. Jpn.* **1997**, *70*, 2301–2308.

- Ye, T.; McKervey, M. A. Organic Synthesis with α -Diazo Carbonyl Compounds. *Chem. Rev.* **1994**, *94*, 1091–1160.
- Yet, L. Metal-Mediated Synthesis of Medium-Sized Rings. *Chem. Rev.* **2000**, *100*, 2963–3007.
- Ziegler, F. E.; Nelson, R. V.; Wang, T.-F. A homologous ester Claisen rearrangement via the Cope rearrangement of O-trimethylsilylcyanohydrins. *Tetrahedron Lett.* **1980**, *21*, 2125–2128.
- Ziegler, F. W.; Wang, T.-F. A formal, stereocontrolled synthesis of (\pm)-estrone employing the trimethylsilylcyanohydrin Cope rearrangement. *Tetrahedron Lett.* **1981**, *22*, 1179–1182.
- Ziegler, F. E.; Wang, T.-F. Synthesis of (\pm)-11-Ketoprogesterone, a Precursor to the Corticosteroids. An Improved Method for the Introduction of the Carbon 19 Methyl Group into A-Ring Aromatic Steroids. *J. Am. Chem. Soc.* **1984**, *106*, 718–721.
- Zeller, K.-P. α -Oxocarbene–Oxirene Isomerization: Photolysis of [1- 13 C]-2-Diazo-1-phenyl-1-propanone and [2- 13 C]-1-Diazo-1-phenyl-2-propanone. *Angew. Chem. Int. Ed. Engl.* **1977**, *16*, 781–782.
- Zeller, K.-P. Die Photolyse von 2-Diazo-[1- 13 C]naphthalin-1(2H)-on und 1-Diazo-[1- 13 C]naphthalin-2(1H)-on Ein Beitrag zum Oxiren-Problem. *Chem. Ber.* **1975**, *108*, 3566–3573.
- Zeller, K.-P. Kohlenstoff-Markierungsstudien zur α -Oxocarbon-Oxiren-Isomerisierung. *Chem. Ber.* **1979**, *112*, 678–688.
- Zeller, K.-P. Photolysis of 2-Diazo[1- 13 C]naphthalen-1(2H)-one. *J. Chem. Soc. Chem. Commun.* **1975**, 317–318.

- Zeller, K.-P. Synthese und Photolyse von 5-Diazo-5-[¹³C]-homoadamantanon-(4). *Z. Naturforsch.* **1976**, *31b*, 586–588.
- Zeller, K.-P. Zur formylcarben-oxiren-isomerisierung. *Tetrahedron Lett.* **1977**, 707–708.
- Zeller, K.-P. Zur α -Oxocarben-Oxiren-Isomerisierung; Photolyse von [1-¹²C]-1-Diazo-2-propanon und [1-¹³C]-2-Diazopropanal. *Liebigs Ann. Chem.* **1979**, 2036–2042.
- Zeller, K.-P.; Blocher, A.; Haiss, P. Oxirene Participation in the Photochemical Wolff Rearrangement. *Mini-Reviews in Organic Chemistry* **2004**, *1*, 291–308.
- Zeller, K.-P.; Meier, H.; Kolshorn, H.; Müller, E. Zum Mechanismus der Wolff-Umlagerung. *Chem. Ber.* **1972**, *105*, 1875–1886.
- Zhang, T; Liu, Z.; Li, Y. First Total Synthesis and Absolute Configuration of (–)-13-Hydroxy-11,12-epoxy-neocembrene. *Synthesis* **2001**, *3*, 393–398.
- Zhao, Y.-L.; Suhrada, C. P.; Jung, M. E.; Houk, K. N. Theoretical Investigation of the Stereoselective Stepwise Cope Rearrangement of a 3-Vinylmethylenecyclobutane. *J. Am. Chem. Soc.* **2006**, *128*, 11106–11113.
- Zheng, K.; Qin, B.; Liu, X.; Feng, X. Highly Enantioselective Allylation of α -Ketoesters Catalyzed by *N,N'*-Dioxide-In(III) Complexes. *J. Org. Chem.* **2007**, *72*, 8478–8483.
- Zhuang, W.; Gathergood, N.; Hazell, R. G.; Jørgensen, K. A. Catalytic, Highly Enantioselective Friedel–Crafts Reactions of Aromatic and Heteroaromatic Compounds to Trifluoropyruvate. A Simple Approach for the Formation of Optically Active Aromatic and Heteroaromatic Hydroxy Trifluoromethyl Esters. *J. Org. Chem.* **2001**, *66*, 1009–1013.

Zuend, S. J.; Jacobsen, E. N. Cooperative Catalysis by Tertiary Amino-Thioureas: Mechanism and Basis for Enantioselectivity of Ketone Cyanosilylation. *J. Am. Chem. Soc.* **2007**, *129*, 15872–15883.