

References

1. Energy Information Administration, U. S. Department of Energy, *World Energy Consumption of Primary Energy by Energy Type and Selected Country Groups, 1980 - 2006*, (2008).
2. Energy Information Administration, U. S. Department of Energy, *International Energy Outlook 2009*, (2009).
3. Bernstein, L., et al., *Climate Change 2007: Synthesis Report*. Technical report, Intergovernmental Panel on Climate Change. (2007).
4. Hoffert, M. I., Caldeira, K., Jain, A. K., Haites, E. F., Harvey, L. D. D., Potter, S. D., Schlesinger, M. E., Schneider, S. H., Watts, R. G., Wigley, T. M. L. and Wuebbles, D. J., Energy implications of future stabilization of atmospheric CO₂ content. *Nature* **395**, 6705, 881-884 (1998).
5. Caldeira, K., Jain, A. K. and Hoffert, M. I., Climate sensitivity uncertainty and the need for energy without CO₂ emission. *Science* **299**, 5615, 2052-2054 (2003).
6. Hoffert, M. I., Caldeira, K., Benford, G., Criswell, D. R., Green, C., Herzog, H., Jain, A. K., Kheshgi, H. S., Lackner, K. S., Lewis, J. S., Lightfoot, H. D., Manheimer, W., Mankins, J. C., Mauel, M. E., Perkins, L. J., Schlesinger, M. E., Volk, T. and Wigley, T. M. L., Advanced technology paths to global climate stability: Energy for a greenhouse planet. *Science* **298**, 5595, 981-987 (2002).
7. Cox, P. M., Betts, R. A., Jones, C. D., Spall, S. A. and Totterdell, I. J., Acceleration of global warming due to carbon-cycle feedbacks in a coupled climate model. *Nature* **408**, 6809, 184-187 (2000).
8. Herzog, H., Eliasson, B. and Kaarstad, O., Capturing greenhouse gases. *Sci.Am.* **282**, 2, 72-79 (2000).
9. Kheshgi, H. S., Flannery, B. P., Hoffert, M. I. and Lapenis, A. G., The effectiveness of marine CO₂ disposal. *Energy* **19**, 9, 967-974 (1994).
10. Sailor, W. C., Bodansky, D., Braun, C., Fetter, S. and van der Zwaan, B., Policy forum - Nuclear power - A nuclear solution to climate change? *Science* **288**, 5469, 1177-1178 (2000).
11. Lewis, N. S. and Nocera, D. G., Powering the planet: Chemical challenges in solar energy utilization. *Proc. Natl. Acad. Sci. U. S. A.* **103**, 43, 15729-15735 (2006).
12. Tomabechi, K., Gilleland, J. R., Sokolov, Y. A. and Toschi, R., ITER conceptual design. *Nucl. Fusion* **31**, 6, 1135-1224 (1991).
13. *World Energy Assessment, 2000*, (ed. Goldemberg, J.) (United Nations Development Programme, New York, 2000).
14. Lewis, N. S., *Powering the Planet*, (2005) (<http://nsl.caltech.edu/energy.html>).
15. Becquerel, A.E., Mémoire sur les effets électriques produits sous l'influence des rayons solaires. *Comt. Rend. Acad. Sci.* **9**, 561-567 (1839).
16. REN21, *Renewables Global Status Report: 2009 Update*, (REN21, Renewable Energy Policy Network for the 21st Century, Paris, 2009) (http://www.ren21.net/pdf/RE_GSR_2009_Update.pdf).

17. *World Energy Assessment Overview, 2004 Update*, (ed. Goldemberg, J.) (United Nations Development Programme, New York, 2004).
18. Lewis, N. S., Toward cost-effective solar energy use. *Science* **315**, 5813, 798-801 (2007).
19. Gratzel, M., Photovoltaic and photoelectrochemical conversion of solar energy. *Philos. Trans. R. Soc. A-Math. Phys. Eng. Sci.* **365**, 1853, 993-1005 (2007).
20. del Canizo, C., del Coso, G. and Sinke, W. C., Crystalline silicon solar module technology: Towards the 1 EUR per watt-peak goal. *Prog. Photovoltaics* **17**, 3, 199-209 (2009).
21. Goetzberger, A., Hebling, C. and Schock, H. W., Photovoltaic materials, history, status and outlook. *Mater. Sci. Eng. R-Rep.* **40**, 1, 1-46 (2003).
22. Muller, A., Ghosh, M., Sonnenschein, R. and Woditsch, P., Silicon for photovoltaic applications. *Mater. Sci. Eng. B-Solid State Mater. Adv. Technol.* **134**, 2-3, 257-262 (2006).
23. Solarbuzz, *Solar Module Price Highlights: August 2009*, (2009) (<http://www.solarbuzz.com/Moduleprices.htm>).
24. Jester, T. L., Crystalline silicon manufacturing progress. *Prog. Photovoltaics* **10**, 2, 99-106 (2002).
25. *Handbook of Photovoltaic Science and Engineering*, (eds. Luque, A. & Hegedus, S.) (John Wiley & Sons, 2003).
26. Nemet, G., *Learning Curves for Photovoltaics*, (International Energy Agency, 2007) (http://www.iea.org/textbase/work/2007/learning/Nemet_PV.pdf).
27. Swanson, R. M., A vision for crystalline silicon photovoltaics. *Prog. Photovoltaics* **14**, 5, 443-453 (2006).
28. Tan, M. X., Laibinis, P. E., Nguyen, S. T., Kesselman, J. M., Stanton, C. E. and Lewis, N. S., Principles and applications of semiconductor photoelectrochemistry, in *Progress in Inorganic Chemistry, Vol 41* 21-144 (1994).
29. Sze, S.M., *Physics of Semiconductor Devices*, 2nd edition (John Wiley & Sons, Inc., 1981).
30. Schlosser, V., Limiting factors for the application of crystalline upgraded metallurgical grade silicon. *IEEE Trans. Electron Devices* **31**, 5, 610-613 (1984).
31. Green, M. A., Lambertian light trapping in textured solar cells and light-emitting diodes: Analytical solutions. *Prog. Photovoltaics* **10**, 4, 235-241 (2002).
32. Thorp, D. and Wenham, S. R., Ray-tracing of arbitrary surface textures for light-trapping in thin silicon solar cells. *Sol. Energy Mater. Sol. Cells* **48**, 1-4, 295-301 (1997).
33. Kayes, B. M., Atwater, H. A. and Lewis, N. S., Comparison of the device physics principles of planar and radial p-n junction nanorod solar cells. *J. Appl. Phys.* **97**, 11, (2005).
34. Kelzenberg, M. D., Turner-Evans, D. B., Kayes, B. M., Filler, M. A., Putnam, M. C., Lewis, N. S. and Atwater, H. A., Single-nanowire Si solar cells, in *Proc. 33rd IEEE Photovoltaics Spec. Conf.*, 1-6 (2008).
35. Xia, Y., Yang, P., Sun, Y., Wu, Y., Mayers, B., Gates, B., Yin, Y., Kim, F. and Yan, H., One-dimensional nanostructures: Synthesis, characterization, and applications. *Adv. Mater.* **15**, 5, 353-389 (2003).

36. Law, M., Goldberger, J. and Yang, P., Semiconductor nanowires and nanotubes. *Annu. Rev. Mater. Res.* **34**, 83-122 (2004).
37. Duan, X. and Lieber, C. M., General synthesis of compound semiconductor nanowires. *Adv. Mater.* **12**, 4, 298-302 (2000).
38. Milliron, D. J., Hughes, S. M., Cui, Y., Manna, L., Li, J. B., Wang, L. W. and Alivisatos, A. P., Colloidal nanocrystal heterostructures with linear and branched topology. *Nature* **430**, 6996, 190-195 (2004).
39. Vayssieres, L., Hagfeldt, A. and Lindquist, S., Purpose-built metal oxide nanomaterials. The emergence of a new generation of smart materials. *Pure Appl. Chem.* **72**, 1, 47-52 (2000).
40. Vayssieres, L., Beermann, N., Lindquist, S. and Hagfeldt, A., Controlled aqueous chemical growth of oriented three-dimensional crystalline nanorod arrays: Application to iron(III) oxides. *Chem. Mater.* **13**, 2, 233-235 (2001).
41. Greene, L. E., Law, M., Goldberger, J., Kim, F., Johnson, J. C., Zhang, Y. F., Saykally, R. J. and Yang, P. D., Low-temperature wafer-scale production of ZnO nanowire arrays. *Angew. Chem.-Int. Edit.* **42**, 26, 3031-3034 (2003).
42. Wagner, R. S. and Ellis, W. C., Vapor-Liquid-Solid Mechanism of Single Crystal Growth. *Appl. Phys. Lett.* **4**, 5, 89-90 (1964).
43. Almwlawi, D., Liu, C. Z. and Moskovits, M., Nanowires formed in anodic oxide nanotemplates. *J. Mater. Res.* **9**, 4, 1014-1018 (1994).
44. Hulteen, J. C. and Martin, C. R., A general template-based method for the preparation of nanomaterials. *J. Mater. Chem.* **7**, 7, 1075-1087 (1997).
45. Rahilly, W. P., Vertical multijunction solar cells, in *Proceedings of the 9th IEEE Photovoltaic Specialists Conference*, 44-52 (1972).
46. Green, M. A. and Wenham, S. R., Novel parallel multijunction solar cell. *Appl. Phys. Lett.* **65**, 23, 2907-2909 (1994).
47. Wohlgenuth, J. and Scheinine, A., New developments in vertical junction silicon solar cells, in *Proceedings of the 14th IEEE Photovoltaic Specialists Conference*, 151-155 (1980).
48. Keevers, M. J., Fabrication and characterisation of parallel multijunction thin film silicon solar cells. *Sol. Energy Mater. Sol. Cells* **65**, 1-4, 363-368 (2001).
49. Shchetinin, A. A., Drozhzhin, A. I., Sedykh, N. K. and Novokreshchenova, E. P., Photo-converters based on silicon-crystal whiskers. *Meas. Tech.* **21**, 4, 502-504 (1978).
50. Gu, Y., Romankiewicz, J. P., David, J. K., Lensch, J. L. and Lauhon, L. J., Quantitative measurement of the electron and hole mobility-lifetime products in semiconductor nanowires. *Nano Lett.* **6**, 5, 948-952 (2006).
51. Yu, J. Y., Chung, S. W. and Heath, J. R., Silicon nanowires: Preparation, device fabrication, and transport properties. *J. Phys. Chem. B* **104**, 50, 11864-11870 (2000).
52. Haick, H., Hurley, P. T., Hochbaum, A. I., Yang, P. and Lewis, N. S., Electrical characteristics and chemical stability of non-oxidized, methyl-terminated silicon nanowires. *J. Am. Chem. Soc.* **128**, 8990-8991 (2006).
53. Lauhon, L. J., Gudixsen, M. S., Wang, D. and Lieber, C. M., Epitaxial core-shell and core-multishell nanowire heterostructures. *Nature* **420**, 6911, 57-61 (2002).

54. Lyons, D., Ryan, K., Morris, M. and Holmes, J., Tailoring the optical properties of silicon nanowire arrays through strain. *Nano Lett.* **2**, 8, 811-816 (2002).
55. Tsakalacos, L., Balch, J., Fronheiser, J., Shih, M.-Y., LeBoeuf, S. F., Pietrzykowski, M., Codella, P. J., Korevaar, B. A., Sulima, O., Rand, J., Davuluru, A. and Rapol, U., Strong broadband optical absorption in silicon nanowire films. *J. Nanophotonics* **1**, 013552 (2007).
56. Vayssieres, L., Sathe, C., Butorin, S. M., Shuh, D. K., Nordgren, J. and Guo, J., One-dimensional quantum-confinement effect in α -Fe₂O₃ ultrafine nanorod arrays. *Adv. Mater.* **17**, 2320-2323 (2005).
57. Dilts, S. M., Mohmmad, A., Lew, K. K., Redwing, J. M. and Mohny, S. E., B.S. thesis, *Fabrication and electrical characterization of silicon nanowire arrays*, Pennsylvania State University, State College, PA, 2005.
58. Beermann, N., Vayssieres, L., Lindquist, S. and Hagfeldt, A., Photoelectrochemical studies of oriented nanorod thin films of hematite. *J. Electrochem. Soc.* **147**, 7, 2456-2461 (2000).
59. Tan, B. and Wu, Y., Dye-sensitized solar cells based on anatase TiO₂ nanoparticle/nanowire composites. *J. Phys. Chem. B* **110**, 15932-15938 (2006).
60. Law, M., Greene, L. E., Johnson, J. C., Saykally, R. and Yang, P. D., Nanowire dye-sensitized solar cells. *Nature Materials* **4**, 6, 455-459 (2005).
61. Kelly, J. J. and Vanmaekelbergh, D., Charge carrier dynamics in nanoporous photoelectrodes. *Electrochim. Acta* **43**, 19-20, 2773-2780 (1998).
62. vandeLagemaat, J., Plakman, M., Vanmaekelbergh, D. and Kelly, J. J., Enhancement of the light-to-current conversion efficiency in an n-SiC/solution diode by porous etching. *Appl. Phys. Lett.* **69**, 15, 2246-2248 (1996).
63. McCandless, B. and Sites, J., Cadmium Telluride Solar Cells, in *Handbook of Photovoltaic Science and Engineering* (eds. Luque, A. & Hegedus, S.) 617-657 (John Wiley & Sons, Chichester, England, 2003).
64. Jenny, D. and Bube, R., Semiconducting cadmium telluride. *Phys. Rev.* **96**, 5, 1190-1191 (1954).
65. Harris, L. A. and Wilson, R. H., Semiconductors for photoelectrolysis. *Annu. Rev. Mater. Sci.* **8**, 99-134 (1978).
66. Basol, B. M., High-efficiency electroplated heterojunction solar cell. *J. Appl. Phys.* **55**, 2, 601-603 (1984).
67. Fulop, G., Doty, M., Meyers, P., Betz, J. and Liu, C. H., High-efficiency electrodeposited cadmium telluride solar cells. *Appl. Phys. Lett.* **40**, 4, 327-328 (1982).
68. Bhattacharya, R. N. and Rajeshwar, K., Electrodeposition of CdTe thin films. *J. Electrochem. Soc.* **131**, 9, 2032-2037 (1984).
69. Paulson, P. D. and Mathew, X., Spectroscopic ellipsometry investigation of optical and interface properties of CdTe films deposited on metal foils. *Sol. Energy Mater. Sol. Cells* **82**, 1-2, 279-290 (2004).
70. Lepiller, C. and Lincot, D., New facets of CdTe electrodeposition in acidic solutions with higher tellurium concentrations. *J. Electrochem. Soc.* **151**, 5, C348-C357 (2004).

71. Kressin, A. M., Doan, V. V., Klein, J. D. and Sailor, M. J., Synthesis of stoichiometric cadmium selenide films via sequential monolayer electrodeposition. *Chem. Mater.* **3**, 6, 1015-1020 (1991).
72. Basol, B., Thin film CdTe solar cells - A review, in *Proceedings of the 21st IEEE Photovoltaic Specialists Conference*, 588-594 (1990).
73. Klein, J. D., Herrick, R. D., Palmer, D., Sailor, M. J., Brumlik, C. J. and Martin, C. R., Electrochemical fabrication of cadmium chalcogenide microdiode arrays. *Chem. Mater.* **5**, 7, 902-904 (1993).
74. Basol, B., Tseng, E. and Rod, R., Ultra-thin electrodeposited CdS/CdTe heterojunction with 8% efficiency. *Proceedings of the IEEE Photovoltaic Specialists Conference*, 805-808 (1982).
75. Routkevitch, D., Bigioni, T., Moskovits, M. and Xu, J. M., Electrochemical fabrication of CdS nanowire arrays in porous anodic aluminum oxide templates. *J. Phys. Chem.* **100**, 33, 14037-14047 (1996).
76. Kang, Y. M., Park, N. G. and Kim, D., Hybrid solar cells with vertically aligned CdTe nanorods and a conjugated polymer. *Appl. Phys. Lett.* **86**, 11, (2005).
77. Toh, C. S., Kayes, B. M., Nemanick, E. J. and Lewis, N. S., Fabrication of free-standing nanoscale alumina membranes with controllable pore aspect ratios. *Nano Lett.* **4**, 5, 767-770 (2004).
78. Keller, F., Hunter, M. S. and Robinson, D. L., Structural features of oxide coatings on aluminum. *J. Electrochem. Soc.* **100**, 9, 411-419 (1953).
79. Hunter, M. S. and Fowle, P., Determination of barrier layer thickness of anodic oxide coatings. *J. Electrochem. Soc.* **101**, 9, 481-485 (1954).
80. Diggie, J. W., Downie, T. C. and Goulding, C. W., Anodic oxide films on aluminum. *Chem. Rev.* **69**, 3, 365-& (1969).
81. Goad, D. G. W. and Moskovits, M., Colloidal metal in aluminum-oxide. *J. Appl. Phys.* **49**, 5, 2929-2934 (1978).
82. Ellis, A. B., Kaiser, S. W. and Wrighton, M. S., Optical to electrical energy-conversion. Characterization of cadmium sulfide and cadmium selenide based photoelectrochemical cells. *J. Am. Chem. Soc.* **98**, 22, 6855-6866 (1976).
83. Ellis, A. B., Kaiser, S. W., Bolts, J. M. and Wrighton, M. S., Study of n-type semiconducting cadmium chalcogenide-based photoelectrochemical cells employing polychalcogenide electrolytes. *J. Am. Chem. Soc.* **99**, 9, 2839-2848 (1977).
84. Cahen, D., Hodes, G. and Manassen, J., S/Se substitution in polycrystalline CdSe photoelectrodes. Photoelectrochemical energy-conversion. *J. Electrochem. Soc.* **125**, 10, 1623-1628 (1978).
85. Hodes, G., Manassen, J. and Cahen, D., Effect of photoelectrode crystal-structure on output stability of Cd(Se, Te)-polysulfide photoelectrochemical cells. *J. Am. Chem. Soc.* **102**, 18, 5962-5964 (1980).
86. Licht, S., Hodes, G., Tenne, R. and Manassen, J., A light-variation insensitive high efficiency solar cell. *Nature* **326**, 6116, 863-864 (1987).
87. Licht, S., Tenne, R., Dagan, G., Hodes, G., Manassen, J., Cahen, D., Triboulet, R., Rioux, J. and Levyclement, C., High efficiency n-Cd(Se, Te)/S²⁻

- photoelectrochemical cell resulting from solution chemistry control. *Appl. Phys. Lett.* **46**, 6, 608-610 (1985).
88. Hodes, G., Manassen, J., Neagu, S., Cahen, D. and Mirovsky, Y., Electroplated cadmium chalcogenide layers: Characterization and use in photoelectrochemical solar cells. *Thin Solid Films* **90**, 4, 433-438 (1982).
 89. Bard, A., Parsons, R. and Jordan, J., *Standard Potentials in Aqueous Solution*, (IUPAC, Marcel Dekker, New York, 1985).
 90. Tenne, R. and Hodes, G., Improved efficiency of CdSe photoanodes by photoelectrochemical etching. *Appl. Phys. Lett.* **37**, 4, 428-430 (1980).
 91. Mirovsky, Y., Cahen, D., Hodes, G., Tenne, R. and Giriat, W., Photoelectrochemistry of the the $\text{CuInS}_2/\text{S}_n^{2-}$ system. *Sol. Energy Mater.* **4**, 2, 169-177 (1981).
 92. Tufts, B. J., Abrahams, I. L., Casagrande, L. G. and Lewis, N. S., Studies of the n-GaAs/KOH- Se_2^{2-} - Se^{2-} semiconductor/liquid junction. *J. Phys. Chem.* **93**, 8, 3260-3269 (1989).
 93. Lewis, N. S., Mechanistic studies of light-induced charge separation at semiconductor/liquid interfaces. *Acc. Chem. Res.* **23**, 6, 176-183 (1990).
 94. Tufts, B. J., Abrahams, I. L., Santangelo, P. G., Ryba, G. N., Casagrande, L. G. and Lewis, N. S., Chemical modification of n-GaAs electrodes with Os^{3+} gives a 15% efficient solar cell. *Nature* **326**, 6116, 861-863 (1987).
 95. Haxel, G. B., Hedrick, J. B. and Orris, G. J., *Rare earth elements - Critical resources for high technology: US Geological Survey fact sheet 087-02*, (US Geological Survey, 2002) (<http://pubs.usgs.gov/fs/2002/fs087-02/>).
 96. Lehman, V., *Electrochemistry of Silicon*, (WILEY-VCH, Weinheim, Germany, 2002).
 97. Davis, J. R., Rohatgi, A., Hopkins, R. H., Blais, P. D., Raichoudhury, P., McCormick, J. R. and Mollenkopf, H. C., Impurities in silicon solar cells. *IEEE Trans. Electron Devices* **27**, 4, 677-687 (1980).
 98. Elwell, D. and Feigelson, R. S., Electrodeposition of solar silicon. *Sol. Energy Mater.* **6**, 2, 123-145 (1982).
 99. Nicholson, J., Electrodeposition of silicon from nonaqueous solvents. *J. Electrochem. Soc.* **152**, 12, C795-C802 (2005).
 100. Wagner, R. S. and Ellis, W. C., The vapor-liquid-solid mechanism of crystal growth and its application to silicon. *T. Metall. Soc. AIME* **233**, 1053-1064 (1964).
 101. Wagner, R. S., Defects in silicon crystals grown by VLS technique. *J. Appl. Phys.* **38**, 4, 1554-& (1967).
 102. Givargizov, E. I., Fundamental aspects of VLS growth. *J. Crystal Growth* **31**, DEC, 20-30 (1975).
 103. Cui, Y., Duan, X. F., Hu, J. T. and Lieber, C. M., Doping and electrical transport in silicon nanowires. *J. Phys. Chem. B* **104**, 22, 5213-5216 (2000).
 104. Wagner, R. S. and Doherty, C. J., Controlled vapor-liquid-solid growth of silicon crystals. *J. Electrochem. Soc.* **113**, 12, 1300-& (1966).
 105. Nebol'sin, V. A. and Shchetinin, A. A., Role of surface energy in the vapor-liquid-solid growth of silicon. *Inorganic materials* **39**, 9, 899-903 (2003).

106. Hochbaum, A. I., Fan, R., He, R. R. and Yang, P. D., Controlled growth of Si nanowire arrays for device integration. *Nano Lett.* **5**, 3, 457-460 (2005).
107. Jagannathan, H., Nishi, Y., Reuter, M., Copel, M., Tutuc, E., Guha, S. and Pezzi, R. P., Effect of oxide overlayer formation on the growth of gold catalyzed epitaxial silicon nanowires. *Appl. Phys. Lett.* **88**, 10, 103113 (2006).
108. Hannon, J., Kodambaka, S., Ross, F. and Tromp, R., The influence of the surface migration of gold on the growth of silicon nanowires. *Nature* **440**, 69-71 (2006).
109. Kodambaka, S., Tersoff, J., Reuter, M. C. and Ross, F. M., Diameter-independent kinetics in the vapor-liquid-solid growth of Si nanowires. *Phys. Rev. Lett.* **96**, 9, (2006).
110. Wang, Y. W., Schmidt, V., Senz, S. and Gosele, U., Epitaxial growth of silicon nanowires using an aluminium catalyst. *Nature Nanotechnology* **1**, 3, 186-189 (2006).
111. Lew, K. and Redwing, J., Growth characteristics of silicon nanowires synthesized by vapor-liquid-solid growth in nanoporous alumina templates. *J. Crystal Growth* **254**, 1-2, 14-22 (2003).
112. Bogart, T., Dey, S., Lew, K. K., Mohny, S. and Redwing, J., Diameter-controlled synthesis of silicon nanowires using nanoporous alumina membranes. *Adv. Mater.* **17**, 1, 114-117 (2005).
113. Lew, K. K., Reuther, C., Carim, A. H., Redwing, J. M. and Martin, B. R., Template-directed vapor-liquid-solid growth of silicon nanowires. *J. Vac. Sci. Technol. B* **20**, 1, 389-392 (2002).
114. Kayes, B. M., Spurgeon, J. M., Sadler, T. C., Lewis, N. S. and Atwater, H. A., Synthesis and characterization of silicon nanorod arrays for solar cell applications, in *Proc. 4th IEEE WCPEC*, 221-224 (2006).
115. Shackelford, J. F., *Introduction to Materials Science for Engineers*, 6th edition (Pearson Prentice Hall, Upper Saddle River, NJ, 2005).
116. Carim, A. H., Lew, K. K. and Redwing, J. M., Bicrystalline silicon nanowires. *Adv. Mater.* **13**, 19, 1489-1491 (2001).
117. Westwater, J., Gosain, D. P., Tomiya, S., Usui, S. and Ruda, H., Growth of silicon nanowires via gold/silane vapor-liquid-solid reaction. *J. Vac. Sci. Technol. B* **15**, 3, 554-557 (1997).
118. Cha, A.E., Solar energy firms leave waste behind in China. *Washington Post*, (9 March 2008).
119. Kayes, B. M., Filler, M. A., Putnam, M. C., Kelzenberg, M. D., Lewis, N. S. and Atwater, H. A., Growth of vertically aligned Si wire arrays over large areas ($> 1 \text{ cm}^2$) with Au and Cu catalysts. *Appl. Phys. Lett.* **91**, 10, (2007).
120. Kelzenberg, M. D., Turner-Evans, D. B., Kayes, B. M., Filler, M. A., Putnam, M. C., Lewis, N. S. and Atwater, H. A., Photovoltaic measurements in single-nanowire silicon solar cells. *Nano Lett.* **8**, 2, 710-714 (2008).
121. Putnam, M. C., Turner-Evans, D. B., Kelzenberg, M. D., Boettcher, S. W., Lewis, N. S. and Atwater, H. A., 10 μm minority-carrier diffusion lengths in Si wires synthesized by Cu-catalyzed vapor-liquid-solid growth. *Appl. Phys. Lett.*, Submitted, (2009).

122. Kelzenberg, M. D., Boettcher, S. W., Petykiewicz, J. A., Turner-Evans, D. B., Putnam, M. C., Warren, E. L., Spurgeon, J. M., Lewis, N. S. and Atwater, H. A., Absorption enhancement in Si wire arrays for photovoltaic applications. Submitted, (2009).
123. Struthers, J. D., Solubility and diffusivity of gold, iron, and copper in silicon. *J. Appl. Phys.* **27**, 12, 1560-1560 (1956).
124. Aalberts, J. H. and Verheijke, M. L., The solid solubility of nickel in silicon determined by neutron activation analysis. *Appl. Phys. Lett.* **1**, 1, 19-20 (1962).
125. Quake, S. R. and Scherer, A., From micro- to nanofabrication with soft materials. *Science* **290**, 5496, 1536-1540 (2000).
126. Unger, M. A., Chou, H. P., Thorsen, T., Scherer, A. and Quake, S. R., Monolithic microfabricated valves and pumps by multilayer soft lithography. *Science* **288**, 5463, 113-116 (2000).
127. Whitesides, G. M. and Stroock, A. D., Flexible methods for microfluidics. *Phys. Today* **54**, 6, 42-48 (2001).
128. McDonald, J. C. and Whitesides, G. M., Poly(dimethylsiloxane) as a material for fabricating microfluidic devices. *Acc. Chem. Res.* **35**, 7, 491-499 (2002).
129. Lee, J. N., Park, C. and Whitesides, G. M., Solvent compatibility of poly(dimethylsiloxane)-based microfluidic devices. *Anal. Chem.* **75**, 23, 6544-6554 (2003).
130. Ulman, A., Choi, G. Y., Shnidman, Y. and Zurawsky, W., Adhesion studies using contact mechanics. *Isr. J. Chem.* **40**, 2, 107-121 (2000).
131. Yang, Z. P., Ci, L. J., Bur, J. A., Lin, S. Y. and Ajayan, P. M., Experimental observation of an extremely dark material made by a low-density nanotube array. *Nano Lett.* **8**, 2, 446-451 (2008).
132. Li, H. L., Ujihira, Y., Shukushima, S. and Ueno, K., Variation of size, numerical concentration and size distribution of free volume of heat shrink polyethylene prepared by electron irradiation cross-linkage with temperature probed by positron annihilation technique. *Polymer* **41**, 1, 93-99 (2000).
133. Wu, X. P., Wu, Q. H. and Ko, W. H., A study on deep etching of silicon using ethylenediamine-pyrocatechol-water. *Sens. Actuators* **9**, 4, 333-343 (1986).
134. Turner, D. R., Electropolishing silicon in hydrofluoric acid solutions. *J. Electrochem. Soc.* **105**, 7, 402-408 (1958).
135. Ismail, H. and Hashim, U., Hydrogen gas production for electronic-grade polycrystalline silicon growth. *Proc. IEEE ICSE*, 53-56 (2002).
136. Chu, T. L., Stokes, E. D. and Abderrassoul, R. A., Large area polycrystalline silicon solar cells on unidirectionally solidified acid-treated metallurgical grade silicon. *Proc. IEEE Southeastcon*, 1436-1441 (1989).
137. Tian, B. Z., Zheng, X. L., Kempa, T. J., Fang, Y., Yu, N. F., Yu, G. H., Huang, J. L. and Lieber, C. M., Coaxial silicon nanowires as solar cells and nanoelectronic power sources. *Nature* **449**, 7164, 885-889 (2007).
138. Kayes, B. M., Filler, M. A., Henry, M. D., Maiolo, J. R., Kelzenberg, M. D., Putnam, M. C., Spurgeon, J. M., Plass, K. E., Scherer, A., Lewis, N. S. and Atwater, H. A., Radial pn junction, wire array solar cells, in *Proc. 33rd IEEE Photovoltaics Specs Conf.*, 1-5 (2008).

139. Garnett, E. C. and Yang, P. D., Silicon nanowire radial p-n junction solar cells. *J. Am. Chem. Soc.* **130**, 29, 9224-9225 (2008).
140. Tsakalakos, L., Balch, J., Fronheiser, J., Korevaar, B. A., Sulima, O. and Rand, J., Silicon nanowire solar cells. *Appl. Phys. Lett.* **91**, 23, (2007).
141. Maiolo, J. R., Kayes, B. M., Filler, M. A., Putnam, M. C., Kelzenberg, M. D., Atwater, H. A. and Lewis, N. S., High aspect ratio silicon wire array photoelectrochemical cells. *J. Am. Chem. Soc.* **129**, 41, 12346-12347 (2007).
142. Goodey, A. P., Eichfeld, S. M., Lew, K. K., Redwing, J. M. and Mallouk, T. E., Silicon nanowire array photoelectrochemical cells. *J. Am. Chem. Soc.* **129**, 41, 12344-12345 (2007).
143. Lombardi, I., Hochbaum, A., Yang, P., Carraro, C. and Maboudian, R., Synthesis of high density, size-controlled Si nanowire arrays via porous alumina mask. *Chem. Mater.* **18**, 4, 988-991 (2006).
144. Plass, K. E., Filler, M. A., Spurgeon, J. M., Kayes, B. M., Maldonado, S., Brunshwig, B. S., Atwater, H. A. and Lewis, N. S., Flexible polymer-embedded Si wire arrays. *Adv. Mater.* **21**, 3, 325-328 (2009).
145. Spurgeon, J. M., Plass, K. E., Kayes, B. M., Brunshwig, B. S., Atwater, H. A. and Lewis, N. S., Repeated epitaxial growth and transfer of arrays of patterned, vertically aligned, crystalline Si wires from a single Si(111) substrate. *Appl. Phys. Lett.* **93**, 3, 032112-1-3 (2008).
146. Boettcher, S. W., Spurgeon, J. M., Putnam, M. C., Warren, E. L., Turner-Evans, D. B., Kelzenberg, M. D., Maiolo, J. R., Atwater, H. A. and Lewis, N. S., Energy conversion properties of silicon wire-array photocathodes. Submitted, (2009).
147. Bookbinder, D. C., Lewis, N. S., Bradley, M. G., Bocarsly, A. B. and Wrighton, M. S., Photoelectrochemical reduction of N,N'-dimethyl-4,4'-bipyridinium in aqueous-media at p-type silicon - Sustained photogeneration of a species capable of evolving hydrogen. *J. Am. Chem. Soc.* **101**, 26, 7721-7723 (1979).
148. Kooij, E. S., Despo, R. W., Mulders, F. P. J. and Kelly, J. J., Electrochemistry of porous and crystalline silicon electrodes in methylviologen solutions. *J. Electroanal. Chem.* **406**, 1-2, 139-146 (1996).
149. Stargardt, J. F. and Hawkridge, F. M., Computer decomposition of the ultraviolet-visible absorption spectrum of the methyl viologen cation radical and its dimer in solution. *Anal. Chim. Acta* **146**, FEB, 1-8 (1983).
150. Philipp, H. R. and Taft, E. A., Optical constants of silicon in the region 1 to 10 eV. *Phys. Rev.* **120**, 1, 37-38 (1960).
151. Spurgeon, J. M., Atwater, H. A. and Lewis, N. S., A comparison between the behavior of nanorod array and planar Cd(Se, Te) photoelectrodes. *J. Phys. Chem. C* **112**, 15, 6186-6193 (2008).
152. Bard, A. J. and Faulkner, L. R., *Electrochemical Methods: Fundamentals and Applications*, 2nd edition (John Wiley & Sons, 2001).
153. Hamann, T. W., Gstrein, F., Brunshwig, B. S. and Lewis, N. S., Measurement of the free-energy dependence of interfacial charge-transfer rate constants using ZnO/H₂O semiconductor/liquid contacts. *J. Am. Chem. Soc.* **127**, 21, 7815-7824 (2005).

154. Istratov, A. A. and Weber, E. R., Physics of copper in silicon. *J. Electrochem. Soc.* **149**, 1, G21-G30 (2002).
155. The efficiency is determined by $\eta = (J_{sc})(V_{oc})(FF)/P$ where $P = 100 \text{ mW cm}^{-2}$ and J_{sc} is assumed to be 35 mA cm^{-2} . From Table 5.1 for a polymer-supported wire array at 60 mW cm^{-2} of 808 nm illumination (approximately the same photon flux as 100 mW cm^{-2} AM 1.5), the uncorrected $FF = 0.35$. Because $V_{oc} = (kT/q)\ln(J_{sc}/J_0)$, increasing J_{sc} from 7.9 to 35 mA cm^{-2} would increase the V_{oc} by 38 mV to $V_{oc} = 428 \text{ mV}$. The result is $\eta = 5.2\%$.
156. Kayes, B. M., Ph.D. thesis, *Radial pn Junction, Wire Array Solar Cells*, California Institute of Technology, Pasadena, California, 2008.
157. Takayama, S., Ostuni, E., Qian, X. P., McDonald, J. C., Jiang, X. Y., LeDuc, P., Wu, M. H., Ingber, D. E. and Whitesides, G. M., Topographical micropatterning of poly(dimethylsiloxane) using laminar flows of liquids in capillaries. *Adv. Mater.* **13**, 8, 570-574 (2001).
158. Bansal, A., Li, X. L., Yi, S. I., Weinberg, W. H. and Lewis, N. S., Spectroscopic studies of the modification of crystalline Si(111) surfaces with covalently-attached alkyl chains using a chlorination/alkylation method. *J. Phys. Chem. B* **105**, 42, 10266-10277 (2001).
159. Perraud, S., Poncet, S., Noel, S., Levis, M., Faucherand, P., Rouviere, E., Thony, P., Jaussaud, C. and Delsol, R., Full process for integrating silicon nanowire arrays into solar cells. *Sol. Energy Mater. Sol. Cells* **93**, 9, 1568-1571 (2009).
160. Cong, H. L. and Pan, T. R., Photopatternable conductive PDMS materials for microfabrication. *Adv. Funct. Mater.* **18**, 13, 1912-1921 (2008).
161. Song, J. E., Lee, D. K., Kim, H. W., Kim, Y. I. and Kang, Y. S., Preparation and characterization of monodispersed indium-tin oxide nanoparticles. *Colloid Surf. A-Physicochem. Eng. Asp.* **257-58**, 539-542 (2005).
162. Licht, S., Wang, B., Mukerji, S., Soga, T., Umeno, M. and Tributsch, H., Efficient solar water splitting, exemplified by RuO₂-catalyzed AlGaAs/Si photoelectrolysis. *J. Phys. Chem. B* **104**, 38, 8920-8924 (2000).
163. Licht, S., Multiple band gap semiconductor/electrolyte solar energy conversion. *J. Phys. Chem. B* **105**, 27, 6281-6294 (2001).
164. Heller, A., Lewerenz, H. J. and Miller, B., Silicon photocathode behavior in acidic V(II) - V(III) solutions. *J. Am. Chem. Soc.* **103**, 1, 200-201 (1981).
165. Szklarczyk, M. and Ombockris, J., Photoelectrocatalysis and electrocatalysis on p-silicon. *J. Phys. Chem.* **88**, 9, 1808-1815 (1984).
166. May, R. A., Kondrachova, L., Hahn, B. P. and Stevenson, K. J., Optical constants of electrodeposited mixed molybdenum-tungsten oxide films determined by variable-angle spectroscopic ellipsometry. *J. Phys. Chem. C* **111**, 49, 18251-18257 (2007).
167. Kondrachova, L., Hahn, B. P., Vijayaraghavan, G., Williams, R. D. and Stevenson, K. J., Cathodic electrodeposition of mixed molybdenum tungsten oxides from peroxo-polymolybdotungstate solutions. *Langmuir* **22**, 25, 10490-10498 (2006).
168. Wang, H. L., Lindgren, T., He, J. J., Hagfeldt, A. and Lindquist, S. E., Photoelectrochemistry of nanostructured WO₃ thin film electrodes for water

- oxidation: Mechanism of electron transport. *J. Phys. Chem. B* **104**, 24, 5686-5696 (2000).
169. Watcharenwong, A., Chanmanee, W., de Tacconi, N. R., Chenthamarakshan, C. R., Kajitvichyanukul, P. and Rajeshwar, K., Anodic growth of nanoporous WO₃ films: Morphology, photoelectrochemical response and photocatalytic activity for methylene blue and hexavalent chrome conversion. *J. Electroanal. Chem.* **612**, 1, 112-120 (2008).
170. Hitoki, G., Takata, T., Ikeda, S., Hara, M., Kondo, J. N., Kakihana, M. and Domen, K., Mechano-catalytic overall water splitting on some mixed oxides. *Catal. Today* **63**, 2-4, 175-181 (2000).
171. Larminie, J. and Dicks, A., *Fuel Cell Systems Explained*, 2nd edition (John Wiley & Sons, West Sussex, England, 2003).
172. Farhat, T. R. and Hammond, P. T., Designing a new generation of proton-exchange membranes using layer-by-layer deposition of polyelectrolytes. *Adv. Funct. Mater.* **15**, 6, 945-954 (2005).