

Bibliography

- Affek, H. P., and J. M. Eiler (2006), Abundance of mass-47 CO₂ in urban air, car exhaust and human breath, *Geochim. Cosmochim. Acta*, 70(1), 1–12.
- Affek, H. P., X. Xu, and J. M. Eiler (2007), Seasonal and diurnal variations of ¹³C¹⁸O¹⁶O in air: Initial observations from Pasadena, CA, *Geochim. Cosmochim. Acta*, 71, 5033–5043.
- Alexander, B., M. K. Vollmer, T. Jackson, R. F. Weiss, and M. H. Thiemens (2001), Stratospheric CO₂ isotopic anomalies and SF₆ and CFC tracer concentrations in the Arctic polar vortex, *Geophys. Res. Lett.*, 28(21), 4103–4106.
- Allan, D. W. (1987), Time and Frequency (Time-Domain) Characterization, Estimation, and Prediction of Precision Clocks and Oscillators, *IEEE Trans. Ultrason., Ferroelectr., Freq. Control*, UFFC-34(6), 647–654.
- Assonov, S. S., and C. A. M. Brenninkmeijer (2001), A new method to determine the ¹⁷O isotopic abundance in CO₂ using oxygen isotope exchange with a solid oxide, *Rapid Commun. Mass Spectrom.*, 15, 2426–2437.
- Averyanov, A. S., Y. G. Khait, and Y. V. Puzanov (1999), Singlet and triplet states of the CO₃ and CO₄ molecules, *J. Mol. Struct. THEOCHEM*, 459, 95–102.
- Babikov, D., B. K. Kendrick, R. B. Walker, and R. T. Pack (2003), Formation of ozone: Metastable states and the anomalous isotope effect, *J. Chem. Phys.*, 119(5), 2577–2589.
- Bao, H. M., D. Rumble, and D. R. Lowe (2007), The five stable isotope compositions of Fig Tree barites: Implications on sulfur cycle in ca. 3.2 Ga oceans, *Geochim. Cosmochim. Acta*, 71(20), 4868–4879.
- Bass, J. N. (1974), Translation to vibration energy transfer in O + NH₃ and O + CO₂ collisions, *J. Chem. Phys.*, 60(7), 2913–2921.
- Baulch, D. L., and W. H. Breckenridge (1966), Isotopic Exchange of O(¹D) with Carbon Dioxide, *Trans. Faraday Soc.*, 62, 2768–2773.
- Becke, A. D. (1993), Density-functional thermochemistry. III. The role of exact exchange, *J. Chem. Phys.*, 98(7), 5648–5652.
- Bennett, C. J., C. Jamieson, A. M. Mebel, and R. I. Kaiser (2004), Untangling the formation of the cyclic carbon trioxide isomer in low temperature carbon dioxide ices, *Phys. Chem. Chem. Phys.*, 6(4), 735–746.

- Bergamaschi, P., M. Schupp, and G. W. Harris (1994), High-precision direct measurements of $^{13}\text{CH}_4/^{12}\text{CH}_4$ and $^{12}\text{CH}_3\text{D}/^{12}\text{CH}_4$ ratios in atmospheric methane sources by means of a long-path tunable diode laser absorption spectrometer, *Appl. Opt.*, *33*(33), 7704–7716.
- Bhattacharya, S. K., J. Savarino, and M. H. Thiemens (2000), A new class of oxygen isotopic fractionation in photodissociation of carbon dioxide: Potential implications for atmospheres of Mars and Earth, *Geophys. Res. Lett.*, *27*(10), 1459–1462.
- Bigeleisen, J., and M. G. Mayer (1947), Calculation of equilibrium constants for isotopic exchange reactions, *J. Chem. Phys.*, *15*(5), 261–267.
- Bigeleisen, J., and M. Wolfsberg (1958), Theoretical and experimental aspects of isotope effects in chemical kinetics, *Adv. Chem. Phys.*, *1*, 15–76.
- Billing, G. D., and D. C. Clary (1983), Semiclassical calculation of energy transfer in polyatomic molecules. IX. Cross sections for $\text{M} + \text{CO}_2(000) \rightarrow \text{M} + \text{CO}_2(nml)$ ($\text{M} = \text{He}$ and Ar), *Chem. Phys.*, *80*(3), 213–219.
- Blank, D. A., N. Hemmi, A. G. Suits, and Y. T. Lee (1998), A crossed molecular beam investigation of the reaction $\text{Cl} + \text{propane} \rightarrow \text{HCl} + \text{C}_3\text{H}_7$ using VUV synchrotron radiation as a product probe, *Chem. Phys.*, *231*(2-3), 261–278.
- Boering, K. A., T. Jackson, K. J. Hoag, A. S. Cole, M. J. Perri, M. Thiemens, and E. Atlas (2004), Observations of the anomalous oxygen isotopic composition of carbon dioxide in the lower stratosphere and the flux of the anomaly to the troposphere, *Geophys. Res. Lett.*, *31*(3), 103109.
- Boese, A. D., and J. M. L. Martin (2004), Development of density functionals for thermochemical kinetics, *J. Chem. Phys.*, *121*(8), 3405–3416.
- Braunstein, M., and J. W. Duff (2000), Electronic structure and dynamics of $\text{O}(^3P) + \text{CO}(^1\Sigma^+)$ collisions, *J. Chem. Phys.*, *112*(6), 2736–2745.
- Brenninkmeijer, C. A. M., C. Janssen, J. Kaiser, T. Rckmann, T. S. Rhee, and S. S. Assonov (2003), Isotope Effects in the Chemistry of Atmospheric Trace Compounds, *Chem. Rev.*, *103*(12), 5125–5161.
- Brink, G. O. (1966), Electron Bombardment Molecular Beam Detector, *Rev. Sci. Instrum.*, *37*(7), 857–860.
- Brunsvold, A. L., D. J. Garton, T. K. Minton, D. Troya, and G. C. Schatz (2004), Crossed beams and theoretical studies of the dynamics of hyperthermal collisions between Ar and ethane, *J. Chem. Phys.*, *121*(23), 11,702–11,714.
- Brunsvold, A. L., J. Zhang, H. P. Upadhyaya, T. K. Minton, J. P. Camden, J. T. Paci, and G. C. Schatz (2007), Crossed-Beams and Theoretical Studies of the $\text{O}(^3P) + \text{H}_2\text{O} \rightarrow \text{HO}_2 + \text{H}$ Reaction Excitation Function, *J. Phys. Chem. A*, *111*(43), 10,907–10,913.
- Brunsvold, A. L., H. P. Upadhyaya, J. Zhang, R. Cooper, T. K. Minton, M. Braunstein, and J. W. Duff (2008), Dynamics of Hyperthermal Collisions of $\text{O}(^3P)$ with CO, *J. Phys. Chem. A*, *112*, 2192–2205.

- Bunker, D. L. (1970), in *Proceedings of the International School of Physics Enrico Fermi Course XLIV: Molecular Beam and Reaction Kinetics*, edited by C. Schlier, pp. 315–319, Academic Press, New York.
- Cacace, F., G. de Petris, M. Rosi, and A. Troiani (2003), Carbon Tetraoxide: Theoretically Predicted and Experimentally Detected, *Angew. Chem. Int. Ed.*, *42*, 2985–2990.
- Caledonia, G. E., R. H. Kreeh, and B. D. Green (1987), A High Flux Source of Energetic Oxygen Atoms for Material Degradation Studies, *AIAA J.*, *25*(1), 59–63.
- Chakraborty, S., and S. K. Bhattacharya (2003), Experimental investigation of oxygen isotope exchange between CO₂ and O(¹D) and its relevance to the stratosphere, *J. Geophys. Res.*, *108*(D23), 4724–4738.
- Chen, H.-F., H.-C. Chiang, H. Matsui, S. Tsuchiya, and Y.-P. Lee (2009), Distribution of Vibrational States of CO₂ in the Reaction O(¹D) + CO₂ from Time-Resolved Fourier Transform Infrared Emission Spectra, *J. Phys. Chem. A*, *113*(15), 3431–3437.
- Ciais, P., and H. A. J. Meijer (1998), The ¹⁸O/¹⁶O isotope ratio of atmospheric CO₂ and its role in global carbon cycle research, in *Stable Isotopes: integration of biological, ecological and geochemical processes*, edited by H. Griffiths, pp. 409–431, BIOS Scientific Publishers, Ltd., Oxford.
- Ciais, P., P. P. Tans, M. Troiler, J. W. C. White, and R. J. Francey (1995), A large northern-hemisphere terrestrial CO₂ sink indicated by the ¹³C/¹²C ratio of atmospheric CO₂, *Science*, *269*(5277), 1098–1102.
- Clayton, R. N., L. Grossman, and T. K. Mayeda (1973), A Component of Primitive Nuclear Composition in Carbonaceous Meteorites, *Science*, *182*(4111), 485–488.
- Clerc, M., and A. Reiffsteck (1968), Determination of the Rate Constant of the Gas-Phase Reaction between O(¹D) and CO₂, *J. Chem. Phys.*, *48*(6), 2799–2801.
- Cole, A. S., and K. A. Boering (2006), Mass-dependent and non-mass-dependent isotope effects in ozone photolysis: Resolving theory and experiments, *J. Chem. Phys.*, *125*(18), 184301.
- Craig, H., Y. Horibe, and T. Sowers (1988), Gravitational Separation of Gases and Isotopes in Polar Ice Caps, *Science*, *242*, 1675–1678.
- Crawford, T. D., E. Kraka, J. F. Stanton, and D. Cremer (2001), Problematic *p*-benzyne: Orbital instabilities, biradical character, and broken symmetry, *J. Chem. Phys.*, *114*(24), 10,638–10,650.
- Daly, N. R. (1960), Scintillation Type Mass Spectrometer Ion Detector, *Rev. Sci. Instrum.*, *31*(3), 264–267.
- Dash, J. G., A. W. Rempel, and J. S. Wettlaufer (2006), The physics of premelted ice and its geophysical consequences, *Rev. Mod. Phys.*, *78*(3), 695–741.
- de Lara-Castells, M. P., M. I. Hernández, G. Delgado-Barrio, P. Villarreal, and L. López-Puertas (2006), Vibrational quenching of CO₂(010) by collisions with O(³P) at thermal energies: A quantum-mechanical study, *J. Chem. Phys.*, *124*(16), 164302.

- de Lara-Castells, M. P., M. I. Hernández, G. Delgado-Barrio, P. Villarreal, and L. López-Puertas (2007), Key role of spin-orbit effects in the relaxation of CO₂(010) by thermal collisions with O(³P_j), *Mol. Phys.*, *105*(9), 1171–1181.
- DeKock, R. L., and H. B. Gray (1980), *Chemical Structure and Bonding*, Benjamin/Cummings, Menlo Park, CA.
- DeMore, W. B., and C. Dede (1970), Pressure Dependence of Carbon Trioxide Formation in the Gas-Phase Reaction of O(¹D) with Carbon Dioxide, *J. Phys. Chem.*, *74*(18), 2621–2625.
- Dixon, H. (1886), XI. – The Combustion of Carbonic Oxide and Hydrogen, *J. Chem. Soc., Trans.*, *49*, 94–112.
- Drever, R. W. P., J. L. Hall, F. V. Kowalski, J. Hough, G. M. Ford, A. J. Munley, and H. Ward (1983), Laser phase and frequency stabilization using an optical resonator, *Appl. Phys. B*, *31*(2), 97–105.
- Dunning, T. J. (1989), Gaussian basis sets for use in correlated molecular calculations. I. The atoms boron through neon and hydrogen, *J. Chem. Phys.*, *90*(2), 1007–1023.
- Dylewski, S. M., J. D. Geiser, and P. L. Houston (2001), The energy distribution, angular distribution, and alignment of the O(¹D₂) fragment from the photodissociation of ozone between 235 and 305 nm, *J. Chem. Phys.*, *115*(16), 7460–7473.
- Eiler, J. M. (2007), “Clumped-isotope” geochemistry – The study of naturally-occurring, multiply-substituted isotopologues, *Earth Planet. Sci. Lett.*, *262*, 309–327.
- Eiler, J. M., and E. Schauble (2004), ¹⁸O¹³C¹⁶O in the Earth’s atmosphere, *Geochim. Cosmochim. Acta*, *68*(23), 4767–4777.
- Eisfeld, W., and K. Morokuma (2000), A detailed study on the symmetry breaking and its effect on the potential surface of NO₃, *J. Chem. Phys.*, *113*(14), 5587–5597.
- Elliott, B. M., and A. I. Boldyrev (2005), The Oxygen-Rich Carboxide Series: CO_n (*n* = 3, 4, 5, 6, 7, or 8), *J. Phys. Chem. A*, *109*(16), 3722–3727.
- Fairchild, C. E., E. J. Stone, and G. M. Lawrence (1978), Photofragment spectroscopy of ozone in the uv region 270–310 nm and at 600 nm, *J. Chem. Phys.*, *69*(8), 3632–3638.
- Feilberg, K. L., M. S. Johnson, and C. J. Nielsen (2004), Relative Reaction Rates of HCHO, HCDO, DCDO, H¹³CHO, and HCH¹⁸O with OH, Cl, Br, and NO₃ Radicals, *J. Phys. Chem. A*, *108*(36), 7393–7398.
- Feilberg, K. L., B. D’Anna, M. S. Johnson, and C. J. Nielsen (2005a), Relative Tropospheric Photolysis Rates of HCHO, H¹³CHO, HCH¹⁸O, and DCDO Measured at the European Photoreactor Facility, *J. Phys. Chem. A*, *109*(37), 8314–8319.
- Feilberg, K. L., M. S. Johnson, and C. J. Nielsen (2005b), Relative rates of reaction of ¹³C¹⁶O, ¹²C¹⁸O, ¹²C¹⁷O and ¹³C¹⁸O with OH and OD radicals, *Phys. Chem. Chem. Phys.*, *7*, 2318–2323.

- Felder, P., B.-M. Haas, and J. R. Huber (1991), The photoreaction $\text{N}_2\text{O} \rightarrow \text{O}(^1D) + \text{N}_2(^1\Sigma)$ studied by photofragment translational spectroscopy, *Chem. Phys. Lett.*, 186(2-3), 177–182.
- Flocke, F., R. L. Herman, R. J. Salawich, E. Atlas, C. R. Webster, S. M. Schauffler, R. A. Lueb, R. D. May, E. J. Moyer, K. H. Rosenlof, D. C. Scott, D. R. Blake, and T. P. Bui (1999), An examination of chemistry and transport processes in the tropical lower stratosphere using observations of long-lived and short-lived compounds obtained during STRAT and POLARIS, *J. Geophys. Res.*, 104(D21), 26,625–26,642.
- Foltynowicz, A., F. M. Schmidt, W. Ma, and O. Axner (2008), Noise-immune cavity-enhanced optical heterodyne molecular spectroscopy: Current status and future potential, *Appl. Phys. B*, 92(3), 313–326.
- Frisch, M. J., J. A. Pople, and J. S. Binkley (1984), Self-consistent molecular orbital methods 25. Supplementary functions for Gaussian basis sets, *J. Chem. Phys.*, 80(7), 3265–3269.
- Froese, R. D. J., and J. D. Goddard (1993), Features of the Lowest Singlet and Triplet Potential Energy Surfaces of CO₃, *J. Phys. Chem.*, 97(29), 7484–7490.
- Froidevaux, L., N. Livesey, W. Read, Y. Jiang, C. Jimenez, M. F. M. Schwartz, M. Santee, H. Pumphrey, J. Jiang, D. Wu, G. Manney, B. Drouin, J. Waters, E. Fetzer, P. Bernath, C. Boone, K. Walker, K. Jucks, G. Toon, J. Margitan, B. Sen, C. Webster, L. Christensen, J. Elkins, E. Atlas, R. Lueb, and R. Hendershot (2006), Early validation analyses of atmospheric profiles from EOS MLS on the Aura satellite, *IEEE Trans. Geosci. Remote Sens.*, 44(5), 1106–1121.
- Gamo, T., M. Tsutsumi, H. Sakai, T. Nakazawa, M. Tanaka, H. Honda, H. Kubo, and T. Itoh (1989), Carbon and oxygen isotopic ratios of carbon dioxide of a stratospheric profile over Japan, *Tellus*, 41B(2), 127–133.
- Gao, X., and M. H. Thiemens (1991), Systematic study of sulfur isotopic composition in iron meteorites and the occurrence of excess ³³S and ³⁶S, *Geochim. Cosmochim. Acta*, 55(9), 2671–2679.
- Gao, X., and M. H. Thiemens (1993), Variations of the isotopic composition of sulfur in enstatite and ordinary chondrites, *Geochim. Cosmochim. Acta*, 57(13), 3171–3176.
- Gao, Y. Q., and R. A. Marcus (2001), Strange and Unconventional Isotope Effects in Ozone Formation, *Science*, 293, 259–263.
- Gao, Y. Q., and R. A. Marcus (2002), On the theory of the strange and unconventional isotopic effects in ozone formation, *J. Chem. Phys.*, 116(1), 137–154.
- Gao, Y. Q., W.-C. Chen, and R. A. Marcus (2002), A theoretical study of ozone isotopic effects using a modified *ab initio* potential energy surface, *J. Chem. Phys.*, 117(4), 1536–1543.
- Garrett, B. C. (1983), Basis-set effects in quantum-mechanical calculations of translational-to-vibrational energy transfer in O(³P) + CO₂ collisions, *Chem. Phys.*, 87(1), 63–71.

- Garton, D. J., A. L. Brunsvold, T. K. Minton, D. Troya, B. Maiti, and G. C. Schatz (2006), Experimental and Theoretical Investigations of the Inelastic and Reactive Scattering Dynamics of O(³P) + D₂, *J. Phys. Chem. A*, *110*, 1327–1341.
- Garton, D. J., T. K. Minton, W. Hu, and G. C. Schatz (2009), Experimental and Theoretical Investigations of the Inelastic and Reactive Scattering Dynamics of O(³P) Collisions with Ethane, *J. Phys. Chem. A*, *113*(16), 4722–4738.
- Ghosh, P., J. Adkins, H. Affek, B. Balta, W. Guo, E. Schauble, D. Schrag, and J. M. Eiler (2006), ¹³C–¹⁸O bonds in carbonate materials: A new kind of paleothermometer, *Geochim. Cosmochim. Acta*, *70*(6), 1439–1456.
- Gibbs, J. W. (1948), *Collected Works*, Yale University Press, New Haven, CT.
- Greenblatt, J. B., H.-J. Jost, M. Leowenstein, J. R. Podolske, T. P. Bui, D. F. Hurst, J. W. Elkins, R. L. Herman, C. R. Webster, S. M. Schauffler, E. L. Atlas, P. A. Newman, L. R. Lait, M. Mller, A. Engel, and U. Schmidt (2002), Defining the polar vortex edge from an N₂O:potential temperature correlation, *J. Geophys. Res.*, *107*(D20), 8268.
- Hanisco, T. F., and A. C. Kummel (1993), State-Resolved Photodissociation of N₂O, *J. Phys. Chem.*, *97*(28), 7242–7246.
- Hanson, D., and K. Mauersberger (1988), Laboratory studies of the nitric acid trihydrate: Implications for the south polar stratosphere, *Geophys. Res. Lett.*, *15*(8), 855–858.
- Harvey, N. M. (1982), A quantum mechanical investigation of vibrational energy transfer in O(³P) + CO₂ collisions, *Chem. Phys. Lett.*, *88*(6), 553–558.
- Hathorn, B. C., and R. A. Marcus (1999), An intramolecular theory of the mass-independent isotope effect for ozone. I., *J. Chem. Phys.*, *111*(9), 4087–4100.
- Hathorn, B. C., and R. A. Marcus (2000), An intramolecular theory of the mass-independent isotope effect for ozone. II. Numerical implementation at low pressures using a loose transition state, *J. Chem. Phys.*, *113*(21), 9497–9509.
- Heidner, I., R. F., and D. Husain (1974), A study of the collisional quenching of O(¹D₂) by the noble gases employing time-resolved attenuation of atomic resonance radiation in the vacuum ultraviolet, *Int. J. Chem. Kinet.*, *6*, 77–87.
- Herriott, D., R. Kompfner, and H. Kogelnik (1964), Off-axis paths in spherical mirror interferometers, *Appl. Opt.*, *3*(4), 523–526.
- Hirschfelder, J. O., and W. J. Meath (1967), The Nature of Intermolecular Forces, in *Adv. Chem. Phys.*, vol. 12, edited by J. O. Hirschfelder, Interscience Publishers, New York.
- Hirschfelder, J. O., C. F. Curtiss, and R. B. Bird (1964), *Molecular Theory of Gases and Liquids*, John Wiley & Sons, Inc., New York.
- Hoag, K. J., C. J. Still, I. Y. Fung, and K. A. Boering (2005), Triple oxygen isotope composition of tropospheric carbon dioxide as a tracer of terrestrial gross carbon fluxes, *Geophys. Res. Lett.*, *32*, 102802.

- Hodges, J. T., H. P. Layer, W. W. Miller, and G. E. Scace (2004), Frequency-stabilized single-mode cavity ring-down apparatus for high-resolution absorption spectroscopy, *Rev. Sci. Instrum.*, *75*(4), 849–863.
- Houston, P. L., and S. H. Kable (2006), Photodissociation of acetaldehyde as a second example of the roaming mechanism, *Proc. Natl. Acad. Sci. U. S. A.*, *103*(44), 16,079–16,082.
- Huntington, K. W., J. M. Eiler, H. P. Affek, W. Guo, M. Bonifacie, L. Y. Yeung, N. Thiagarajan, B. Passey, A. Tripathi, M. Daron, and R. Came (2009), Methods and limitations of ‘clumped’ CO₂ isotope (Δ_47) analysis by gas-source isotope ratio mass spectrometry, *J. Mass. Spectrom.*, *44*(9), 1318–1329.
- Ianni, J. C. (2003), A comparison of the Bader-Deuflhard and the Cash-Karp Runge-Kutta integrators for the Gri-Mech 3.0 model based on the chemical kinetics code Kintecus, in *Computational Fluid and Solid Mechanics 2003*, edited by K. J. Bathe, Elsevier Science, Ltd., Oxford.
- Ishidoya, S., S. Sugawara, S. Morimoto, S. Aoki, and T. Nakazawa (2008), Gravitational separation of major atmospheric components of nitrogen and oxygen in the stratosphere, *Geophys. Res. Lett.*, *35*, 103811.
- Jamieson, C. S., A. M. Mebel, and J. Kaiser (2006), Identification of the D_{3h} isomer of carbon trioxide (CO₃) and its implications for atmospheric chemistry, *ChemPhysChem*, *7*(12), 2508–2513.
- Jamieson, C. S., A. M. Mebel, and R. I. Kaiser (2007), Novel detection of the C_{2v} isomer of carbon tetraoxide (CO₄), *Chem. Phys. Lett.*, *440*, 105–109.
- Janssen, C., J. Guenther, K. Mauersberger, and D. Krankowsky (2001), Kinetic origin of the ozone isotope effect: A critical analysis of enrichments and rate coefficients, *Phys. Chem. Chem. Phys.*, *3*, 4718–4721.
- Johnston, J. C., T. Röckmann, and C. A. M. Brenninkmeijer (2000), CO₂ + O(¹D) isotopic exchange: Laboratory and modeling studies, *J. Geophys. Res.*, *105*(D12), 15,213–15,229.
- Kaiser, R. I., and A. M. Mebel (2008), On the formation of higher carbon oxides in extreme environments, *Chem. Phys. Lett.*, *465*, 1–9.
- Karton, A., E. Rabinovich, and J. M. L. Martin (2006), W4 theory for computational thermochemistry: In pursuit confident sub-kJ/mol predictions, *J. Chem. Phys.*, *125*(14), 144108.
- Katakis, D., and H. Taube (1962), Some photochemical reactions of O₃ in the gas phase, *J. Chem. Phys.*, *36*(2), 416–422.
- Kawagucci, S., U. Tsunogai, S. Kudo, F. Nakagawa, H. Honda, S. Aoki, T. Nakazawa, M. Tsutsumi, and T. Gamo (2008), Long-term observation of mass-independent oxygen isotope anomaly in stratospheric CO₂, *Atmos. Chem. Phys.*, *8*, 6189–6197.
- Kaye, J. A., and D. F. Strobel (1983), Enhancement of heavy ozone in the Earth’s atmosphere?, *J. Geophys. Res.*, *88*(C13), 8447–8452.

- Kendall, R. A., T. J. Dunning, and R. J. Harrison (1992), Electron affinities of the first-row atoms revisited. Systematic basis sets and wave functions, *J. Chem. Phys.*, *96*(9), 6796–6806.
- Kerstel, E. (2004), Isotope ratio infrared spectrometry, in *Handbook of Stable Isotope Analytical Techniques*, vol. 1, edited by P. A. de Groot, Elsevier, New York.
- Kerstel, E., and L. Gianfrani (2008), Advances in laser-based isotope ratio measurements: selected applications, *Appl. Phys. B*, *92*(3), 439–449.
- Kharchenko, V., and A. Dalgarno (2004), Thermalization of fast O(¹D) atoms in the stratosphere and mesosphere, *J. Geophys. Res.*, *109*, d18311.
- Kinugawa, T., T. Sato, T. Arikawa, Y. Matsumi, and M. Kawasaki (1990), Formation of O(³P_j) photofragments from the Hartley band photodissociation of ozone at 226 nm, *J. Chem. Phys.*, *93*(5), 3289–3294.
- Kowalczyk, T., and A. I. Krylov (2007), Electronic structure of carbon trioxide and vibronic interactions involving Jahn-Teller states, *J. Phys. Chem. A*, *111*, 8271–8276.
- Krankowsky, D., P. Lämmerzahl, K. Mauersberger, C. Janssen, B. Tuzson, and T. Röckmann (2007), Stratospheric ozone isotope fractionations derived from collected samples, *J. Geophys. Res.-Atmos.*, *112*, d08301.
- Lämmerzahl, P., T. Röckmann, C. A. M. Brenninkmeijer, D. Krankowsky, and K. Mauersberger (2002), Oxygen isotope composition of stratospheric carbon dioxide, *Geophys. Res. Lett.*, *29*(12), 1582.
- Landau, L. (1932), Zur Theorie der Energieübertragung. II, *Phys. Z. Sowjetunion*, *2*, 46–51.
- Łapiński, A., J. Spanget-Larsen, J. Waluk, and J. G. Radziszewski (2001), Vibrations of nitrous oxide: Matrix isolation Fourier transform infrared spectroscopy of twelve N₂O isotopomers, *J. Chem. Phys.*, *115*(4), 1757–1763.
- Lee, C., W. Yang, and R. G. Parr (1988), Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density, *Phys. Rev. B*, *37*(2), 785–789.
- Lee, Y. T. (1988), Reactive Scattering I: Nonoptical Methods, in *Atomic and Molecular Beam Methods*, vol. 1, edited by G. Scoles, p. 533, Oxford University Press, New York.
- Levine, R. D. (2005), *Molecular Reaction Dynamics*, Cambridge University Press, Cambridge, UK.
- Li, S. P., J. Matthews, and A. Sinha (2008), Atmospheric hydroxyl radical production from electronically excited NO₂ and H₂O, *Science*, *319*(5870), 1657–1660.
- Liang, M.-C., G. A. Blake, B. R. Lewis, and Y. L. Yung (2007), Oxygen isotopic composition of carbon dioxide in the middle atmosphere, *Proc. Natl. Acad. Sci. U. S. A.*, *104*(1), 21–25.
- Liang, M. C., G. A. Blake, and Y. L. Yung (2008), Seasonal cycle of C¹⁶O¹⁶O, C¹⁶O¹⁷O, and C¹⁶O¹⁸O in the middle atmosphere: Implications for mesospheric dynamics and biogeochemical sources and sinks of CO₂, *J. Geophys. Res.*, *113*(D12), d12305.

- Lisak, D., J. T. Hodges, and R. Ciurylo (2006), Comparison of semiclassical line-shape models to rovibrational H₂O spectra measured by frequency-stabilized cavity ring-down spectroscopy, *Phys. Rev. A*, *73*(1), 012507.
- Lisak, D., D. K. Havey, and J. T. Hodges (2009), Spectroscopic line parameters of water vapor for rotation-vibration transitions near 7180 cm⁻¹, *Phys. Rev. A*, *79*(5), 052507.
- Liu, Y., I. B. Bersuker, W. Zou, and J. E. Boggs (2009), Combined Jahn-Teller and Pseudo-Jahn-Teller Effect in the CO₃ molecule: A Seven-State Six-Mode Problem, *J. Chem. Theory Comput.*, *5*(10), 2679–2686.
- Long, D. A., D. K. Havey, M. Okumura, H. M. Pickett, C. E. Miller, and J. T. Hodges (2009), Laboratory measurements and theoretical calculations of O₂ A band electric quadrupole transitions, *Phys. Rev. A*, *80*(4), 042513.
- Lowe, D., and A. R. MacKenzie (2008), Polar stratospheric cloud microphysics and chemistry, *J. Atmos. Sol.-Terr. Phy.*, *70*(1), 13–40.
- Lueb, R., D. H. Ehhalt, and L. E. Heidt (1975), Balloon-borne low temperature air sampler, *Rev. Sci. Instrum.*, *46*(6), 702–705.
- Luz, B., E. Barkan, M. L. Bender, M. H. Thiemens, and K. A. Boering (1999), Triple-isotope composition of atmospheric oxygen as a tracer of biosphere productivity, *Nature*, *400*(6744), 547–550.
- Lyons, J. R. (2009), Atmospherically-derived mass-independent sulfur isotope signatures, and incorporation into sediments, *Chem. Geol.*, *267*(3-4), 164–174.
- Matsumi, Y., and A. M. S. Chowdhury (1996), Translational relaxation and electronic quenching of hot O(¹D) by collisions with N₂, *J. Chem. Phys.*, *104*(18), 7036–7044.
- Matsumi, Y., and M. Kawasaki (2003), Photolysis of Atmospheric Ozone in the Ultraviolet Region, *Chem. Rev.*, *103*(12), 4767–4781.
- Matsumi, Y., Y. Inagaki, G. P. Morley, and M. Kawasaki (1994a), Fine structure branching ratios and translational energies of O(³P_j) produced from collision induced intersystem crossing of O(¹D) atoms, *J. Chem. Phys.*, *100*(1), 315–324.
- Matsumi, Y., S. M. Shamsuddin, Y. Sato, and M. Kawasaki (1994b), Velocity relaxation of hot O(¹D) atoms by collisions with rare gases, N₂, and O₂, *J. Chem. Phys.*, *101*(11), 9610–9618.
- Mauersberger, K. (1981), Measurement of heavy ozone in the stratosphere, *Geophys. Res. Lett.*, *8*(8), 935–937.
- Mauersberger, K. (1987), Ozone isotope measurements in the stratosphere, *Geophys. Res. Lett.*, *14*(1), 80–83.
- McIlvin, M. R., and M. A. Altabet (2005), Chemical Conversion of Nitrate and Nitrite to Nitrous Oxide for Nitrogen and Oxygen Isotopic Analysis in Freshwater and Seawater, *Anal. Chem.*, *77*(17), 5589–5595.

- McManus, J. B., M. S. Zahniser, D. D. Nelson, L. R. Williams, and C. E. Kolb (2002), Infrared laser spectrometer with balanced absorption for measurement of isotopic ratios of carbon gases, *Spectrochim. Acta, Part A*, *58*(11), 2465–2479.
- Mebel, A. M., M. Hayashi, V. V. Kislov, and S. H. Lin (2004), Theoretical Study of Oxygen Isotope Exchange and Quenching in the O(¹D) + CO₂ Reaction, *J. Phys. Chem. A*, *108*(39), 7983–7994.
- Michalski, G., and S. K. Bhattacharya (2009), The role of symmetry in the mass independent isotope effect in ozone, *Proc. Natl. Acad. Sci. U. S. A.*, *106*(14), 5493–5496.
- Miller, R. L., A. G. Suits, P. L. Houston, R. Toumi, J. A. Mack, and A. M. Wodtke (1994), The “Ozone Deficit” Problem: O₂(X, $v \geq 26$) + O(³P) from 226-nm Ozone Photodissociation, *Science*, *265*, 1831–1838.
- Molina, M. J., R. Zhang, P. J. Woolridge, J. R. McMahon, J. E. Kim, H. Y. Chang, and K. D. Beyer (1993), Physical Chemistry of the H₂SO₄/HNO₃/H₂O System: Implications for Polar Stratospheric Clouds, *Science*, *261*(5127), 1418–1423.
- Moll, N. G., D. R. Clutter, and W. E. Thompson (1966), Carbon Trioxide: Its Production, Infrared Spectrum, and Structure Studied in a Matrix of Solid CO₂, *J. Chem. Phys.*, *45*(12), 4469–4481.
- Møller, C., and M. S. Plesset (1934), Note on an Approximation Treatment for Many-Electron Systems, *Phys. Rev.*, *46*(7), 618.
- Motto-Ros, V., M. Durand, and J. Morville (2008), Extensive characterization of the optical feedback cavity enhanced absorption spectroscopy (OF-CEAS) technique: ringdown-time calibration of the absorption scale, *Appl. Phys. B*, *91*(1), 203–211.
- Nan, G., and P. L. Houston (1992), Velocity Relaxation of S(¹D) by rare gases measured by Doppler spectroscopy, *J. Chem. Phys.*, *97*(11), 7865–7872.
- Némethy, G., M. S. Pottle, and H. A. Scheraga (1983), Energy Parameters in Polypeptides. 9. Updating of Geometrical Parameters, Nonbonded Interactions, and Hydrogen Bond Interactions for the Naturally Occurring Amino Acids, *J. Phys. Chem.*, *87*(11), 1883–1887.
- Newman, P., N. Harris, A. Adriani, G. Amanatidis, J. Anderson, G. Braathen, W. Brune, K. Carslaw, M. Craig, P. DeCola, M. Guirlet, R. Hipskind, M. Kurylo, H. Kullmann, N. Larsen, G. Megie, J. Pommereau, L. Poole, M. Schoeberl, F. Stroh, O. Toon, C. Trepte, and M. V. Roozendael (2002), An overview of the SOLVE/THESEO 2000 campaign, *J. Geophys. Res.*, *107*(D20), 8259.
- Nier, A. O. (1947), A Mass Spectrometer for Isotope and Gas Analysis, *Rev. Sci. Instrum.*, *18*(6), 398–411.
- Oakes, D. B., D. M. Sonnenfroh, G. E. Caledonia, and W. A. M. Blumberg (1994), Velocity dependent O atom IR cross sections: Connections with flight data, *J. Geophys. Res.*, *99*(A12), 23,249–23,255.
- O’Keefe, A., and D. A. G. Deacon (1988), Cavity ring-down optical spectrometer for absorption measurements using pulsed laser sources, *Rev. Sci. Instrum.*, *59*(12), 2544–2551.

- Ono, S., B. Wing, D. Rumble, and J. Farquhar (2006), High precision analysis of all four stable isotopes of sulfur (³²S, ³³S, ³⁴S and ³⁶S) at nanomole levels using a laser fluorination isotope-ratio-monitoring gas chromatography-mass spectrometry, *Chem. Geol.*, *225*, 30–39.
- Otomo, J., Y. Oshima, A. Takami, and S. Koda (2000), KrF Excimer Laser-induced Ozone Formation in Supercritical Carbon Dioxide, *J. Phys. Chem. A*, *104*(15), 3332–3340.
- Ott, D. G. (1981), *Synthesis with stable isotopes of carbon, nitrogen, and oxygen*, John Wiley & Sons, New York.
- Perri, M. J., A. L. Van Wyngarden, K. A. Boering, J. J. Lin, and Y. T. Lee (2003), Dynamics of the O(¹D)+CO₂ oxygen isotope exchange reaction, *J. Chem. Phys.*, *119*(16), 8213–8216.
- Perri, M. J., A. L. Van Wyngarden, J. J. Lin, Y. T. Lee, and K. A. Boering (2004), Energy Dependence of Oxygen Isotope Exchange and Quenching in the O(¹D) + CO₂ Reaction: A Crossed Molecular Beam Study, *J. Phys. Chem. A*, *108*(39), 7995–8001.
- Plumb, R. A., W. Heres, J. L. Nei, N. M. Mahowald, J. del Corral, G. C. Toon, E. Ray, F. Moore, and A. E. Andrews (2003), Global tracer modeling during SOLVE: High-latitude descent and mixing, *J. Geophys. Res.-Atmos.*, *108*(D5), 8309.
- Prenni, A. J., and M. A. Tolbert (2001), Studies of Polar Stratospheric Cloud Formation, *Acc. Chem. Res.*, *34*(7), 545–553.
- Press, W. H., B. P. Flannery, S. A. Teukolsky, and W. T. Vetterling (1992), *Numerical Recipes in FORTRAN: The Art of Scientific Computing*, 2nd ed., Cambridge University Press, Cambridge, UK.
- Purvis, G. D., and R. J. Bartlett (1982), A full coupled-cluster singles and doubles model: The inclusion of disconnected triples, *J. Chem. Phys.*, *76*(4), 1910–1918.
- Raghavachari, K., G. W. Trucks, M. Head-Gordon, and J. A. Pople (1989), A fifth-order perturbation comparison of electron correlation theories, *Chem. Phys. Lett.*, *157*(6), 479–483.
- Reader, J., C. J. Sansonetty, and J. M. Bridges (1996), Irradiances of spectral lines in mercury pencil lamps, *Appl. Opt.*, *35*(1), 78–83.
- Röckmann, T., C. A. M. Brenninkmeijer, G. Saueressig, P. Bergamaschi, J. N. Crowley, H. Fischer, and P. J. Crutzen (1998), Mass-Independent Oxygen Isotope Fractionation in Atmospheric CO as a Result of the Reaction CO + OH, *Science*, *281*, 544–546.
- Rothman, L. S., I. E. Gordon, A. Barbe, D. C. Benner, P. E. Bernath, M. Birk, V. Boudon, L. R. Brown, A. Campargue, J. P. Champion, K. Chance, L. H. Coudert, V. Dana, V. M. Devi, S. Fally, J. M. Flaud, R. R. Gamache, A. Goldman, D. Jacquemart, I. Kleiner, N. Lacome, W. J. Lafferty, J. Y. Mandin, S. T. Massie, S. N. Mikhailenko, C. E. Miller, N. Moazzen-Ahmadi, O. V. Naumenko, A. V. Nikitin, J. Orphal, V. I. Perevalov, A. Perrin, A. Predoi-Cross, C. P. Rinsland, M. Rotger, M. Simeckova, M. A. H. Smith, K. Sung, S. A. Tashkun, J. Tennyson, R. A. Toth, A. C. Vandaele, and J. Vander Auwera (2009), The HITRAN 2008 molecular spectroscopic database, *J. Quant. Spectrosc. Radiat. Transf.*, *110*(9-10), 533–572.

- Russ, N. J., T. D. Crawford, and G. S. Tschumper (2004), Real versus artifactual symmetry-breaking effect in Hartree-Fock, density-functional, and coupled-cluster methods, *J. Chem. Phys.*, 120(16), 7298–7306.
- Ryali, S. B., J. B. Fenn, C. E. Kolb, and J. A. Silver (1982), Collisional excitation of CO₂ by N₂, O₂ and Ar, *J. Chem. Phys.*, 76(12), 5878–5886.
- Samuel, D., and I. Wassermann (1971), A New Method for the Synthesis of ¹⁸O-Labelled Potassium Nitrite and Related Compounds, *J. Labelled Compd.*, 7(3), 355–356.
- Samura, K., S. Hashimoto, M. Kawasaki, A. Hayashida, E. Kagi, T. Ishiwata, and Y. Matsumi (2002), Isotope ¹⁸O/¹⁶O Ratio Measurements of Water Vapor by Use of the 950-nm Wavelength Region With Cavity Ring-Down and Photoacoustic Spectroscopic Techniques, *Appl. Opt.*, 41(12), 2349–2354.
- Sander, S. P., R. R. Friedl, A. R. Ravishankara, D. M. Golden, C. E. Kolb, M. J. Kurylo, M. J. Molina, G. K. Moortgat, H. Keller-Rudek, B. J. Finlayson-Pitts, P. H. Wine, R. E. Huie, and V. L. Orkin (2006), *Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies: Evaluation Number 15, JPL Publication 06-2*, Jet Propulsion Laboratory, Pasadena, CA.
- Schatz, G. C., and M. J. Redmon (1981), A quasiclassical trajectory study of collisional excitation in O(³P) + CO₂, *Chem. Phys.*, 58(2), 195–201.
- Schinke, R., S. Y. Grebenshchikov, M. V. Ivanov, and P. Fleurat-Lessard (2006), Dynamical Studies of the Ozone Isotope Effect: A Status Report, *Annu. Rev. Phys. Chem.*, 57, 625–661.
- Schupp, M. (1992), Entwicklung und Demonstration einer laserspektroskopischen Methode zur Messung des Kohlenstoffisotopenverhältnisses in Methan, Ph.D. thesis, Universität Mainz.
- Shaheen, R., C. Janssen, and T. Röckmann (2007), Investigations of the photochemical isotope equilibrium between O₂, CO₂, and O₃, *Atmos. Chem. Phys.*, 7, 495–509.
- Shamsuddin, S. M., Y. Inagaki, Y. Matsumi, and M. Kawasaki (1994), O(³P_j) atom formation from photodissociation of ozone in the visible and ultraviolet region, *Can. J. Chem.*, 72(3), 637–642.
- Shao, Y., L. F. Molnar, Y. Jung, J. Kussmann, C. Ochsenfeld, S. T. Brown, A. T. B. Gilbert, L. V. Slipchenko, S. V. Levchenko, D. P. O'Neill, R. A. DiStasio, R. C. Lochan, T. Wang, G. J. O. Beran, N. A. Besley, J. M. Herbert, C. Y. Lin, T. Van Voorhis, S. H. Chien, A. Sodt, R. P. Steele, V. A. Rassolov, P. E. Maslen, P. P. Korambath, R. D. Adamson, B. Austin, J. Baker, E. F. C. Byrd, H. Dachsel, R. J. Doerksen, A. Dreuw, B. D. Dunietz, A. D. Dutoi, T. R. Furlani, S. R. Gwaltney, A. Heyden, S. Hirata, C. P. Hsu, G. Kedziora, R. Z. Khalliulin, P. Klunzinger, A. M. Lee, M. S. Lee, W. Liang, I. Lotan, N. Nair, B. Peters, E. I. Proynov, P. A. Pieniazek, Y. M. Rhee, J. Ritchie, E. Rosta, C. D. Sherrill, A. C. Simmonett, J. E. Subotnik, H. L. Woodcock, W. Zhang, A. T. Bell, A. K. Chakraborty, D. M. Chipman, F. J. Keil, A. Warshel, W. J. Hehre, H. F. Schaefer, J. Kong, A. I. Krylov, P. M. W. Gill, and M. Head-Gordon (2006), Advances in methods and algorithms in a modern quantum chemistry program package, *Phys. Chem. Chem. Phys.*, 8(27), 3172–3191.

- Sharma, R. D., and R. G. Roble (2002), Cooling Mechanisms of the Planetary Thermospheres: The Key Role of O Atom Vibrational Excitation of CO₂ and NO, *ChemPhysChem*, 3(10), 841–843.
- Sherrill, C. D., M. S. Lee, and M. Head-Gordon (1999), On the performance of density-functional theory for symmetry-breaking problems, *Chem. Phys. Lett.*, 302(5-6), 425–430.
- Shi, J., and J. Barker (1990), Kinetic studies of the deactivation of O₂(¹Σ_g⁺) and O(¹D), *Int. J. Chem. Kinet.*, 22, 1283–1301.
- Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, M. Tignor, and H. L. Miller (Eds.) (2007), *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, New York.
- Springsteen, L. L., S. Satyapal, Y. Matsumi, L. M. Dobeck, and P. L. Houston (1993), Anisotropy and Energy Disposal in the 193-nm N₂O Photodissociation Measured by VUV Laser-Induced Fluorescence of O(¹D), *J. Phys. Chem.*, 97(28), 7239–7241.
- Stranges, D., X. Yang, J. D. Chesko, and A. G. Suits (1995), Photodissociation of ozone at 193 nm by high-resolution photofragment translational spectroscopy, *J. Chem. Phys.*, 102(15), 6067–6077.
- Syage, J. A. (1995), Photofragment Imaging of Ozone Photodissociation: O₃ → O(³P_j) + O₂(\tilde{X} , ν) at 226 nm, *J. Phys. Chem.*, 99(45), 16,530–16,533.
- Takahashi, K., N. Taniguchi, Y. Matsumi, and M. Kawasaki (1998), Translational energy and angular distributions of O(¹D) and O(³P_j) fragments in the UV photodissociation of ozone, *Chem. Phys.*, 231, 171–182.
- Takahashi, K., N. Taniguchi, Y. Sato, and Y. Matsumi (2002), Nonthermal steady state translational energy distributions of O(¹D) in the stratosphere, *J. Geophys. Res.*, 107(D16), 4290–4296.
- Taniguchi, N., K. Takahashi, and Y. Matsumi (2000), Photodissociation of O₃ around 309 nm, *J. Phys. Chem. A*, 104(39), 8936–8944.
- Tasic, U., P. Hein, and D. Troya (2007), Theoretical study of the dynamics of Ar collisions with C₂H₆ and C₂F₆ at hyperthermal energy, *J. Phys. Chem. A*, 111(18), 3618–3632.
- Thelen, M.-A., T. Gejo, J. A. Harrison, and J. R. Huber (1995), Photodissociation of ozone in the Hartley band: Fluctuation of the vibrational state distribution in the O₂(¹D_g) fragment, *J. Chem. Phys.*, 103(18), 7946–7955.
- Thiemens, M. H. (2006), History and Applications of Mass-Independent Isotope Effects, *Annu. Rev. Earth Planet. Sci.*, 34, 217–262.
- Thiemens, M. H., and J. E. Heidenreich (1983), The Mass-Independent Fractionation of Oxygen: A Novel Isotope Effect and its Possible Cosmochemical Implications, *Science*, 219(4588), 1073–1075.
- Thiemens, M. H., T. Jackson, K. Mauersberger, B. Schueler, and J. Morton (1991), Oxygen isotope fractionation in stratospheric CO₂, *Geophys. Res. Lett.*, 18(4), 669–672.

- Thiemens, M. H., T. Jackson, E. C. Zipf, P. W. Erdman, and C. van Egmond (1995), Carbon Dioxide and Oxygen Isotope Anomalies in the Mesosphere and Stratosphere, *Science*, 270(5238), 969–972.
- Townsend, D., S. A. Lahankar, S. K. Lee, S. D. Chambreau, A. G. Suits, X. Zhang, J. Rhei-necker, L. B. Harding, and J. M. Bowman (2004), The roaming atom: Straying from the reaction path in formaldehyde decomposition, *Science*, 306(5699), 1158–1161.
- Troya, D., G. C. Schatz, D. J. Garton, A. L. Brunsvold, and T. K. Minton (2004), Crossed Beams and theoretical studies of the O(³P) + CH₄ → H + OCH₃ reaction excitation function, *J. Chem. Phys.*, 120(2), 731–739.
- Tsang, W., and R. F. Hampson (1986), Chemical kinetic data base for combustion chemistry. Part I. Methane and related compounds, *J. Phys. Chem. Ref. Data*, 15(3), 1087–1279.
- Tuzson, B., J. Mohn, M. J. Zeeman, R. A. Werner, W. Eugster, M. S. Zahniser, D. D. Nelson, J. B. McManus, and L. Emmenegger (2008), High precision and continuous field mea-surements of δ¹³C and δ¹⁸O in carbon dioxide with a cryogen-free QCLAS, pp. 451–458.
- Upschulte, B. L., and G. E. Caledonia (1992), Laboratory measurements of infrared excita-tion cross sections of fast O-atom collisions with CO, CO₂, and CH₄, *J. Chem. Phys.*, 96(3), 2025–2033.
- Urey, H. C. (1947), The thermodynamic properties of isotopic substances, *J. Chem. Soc.*, 47(5), 562–581.
- Van Wyngarden, A. L., K. A. Mar, K. A. Boering, J. J. Lin, Y. T. Lee, S.-Y. Lin, H. Guo, and G. Lendvay (2007), Nonstatistical Behavior of Reactive Scattering in the ¹⁸O + ³²O₂ Isotope Exchange Reaction, *J. Am. Chem. Soc.*, 129(10), 2866–2870.
- Voigt, C., J. Schreiner, A. Kohlmann, P. Zink, K. Mauersberger, N. Larsen, T. Deshler, C. Kroger, J. Rosen, A. Adriani, F. Cairo, G. Di Donfrancesco, M. Viterbini, J. Ovarlez, H. Ovarlez, C. David, and A. Dornbrack (2000), Nitric acid trihydrate (NAT) in polar stratospheric clouds, *Science*, 290(5497), 1756–1758.
- Wang, Z., E. A. Schauble, and J. M. Eiler (2004), Equilibrium thermodynamics of multiply substituted isotopologues of molecular gases, *Geochim. Cosmochim. Acta*, 68(23), 4779–4797.
- Weissberger, E., W. H. Breckenridge, and H. Taube (1967), Reaction Of O(¹D) With CO₂ At Low Temperatures, *J. Chem. Phys.*, 47(5), 1764–1769.
- Wen, J., and M. H. Thiemens (1993), Multi-isotope study of the O(¹D) + CO₂ exchange and stratospheric consequences, *J. Geophys. Res.*, 98(D7), 12,801–12,808.
- Werner, H.-J., P. J. Knowles, R. Lindh, F. R. Manby, M. Schutz, P. Celani, T. Korona, G. Rauhut, R. D. Amos, A. Bernhardsson, A. Berning, D. L. Cooper, M. J. O. Deegan, A. J. Dobbyn, F. Eckert, C. Hampel, G. Hetzer, A. W. Lloyd, S. J. McNicholas, W. Meyer, M. E. Mura, A. Nicklass, P. Palmieri, R. Pitzer, U. Schumann, H. Stoll, A. J. Stone, R. Tarroni, and T. Thorsteinsson (2006), MOLPRO, a package of *ab initio* programs.
- Weston, J., R. E. (1999), Anomalous of Mass-Independent Isotope Effects, *Chem. Rev.*, 99(8), 2115–2136.

- Wiegell, M. R., N. W. Larsen, T. Pedersen, and H. Egsdard (1997), The temperature dependence of the exchange reaction between oxygen atoms and dioxygen molecules studied by means of isotopes and spectroscopy, *Int. J. Chem. Kinet.*, *29*(10), 745–753.
- Yakir, D. (2003), The Stable Isotopic Composition of Atmospheric CO₂, in *Treatise on Geochemistry*, vol. 4, edited by K. K. Turekian and H. D. Holland, pp. 175–212, Elsevier, Ltd., Amsterdam.
- Yang, G. H., L. Yao, X. Zhang, Q. T. Meng, and K. L. Han (2005), Theoretical Study of the Mechanism for Spin-Forbidden Quenching Process O(¹D) + CO₂(¹Σ_g⁺) → O(³P) + CO₂(¹Σ_g⁺), *Int. J. Quantum Chem.*, *105*(2), 154–159.
- Ye, J., and J. L. Hall (2000), Cavity ringdown heterodyne spectroscopy: High sensitivity with microwatt light power, *Phys. Rev. A*, *61*(6), 061802.
- Ye, J., and T. W. Lynn (2003), Applications of Optical Cavities in Modern Atomic, Molecular, and Optical Physics, in *Adv. At., Mol., Opt. Phys.*, vol. 49, edited by B. Bederson and H. Walther, pp. 1–83, Elsevier Academic Press, San Francisco, CA.
- Ye, J., L.-S. Ma, and J. L. Hall (1998), Ultrasensitive detections in atomic and molecular physics: demonstration in molecular overtone spectroscopy, *J. Opt. Soc. Am. B*, *15*(1), 6–15.
- Yeung, L. Y., H. P. Affek, K. J. Hoag, W. Guo, A. A. Wiegel, E. L. Atlas, S. M. Schauffler, M. Okumura, K. A. Boering, and J. M. Eiler (2009a), Large and unexpected enrichment in stratospheric ¹⁶O¹³C¹⁸O and its meridional variation, *Proc. Natl. Acad. Sci. U. S. A.*, *106*(28), 11,496–11,501.
- Yeung, L. Y., M. Okumura, J. T. Paci, G. C. Schatz, J. Zhang, and T. K. Minton (2009b), Hyperthermal O-Atom Exchange Reaction O₂ + CO₂ through a CO₄ Intermediate, *J. Am. Chem. Soc.*, *131*(39), 13,940–13,942.
- Yung, Y. L., W. B. DeMore, and J. P. Pinto (1991), Isotopic Exchange Between Carbon Dioxide and Ozone via O(¹D) in the Stratosphere, *Geophys. Res. Lett.*, *18*(1), 13–16.
- Yung, Y. L., A. Y. T. Lee, F. W. Irion, W. B. DeMore, and J. Wen (1997), Carbon dioxide in the atmosphere: Isotopic exchange with ozone and its use as a tracer in the middle atmosphere, *J. Geophys. Res.*, *102*(D9), 10,857–10,866.
- Zhang, J., J. P. Camden, A. L. Brunsvold, H. P. Upadhyaya, T. K. Minton, and G. C. Schatz (2008), Unusual Mechanisms Can Dominate Reactions at Hyperthermal Energies: An Example from O(³P) + HCl → ClO + H, *J. Am. Chem. Soc.*, *130*(28), 8896–8897.
- Zhao, Y., and D. G. Truhlar (2008), The M06 suite of density functionals for main group thermochemistry, thermochemical kinetics, noncovalent interactions, excited states, and transition elements: two new functionals and systematic testing of four M06-class functionals and 12 other functionals, *Theo. Chem. Acc.*, *120*(1-3), 215–241.
- Zondlo, M. A., P. K. Hudson, A. J. Prenni, and M. A. Tolbert (2000), Chemistry and Microphysics of Polar Stratospheric Clouds and Cirrus Clouds, *Annu. Rev. Phys. Chem.*, *51*, 473–499.