

List of Figures

1.1	Schematic for Heaton's SCAN	4
2.1	Map of stations and earthquakes used	14
2.2	Distribution of database with magnitude and distance	15
2.3	Acceleration time history recorded at DGR during Northridge mainshock	18
2.4	Envelope of acceleration time history recorded at DGR during Northridge mainshock	19
2.5	Decomposing observed envelope into P-wave, S-wave, and ambient noise envelopes	21
2.6	A single very large nonlinear inverse problem to find the magnitude, distance, and site dependence of the various envelope parameters . . .	23
2.7	Numerous but much smaller nonlinear inverse problems	24
2.8	Magnitude-dependent saturation term	31
2.9	Uncorrected rms horizontal S-wave acceleration amplitude on rock . .	33
2.10	Station corrections for rms horizontal S-wave acceleration amplitude on rock	36
2.11	Corrected rms horizontal S-wave acceleration amplitude on rock . . .	37
2.12	Comparison of predicted and observed S-wave acceleration amplitudes on rock	38
2.13	Is σ magnitude-dependent?	40
2.14	Is σ distance-dependent?	41
2.15	Is σ dependent on amplitude of predicted values?	42
2.16	Histogram of residuals	43
2.17	S-wave envelope parameters	45
2.18	S-wave rise time, t_{rise_S}	47
2.19	S-wave duration, Δt_S	48

2.20 S-wave decay parameter, τ_S	50
2.21 S-wave decay parameter γ_S	52
3.1 Relative sizes of the geometric spreading and exponential decay terms	63
3.2 Rock and soil attenuation relationships: rms horizontal S-wave acceleration	66
3.3 Histogram of residuals for rock and soil sites: rms horizontal S-wave acceleration	67
3.4 Rock and soil attenuation relationships: rms horizontal S-wave velocity	68
3.5 Histogram of residuals for rock and soil sites: rms horizontal S-wave velocity	69
3.6 Rock and soil attenuation relationships: rms horizontal S-wave displacement	70
3.7 Histogram of residuals for rock and soil sites: rms horizontal S-wave displacement	71
3.8 Predicted rms horizontal S-wave acceleration as a function of distance and magnitude	75
3.9 Predicted rms horizontal S-wave velocity as a function of distance and magnitude	76
3.10 Predicted rms horizontal S-wave displacement as a function of distance and magnitude	77
3.11 Histogram of rms acceleration station corrections	79
3.12 Histogram of rms velocity station corrections	80
3.13 Histograms of rms displacement station corrections	81
3.14 Peak horizontal acceleration amplification map	82
3.15 Peak horizontal velocity amplification map	83
3.16 Peak horizontal displacement amplification map	84
3.17 P-wave vertical acceleration amplification map	85
3.18 P-wave vertical velocity amplification map	86
3.19 Rock and soil attenuation relationships: vertical S-wave acceleration	94

3.20 Rock and soil attenuation relationships: vertical S-wave velocity	95
3.21 Rock and soil attenuation relationships: vertical S-wave displacement	96
3.22 Predicted vertical S-wave acceleration as a function of distance and magnitude	97
3.23 Predicted vertical S-wave velocity as a function of distance and magnitude	98
3.24 Predicted vertical S-wave displacement as a function of distance and magnitude	99
3.25 Histograms of vertical acceleration station corrections	100
3.26 Histograms of vertical velocity station corrections	101
3.27 Histograms of vertical filtered displacement station corrections	102
3.28 Comparison of horizontal to vertical S-wave accelerations on rock and soil sites	103
3.29 Comparison of horizontal to vertical velocities for S-waves on rock and soil sites	104
3.30 Comparison of horizontal to vertical S-wave displacements on rock and soil sites	105
3.31 P-wave attenuation relationships: rms horizontal and vertical P-wave acceleration amplitudes	109
3.32 P-wave attenuation relationships: rms horizontal and vertical P-wave velocity amplitudes	110
3.33 P-wave attenuation relationships: rms horizontal and vertical P-wave displacement amplitudes	111
3.34 P- versus S-wave attenuation for vertical acceleration, velocity and displacement on rock sites	112
3.35 P- versus S-wave attenuation for horizontal acceleration, velocity, and displacement on rock sites	113
3.36 P- versus S-wave attenuation for vertical acceleration, velocity, and displacement on soil sites	114
3.37 P- versus S-wave attenuation for horizontal acceleration, velocity, and displacement on soil sites	115

3.38 Predicted envelopes for rms horizontal acceleration	117
3.39 Predicted envelopes for rms horizontal velocity	118
3.40 Predicted envelopes for rms horizontal filtered displacement	119
3.41 Predicted envelopes for vertical acceleration	120
3.42 Predicted envelopes for vertical velocity	121
3.43 Predicted envelopes for vertical filtered displacement	122
4.1 Eigenvectors of $\mathbf{S}_w^{-1} \cdot \mathbf{S}_a$	139
4.2 Linear combinations of the data \mathbf{X} corresponding to the first and second eigenvectors of $\mathbf{S}_w^{-1} \cdot \mathbf{S}_a$	140
4.3 LDA on P-wave amplitude ratios	141
4.4 Regression diagnostics for Eqn. 4.28	145
4.5 Regression diagnostics for Eqn. 4.35	150
4.6 Linear discriminant analysis of P-wave $\log(acc)$ and $\log(disp)$ as indicators of magnitude	151
4.7 Distance dependence of ground motion ratios	157
4.8 Regression diagnostics of \hat{M}_{LDA_2}	158
4.9 R prior	169
4.10 Voronoi cells of 30 randomly generated points	172
4.11 Error ellipse for M, R estimates given available observations	175
5.1 16 October 1999 $M = 7.1$ Hector Mine, California earthquake	182
5.2 Vertical acceleration records from stations within 100 km of the Hector Mine mainshock	184
5.3 P/S discriminant and ground motion ratio Z_{ad} as a function of time at station HEC	186
5.4 Observed vertical and horizontal acceleration envelopes at HEC	187
5.5 Likelihood function (in terms of M, R) given amplitudes at HEC 3 seconds after the initial P detection	189
5.6 Location constraints from P-wave arrivals and non-arrivals 3 seconds after initial P detection, I	191

5.7	Location constraints for P-wave arrivals and non-arrivals 3 seconds after initial P detection, II	192
5.8	Possible epicentral distances to HEC, given the first P arrival	193
5.9	Effects of different types of priors	194
5.10	Stations included in the VS estimates at t=3, 5.5, 7, 8, 14, 34, and 74 seconds after the initial P detection at HEC	196
5.11	Possible locations for different magnitude ranges	199
5.12	VS estimate 3 sec after initial P detection	200
5.13	VS estimates 5.5 and 7 sec after initial P detection	201
5.14	VS estimates 8 sec after initial P detection	203
5.15	Availability of observations as a function of time	204
5.16	Evolution of VS magnitude estimates as a function of time	205
5.17	Evolution of VS location estimates as a function of time	206
5.18	Comparison of amplitude- and arrival-based location estimates 74 sec after the initial P detection	208
5.19	Magnitude estimates based on P and S wave ground motion ratios . .	209
5.20	Observed peak vertical P-wave acceleration, velocity, and filtered displacement amplitudes	210
5.21	Observed peak rms horizontal S-wave acceleration, velocity, and filtered displacement amplitudes	211
6.1	Stations within 250 km of San Simeon earthquake	215
6.2	Some vertical acceleration records from the San Simeon earthquake .	216
6.3	P/S discriminant and ground motion ratio Z_{ad} as a function of time at station PKD	217
6.4	Likelihood function (in terms of M, R) given amplitudes at PKD 3 seconds after the initial P detection	219
6.5	Possible epicentral distances to PKD, given the first 2 P arrivals . .	221
6.6	Effects of different types of priors	222

6.7	Stations included in VS estimates at t=3, 5.5, 8, 11, 31, 71 seconds after the initial P detection at PKD	223
6.8	Prior information: station geometry, previous seismicity, and fault locations	225
6.9	Possible locations for different magnitude ranges	227
6.10	VS estimate 3 sec after initial P detection	229
6.11	Location constraints from P arrivals and non-arrivals	230
6.12	VS estimate 5.5 seconds after initial P detection	231
6.13	VS estimates 8 seconds after initial P detection	232
6.14	Availability of observations as a function of time	234
6.15	Evolution of VS magnitude estimates as a function of time	235
6.16	Evolution of VS location estimates as a function of time	236
6.17	Comparison of amplitude- and timing-based location estimates, 40 seconds after initial P detection	238
6.18	Comparison of amplitude- and timing-based location estimates, 71 seconds after the initial P detection	239
6.19	Observed peak rms horizontal acceleration and velocity for stations within 250 km of the San Simeon mainshock	240
6.20	Observed peak P wave acceleration and velocity for stations within 250 km of the San Simeon mainshock	241
6.21	Magnitude estimates based on P and S wave ground motion ratios . .	242
7.1	28 September 2004 M=6.0 Parkfield, California earthquake	249
7.2	Vertical acceleration records from stations within 150 km of the 2004 M=6.0 Parkfield mainshock	250
7.3	P/S discriminant and ground motion ratio Z_{ad} as a function of time at station PKD	252
7.4	Likelihood function given amplitudes at PKD 3 seconds after initial P detection	253

7.5	Location constraints from P-wave arrival at PKD and non-arrivals at adjacent stations $\Delta t = 3$ seconds after initial P detection	255
7.6	Possible epicentral distances to PKD, given arrivals	256
7.7	Effects of using different types of priors	257
7.8	Stations included in estimation process at $t=3, 6, 9, 15, 27, 77$ seconds after the initial P detection	259
7.9	Possible locations for different magnitude ranges	260
7.10	Prior information: station geometry, seismicity, and fault location . .	262
7.11	3 sec after initial P detection at PKD	263
7.12	6 sec after initial P detection at PKD	264
7.13	Availability of observations as a function of time	265
7.14	Evolution of magnitude estimates with time	266
7.15	Evolution of location estimates with time	267
7.16	Amplitude-based location estimates 80 sec after earthquake origin time	269
7.17	Comparing observed peak amplitudes with envelope attenuation relationships, Parkfield	270
7.18	Magnitude estimates based on ground motion ratio $Zad = acc^{0.36}/disp^{0.93}$ as a function of distance	271
8.1	3 September 2002 $M = 4.75$ Yorba Linda, California earthquake . . .	274
8.2	Vertical acceleration records from stations within 30 km of the Yorba Linda mainshock	277
8.3	P/S discriminant, and ground motion ratio as a function of time at station SRN	278
8.4	Likelihood function (in terms of M, R) given amplitudes at SRN 3 sec after initial P detection	280
8.5	Epicentral distance constraint from first P arrival at SRN	282
8.6	Effects of different types of priors	283
8.7	Stations included in the VS estimates at 3, 5, 8, 13, 38, and 78 seconds after the initial P detection	285

8.8	Possible locations for different magnitude ranges	287
8.9	Location constraints from P arrivals available 3 sec after initial P detection at SRN	288
8.10	VS estimate 3 sec after initial P detection	289
8.11	Availability of observations as a function of time	291
8.12	Evolution of VS location estimates as a function of time	292
8.13	Evolution of VS magnitude estimates as a function of time	293
8.14	Comparison of amplitude- and arrival-based location estimates 78 seconds after the initial P detection	295
8.15	Magnitude estimates based on P and S wave ground motion ratios .	296
8.16	Observed peak vertical P-wave acceleration, velocity, and filtered displacement amplitudes	297
8.17	Observed peak rms horizontal S-wave acceleration, velocity, and filtered displacement amplitudes	298
9.1	Probability of missed alarms	301
9.2	Dependence of probability of missed alarm on uncertainty on predicted ground motion	302
9.3	Probability of false alarms	303
9.4	$a_{pred,crit}$ as a function of σ_{pred} and C_{ratio}	308
9.5	Optimal action as a function of the probability of exceedance for $C_{ratio} = 1.5$	309
9.6	Optimal action as a function of probability of exceedance for $C_{ratio} = 5$.	310
A.1	Adding envelopes	335
A.2	Adding envelopes	338
E.1	P/S discriminant using vertical and horizontal ground motion acceleration	353
E.2	P/S wave discriminant using vertical and horizontal ground motion velocity	355

E.3 P/S wave discriminant using vertical and horizontal ground motion acceleration and velocity	357
E.4 P/S wave discriminant using vertical and horizontal ground motion acceleration, velocity, and displacement	359
F.1 LDA of vertical S-wave acceleration and displacement	363
F.2 Decision boundaries for P- and S-wave LDA	365
G.1 Location constraint implied by ΔT_p , the time interval between the first two P wave arrivals	367
G.2 Constraint on possible earthquake locations, given Δt_p , time interval between P wave arrivals at the two closest stations	370