

## WORK CITED

- Aakalu, G., W. B. Smith, et al. (2001). "Dynamic visualization of local protein synthesis in hippocampal neurons." Neuron **30**(2): 489-502.
- Anderson, P. and T. Lomo (1966). "Mode of activation of hippocampal pyramidal cells by excitatory synapses on dendrites." Exp Brain Res **2**(3): 247-60.
- Angst, B. D., C. Marcozzi, et al. (2001). "The cadherin superfamily." J Cell Sci **114**(Pt 4): 625-6
- Antonova, I., O. Arancio, et al. (2001). "Rapid increase in clusters of presynaptic proteins at onset of long-lasting potentiation." Science **294**(5546): 1547-50.
- Arndt, K., S. Nakagawa, et al. (1998). "Cadherin-defined segments and parasagittal cell ribbons in the developing chicken cerebellum." Mol Cell Neurosci **10**(5/6): 211-28.
- Bailey, C. H., D. Bartsch, et al. (1996). "Toward a molecular definition of long-term memory storage." Proc Natl Acad Sci U S A **93**(24): 13445-52.
- Baki, L., P. Marambaud, et al. (2001). "Presenilin-1 binds cytoplasmic epithelial cadherin, inhibits cadherin/p120 association, and regulates stability and function of the cadherin/catenin adhesion complex." Proc Natl Acad Sci U S A **98**(5): 2381-6.
- Bamji, S. X., B. Rico, et al. (2006). "BDNF mobilizes synaptic vesicles and enhances synapse formation by disrupting cadherin-beta-catenin interactions." J Cell Biol **174**(2): 289-99.
- Bamji, S. X., K. Shimazu, et al. (2003). "Role of beta-catenin in synaptic vesicle localization and presynaptic assembly." Neuron **40**(4): 719-31.
- Beesley, P. W., R. Mummary, et al. (1995). "N-cadherin is a major glycoprotein component of isolated rat forebrain postsynaptic densities." J Neurochem **64**(5): 2288-94.
- Benson, D. L. and H. Tanaka (1998). "N-cadherin redistribution during synaptogenesis in hippocampal neurons." J Neurosci **18**(17): 6892-904.
- Blaschuk, O. W., R. Sullivan, et al. (1990). "Identification of a cadherin cell adhesion recognition sequence." Dev Biol **139**(1): 227-9.
- Bliss, T. V. and G. L. Collingridge (1993). "A synaptic model of memory: long-term potentiation in the hippocampus." Nature **361**(6407): 31-9.

- Bliss, T. V. and T. Lomo (1973). "Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path." *J Physiol* **232**(2): 331-56.
- Boggon, T. J., J. Murray, et al. (2002). "C-cadherin ectodomain structure and implications for cell adhesion mechanisms." *Science* **296**(5571): 1308-13.
- Bozdagi, O., W. Shan, et al. (2000). "Increasing numbers of synaptic puncta during late-phase LTP: N-cadherin is synthesized, recruited to synaptic sites, and required for potentiation." *Neuron* **28**(1): 245-59.
- Bozdagi, O., M. Valcin, et al. (2004). "Temporally distinct demands for classic cadherins in synapse formation and maturation." *Mol Cell Neurosci* **27**(4): 509-21.
- Brembeck, F. H., M. Rosario, et al. (2006). "Balancing cell adhesion and Wnt signaling, the key role of beta-catenin." *Curr Opin Genet Dev* **16**(1): 51-9.
- Broudy, V. C., N. L. Lin, et al. (1998). "Analysis of c-kit receptor dimerization by fluorescence resonance energy transfer." *Blood* **91**(3): 898-906.
- Buchs, P. A. and D. Muller (1996). "Induction of long-term potentiation is associated with major ultrastructural changes of activated synapses." *Proc Natl Acad Sci USA* **93**(15): 8040-5.
- Chappuis-Flament, S., E. Wong, et al. (2001). "Multiple cadherin extracellular repeats mediate homophilic binding and adhesion." *J Cell Biol* **154**(1): 231-43.
- Cho, K. O., C. A. Hunt, et al. (1992). "The rat brain postsynaptic density fraction contains a homolog of the Drosophila discs-large tumor suppressor protein." *Neuron* **9**(5): 929-42.
- Damjanovich, S., L. Bene, et al. (1997). "Preassembly of interleukin 2 (IL-2) receptor subunits on resting Kit 225 K6 T cells and their modulation by IL-2, IL-7, and IL-15: a fluorescence resonance energy transfer study." *Proc Natl Acad Sci USA* **94**(24): 13134-9.
- Egelman, D. M. and P. R. Montague (1998). "Computational properties of peri-dendritic calcium fluctuations." *J Neurosci* **18**(21): 8580-9.
- Egelman, D. M. and P. R. Montague (1999). "Calcium dynamics in the extracellular space of mammalian neural tissue." *Biophys J* **76**(4): 1856-67.
- Engert, F. and T. Bonhoeffer (1999). "Dendritic spine changes associated with hippocampal long-term synaptic plasticity." *Nature* **399**(6731): 66-70.

- Fannon, A. M. and D. R. Colman (1996). "A model for central synaptic junctional complex formation based on the differential adhesive specificities of the cadherins." Neuron **17**(3): 423-34.
- Guo, C., S. K. Dower, et al. (1995). "Fluorescence resonance energy transfer reveals interleukin (IL)-1-dependent aggregation of IL-1 type I receptors that correlates with receptor activation." J Biol Chem **270**(46): 27562-8.
- He, W., P. Cowin, et al. (2003). "Untangling desmosomal knots with electron tomography." Science **302**(5642): 109-13.
- Huntley, G. W. and D. L. Benson (1999). "Neural (N)-cadherin at developing thalamocortical synapses provides an adhesion mechanism for the formation of somatotopically organized connections." J Comp Neurol **407**(4): 453-71.
- Hyafil, F., C. Babinet, et al. (1981). "Cell-cell interactions in early embryogenesis: A molecular approach to the role of calcium." Cell **26**(3 Pt 1): 447-54.
- Inoue, A. and J. R. Sanes (1997). "Lamina-specific connectivity in the brain: Regulation by N-cadherin, neurotrophins, and glycoconjugates." Science **276**(5317): 1428-31.
- Jones, R. S. and U. H. Heinemann (1987). "Differential effects of calcium entry blockers on pre- and postsynaptic influx of calcium in the rat hippocampus in vitro." Brain Res **416**(2): 257-66.
- Kenworthy, A. K. and M. Edidin (1998). "Distribution of a glycosylphosphatidylinositol-anchored protein at the apical surface of MDCK cells examined at a resolution of <100 Å using imaging fluorescence resonance energy transfer." J Cell Biol **142**(1): 69-84.
- Kenworthy, A. K., N. Petranova, et al. (2000). "High-resolution FRET microscopy of cholera toxin B-subunit and GPI-anchored proteins in cell plasma membranes." Mol Biol Cell **11**(5): 1645-55.
- Koch, A. W., S. Pokutta, et al. (1997). "Calcium binding and homoassociation of E-cadherin domains." Biochemistry **36**(25): 7697-705.
- Maletic-Savatic, M., R. Malinow, et al. (1999). "Rapid dendritic morphogenesis in CA1 hippocampal dendrites induced by synaptic activity." Science **283**(5409): 1923-7.
- Muller, T., A. Choidas, et al. (1999). "Phosphorylation and free pool of beta-catenin are regulated by tyrosine kinases and tyrosine phosphatases during epithelial cell migration." J Biol Chem **274**(15): 10173-83.

- Murase, S., E. Mosser, et al. (2002). "Depolarization drives beta-Catenin into neuronal spines promoting changes in synaptic structure and function." Neuron **35**(1): 91-105.
- Nagafuchi, A., Y. Shirayoshi, et al. (1987). "Transformation of cell adhesion properties by exogenously introduced E-cadherin cDNA." Nature **329**(6137): 341-3.
- Nagafuchi, A. and M. Takeichi (1988). "Cell binding function of E-cadherin is regulated by the cytoplasmic domain." Embo J **7**(12): 3679-84.
- Nagai, T. K. Ibata, et al. (2002). "A variant of yellow fluorescent protein with fast and efficient maturation for cell-biological applications." Nat Biotechnol **20**(1): 87-90.
- Nagar, B., M. Overduin, et al. (1996). "Structural basis of calcium-induced E-cadherin rigidification and dimerization." Nature **380**(6572): 360-4.
- Nicoll, R. A. and R. C. Malenka (1999). "Expression mechanisms underlying NMDA receptor-dependent long-term potentiation." Ann N Y Acad Sci **868**: 515-25.
- Nieman, M. T., J. B. Kim, et al. (1999). "Mechanism of extracellular domain-deleted dominant negative cadherins." J Cell Sci **112** ( Pt 10): 1621-32.
- Norvell, S. M. and K. J. Green (1998). "Contributions of extracellular and intracellular domains of full length and chimeric cadherin molecules to junction assembly in epithelial cells." J Cell Sci **111** ( Pt 9): 1305-18.
- Nose, A., K. Tsuji, et al. (1990). "Localization of specificity determining sites in cadherin cell adhesion molecules." Cell **61**(1): 147-55.
- Overduin, M., T. S. Harvey, et al. (1995). "Solution structure of the epithelial cadherin domain responsible for selective cell adhesion." Science **267**(5196): 386-9.
- Ozawa, M. and R. Kemler (1990). "Correct proteolytic cleavage is required for the cell adhesive function of uvomorulin." J Cell Biol **111**(4): 1645-50.
- Pasdar, M., K. A. Krzeminski, et al. (1991). "Regulation of desmosome assembly in MDCK epithelial cells: Coordination of membrane core and cytoplasmic plaque domain assembly at the plasma membrane." J Cell Biol **113**(3): 645-55.
- Pathre, P., C. Arregui, et al. (2001). "PTP1B regulates neurite extension mediated by cell-cell and cell-matrix adhesion molecules." J Neurosci Res **63**(2): 143-50.
- Perret, E., A. M. Benoliel, et al. (2002). "Fast dissociation kinetics between individual E-cadherin fragments revealed by flow chamber analysis." Embo J **21**(11): 2537-46.

- Perret, E., A. Leung, et al. (2004). "Trans-bonded pairs of E-cadherin exhibit a remarkable hierarchy of mechanical strengths." Proc Natl Acad Sci USA **101**(47): 16472-7.
- Pertz, O., D. Bozic, et al. (1999). "A new crystal structure, Ca<sup>2+</sup> dependence and mutational analysis reveal molecular details of E-cadherin homoassociation." Embo J **18**(7): 1738-47.
- Pokutta, S., K. Herrenknecht, et al. (1994). "Conformational changes of the recombinant extracellular domain of E-cadherin upon calcium binding." Eur J Biochem **223**(3): 1019-26.
- Posthaus, H., C. M. Dubois, et al. (1998). "Proprotein cleavage of E-cadherin by furin in baculovirus over-expression system: potential role of other convertases in mammalian cells." FEBS Lett **438**(3): 306-10.
- Posthaus, H., C. M. Dubois, et al. (2003). "Novel insights into cadherin processing by subtilisin-like convertases." FEBS Lett **536**(1-3): 203-8.
- Rizzo, M. A., G. H. Springer, et al. (2004). "An improved cyan fluorescent protein variant useful for FRET." Nat Biotechnol **22**(4): 445-9.
- Roura, S., S. Miravet, et al. (1999). "Regulation of E-cadherin/Catenin association by tyrosine phosphorylation." J Biol Chem **274**(51): 36734-40.
- Rusakov, D. A. and A. Fine (2003). "Extracellular Ca<sup>2+</sup> depletion contributes to fast activity-dependent modulation of synaptic transmission in the brain." Neuron **37**(2): 287-97.
- Rusakov, D. A. and D. M. Kullmann (1998). "Geometric and viscous components of the tortuosity of the extracellular space in the brain." Proc Natl Acad Sci USA **95**(15): 8975-80.
- Schikorski, T. and C. F. Stevens (1997). "Quantitative ultrastructural analysis of hippocampal excitatory synapses." J Neurosci **17**(15): 5858-67.
- Schuman, E. M. and S. Murase (2003). "Cadherins and synaptic plasticity: activity-dependent cyclin-dependent kinase 5 regulation of synaptic beta-catenin-cadherin interactions." Philos Trans R Soc Lond B Biol Sci **358**(1432): 749-56.
- Selvin, P. R. (1995). "Fluorescence resonance energy transfer." Methods Enzymol **246**: 300-34.
- Shapiro, L., A. M. Fannon, et al. (1995). "Structural basis of cell-cell adhesion by cadherins." Nature **374**(6520): 327-37.

- Shepherd, G. M. and K. M. Harris (1998). "Three-dimensional structure and composition of CA3-->CA1 axons in rat hippocampal slices: implications for presynaptic connectivity and compartmentalization." *J Neurosci* **18**(20): 8300-10.
- Sivasankar, S., B. Gumbiner, et al. (2001). "Direct measurements of multiple adhesive alignments and unbinding trajectories between cadherin extracellular domains." *Biophys J* **80**(4): 1758-68.
- Sommers, C. L., E. P. Gelmann, et al. (1994). "Alterations in beta-catenin phosphorylation and plakoglobin expression in human breast cancer cells." *Cancer Res* **54**(13): 3544-52.
- Sorkin, A., M. McClure, et al. (2000). "Interaction of EGF receptor and grb2 in living cells visualized by fluorescence resonance energy transfer (FRET) microscopy." *Curr Biol* **10**(21): 1395-8.
- Spacek, J. and K. M. Harris (1998). "Three-dimensional organization of cell adhesion junctions at synapses and dendritic spines in area CA1 of the rat hippocampus." *J Comp Neurol* **393**(1): 58-68.
- Sperry, R. W. (1963). "Chemoaffinity in the orderly growth of nerve fiber patterns and connections." *Proc Natl Acad Sci USA* **50**: 703-10.
- Suzuki, S. T. (1996). "Protocadherins and diversity of the cadherin superfamily." *J Cell Sci* **109** (Pt 11): 2609-11.
- Takeichi, M. and K. Abe (2005). "Synaptic contact dynamics controlled by cadherin and catenins." *Trends Cell Biol* **15**(4): 216-21.
- Tamura, K., W. S. Shan, et al. (1998). "Structure-function analysis of cell adhesion by neural (N-) cadherin." *Neuron* **20**(6): 1153-63.
- Tanaka, H., W. Shan, et al. (2000). "Molecular modification of N-cadherin in response to synaptic activity." *Neuron* **25**(1): 93-107.
- Tang, L., C. P. Hung, et al. (1998). "A role for the cadherin family of cell adhesion molecules in hippocampal long-term potentiation." *Neuron* **20**(6): 1165-75.
- Togashi, H., K. Abe, et al. (2002). "Cadherin regulates dendritic spine morphogenesis." *Neuron* **35**(1): 77-89.
- Troxell, M. L., Y. T. Chen, et al. (1999). "Cadherin function in junctional complex rearrangement and posttranslational control of cadherin expression." *Am J Physiol* **276**(2 Pt 1): C404-18.

- Uchida, N., Y. Honjo, et al. (1996). "The catenin/cadherin adhesion system is localized in synaptic junctions bordering transmitter release zones." J Cell Biol **135**(3): 767-79.
- Wheeler, G. N., A. E. Parker, et al. (1991). "Desmosomal glycoprotein DGI, a component of intercellular desmosome junctions, is related to the cadherin family of cell adhesion molecules." Proc Natl Acad Sci USA **88**(11): 4796-800.
- Wiest, M. C., D. M. Eagleman, et al. (2000). "Dendritic spikes and their influence on extracellular calcium signaling." J Neurophysiol **83**(3): 1329-37.
- Yagi, T. and M. Takeichi (2000). "Cadherin superfamily genes: Functions, genomic organization, and neurologic diversity." Genes Dev **14**(10): 1169-80.
- Yap, A. S., C. M. Niessen, et al. (1998). "The juxtamembrane region of the cadherin cytoplasmic tail supports lateral clustering, adhesive strengthening, and interaction with p120ctn." J Cell Biol **141**(3): 779-89.
- Yuste, R. and T. Bonhoeffer (2004). "Genesis of dendritic spines: Insights from ultrastructural and imaging studies." Nat Rev Neurosci **5**(1): 24-34.
- Zhu, B., S. Chappuis-Flament, et al. (2003). "Functional analysis of the structural basis of homophilic cadherin adhesion." Biophys J **84**(6): 4033-42.

