

Bibliography

- [1] Y. Wang, N. O. Hodas, Y. Jung, and R. A. Marcus, “Microscopic structure and dynamics of air/water interface by computer simulations—comparison with sum-frequency generation experiments,” *Phys. Chem. Chem. Phys.*, vol. 13, no. 12, p. 5388, 2011.
- [2] T. M. Squires and S. R. Quake, “Microfluidics: Fluid physics at the nanoliter scale,” *Rev Mod Phys*, vol. 77, pp. 977–1026, 2005.
- [3] W. Coffey, Y. Kalmykov, and J. Waldron, *The Langevin equation: with applications to stochastic problems in physics, chemistry, and electrical engineering*. 2004.
- [4] E. R. Kay, D. A. Leigh, and F. Zerbetto, “Synthetic molecular motors and mechanical machines,” *Angew Chem Int Edit*, vol. 46, no. 1-2, pp. 72–191, 2007.
- [5] R. Field and F. Schneider, “Oscillating Chemical-Reactions and Nonlinear Dynamics,” *J Chem Educ*, vol. 66, no. 3, pp. 195–204, 1989.

- [6] P. Y. Placais, M. Balland, T. Guerin, J. F. Joanny, and P. Martin, “Spontaneous Oscillations of a Minimal Actomyosin System under Elastic Loading,” *Phys Rev Lett*, vol. 103, no. 15, p. 158102, 2009.
- [7] Y. Gao, W. Yang, R. Marcus, and M. Karplus, “A model for the cooperative free energy transduction and kinetics of ATP hydrolysis by F-1-ATPase,” *P Natl Acad Sci Usa*, vol. 100, no. 20, pp. 11339–11344, 2003.
- [8] D. Helbing and S. Lämmer, “Network-induced oscillatory behavior in material flow networks and irregular business cycles,” *Phys Rev E*, vol. 70, p. 6, nov 2004.
- [9] S. Green, J. Bath, and A. Turberfield, “Coordinated Chemomechanical Cycles: A Mechanism for Autonomous Molecular Motion,” *Phys Rev Lett*, vol. 101, p. 238101, dec 2008.
- [10] K. Svoboda, P. P. Mitra, and S. M. Block, “Fluctuation analysis of motor protein movement and single enzyme kinetics,” *P Natl Acad Sci Usa*, vol. 91, pp. 11782–11786, dec 1994.
- [11] R. Lipowsky and S. Liepelt, “Chemomechanical Coupling of Molecular Motors: Thermodynamics, Network Representations, and Balance Conditions,” *Journal of Statistical Physics*, vol. 130, p. 39, 2008.
- [12] M. Lindén, “Decay times in turnover statistics of single enzymes,” *Phys Rev E*, vol. 78, no. 1, p. 010901, 2008.

- [13] N. van Kampen, *Stochastic processes in physics and chemistry*. 2007.
- [14] T. Schmiedl and U. Seifert, “Stochastic thermodynamics of chemical reaction networks,” *J Chem Phys*, vol. 126, no. 4, p. 044101, 2007.
- [15] G. Strang, “Linear algebra and its applications,” *Harcourt, Brace, Jovanovich*, vol. 3rd Ed., 1988.
- [16] J. Schnakenberg, “Network Theory of Microscopic and Macroscopic Behavior of Master Equation Systems,” *Rev Mod Phys*, vol. 48, no. 4, pp. 571–585, 1976.
- [17] J. Heron, “The Kinetics of Linear Systems with Special Reference to Periodic Reactions,” *Bulletin of Mathematical Biophysics*, vol. 15, pp. 121–141, 1953.
- [18] F. Karpelevich, “On the characteristic roots of matrices with nonnegative elements,” *Eleven papers translated from the Russian*, p. 79, 1989.
- [19] H. Ito, “A new statement about the theorem determining the region of eigenvalues of stochastic matrices,” *Linear Algebra and Its Applications*, vol. 267, pp. 241–246, 1997.
- [20] R. Kellogg and A. Stephens, “Complex Eigenvalues of a Non-Negative Matrix with a Specified Graph,” *Linear Algebra and Its Applications*, vol. 20, no. 2, pp. 179–187, 1978.
- [21] A. Z. Ivanović, Ž. D. Čupić, M. M. Janković, L. Z. Kolar-Anić, and S. R. Anić, “The chaotic sequences in the Bray–Liebhafsky reaction in an open reactor,” *Phys. Chem. Chem. Phys.*, vol. 10, no. 38, p. 5848, 2008.

- [22] L. Morelli and F. Jülicher, “Precision of Genetic Oscillators and Clocks,” *Phys Rev Lett*, vol. 98, no. 22, p. 228101, 2007.
- [23] H. Qian, S. Saffarian, and E. Elson, “Concentration fluctuations in a mesoscopic oscillating chemical reaction system,” *P Natl Acad Sci Usa*, vol. 99, no. 16, pp. 10376–10381, 2002.
- [24] P. Gaspard, “The correlation time of mesoscopic chemical clocks,” *J Chem Phys*, vol. 117, no. 19, pp. 8905–8916, 2002.
- [25] T. J. Xiao, Z. Hou, and H. Xin, “Entropy production and fluctuation theorem along a stochastic limit cycle,” *J Chem Phys*, vol. 129, no. 11, p. 114506, 2008.
- [26] D. Andrieux and P. Gaspard, “Fluctuation theorem and mesoscopic chemical clocks,” *J Chem Phys*, vol. 128, no. 15, p. 154506, 2008.
- [27] D. Gonze, J. Halloy, and P. Gaspard, “Biochemical clocks and molecular noise- Theoretical study of robustness factors,” *J Chem Phys*, vol. 116, no. 24, pp. 10997–11010, 2002.
- [28] P. Egleston, T. Lenker, and S. Narayan, “The nonnegative inverse eigenvalue problem,” *Linear Algebra and Its Applications*, vol. 379, pp. 475–490, 2004.
- [29] G. Baldini, F. Cannone, and G. Chirico, “Pre-unfolding resonant oscillations of single green fluorescent protein molecules,” *Science*, vol. 309, no. 5737, pp. 1096–1100, 2005.

- [30] G. Baldini, F. Cannone, G. Chirico, M. Collini, B. Campanini, S. Bettati, and A. Mozzarelli, "Evidence of discrete substates and unfolding pathways in green fluorescent protein," *Biophys J*, vol. 92, no. 5, pp. 1724–1731, 2007.
- [31] F. Cannone, M. Collini, G. Chirico, G. Baldini, S. Bettati, B. Campanini, and A. Mozzarelli, "Environment effects on the oscillatory unfolding kinetics of GFP," *Eur Biophys J Biophys*, vol. 36, no. 7, pp. 795–803, 2007.
- [32] F. Cannone, M. Caccia, S. Bologna, A. Diaspro, and G. Chirico, "Single molecule spectroscopic characterization of GFP-mut2 mutant for two-photon microscopy applications," *Microsc. Res. Tech.*, vol. 65, no. 4-5, pp. 186–193, 2005.
- [33] G. Baldini, "Pre-Unfolding Resonant Oscillations of Single Green Fluorescent Protein Molecules," *Science*, vol. 309, no. 5737, pp. 1096–1100, 2005.
- [34] D. Morre, P. Chueh, J. Pletcher, X. Tang, L. Wu, and D. Morre, "Biochemical basis for the biological clock," *Biochemistry-Us*, vol. 41, no. 40, pp. 11941–11945, 2002.
- [35] D. J. Morre, Z. Jiang, M. Marjanovic, J. Orczyk, and D. M. Morre, "Response of the regulatory oscillatory behavior of copper(II)-containing ECTONOX proteins and of (CuCl₂)-Cl-II in solution to electromagnetic fields," *J Inorg Biochem*, vol. 102, no. 9, pp. 1812–1818, 2008.
- [36] J. Pleiss and F. Jähnig, "Collective vibrations of an alpha-helix. A molecular dynamics study," *Biophys J*, vol. 59, pp. 795–804, apr 1991.

- [37] J. A. McCammon, “Protein Dynamics,” *Rep. Prog. Phys.*, vol. 47, no. 1, pp. 1–46, 1984.
- [38] N. Agmon, “Kinetics of switchable proton escape from a proton-wire within green fluorescence protein,” *J. Phys. Chem. B*, vol. 111, no. 27, pp. 7870–7878, 2007.
- [39] C. Camilloni, A. G. Rocco, I. Eberini, E. Gianazza, R. A. Broglia, and G. Tiana, “Urea and Guanidinium Chloride Denature Protein L in Different Ways in Molecular Dynamics Simulations,” *Biophys J*, vol. 94, pp. 4654–4661, mar 2008.
- [40] B. Bennion and V. Daggett, “The molecular basis for the chemical denaturation of proteins by urea,” *P Natl Acad Sci Usa*, vol. 100, no. 9, pp. 5142–5147, 2003.
- [41] F. Vanzi, B. Madan, and K. Sharp, “Effect of the protein denaturants urea and guanidinium on water structure: A structural and thermodynamic study,” *J Am Chem Soc*, vol. 120, no. 41, pp. 10748–10753, 1998.
- [42] F. Cannone, M. Collini, G. Chirico, G. Baldini, S. Bettati, B. Campanini, and A. Mozzarelli, “Environment effects on the oscillatory unfolding kinetics of GFP,” *Eur Biophys J*, vol. 36, pp. 795–803, aug 2007.
- [43] A. Saxena, J. Udgaonkar, and G. Krishnamoorthy, “Protein dynamics control proton transfer from bulk solvent to protein interior: A case study with a green fluorescent protein,” *Protein Science*, vol. 14, no. 7, pp. 1787–1799, 2005.

- [44] K. Brejc, T. Sixma, P. Kitts, S. Kain, R. Tsien, M. Ormo, and S. Remington, “Structural basis for dual excitation and photoisomerization of the *Aequorea victoria* green fluorescent protein,” *P Natl Acad Sci Usa*, vol. 94, no. 6, pp. 2306–2311, 1997.
- [45] Schrödinger, LLC, “The PyMOL Molecular Graphics System, Version 1.3r1.” PyMOL The PyMOL Molecular Graphics System, Version 1.3, Schrödinger, LLC., aug 2010.
- [46] M. S. Titushin, Y. Feng, G. A. Stepanyuk, Y. Li, S. V. Markova, S. Golz, B. C. Wang, J. Lee, J. Wang, E. S. Vysotski, and Z. J. Liu, “NMR-derived Topology of a GFP-photoprotein Energy Transfer Complex,” *Journal of Biological Chemistry*, vol. 285, pp. 40891–40900, dec 2010.
- [47] Z. Liu, S. Markova, F. LA, G. Stepanyuk, E. Vysotski, J. Rose, and W. BC, “PDB ID: 2HPW.”
- [48] B. FC, T. Koetzle, G. Williams, E. Meyer Jr, M. Brice, J. Rodgers, O. Kennard, T. Shimanouchi, and M. Tasum, “The Protein Data Bank: A Computer-based Archival File For Macromolecular Structures,” *J. of Mol. Biol*, vol. 112, p. 535, 1977.
- [49] S. Abbruzzetti, E. Grandi, C. Viappiani, S. Bologna, B. Campanini, S. Raboni, S. Bettati, and A. Mozzarelli, “Kinetics of acid-induced spectral changes in the GFPmut2 chromophore,” *J Am Chem Soc*, vol. 127, no. 2, pp. 626–635, 2005.

- [50] M. Baily, “Carnot and the Universal Heat Death,” *Am J Phys*, vol. 53, no. 11, pp. 1092–1099, 1985.
- [51] A. Xie, L. Kelemen, J. Hendriks, B. White, K. Hellingwerf, and W. Hoff, “Formation of a new buried charge drives a large-amplitude protein quake in photoreceptor activation,” *Biochemistry-U S*, vol. 40, no. 6, pp. 1510–1517, 2001.
- [52] K. Itoh and M. Sasai, “Dynamical transition and proteinquake in photoactive yellow protein,” *P Natl Acad Sci Usa*, vol. 101, no. 41, pp. 14736–14741, 2004.
- [53] N. Agmon, “Proton Pathways in Green Fluorescence Protein,” *Biophys J*, vol. 88, pp. 2452–2461, jan 2005.
- [54] K. Modig, E. Kurian, F. Prendergast, and B. Halle, “Water and urea interactions with the native and unfolded forms of a beta-barrel protein,” *Protein Science*, vol. 12, no. 12, pp. 2768–2781, 2003.
- [55] G. Chirico, F. Cannone, S. Beretta, A. Diaspro, B. Campanini, S. Bettati, R. Ruotolo, and A. Mozzarelli, “Dynamics of green fluorescent protein mutant2 in solution, on spin-coated glasses, and encapsulated in wet silica gels,” *Protein Science*, vol. 11, no. 5, pp. 1152–1161, 2002.
- [56] D. P. Aalberts and N. O. Hodas, “Asymmetry in RNA pseudoknots: observation and theory,” *Nucleic Acids Research*, vol. 33, pp. 2210–2214, apr 2005.
- [57] C. Bustamante, J. Marko, and E. Siggia, “Entropic elasticity of lambda-phage DNA.,” *Science (New York)*, 1994.

- [58] D. Mathews, J. Sabina, M. Zuker, and D. Turner, “Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure,” *Journal of Molecular Biology*, vol. 288, no. 5, pp. 911–940, 1999.
- [59] P.-g. De Gennes, *Scaling Concepts in Polymer Physics*. Cornell University Press, 1979.
- [60] S. Cocco, J. F. Marko, and R. Monasson, “Theoretical models for single-molecule DNA and RNA experiments: from elasticity to unzipping,” *arXiv*, vol. cond-mat.soft, jun 2002.
- [61] M. Fixman and J. Kovac, “Polymer Conformational Statistics .3. Modified Gaussian Models of Stiff Chains,” *J Chem Phys*, vol. 58, no. 4, pp. 1564–1568, 1973.
- [62] M. Carrion-Vazquez, A. Oberhauser, S. Fowler, P. Marszalek, S. Broedel, J. Clarke, and J. Fernandez, “Mechanical and chemical unfolding of a single protein: A comparison,” in *Proc Natl Acad Sci Usa*, (Mayo Clin & Mayo Fdn, Dept Physiol & Biophys, Rochester, MN 55905 USA), pp. 3694–3699, Mayo Clin & Mayo Fdn, Dept Physiol & Biophys, Rochester, MN 55905 USA, 1999.
- [63] J. Bridgewater, P. Boykin, and V. Roychowdhury, “Statistical mechanical load balancer for the web,” *Phys Rev E*, vol. 71, p. 046133, apr 2005.
- [64] A. Shreim, P. Grassberger, W. Nadler, B. Samuelsson, J. Socolar, and M. Paczuski, “Network Analysis of the State Space of Discrete Dynamical Systems,” *Phys Rev Lett*, vol. 98, p. 4, may 2007.

- [65] A. Mckane and T. Newman, “Predator-Prey Cycles from Resonant Amplification of Demographic Stochasticity,” *Phys Rev Lett*, vol. 94, p. 218102, jun 2005.
- [66] D. Wu, K. Ghosh, M. Inamdar, H. J. Lee, S. Fraser, K. Dill, and R. Phillips, “Trajectory Approach to Two-State Kinetics of Single Particles on Sculpted Energy Landscapes,” *Phys Rev Lett*, vol. 103, p. 50603, jul 2009.
- [67] J. Kaneshiro, S. Kawado, H. Yokota, Y. Uesu, and T. Fukui, “Three-dimensional observations of polar domain structures using a confocal second-harmonic generation interference microscope,” *J Appl Phys*, vol. 104, no. 5, p. 054112, 2008.
- [68] S. Zhuo, J. Chen, X. Jiang, S. Xie, R. Chen, N. Cao, Q. Zou, and S. Xiong, “The layered-resolved microstructure and spectroscopy of mouse oral mucosa using multiphoton microscopy,” *Phys. Med. Biol.*, vol. 52, pp. 4967–4980, aug 2007.
- [69] J. A. Palero, H. S. de Bruijn, A. van der Ploeg Van Den Heuvel, H. J. C. M. Sterenborg, and H. C. Gerritsen, “Spectrally Resolved Multiphoton Imaging of In Vivo and Excised Mouse Skin Tissues,” *Biophys J*, vol. 93, pp. 992–1007, may 2007.
- [70] M. Kobayashi, K. Fujita, O. Nakamura, and S. Kawata, “Time-gated imaging for multifocus second-harmonic generation microscopy,” *Rev. Sci. Instrum.*, vol. 76, no. 7, p. 073704, 2005.

- [71] P. Stoller, P. Celliers, and K. Reiser, “Quantitative second-harmonic generation microscopy in collagen,” *Appl Optics*, 2003.
- [72] P. Stoller, K. Reiser, P. Celliers, and A. Rubenchik, “Polarization-modulated second harmonic generation in collagen,” *Biophys J*, vol. 82, no. 6, pp. 3330–3342, 2002.
- [73] R. Gauderon and P. Lukins, “Simultaneous multichannel nonlinear imaging: combined two-photon excited fluorescence and second-harmonic generation microscopy,” *Micron*, 2001.
- [74] B. Kim, J. Eichler, and L. Da Silva, “Frequency doubling of ultrashort laser pulses in biological tissues,” *Appl Optics*, vol. 38, no. 34, pp. 7145–7150, 1999.
Good sample of SHG active biological tissues.
- [75] I. Freund and M. Deutsch, *Optical second-harmonic microscopy, crossed-beam summation and small-angle scattering in rat-tail tendon*. Biophys J, 1986.
- [76] S. Fine and W. Hansen, “Optical second harmonic generation in biological systems,” *Appl Optics*, vol. 10, no. 10, p. 2350, 1971.
- [77] A. N. Bashkatov, E. A. Genina, and V. V. Tuchin, “Optical Properties of Skin, Subcutaneous, and Muscle Tissues: a Review,” *J. Innov. Opt. Health Sci.*, vol. 4, no. 1, pp. 9–38, 2011.

- [78] M. Andersen and S. Nir, “Van der Waals parameters, refractive indices and dispersion equations of spectrin, actin and other mammalian proteins,” *Polymer*, vol. 18, pp. 867–870, 1977.
- [79] F. Bolin, L. Preuss, R. Taylor, and R. J. Ference, “Refractive index of some mammalian tissues using a fiber optic cladding method,” *Appl Optics*, pp. 2297–2303, 1989.
- [80] F. Boman, M. Musorrafiti, J. Gibbs, B. Stepp, A. Salazar, S. Nguyen, and F. Geiger, “DNA single strands tethered to fused quartz/water interfaces studied by second harmonic generation,” *J Am Chem Soc*, vol. 127, no. 44, pp. 15368–15369, 2005.
- [81] A. J. Moad, C. W. Moad, J. M. Perry, R. D. Wampler, G. S. Goeken, N. J. Begue, T. Shen, R. Heiland, and G. J. Simpson, “NLOPredict: Visualization and data analysis software for nonlinear optics,” *J. Comput. Chem.*, vol. 28, pp. 1996–2002, sep 2007.
- [82] W. Williamson III, Y. Wang, S. Lee, and H. Simon, “Observation of optical second harmonic generation in wet-spun films of Na-DNA,” *Spectroscopy . . .*, 1993.
- [83] YassineMrabet, “584px-Human_anatomy_planes.png by YassineMrabet. Wikimedia Commons.” Wikimedia Commons, apr 2011.

- [84] R. LaComb, O. Nadiarnykh, S. Townsend, and P. Campagnola, “Phase matching considerations in second harmonic generation from tissues: Effects on emission . . . ,” *Optics Communications*, 2008.
- [85] I. Asselberghs, C. Flors, L. Ferrighi, E. Botek, B. Champagne, H. Mizuno, R. Ando, A. Miyawaki, J. Hofkens, M. V. d. Auweraer, and K. Clays, “Second-Harmonic Generation in GFP-like Proteins,” *J Am Chem Soc*, vol. 130, pp. 15713–15719, nov 2008.
- [86] T. A. Theodossiou, C. Thrasivoulou, C. Ekwobi, and D. L. Becker, “Second Harmonic Generation Confocal Microscopy of Collagen Type I from Rat Tendon Cryosections,” *Biophys J*, vol. 91, pp. 4665–4677, dec 2006.
- [87] X. Deng, E. Williams, E. Thompson, X. Gan, and M. Gu, “Second-harmonic generation from biological tissues: Effect of excitation wavelength,” *Scanning*, vol. 24, no. 4, pp. 175–178, 2002.
- [88] K. E. Davies and K. J. Nowak, “Molecular mechanisms of muscular dystrophies: old and new players,” *Nat Rev Mol Cell Biol*, vol. 7, pp. 762–773, sep 2006.
- [89] O. Friedrich, M. Both, C. Weber, S. SchUrmann, M. D. H. Teichmann, F. von Wegner, R. H. A. Fink, M. Vogel, J. S. Chamberlain, and C. Garbe, “Microarchitecture Is Severely Compromised but Motor Protein Function Is Preserved in Dystrophic mdx Skeletal Muscle,” *Biophys J*, vol. 98, pp. 606–616, feb 2010.

- [90] I. Agarkova and J.-C. Perriard, “The M-band: an elastic web that crosslinks thick filaments in the center of the sarcomere,” *Trends in Cell Biology*, vol. 15, pp. 477–485, sep 2005.
- [91] P. Luther, P. Munro, and J. M. Squire, “Three-dimensional structure of the vertebrate muscle A-band* 1:: III. M-region structure and myosin filament symmetry,” *Journal of Molecular Biology*, vol. 151, pp. 704–730, 1981.
- [92] S. Shafiq, “Electron microscopic studies on the indirect flight muscles of *Drosophila melanogaster*,” *The Journal of cell biology*, 1963.
- [93] B. Millman, “The filament lattice of striated muscle,” *Physiological reviews*, 1998.
- [94] J. Harford and J. Squire, ““Crystalline” myosin cross-bridge array in relaxed bony fish muscle. Low-angle x-ray diffraction from plaice fin muscle and its interpretation,” *Biophys J*, vol. 50, pp. 145–155, jul 1986.
- [95] T. Irving, S. Bhattacharya, I. Tesic, and J. Moore, “Changes in myofibrillar structure and function produced by N-terminal deletion of the regulatory light chain in *Drosophila*,” *Journal of Muscle . . .*, 2001.
- [96] T. Irving, J. Konhilas, and D. Perry, “Myofilament lattice spacing as a function of sarcomere length in isolated rat myocardium,” *American Journal of . . .*, 2000.

- [97] L. Peachy, “Sarcoplasmic Reticulum and Transverse Tubules of Frogs *Sartorius*,” *J Cell Biol*, vol. 25, pp. 209–231, 1965.
- [98] M. Ö. Raeker, F. Su, S. B. Geisler, A. B. Borisov, A. Kontrogianni-Konstantopoulos, S. E. Lyons, and M. W. Russell, “Obscurin is required for the lateral alignment of striated myofibrils in zebrafish,” *Dev. Dyn.*, vol. 235, no. 8, pp. 2018–2029, 2006.
- [99] M. Both, M. Vogel, O. Friedrich, F. v. Wegner, T. Künsting, R. H. A. Fink, and D. Uttenweiler, “Second harmonic imaging of intrinsic signals in muscle fibers in situ,” *J. Biomed. Opt.*, vol. 9, no. 5, p. 882, 2004.
- [100] G. Recher, D. Rouede, P. Richard, A. Simon, J.-J. Bellanger, and F. Tiaho, “Three distinct sarcomeric patterns of skeletal muscle revealed by SHG and TPEF Microscopy,” *Opt Express*, vol. 17, no. 22, pp. 19763–19777, 2009.
- [101] S. V. Plotnikov, A. C. Millard, P. J. Campagnola, and W. A. Mohler, “Characterization of the Myosin-Based Source for Second-Harmonic Generation from Muscle Sarcomeres,” *Biophys J*, vol. 90, pp. 693–703, jan 2006.
- [102] C. Greenhalgh, N. Prent, C. Green, and R. Cisek, “Influence of semicrystalline order on the second-harmonic generation efficiency in the anisotropic bands of myocytes,” *Applied . . .*, 2007.
- [103] P. J. Campagnola, A. C. Millard, M. Terasaki, P. E. Hoppe, C. J. Malone, and W. A. Mohler, “Three-Dimensional High-Resolution Second-Harmonic Genera-

- tion Imaging of Endogenous Structural Proteins in Biological Tissues,” *Biophys J*, vol. 82, pp. 493–508, jan 2002.
- [104] J. Squire, “Architecture and function in the muscle sarcomere,” *Current Opinion in Structural Biology*, 1997.
- [105] N. Prent, C. Green, C. Greenhalgh, and R. Cisek, “Intermyofilament dynamics of myocytes revealed by second harmonic generation microscopy,” *Journal of Biomedical . . .*, 2008.
- [106] V. Nucciotti, C. Stringari, L. Sacconi, F. Vanzi, L. Fusi, M. Linari, G. Piazzesi, V. Lombardi, and F. S. Pavone, “Probing myosin structural conformation in vivo by second-harmonic generation microscopy,” *Proceedings of the National Academy of Sciences*, vol. 107, pp. 7763–7768, apr 2010.
- [107] J. Harford and J. Squire, “Time-resolved diffraction studies of muscle using synchrotron radiation,” *Rep. Prog. Phys.*, vol. 60, no. 12, pp. 1723–1787, 1997.
- [108] A. V. Smolensky, “Length-dependent filament formation assessed from birefringence increases during activation of porcine tracheal muscle,” *The Journal of Physiology*, vol. 563, pp. 517–527, dec 2004.
- [109] S. Baylor and H. Oetliker, “The optical properties of birefringence signals from single muscle fibres,” *The Journal of Physiology*, vol. 264, pp. 163–198, 1977.
- [110] D. Taylor, “Quantitative studies on the polarization optical properties of striated muscle. I. Birefringence changes of rabbit psoas muscle in the transition

- from rigor to relaxed state.," *The Journal of cell biology*, vol. 68, pp. 497–511, 1976.
- [111] J. Zondy, "Comparative theory of walkoff-limited type-II versus type-I second harmonic generation with Gaussian beams," *Optics Communications*, 1991.
- [112] G. Boyd, A. Ashkin, J. M. Dziedzic, and D. Kleinman, "Second-Harmonic Generation of Light with Double Refraction," *Physical Review*, vol. 137, pp. 1305–1320, 1965.
- [113] R. W. Boyd, *Nonlinear Optics*. Academic Press, 2nd ed., 2003.
- [114] S. Ishiwata and N. Okamura, "Diffraction rings obtained from a suspension of skeletal myofibrils by laser light illumination. Study of internal structure of sarcomeres," *Biophys J*, vol. 56, pp. 1113–1120, dec 1989.
- [115] W. G. Gilliar, W. S. Bickel, and W. F. Bailey, "Light diffraction studies of single muscle fibers as a function of fiber rotation," *Biophys J*, vol. 45, pp. 1159–1165, jun 1984.
- [116] R. Rüdél and F. Zite-Ferencyz, "Interpretation of light diffraction by cross-striated muscle as Bragg reflexion of light by the lattice of contractile proteins.," *The Journal of Physiology*, vol. 290, pp. 317–330, 1979.
- [117] D. K. Sardar, G.-Y. Swanland, R. M. Yow, R. J. Thomas, and A. T. C. Tsin, "Optical properties of ocular tissues in the near infrared region," *Lasers Med Sci*, vol. 22, pp. 46–52, dec 2006.

- [118] J. Dirckx, L. Kuypers, and W. Decraemer, “Refractive index of tissue measured with confocal microscopy,” *J. Biomed. Opt.*, vol. 10, no. 4, pp. –, 2005.
- [119] H. Ding, J. Q. Lu, W. A. Wooden, P. J. Kragel, and X.-H. Hu, “Refractive indices of human skin tissues at eight wavelengths and estimated dispersion relations between 300 and 1600 nm,” *Phys. Med. Biol.*, vol. 51, pp. 1479–1489, mar 2006.
- [120] S. Cheng, H. Y. Shen, G. Zhang, C. H. Huang, and X. J. Huang, “Measurement of the refractive index of biotissue at four laser wavelengths,” *Proc. SPIE*, vol. 4916, pp. 172–176, 2002.
- [121] S.-W. Chu, S.-Y. Chen, G.-W. Chern, T.-H. Tsai, Y.-C. Chen, B.-L. Lin, and C.-K. Sun, “Studies of (2)/(3) Tensors in Submicron-Scaled Bio-Tissues by Polarization Harmonics Optical Microscopy,” *Biophys J*, vol. 86, pp. 3914–3922, jun 2004.
- [122] D. I. Bassett, “Dystrophin is required for the formation of stable muscle attachments in the zebrafish embryo,” *Development*, vol. 130, pp. 5851–5860, dec 2003.
- [123] J. Sprague, L. Bayraktaroglu, D. Clements, T. Conlin, D. Fashena, K. Frazer, M. Haendel, D. G. Howe, P. Mani, S. Ramachandran, K. Schaper, E. Segerdell, P. Song, B. Sprunger, S. Taylor, C. E. Van Slyke, and M. Westerfield, “The Zebrafish Information Network: the zebrafish model organism database,” *Nucleic Acids Research*, vol. 34, pp. D581–D585, 2006.

- [124] R. Chang, J. Eickmans, W. Hsieh, C. F. Wood, J.-Z. Zhang, and J.-b. Zheng, “Laser-induced breakdown in large transparent water droplets,” *Appl Optics*, vol. 27, pp. 2377–2385, 1988.
- [125] J. P. Singh and S. N. Thakur, eds., *Laser-Induced Breakdown Spectroscopy*. Elsevier, 1st ed., 2007.
- [126] F. DeMartini, C. Townes, T. Gustafson, and P. L. Kelly, “Self-steepening of light pulses,” *Physical Review*, vol. 164, pp. 312–312, 1967.
- [127] W. Liu, O. Kosareva, I. Golubtsov, A. Iwasaki, A. Becker, V. Kandidov, and S. Chin, “Femtosecond laser pulse filamentation versus optical breakdown in H₂O,” *Applied Physics B: Lasers and Optics*, vol. 76, pp. 215–229, mar 2003.
- [128] C. Santhosh, A. K. Dharmadhikari, K. Alti, J. A. Dharmadhikari, and D. Mathura, “Suppression of ultrafast supercontinuum generation in a salivary protein,” *J. Biomed. Opt.*, vol. 12, no. 2, pp. –, 2007. interesting point to make about damage to zebrafish by lasers – observation of supercontinuum generation.
- [129] S. Schürmann, F. von Wegner, R. H. A. Fink, O. Friedrich, and M. Vogel, “Second Harmonic Generation Microscopy Probes Different States of Motor Protein Interaction in Myofibrils,” *Biophys J*, vol. 99, pp. 1842–1851, sep 2010.
- [130] C. J. Snow, M. Goody, M. W. Kelly, E. C. Oster, R. Jones, A. Khalil, and C. A. Henry, “Time-Lapse Analysis and Mathematical Characterization Eluci-

- date Novel Mechanisms Underlying Muscle Morphogenesis,” *PLoS Genet*, vol. 4, p. e1000219, oct 2008.
- [131] A. S. Jacoby, E. Busch-Nentwich, R. J. Bryson-Richardson, T. E. Hall, J. Berger, S. Berger, C. Sonntag, C. Sachs, R. Geisler, D. L. Stemple, and P. D. Currie, “The zebrafish dystrophic mutant *softy* maintains muscle fibre viability despite basement membrane rupture and muscle detachment,” *Development*, vol. 136, pp. 3367–3376, sep 2009.
- [132] J. W. Sanger, J. Wang, B. Holloway, A. Du, and J. M. Sanger, “Myofibrillogenesis in skeletal muscle cells in zebrafish,” *Cell Motil. Cytoskeleton*, vol. 66, pp. 556–566, aug 2009.
- [133] J. D. Jackson, *Classical Electrodynamics Third Edition*. Wiley, 1998.
- [134] P. N. Butcher and D. Cotter, *The Elements of Nonlinear Optics*. Cambridge University Press, first ed., mar 1990.
- [135] W. Xiang-Hui, L. Lie, C. Sheng-Jiang, Z. Hao, and H. Shu-Juan, “Examination of validity of paraxial approximation in second harmonic generation microscopy under low numerical aperture,” *Chinese Phys Lett*, vol. 25, no. 8, pp. 2884–2887, 2008.
- [136] S. Hess and W. Webb, “Focal volume optics and experimental artifacts in confocal fluorescence correlation spectroscopy,” *Biophys J*, vol. 83, no. 4, pp. 2300–2317, 2002.

- [137] P. Varga, “The Gaussian wave solution of Maxwell’s equations and the validity of scalar wave approximation,” *Optics Communications*, 1998.
- [138] D. Kleinman, “Dependence of second-harmonic generation on the position of the focus,” *Physical Review*, 1966.
- [139] D. Kleinman and A. Ashkin, “Second-harmonic generation of light by focused laser beams,” *Physical Review*, 1966. Fundamental derivation of gaussian focused SHG.
- [140] L. Moreaux, O. Sandre, and J. Mertz, “Membrane imaging by second-harmonic generation microscopy,” *J Opt Soc Am B*, vol. 17, no. 10, pp. 1685–1694, 2000.
- [141] J. Bjorkholm, “Optical second-harmonic generation using a focused Gaussian laser beam,” *Physical Review*, 1966.
- [142] V. Berger, “Nonlinear photonic crystals,” *Phys Rev Lett*, 1998.
- [143] P. Xu, S. Ji, S. Zhu, X. Yu, J. Sun, H. Wang, J. He, Y. Zhu, and N. Ming, “Conical Second Harmonic Generation in a Two-Dimensional (2) Photonic Crystal: A Hexagonally Poled LiTaO₃ Crystal,” *Phys Rev Lett*, vol. 93, sep 2004.
- [144] N. Broderick, G. Ross, and H. Offerhaus, “Hexagonally poled lithium niobate: a two-dimensional nonlinear photonic crystal,” *Phys Rev Lett*, 2000.
- [145] A. Arie, N. Habshoosh, and A. Bahabad, “Quasi phase matching in two-dimensional nonlinear photonic crystals,” *Opt Quant Electron*, vol. 39, pp. 361–375, jun 2007.

- [146] D. Kleinman and A. Ashkin, “Second-harmonic generation of light by focused laser beams,” *Physical Review*, 1966.
- [147] J. Mertz and L. Moreaux, “Second-harmonic generation by focused excitation of inhomogeneously distributed scatterers,” *Optics Communications*, 2001.
- [148] R. Miller, “Optical second harmonic generation in piezoelectric crystals,” *Appl. Phys. Lett.*, vol. 5, pp. 17–19, 1964.
- [149] C. Garrett and F. Robinson, “Miller’s phenomenological rule for computing nonlinear susceptibilities,” *Quantum Electronics*, vol. 2, pp. 328–329, 1966.
- [150] S. Scandolo, “Miller’s rule and the static limit for second-harmonic generation,” *Phys Rev B*, vol. 51, no. 11, pp. 6928–6931, 1995.
- [151] G. Boyd and D. Kleinman, “Parametric Interaction of Focused Gaussian Light Beams,” *J Appl Phys*, vol. 39, no. 8, pp. 3597–3639, 1968.
- [152] G. Boyd, “Parametric interaction of focused Gaussian light beams,” *J Appl Phys*, 1968.
- [153] F. Brejat and B. Wyncke, “Calculation of Double-Refraction Walk-Off Angle Along the Phase-Matching Directions in Non-Linear Biaxial Crystals,” *J. Phys. B: At. Mol. Opt. Phys.*, vol. 22, no. 11, pp. 1891–1898, 1989.
- [154] M. Fejer, G. Magel, D. Jundt, and R. L. Byer, “Quasi-phase-matched second harmonic generation: tuning and tolerances,” *IEEE Journal of Quantum Electronics*, vol. 28, no. 11, pp. 2631–2654, 1992.

- [155] Y. R. Shen and V. Ostroverkhov, "Sum-Frequency Vibrational Spectroscopy on Water Interfaces: Polar Orientation of Water Molecules at Interfaces," *Chem Rev*, vol. 106, pp. 1140–1154, apr 2006.
- [156] P. Jungwirth and D. J. Tobias, "Specific ion effects at the air/water interface," *Chem Rev*, vol. 106, pp. 1259–1281, apr 2006.
- [157] C. J. Mundy and I. F. W. Kuo, "First-principles approaches to the structure and reactivity of atmospherically relevant aqueous interfaces," *Chem Rev*, vol. 106, pp. 1282–1304, apr 2006.
- [158] T. M. Chang and L. X. Dang, "Recent advances in molecular simulations of ion solvation at liquid interfaces," *Chem Rev*, vol. 106, pp. 1305–1322, apr 2006.
- [159] G. L. Richmond, "Molecular bonding and interactions at aqueous surfaces as probed by vibrational sum frequency spectroscopy," *Chem Rev*, vol. 102, pp. 2693–2724, aug 2002.
- [160] Y. A. Mantz, F. M. Geiger, L. T. Molina, and B. L. Trout, "First-principles theoretical study of molecular HCl adsorption on a hexagonal ice (0001) surface," *J Phys Chem A*, vol. 105, pp. 7037–7046, jul 2001.
- [161] S. Narayan, J. Muldoon, M. G. Finn, V. V. Fokin, H. C. Kolb, and K. B. Sharpless, "'On water': Unique reactivity of organic compounds in aqueous suspension," *Angew Chem Int Edit*, vol. 44, no. 21, pp. 3275–3279, 2005.

- [162] F. Niu, C.-C. Liu, Z.-M. Cui, J. Zhai, L. Jiang, and W.-G. Song, "Promotion of organic reactions by interfacial hydrogen bonds on hydroxyl group rich nano-solids," *Chem. Commun.*, pp. 2803–2805, 2008.
- [163] Q. Du, R. Superfine, E. Freysz, and Y. R. Shen, "Vibrational Spectroscopy of Water at the Vapor Water Interface," *Phys Rev Lett*, vol. 70, pp. 2313–2316, apr 1993.
- [164] F. Vidal and A. Tadjeddine, "Sum-frequency generation spectroscopy of interfaces," *Rep. Prog. Phys.*, vol. 68, pp. 1095–1127, may 2005.
- [165] C. Y. Lee, J. A. Mccammon, and P. J. Rossky, "The Structure of Liquid Water at an Extended Hydrophobic Surface," *J Chem Phys*, vol. 80, no. 9, pp. 4448–4455, 1984.
- [166] K. B. Eisenthal, "Liquid interfaces probed by second-harmonic and sum-frequency spectroscopy," *Chem Rev*, vol. 96, pp. 1343–1360, jun 1996.
- [167] S. Gopalakrishnan, P. Jungwirth, D. J. Tobias, and H. C. Allen, "Air-liquid interfaces of aqueous solutions containing ammonium and sulfate: Spectroscopic and molecular dynamics studies," *J. Phys. Chem. B*, vol. 109, pp. 8861–8872, may 2005.
- [168] W. Gan, D. Wu, Z. Zhang, R. Feng, and H. Wang, "Polarization and experimental configuration analyses of sum frequency generation vibrational spectra, structure, and orientational motion of the air/water interface," *J Chem Phys*, vol. 124, p. 114705, mar 2006.

- [169] L. X. Dang and T. M. Chang, "Molecular dynamics study of water clusters, liquid, and liquid-vapor interface of water with many-body potentials," *J Chem Phys*, vol. 106, pp. 8149–8159, may 1997.
- [170] A. Morita and J. T. Hynes, "A theoretical analysis of the sum frequency generation spectrum of the water surface," *Chemical Physics*, vol. 258, pp. 371–390, aug 2000.
- [171] V. Buch, "Molecular structure and OH-stretch spectra of liquid water surface," *J. Phys. Chem. B*, vol. 109, pp. 17771–17774, sep 2005.
- [172] R. S. Taylor, L. X. Dang, and B. C. Garrett, "Molecular dynamics simulations of the liquid/vapor interface of SPC/E water," *J Phys Chem-Us*, vol. 100, pp. 11720–11725, jul 1996.
- [173] A. Perry, C. Neipert, B. Space, and P. B. Moore, "Theoretical modeling of interface specific vibrational spectroscopy: Methods and applications to aqueous interfaces," *Chem Rev*, vol. 106, pp. 1234–1258, apr 2006.
- [174] L. F. Scatena, M. G. Brown, and G. L. Richmond, "Water at hydrophobic surfaces: Weak hydrogen bonding and strong orientation effects," *Science*, vol. 292, pp. 908–912, may 2001.
- [175] M. G. Brown, D. S. Walker, E. A. Raymond, and G. L. Richmond, "Vibrational sum-frequency spectroscopy of akane/water interfaces: Experiment and theoretical simulation," *J. Phys. Chem. B*, vol. 107, pp. 237–244, jan 2003.

- [176] I.-F. W. Kuo, C. J. Mundy, B. L. Eggimann, M. J. McGrath, J. I. Siepmann, B. Chen, J. Vieceli, and D. J. Tobias, "Structure and Dynamics of the Aqueous Liquid-Vapor Interface: A Comprehensive Particle-Based Simulation Study," *J. Phys. Chem. B*, vol. 110, pp. 3738–3746, 2006.
- [177] H.-S. Lee and M. E. Tuckerman, "Ab Initio Molecular Dynamics Studies of the Liquid-Vapor Interface of an HCl Solution," *J Phys Chem A*, vol. 113, pp. 2144–2151, 2009.
- [178] E. C. Brown, M. Mucha, P. Jungwirth, and D. H. Tobias, "Structure and Vibrational Spectroscopy of Salt Water/Air Interfaces: Predictions from Classical Molecular Dynamics Simulations," *J. Phys. Chem. B*, vol. 109, no. 7934, pp. 7934–7940, 2005.
- [179] A. Perry, C. Neipert, C. Ridley, and B. Space, "Identification of a wagging vibrational mode of water molecules at the water/vapor interface," *Phys Rev E*, vol. 71, no. 050601(R), p. 050601(R), 2005.
- [180] A. Morita and J. T. Hynes, "A Theoretical Analysis of the Sum Frequency Generation Spectrum of the Water Surface. II. Time-Dependent Approach," *J. Phys. Chem. B*, vol. 106, pp. 673–685, 2002.
- [181] B. M. Auer and J. L. Skinner, "Vibrational Sum-Frequency Spectroscopy of the Water Liquid/Vapor Interface," *J. Phys. Chem. B*, vol. 113, pp. 4125–4130, 2009.

- [182] Y. Jung and R. A. Marcus, “On the theory of organic catalysis ”on water”,” *J Am Chem Soc*, vol. 129, pp. 5492–5502, may 2007.
- [183] X. Wei and Y. Shen, “Motional Effect in Surface Sum-Frequency Vibrational Spectroscopy,” *Phys Rev Lett*, vol. 86, pp. 4799–4802, may 2001.
- [184] D. S. Walker, D. K. Hore, and G. L. Richmond, “Understanding the Population, Coordination, and Orientation of Water Species Contributing to the Nonlinear Optical Spectroscopy of the Vapor-Water Interface through Molecular Dynamics Simulations,” *J. Phys. Chem. B*, vol. 110, pp. 20451–20459, 2006.
- [185] X. Zhuang, P. B. Miranda, D. Kim, and Y. R. Shen, “Mapping molecular orientation and conformation at interfaces by surface nonlinear optics,” *Phys Rev B*, vol. 59, pp. 12632–12640, may 1999.
- [186] X. Wei, S. C. Hong, X. W. Zhuang, T. Goto, and Y. R. Shen, “Nonlinear optical studies of liquid crystal alignment on a rubbed polyvinyl alcohol surface,” *Phys Rev E*, vol. 62, pp. 5160–5172, oct 2000.
- [187] Y. Nagata and S. Mukamel, “Vibrational Sum-Frequency Generation Spectroscopy at the Water/Lipid Interface: Molecular Dynamics Simulation Study,” *J Am Chem Soc*, vol. 132, pp. 6436–6442, 2010.
- [188] P. N. Butcher and D. Cotter, *The Elements of Nonlinear Optics*. Cambridge University Press, 1990.

- [189] B. M. Auer and J. L. Skinner, "Vibrational sum-frequency spectroscopy of the liquid/vapor interface for dilute HOD in D₂O," *J Chem Phys*, vol. 129, p. 214705, 2008.
- [190] Y. R. Shen, *The Principles of Nonlinear Optics*. J. Wiley, 2003.
- [191] S. Mukamel, *Principles of Nonlinear Optical Spectroscopy*. Oxford University Press, 1995.
- [192] W. Smith and T. R. Forester, *The DL-POLY 2 User Manual*. Daresbury, Warrington, England: CCLRC, Daresbury Laboratory, 1999.
- [193] W. L. Jorgensen, J. Chandrasekhar, J. D. Madura, R. W. Impey, and M. L. Klein, "Comparison of Simple Potential Functions for Simulating Liquid Water," *J Chem Phys*, vol. 79, no. 2, pp. 926–935, 1983.
- [194] S. Nosé, "A molecular-dynamics method for simulations in the canonical ensemble," *Mol. Phys.*, vol. 52, p. 255, 1984.
- [195] W. G. Hoover, "Canonical dynamics - equilibrium phase-space distributions," *Phys. Rev. A*, vol. 31, p. 1695, 1985.
- [196] J. P. Ryckaert, C. G. and H. J. C. Berendsen, "Numerical-integration of cartesian equations of motion of a system with constraints - molecular-dynamics of n-alkanes," *J. Comp. Phys.*, vol. 23, p. 327, 1977.
- [197] P. Ye and Y. R. Shen, "Local-field effect on linear and nonlinear optical properties of adsorbed molecules," *Phys Rev B*, vol. 28, no. 8, pp. 4288–4294, 1983.

- [198] Q. Du, E. Freysz, and Y. R. Shen, “Surface Vibrational Spectroscopic Studies of Hydrogen-Bonding and Hydrophobicity,” *Science*, vol. 264, pp. 826–828, may 1994.
- [199] A. Luzar and D. Chandler, “Effect of environment on hydrogen bond dynamics in liquid water,” *Phys Rev Lett*, vol. 76, pp. 928–931, feb 1996.
- [200] J. D. Eaves, J. J. Loparo, C. J. Fecko, S. T. Roberts, A. Tokmakoff, and P. L. Geissler, “Hydrogen bonds in liquid water are broken only fleetingly,” *PNAS*, vol. 102, no. 37, pp. 13019–13022, 2005.
- [201] H. J. C. Berendsen, J. R. Grigera, and T. P. Straatsma, “The missing term in effective pair potentials,” *J Phys Chem-US*, vol. 91, no. 24, pp. 6269–6271, 1987.