

Bibliography

- Akahama, Y., and H. Kawamura (2006), Pressure calibration of diamond anvil Raman gauge to 310 GPa, *J. Appl. Phys.*, *100*(4), 043,516, doi: 10.1063/1.2335683.
- Angel, R. J. (2000), Equations of state, *High-Temperature and High-Pressure Crystal Chemistry, Rev. Mineral. Geochem.*, *41*(1), 35–59, doi: 10.2138/rmg.2000.41.2.
- Angel, R. J., and J. M. Jackson (2002), Elasticity and equation of state of orthoenstatite, MgSiO₃, *Am. Mineral.*, *87*(4), 558–561.
- Auzende, A. L., J. Badro, F. J. Ryerson, P. K. Weber, S. J. Fallon, A. Addad, J. Siebert, and G. Fiquet (2008), Element partitioning between magnesium silicate perovskite and ferropericlase: New insights into bulk lower-mantle geochemistry, *Earth Planet. Sci. Lett.*, *269*(1-2), 164–174, doi: 10.1016/j.epsl.2008.02.001.
- Berryman, J. G. (2000), Seismic velocity decrement ratios for regions of partial melt in the lower mantle, *Geophys. Res. Lett.*, *27*(3), 421–424, doi: 10.1029/1999GL008402.
- Bower, D. J., J. K. Wicks, M. Gurnis, and J. M. Jackson (2011), A geodynamic and mineral physics model of a solid-state ultralow-velocity zone, *Earth Planet. Sci. Lett.*, *303*, 193–202, doi: 10.1016/j.epsl.2006.11.025.
- Buffett, B. A., E. J. Garnero, and R. Jeanloz (2000), Sediments at the Top of Earth's Core, *Science*, *290*, 1338–1342, doi: 10.1126/science.290.5495.1338.
- Catalli, K., S.-H. Shim, and V. Prakapenka (2009), Thickness and Clapeyron slope of the post-perovskite boundary, *Nature*, *462*, 782–786, doi: 10.1038/nature08598.

- Chen, B., J. M. Jackson, W. Sturhahn, D. Zhang, J. Zhao, J. K. Wicks, and C. A. Murphy (2012), Spin crossover equation of state and sound velocities of $(\text{Mg}_{0.65}\text{Fe}_{0.35})\text{O}$ ferropericlase to 140 GPa, *J. Geophys. Res.*, 117(B8), doi: 10.1029/2012JB009162.
- Crowhurst, J. C., J. M. Brown, A. F. Goncharov, and S. D. Jacobsen (2008), Elasticity of (Mg, Fe) O through the Spin Transition of Iron in the Lower Mantle, *Science*, 319(5862), 451–453, doi: 10.1126/science.1149606.
- Dewaele, A., P. Loubeyre, F. Occelli, M. Mezouar, P. I. Dorogokupets, and M. Torrent (2006), Quasihydrostatic Equation of State of Iron above 2 Mbar, *Phys. Rev. Lett.*, 97, 215,504, doi: 10.1103/PhysRevLett.97.215504.
- Dewaele, A., F. Datchi, P. Loubeyre, and M. Mezouar (2008), High-pressure–high-temperature equations of state of neon and diamond, *Phys. Rev. B*, 77, 094,106, doi: 10.1103/PhysRevB.77.094106.
- Dewaele, A., A. B. Belonoshko, G. Garbarino, F. Occelli, P. Bouvier, M. Hanfland, and M. Mezouar (2012), High-pressure–high-temperature equation of state of KCl and KBr, *Phys. Rev. B*, 85(21), 214,105, doi: 10.1103/PhysRevB.85.214105.
- Dubrovinsky, L. S., and S. K. Saxena (1997), Thermal expansion of periclase (MgO) and tungsten (W) to melting temperatures, *Phys. Chem. Min.*, 24(8), 547–550, doi: 10.1007/s002690050070.
- Duffy, T. S., and T. K. Ahrens (1993), Thermal expansion of mantle and core materials at very high pressures, *Geophys. Res. Lett.*, 20(11), 1103–1106, doi: 10.1029/93GL00479.
- Duffy, T. S., and Y. Wang (1998), Pressure-volume-temperature equations of state, *Reviews in Mineralogy and Geochemistry*, 37(1), 425–457.
- Dziewonski, A. M., and D. L. Anderson (1981), Preliminary reference Earth model, *Phys. Earth Planet. Inter.*, 25(4), 297–356, doi: 10.1016/0031-9201(81)90046-7.
- Fei, Y. ., L. Zhang, A. Corgne, H. Watson, R. A., Y. Meng, and V. Prakapenka (2007a), Phase

transition and metallization of FeO at high pressures and temperatures, *Geophys. Res. Lett.*, 34, L17,307, doi: 10.1029/2007GL030712.

Fei, Y., and H.-k. Mao (1994), In Situ Determination of the NiAs Phase of FeO at High Pressure and Temperature, *Science*, 266(5191), 1678–1680, doi: 10.1126/science.266.5191.1678.

Fei, Y., H.-k. Mao, J. Shu, and J. Hu (1992), *P–V–T* Equation of State of Magnesiowüstite ($\text{Mg}_{0.6}\text{Fe}_{0.4}$)O, *Phys. Chem. Min.*, 18, 416–422, doi: 10.1007/BF00200964.

Fei, Y., A. Ricolleau, M. Frank, K. Mibe, G. Shen, and V. Prakapenka (2007b), Toward an internally consistent pressure scale, *Proc. Natl. Acad. of Sci.*, 104(22), 9182–9186, doi: 10.1073/pnas.0609013104.

Fischer, R. A., and A. J. Campbell (2010), High-pressure melting of wüstite, *Am. Mineral.*, 95, 1473–1477, doi: 10.2138/am.2010.3463.

Fischer, R. A., A. J. Campbell, O. T. Lord, G. A. Shofner, P. Dera, and V. B. Prakapenka (2011a), Phase transition and metallization of FeO at high pressures and temperatures, *Geophys. Res. Lett.*, 38, L24,301, doi: 10.1029/2011GL049800.

Fischer, R. A., A. J. Campbell, G. A. Shofner, O. T. Lord, P. Dera, and V. B. Prakapenka (2011b), Equation of state and phase diagram of FeO, *Earth Planet. Sci. Lett.*, 304, 496–502, doi: 10.1016/j.epsl.2011.02.025.

Frost, D. J., C. Liebske, F. Langenhorst, C. A. McCammon, R. G. Trønnes, and D. C. Rubie (2004), Experimental evidence for the existence of iron-rich metal in the Earth's lower mantle, *Nature*, 428(6981), 409–412, doi: 10.1038/nature02413.

Frost, D. J., Y. Asahara, D. C. Rubie, E. Ohtani, M. Miyahara, and T. Sakai (2010), Partitioning of oxygen between the Earth's mantle and core, *J. Geophys. Res.*, 115, B02,202, doi: 10.1029/2009JB006302.

Fujii, A., T. Kondo, T. Taniguchi, and T. Sakaiya (2011), Néel transition in $(\text{Mg},\text{Fe})\text{O}$: A possible change of magnetic structure, *Am. Mineral.*, 96, 329–332, doi: 10.2138/am.2011.3534.

Fultz, B., and J. Howe (2008), *Transmission Electron Microscopy and Diffractometry of Materials*, Springer.

Glazyrin, K., L. Dubrovinsky, S. Klotz, M. Uhlärz, J. Wosnitza, T. Hansen, and N. Dubrovinskaia (2011), Effect of composition and pressure on phase transitions in Fe_xO at low temperature, *J. Appl. Phys.*, **110**, 026,109, doi: 10.1063/1.3605553.

Hammersley, A. O., S. O. Svensson, M. Hanfland, A. N. Fitch, and D. Hausermann (1996), Two-dimensional detector software: from real detector to idealized image or two-theta scan, *High Press. Res.*, **14**, 235–248, doi: 10.1016/j.pepi.2008.07.033.

Heinz, D., and R. Jeanloz (1987), Temperature measurements in the laser-heated diamond cell, *High-Pressure Research in Mineral Physics*, pp. 113–127, doi: 10.1029/GM039p0113.

Hernlund, J., and A. M. Jellinek (2010), Dynamics and structure of a stirred partially molten ultralow-velocity zone, *Earth Planet. Sci. Lett.*, **296**, 1–8, doi: 10.1016/j.epsl.2010.04.027.

Hernlund, J., and P. Tackley (2007), Some dynamical consequences of partial melting in Earth's deep mantle, *Phys. Earth Planet. Inter.*, **162**(1-2), 149–163, doi: 10.1016/j.pepi.2007.04.005.

Hier-Majumder, S., and M. E. Abbott (2010), Influence of dihedral angle on the seismic velocities in partially molten rocks, *Earth Planet. Sci. Lett.*, **299**, 23–32, doi: 10.1016/j.epsl.2010.08.007.

Holland, T. J. B., and S. A. T. Redfern (1997), Unit cell refinement from powder diffraction data: the use of regression diagnostics, *Mineral. Mag.*, **61**, 65–77.

Idehara, K., A. Yamada, and D. Zhao (2007), Seismological constraints on the ultralow velocity zones in the lowermost mantle from core-reflected waves, *Phys. Earth Planet. Inter.*, **165**(1), 25–46, doi: 10.1016/j.pepi.2007.07.005.

Irifune, T. (1994), Absence of an aluminous phase in the upper part of the Earth's lower mantle, *Nature*, **370**, 131–133, doi: 10.1038/370131a0.

Jackson, J. M., E. A. Hamecher, and W. Sturhahn (2009), Nuclear resonant X-ray spectroscopy of $(\text{Mg},\text{Fe})\text{SiO}_3$ orthoenstatites, *Eur. J. Min.*, **21**(3), 551, doi: 10.1127/0935-1221/2009/0021-1932.

- Jacobsen, S. D., H.-J. Reichmann, H. Spetzler, S. J. Mackwell, J. R. Smyth, R. J. Angel, and C. A. McCammon (2002), Structure and elasticity of single-crystal (Mg,Fe)O and a new method of generating shear waves for gigahertz ultrasonic interferometry, *J. Geophys. Res.*, 107(2), 5867–5871, doi: 10.1029/2001JB000490.
- Jacobsen, S. D., H. Spetzler, H. J. Reichmann, and J. R. Smyth (2004), Shear waves in the diamond-anvil cell reveal pressure-induced instability in (Mg,Fe)O, *Proc. Natl. Acad. of Sci.*, 101(16), 5867–5871, doi: 10.1073/pnas.0401564101.
- Jacobsen, S. D., J. F. Lin, R. J. Angel, G. Shen, V. B. Prakapenka, P. Dera, H.-k. Mao, and R. J. Hemley (2005), Single-crystal synchrotron X-ray diffraction study of wüstite and magnesiowüstite at lower-mantle pressures, *J. Synchrotron Rad.*, 12, 577–583, doi: 0.1107/S0909049505022326.
- Kanda, R., and D. Stevenson (2006), Suction mechanism for iron entrainment into the lower mantle, *Geophys. Res. Lett.*, 33(2), L02,310, doi: 10.1029/2005GL025009.
- Kantor, A., L. S. Dubrovinsky, N. A. Dubrovinskaia, I. Y. Kantor, and I. N. Goncharenko (2005), Phase transitions in MnO and FeO at low temperatures: A neutron powder diffraction study, *J. Alloys Compounds*, 402, 42–45, doi: 10.1016/j.jallcom.2005.04.155.
- Kantor, I., L. Dubrovinsky, C. McCammon, A. Kantor, S. Pasarelli, G. Aquilanti, W. Crichton, M. Mattesini, R. Ahuja, J. Almeida, and V. Urusov (2006), Pressure-induced phase transition in Mg_{0.8}Fe_{0.2}O ferropericlase, *Phys. Chem. Min.*, 33, 35–44, doi: 10.1007/s00269-005-0052-z.
- Kantor, I. Y., C. A. McCammon, and L. S. Dubrovinsky (2004), Mössbauer spectroscopic study of pressure-induced magnetisation in wüstite (FeO), *J. Alloys Compounds*, 376, 5–8, doi: 10.1016/j.jallcom.2003.11.159.
- Kiefer, B., L. Stixrude, and R. Wentzcovitch (2002), Elasticity of (Mg,Fe)SiO₃-perovskite at high pressures, *Geophys. Res. Lett.*, 29(11), 34–1, doi: 10.1029/2002GL014683.
- Knittle, E., and R. Jeanloz (1991), Earth's Core-Mantle Boundary—Results of Experiments at High Pressures and Temperatures, *Science*, 251(5000), 1438–1443, doi: 10.1126/science.251.5000.1438.

Kondo, T., E. Ohtani, N. Hirao, T. Yagi, and T. Kikegawa (2004), Phase transitions of (Mg,Fe)O at megabar pressures, *Phys. Earth Planet. Inter.*, 143–144, 201–213, doi: 10.1016/j.pepi.2003.10.008.

Kono, Y., T. Irifune, Y. Higo, T. Inoue, and A. Barnhoorn (2010), *P-V-T* relation of MgO derived by simultaneous elastic wave velocity and in situ X-ray measurements: A new pressure scale for the mantle transition region, *Phys. Earth Planet. Inter.*, 183(1), 196–211, doi: 10.1016/j.pepi.2010.03.010.

Labrosse, S., J. Hernlund, and N. Coltice (2007), A crystallizing dense magma ocean at the base of the Earth’s mantle, *Nature*, 450(7171), 866–869, doi: 10.1038/nature06355.

Lay, T., E. J. Garnero, and Q. Williams (2004), Partial melting in a thermo-chemical boundary layer at the base of the mantle, *Phys. Earth Planet. Inter.*, 146(3-4), 441–467, doi: doi:10.1016/j.pepi.2004.04.004.

Lay, T., J. Hernlund, and B. A. Buffett (2008), Core-mantle boundary heat flow, *Nature Geosci.*, 1, doi: 10.1038/ngeo.2007.44.

Li, B., and J. Zhang (2005), Pressure and temperature dependence of elastic wave velocity of MgSiO₃ perovskite and the composition of the lower mantle, *Phys. Earth Planet. Inter.*, 151(1), 143–154, doi: 10.1016/j.pepi.2005.02.004.

Lin, J. F., D. L. Heinz, H. Mao, R. J. Hemley, J. M. Devine, J. Li, and G. Shen (2003), Stability of magnesiowüstite in Earth’s lower mantle, *Proc. Natl. Acad. of Sci.*, 100(8), 4405–4408, doi: 10.1073/pnas.252782399.

Manga, M., and R. Jeanloz (1996), Implications of a metal-bearing chemical boundary layer in D” for mantle dynamics, *Geophys. Res. Lett.*, 23(22), 3091–3094, doi: 10.1029/96GL03021.

Mao, H. K., P. M. Bell, J. W. Shaner, and D. J. Steinberg (1978), Specific volume measurements of Cu, Mo, Pd, and Ag and calibration of the ruby R₁ fluorescence pressure gauge from 0.06 to 1 Mbar, *J. Appl. Phys.*, 49(6), 3276–3283, doi: 10.1063/1.325277.

Mao, H. K., J. Xu, and P. M. Bell (1986), Calibration of the ruby pressure gauge to 800 kbar under quasi-hydrostatic conditions, *J. Geophys. Res.*, 91(B5), 4673–4676, doi: 10.1029/JB091iB05p04673.

Mao, H.-k., J. Shu, Y. Fei, J. Hu, and R. J. Hemley (1996), The wüstite enigma, *Physics of the earth and planetary interiors*, 96(2), 135–145, doi: 10.1016/0031-9201(96)03146-9.

Mao, W., J. Shu, J. Hu, R. Hemley, and H. k. Mao (2002), Displacive transition in magnesiowüstite, *J. Phys.: Condens. Matter*, 14, 11,349, doi: 10.1088/0953-8984/14/44/480.

Mao, W. L., H. Mao, W. Sturhahn, J. Zhao, V. B. Prakapenka, Y. Meng, J. Shu, Y. Fei, and R. J. Hemley (2006), Iron-Rich Post-Perovskite and the Origin of Ultralow-Velocity Zones, *Science*, 312(5773), 564–565, doi: 10.1126/science.1123442.

McCammon, C., J. Peyronneau, and J.-P. Poirier (1998), Low ferric iron content of (Mg,Fe)O at high pressures and temperatures, *Geophys. Res. Lett.*, 25(10), 1589–1592, doi: 10.1029/98GL01178.

McCammon, C. A., and L.-g. Liu (1984), The Effects of Pressure and Temperature on Nonstoichiometric Wüstite, Fe_xO : The Iron-rich Phase Boundary, *Phys. Chem. Min.*, 10, 106–113, doi: 10.1007/BF00309644.

McNamara, A. K., E. J. Garnero, and S. Rost (2010), Tracking deep mantle reservoirs with ultra-low velocity zones, *Earth Planet. Sci. Lett.*, 299(1), 1–9, doi: 10.1016/j.epsl.2010.07.042.

Murakami, M., K. Hirose, N. Sata, and Y. Ohishi (2005), Post-perovskite phase transition and mineral chemistry in the pyrolytic lowermost mantle, *Geophys. Res. Lett.*, 32(3), L03,304, doi: 10.1029/2004GL021956.

Murakami, M., Y. Ohishi, N. Hirao, and K. Hirose (2009), Elasticity of MgO to 130 GPa: Implications for lower mantle mineralogy, *Earth Planet. Sci. Lett.*, 277(1-2), 123–129, doi: 10.1016/j.epsl.2008.10.010.

Murphy, C. A., J. M. Jackson, W. Sturhahn, and B. Chen (2011), Melting and thermal pressure of

hcp-Fe from the phonon density of states, *Phys. Earth Planet. Inter.*, 188, 114–120, doi: 10.1016/j.pepi.2011.07.001.

Nomura, R., H. Ozawa, S. Tateno, K. Hirose, J. Hernlund, S. Muto, H. Ishii, and N. Hiraoka (2011), Spin crossover and iron-rich silicate melt in the Earths deep mantle, *Nature*, 473, 199–203, doi: 10.1038/nature09940.

Ozawa, H., K. Hirose, S. Tateno, N. Sata, and Y. Ohishi (2010), Phase transition boundary between B1 and B8 structures of FeO up to 210 GPa, *Phys. Earth Planet. Inter.*, 179, 1157–163, doi: 10.1016/J.pepi.2009.11.005.

Ozawa, H., K. Hirose, K. Ohta, H. Ishii, N. Hiraoka, Y. Ohishi, and Y. Seto (2011), Spin crossover, structural change, and metallization in NiAs-type FeO at high pressure, *Phys. Rev. B*, 84, 134,417, doi: 10.1103/PhysRevB.84.134417.

Prakapenka, V. B., A. Kuba, A. Kuznetsov, A. Kaskin, O. Shkurikhin, P. Dera, M. L. Rivers, and S. R. Sutton (2008), Advanced flat top laser heating system for high pressure research at GSECARS: application to the melting behavior of germanium, *High Press. Res.*, 28, 225–235, doi: 10.1080/08957950802050718.

Richet, P., H.-k. Mao, and P. M. Bell (1989), Bulk Moduli of Magnesiowüstites From Static Compression Measurements, *J. Geophys. Res.*, 94(B3), 3037–3045, doi: 10.1029/JB094iB03p03037.

Rivers, M., V. B. Prakapenka, A. Kubo, C. Pullins, C. M. Holl, and S. D. Jacobsen (2008), The COM-PRES/GSECARS gas-loading system for diamond anvil cells at the Advanced Photon Source, *High Press. Res.*, 28, 273–292, doi: 10.1080/08957950802333593.

Rost, S., E. J. Garnero, and Q. Williams (2006), Fine-scale ultralow-velocity zone structure from high-frequency seismic array data, *J. Geophys. Res.*, 111, B09,310, doi: 10.1029/2005JB004088.

Sakai, T., E. Ohtani, H. Terasaki, N. Sawada, Y. Kobayashi, M. Miyahara, M. Nishijima, N. Hirao, Y. Ohishi, and T. Kikegawa (2009), Fe-Mg partitioning between perovskite and ferropericlase in the lower mantle, *American Mineralogist*, 94(7), 921, doi: 10.2138/am.2009.3123.

- Shen, G., M. L. Rivers, Y. Wang, and S. R. Sutton (2001), Laser heated diamond cell system at the Advanced Photon Source for *in situ* x-ray measurements at high pressure and temperature, *Rev. Sci. Instrum.*, 72(2), 1273–1282, doi: doi:10.1063/1.1343867.
- Shu, J., H.-k. Mao, J. Hu, Y. Fei, and R. J. Hemley (1998a), Single-Crystal X-ray Diffraction of Wüstite to 30 GPa Hydrostatic Pressure, *N. Jb. Miner. Abh.*, 172(2/3), 309–323.
- Shu, J., H.-k. Mao, J. Hu, Y. Fei, and R. J. Hemley (1998b), High-Pressure Phase Transition in Magnesiowustite $(\text{Fe}_{1-x}\text{Mg}_x)\text{O}$, in *Eos Trans. Am. Geophys. Union, Spring Meeting Suppl.*, vol. 79 (17), abstr. M21A-01.
- Sidorin, I., M. Gurnis, and D. V. Helmberger (1999), Evidence for a Ubiquitous Seismic Discontinuity at the Base of the Mantle, *Science*, 286, 1326–1331, doi: 10.1126/science.286.5443.1326.
- Sinmyo, R., K. Hirose, D. Nishio-Hamane, Y. Seto, K. Fujino, N. Sata, and Y. Ohishi (2008), Partitioning of iron between perovskite/postperovskite and ferropericlase in the lower mantle, *J. Geophys. Res.*, 113(B11), B11,204, doi: 10.1029/2008JB005730.
- Sinmyo, R., K. Hirose, S. Muto, Y. Ohishi, and A. Yasuhara (2011), The valence state and partitioning of iron in the Earths lowermost mantle, *J. Geophys. Res.*, 116, B07,205, doi: 10.1029/2010JB008179.
- Sinogeikin, S. V., J. M. Jackson, B. O'Neill, J. W. Palko, and J. D. Bass (2000), Compact high-temperature cell for Brillouin scattering measurements, *Rev. Sci. Instrum.*, 71, 201, doi: 10.1063/1.1150183.
- Song, X., and T. J. Ahrens (1994), Pressure-temperature range of reactions between liquid iron in the outer core and mantle silicates, *Geophys. Res. Lett.*, 21(2), doi: 10.1029/93GL03262.
- Speziale, S., A. Milner, V. E. Lee, S. M. Clark, M. P. Pasternak, and R. Jeanloz (2005), Iron spin transition in Earth's mantle, *Proc. Natl. Acad. of Sci.*, 102(50), 17,918–17,922, doi: 10.1073/pnas.0508919102.

- Struzhkin, V. V., H. Mao, J. Hu, M. Schwoerer-Böhning, J. Shu, R. J. Hemley, W. Sturhahn, M. Y. Hu, E. E. Alp, P. Eng, and G. Shen (2001), Nuclear Inelastic X-ray Scattering of FeO to 48 GPa, *Earth-Science Reviews*, 110, 1–25, doi: 10.1103/PhysRevLett.87.255501.
- Sturhahn, W. (2000), CONUSS and PHOENIX: Evaluation of nuclear resonant scattering data, *Hyperfine Interactions*, 125(1-4), 149–172, doi: 10.1023/A:1012681503686.
- Sturhahn, W. (2004), Nuclear resonant spectroscopy, *J. Phys. Condens. Matter*, 16(5), 497–530, doi: 10.1088/0953-8984/16/5/009.
- Sturhahn, W., and J. M. Jackson (2007), Geophysical applications of nuclear resonant spectroscopy, *GSA Special Papers*, 421, 157, doi: 10.1130/2007.2421(09).
- Tackley, P. J. (2012), Dynamics and evolution of the deep mantle resulting from thermal, chemical, phase and melting effects, *Earth-Science Reviews*, 110, 1–25, doi: 10.1016/j.earscirev.2011.10.001.
- Takafuji, N., K. Hirose, M. Mitome, and Y. Bando (2005), Solubilities of O and Si in liquid iron in equilibrium with (Mg,Fe)SiO₃ perovskite and the light elements in the core, *Geophys. Res. Lett.*, 32, L06,313, doi: 10.1029/2005GL022773.
- Thomas, C. W., Q. Liu, C. B. Agee, P. D. Asimow, and R. A. Lange (2012), Multi-technique equation of state for Fe₂SiO₄ melt and the density of Fe-bearing silicate melts from 0 to 161 GPa, *J. Geophys. Res.*, 117, B10,206, doi: 10.1029/2012JB009403.
- Thorne, M. S., and E. J. Garnero (2004), Inferences on ultralow-velocity zone structure from a global analysis of *SPdKS* waves, *J. Geophys. Res.*, 109, doi: 10.1029/2004JB003010.
- Toellner, T., M. Hu, W. Sturhahn, G. Bortel, E. Alp, and J. Zhao (2001), Crystal monochromator with a resolution beyond 10⁸, *J. Synchrotron Radiat.*, 8(4), 1082–1086, doi: 10.1107/S0909049501007257.
- Watt, J. P., G. F. Davies, and R. J. O'Connell (1976), The Elastic Properties of Composite Materials, *Rev. Geophys.*, 14(4), 541–563, doi: 10.1029/RG014i004p00541.

- Wen, L., and D. V. Helmberger (1998), Ultra-low velocity zones near the core-mantle boundary from broadband PKP precursors, *Science*, 279(5357), 1701–1703, doi: 10.1126/science.279.5357.1701.
- Westrenen, W. v., J. Li, Y. Fei, M. R. Frank, H. Hellwig, T. Komabayashi, K. Mibe, W. G. Minarik, J. A. V. Orman, H. C. Watson, K.-i. Funakoshi, and M. W. Schmidt (2005), Thermoelastic properties of $(\text{Mg}_{0.64}\text{Fe}_{0.36})\text{O}$ ferropericlase based on in situ X-ray diffraction to 26.7 GPa and 2173 K, *Phys. Earth Planet. Inter.*, 151, 163–176, doi: 10.1016/j.pepi.2005.03.001.
- Wicks, J. K., J. M. Jackson, and W. Sturhahn (2010), Very low sound velocities in iron-rich $(\text{Mg},\text{Fe})\text{O}$: Implications for the core-mantle boundary region, *Geophys. Res. Lett.*, 37, L15,304, doi: 10.1029/2010GL043689.
- Williams, Q., and E. Garnero (1996), Seismic evidence for partial melt at the base of Earth's mantle, *Science*, 273(5281), 1528, doi: 10.1126/science.273.5281.1528.
- Williams, Q., J. Revenaugh, and E. Garnero (1998), A Correlation Between Ultra-Low Basal Velocities in the Mantle and Hot Spots, *Science*, 281(5376), 546, doi: 10.1126/science.281.5376.54.
- Wimert, J., and S. Hier-Majumder (2012), A three-dimensional microgeodynamic model of melt geometry in the Earth's deep interior, *J. Geophys. Res.*, 117, doi: 10.1029/2011JB009012.
- Yagi, T., T. Suzuki, and A. S.-i. (1985), Static Compression of Wüstite ($\text{Fe}_{0.98}\text{O}$) to 120 GPa, *J. Geophys. Res.*, 90(B10), 8784–8788, doi: 10.1029/JB090iB10p08784.
- Zhang, J. (2000), Effect of pressure on the thermal expansion of MgO up to 8.2 GPa, *Phys. Chem. Min.*, 27, 145–148, doi: 10.1007/s002690050001.
- Zhang, J., and P. Kostak Jr (2002), Thermal equation of state of magnesiowüstite $(\text{Mg}_{0.6}\text{Fe}_{0.4})\text{O}$, *Phys. Earth Planet. Inter.*, 129(3), 301–311, doi: 10.1016/S0031-9201(01)00296-5.
- Zhang, J., and Y. Zhao (2005), Effects of defect and pressure on the thermal expansivity of Fe_XO , *Phys. Chem. Min.*, 32, 241–247, doi: 10.1007/s00269-005-0447-x.

Zhuravlev, K. K., J. M. Jackson, A. S. Wolf, J. K. Wicks, J. Yan, and S. M. Clark (2010), Isothermal compression behavior of $(\text{Mg},\text{Fe})\text{O}$ using neon as a pressure medium, *Phys. Chem. Min.*, 37, 465–474, doi: 10.1007/s00269-009-0347-6.