

## BIBLIOGRAPHY

- [1] Tom K, Wadia C. Material genome initiative for global competitiveness. *Natl Sci Technol Counc* 2011;1–18.
- [2] Lee J-H, Singer JP, Thomas EL. Micro-/nanostructured mechanical metamaterials. *Adv Mater* 2012;24:4782–810.
- [3] Ortiz C, Boyce M. Bioinspired structural materials. *Science* (80- ) 2008;319:1053–4.
- [4] Dresselhaus MS, Dresselhaus G, Saito R. Physics of carbon nanotubes. *Carbon N Y* 1995;33:883–91.
- [5] Iijima S. Helical microtubules of graphitic carbon. *Nature* 1991;354:56–8.
- [6] Radushkevich L, Lukyanovich V. About the structure of carbon formed by thermal decomposition of carbon monoxide on iron substrate. *Zhurnal Fiz Khimii* 1952;26:88–95.
- [7] Oberlin A, Endo M, Koyama T. Filamentous growth of carbon through benzene decomposition. *J Cryst Growth* 1976;32:335–49.
- [8] Dresselhaus MS, Dresselhaus G, Charlier JC, Hernández E. Electronic, thermal and mechanical properties of carbon nanotubes. *Phil Trans R Soc Lond A* 2004;362:2065–98.
- [9] Ebbesen TW, Lezec HJ, Hiura H, Bennett JW, Ghaemi HF, Thio T. Electrical conductivity of individual carbon nanotubes. *Nature* 1996;382:54–6.
- [10] Wang CM, Zhang YY, Xiang Y, Reddy JN. Recent studies on buckling of carbon nanotubes. *Appl Mech Rev* 2010;63:30804.
- [11] Shima H. Buckling of carbon nanotubes: a state of the art review. *Materials (Basel)* 2011;5:47–84.
- [12] Qian D, Wagner GJ, Liu WK, Yu M-F, Ruoff RS. Mechanics of carbon nanotubes. *Appl Mech Rev* 2002;55:495–533.
- [13] Kiang C-H, Endo M, Ajayan P, Dresselhaus G, Dresselhaus M. Size effects in carbon nanotubes. *Phys Rev Lett* 1998;81:1869–72.
- [14] Tibbetts GG. Why are carbon filaments tubular? *J Cryst Growth* 1984;66:632–8.
- [15] Yu M-F, Yakobson BI, Ruoff RS. Controlled sliding and pullout of nested shells in individual multiwalled carbon nanotubes. *J Phys Chem B* 2000;104:8764–7.
- [16] Tang ZK, Zhang L, Wang N, Zhang XX, Wen GH, Li GD, et al. Superconductivity in 4 Angstrom single-walled carbon nanotubes. *Science* (80- ) 2001;292:2462–5.
- [17] Small JP, Shi L, Kim P. Mesoscopic thermal and thermoelectric measurements of individual carbon nanotubes. *Solid State Commun* 2003;127:181–6.
- [18] White CT, Todorov TN. Quantum electronics: Nanotubes go ballistic. *Nature* 2001;411:649–51.

- [19] Treacy M, Ebbesen T, Gibson J. Exceptionally high Young's modulus observed for individual carbon nanotubes. *Nature* 1996;381:678–80.
- [20] Thostenson ET, Ren Z, Chou T-W. Advances in the science and technology of carbon nanotubes and their composites: A review. *Compos Sci Technol* 2001;61:1899–912.
- [21] Wei X, Wang M-S, Bando Y, Golberg D. Thermal stability of carbon nanotubes probed by anchored tungsten nanoparticles. *Sci Technol Adv Mater* 2011;12:44605.
- [22] Sarkar S, Das PK. Thermal and structural stability of single- and multi-walled carbon nanotubes up to 1800 °C in Argon studied by Raman spectroscopy and transmission electron microscopy. *Mater Res Bull* 2013;48:41–7.
- [23] Raney JR. Hierarchical structures of aligned carbon nanotubes as low-density energy-dissipative materials. California Institute of Technology, 2012.
- [24] Volder M De, Tawfick S, Baughman R, Hart AJ. Carbon nanotubes: Present and future commercial applications. *Science (80- )* 2013;339:535–9.
- [25] Feng X, Liu K, Xie X, Zhou R, Zhang L, Li Q, et al. Thermal analysis study of the growth kinetics of carbon nanotubes and epitaxial graphene layers on them. *J Phys Chem C* 2009;113:9623–31.
- [26] Sinnott SB, Andrews R, Qian D, Rao AM, Mao Z, Dickey EC, et al. Model of carbon nanotube growth through chemical vapor deposition. *Chem Phys Lett* 1999;315:25–30.
- [27] Nessim GD, Hart AJ, Kim JS, Acquaviva D, Oh J, Morgan CD, et al. Tuning of vertically-aligned carbon nanotube diameter and areal density through catalyst pre-treatment. *Nano Lett* 2008;8:3587–93.
- [28] Youn SK, Frouzakis CE, Gopi BP, Robertson J, Teo KBK, Park HG. Temperature gradient chemical vapor deposition of vertically aligned carbon nanotubes. *Carbon N Y* 2013;54:343–52.
- [29] Conroy D, Moisala A, Cardoso S, Windle A, Davidson J. Carbon nanotube reactor: Ferrocene decomposition, iron particle growth, nanotube aggregation and scale-up. *Chem Eng Sci* 2010;65:2965–77.
- [30] Koziol K, Vilatela J, Moisala A, Motta M, Cunniff P, Sennett M, et al. High-performance carbon nanotube fiber. *Science* 2007;318:1892–5.
- [31] Liu L, Ma W, Zhang Z. Macroscopic carbon nanotube assemblies: Preparation, properties, and potential applications. *Small* 2011;7:1504–20.
- [32] Zhang M, Fang S, Zakhidov AA, Lee SB, Aliev AE, Williams CD, et al. Strong, transparent, multifunctional, carbon nanotube sheets. *Science (80- )* 2005;309:1215–9.
- [33] Sreekumar T V, Liu T, Kumar S, Ericson LM, Hauge RH, Smalley RE. Single-wall carbon nanotube films. *Chem Mater* 2002;15:175–8.
- [34] Ashrafi B, Guan J, Mirjalili V, Hubert P, Simard B, Johnston A. Correlation between Young's modulus and impregnation quality of epoxy-impregnated SWCNT buckypaper. *Compos Part A Appl Sci Manuf* 2010;41:1184–91.

- [35] Bradford PD, Wang X, Zhao H, Maria J-P, Jia Q, Zhu YT. A novel approach to fabricate high volume fraction nanocomposites with long aligned carbon nanotubes. *Compos Sci Technol* 2010;70:1980–5.
- [36] Falvo MR, Clary GJ, Taylor RM, Chi V, Brooks FP, Washburn S, et al. Bending and buckling of carbon nanotubes under large strain. *Nature* 1997;389:582–4.
- [37] Cao A, Dickrell PL, Sawyer WG, Ghasemi-Nejhad MN, Ajayan PM. Super-compressible foamlike carbon nanotube films. *Science* 2005;310:1307–10.
- [38] Suhr J, Victor P, Ci L, Sreekala S, Zhang X, Nalamasu O, et al. Fatigue resistance of aligned carbon nanotube arrays under cyclic compression. *Nat Nanotechnol* 2007;2:417–21.
- [39] Yaglioglu O, Cao A, Hart AJ, Martens R, Slocum AH. Wide range control of microstructure and mechanical properties of carbon nanotube forests: A comparison between fixed and floating catalyst CVD techniques. *Adv Funct Mater* 2012;22:5028–37.
- [40] Pathak S, Raney J, Daraio C. Effect of morphology on the strain recovery of vertically aligned carbon nanotube arrays: an in situ study. *Carbon N Y* 2013;1:1–22.
- [41] Misra A, Raney JR, Craig AE, Daraio C. Effect of density variation and non-covalent functionalization on the compressive behavior of carbon nanotube arrays. *Nanotechnology* 2011;22:425705.
- [42] Raney JR, Misra A, Daraio C. Tailoring the microstructure and mechanical properties of arrays of aligned multiwall carbon nanotubes by utilizing different hydrogen concentrations during synthesis. *Carbon N Y* 2011;49:3631–8.
- [43] Bradford PD, Wang X, Zhao H, Zhu YT. Tuning the compressive mechanical properties of carbon nanotube foam. *Carbon N Y* 2011;49:2834–41.
- [44] Raney JR, Zhang H-L, Morse DE, Daraio C. In situ synthesis of metal oxides in carbon nanotube arrays and mechanical properties of the resulting structures. *Carbon N Y* 2012;50:4432–40.
- [45] Brieland-Shoultz A, Tawfick S, Park SJ, Bedewy M, Maschmann MR, Baur JW, et al. Scaling the stiffness, strength, and toughness of ceramic-coated nanotube foams into the structural regime. *Adv Funct Mater* 2014.
- [46] Poelma RH, Morana B, Vollebregt S, Schlangen E, van Zeijl HW, Fan X, et al. Tailoring the mechanical properties of high-aspect-ratio carbon nanotube arrays using amorphous silicon carbide coatings. *Adv Funct Mater* 2014.
- [47] De Volder M, Tawfick SH, Park SJ, Copic D, Zhao Z, Lu W, et al. Diverse 3D microarchitectures made by capillary forming of carbon nanotubes. *Adv Mater* 2010;22:4384–9.
- [48] Copic D, Park SJ, Tawfick S, De Volder MFL, Hart AJ. Fabrication of high-aspect-ratio polymer microstructures and hierarchical textures using carbon nanotube composite master molds. *Lab Chip* 2011;11:1831–7.
- [49] De Volder M, Park S, Tawfick S, Hart AJ. Strain-engineered manufacturing of freeform carbon nanotube microstructures. *Nat Commun* 2014;5:4512.

- [50] De Volder MFL, Tawfick S, Park SJ, Hart AJ. Corrugated carbon nanotube microstructures with geometrically tunable compliance. *ACS Nano* 2011;5:7310–7.
- [51] Lattanzi L, De Nardo L, Raney JR, Daraio C. Geometry-induced mechanical properties of carbon nanotube foams. *Adv Eng Mater* 2014;15:1–6.
- [52] Wang W, Yang K, Gaillard J, Bandaru PR, Rao AM. Rational synthesis of helically coiled carbon nanowires and nanotubes through the use of tin and indium catalysts. *Adv Mater* 2008;20:179–82.
- [53] Daraio C, Nesterenko VF, Jin S, Wang W, Rao AM. Impact response by a foamlike forest of coiled carbon nanotubes. *J Appl Phys* 2006;100:064309.
- [54] Coluci V, Fonseca A, Galvão D, Daraio C. Entanglement and the nonlinear elastic behavior of forests of coiled carbon nanotubes. *Phys Rev Lett* 2008;100:086807.
- [55] Gui X, Wei J, Wang K, Cao A, Zhu H, Jia Y, et al. Carbon nanotube sponges. *Adv Mater* 2010;22:617–21.
- [56] Liu Y, Qian W, Zhang Q, Cao A, Li Z, Zhou W, et al. Hierarchical agglomerates of carbon nanotubes as high-pressure cushions. *Nano Lett* 2008;8:1323–7.
- [57] Zhao W, Li Y, Wang S, He X, Shang Y, Peng Q, et al. Elastic improvement of carbon nanotube sponges by depositing amorphous carbon coating. *Carbon N Y* 2014;76:19–26.
- [58] Kim KH, Oh Y, Islam MF. Graphene coating makes carbon nanotube aerogels superelastic and resistant to fatigue. *Nat Nanotechnol* 2012;7:562–6.
- [59] Worsley MA, Kucheyev SO, Satcher JH, Hamza A V., Baumann TF. Mechanically robust and electrically conductive carbon nanotube foams. *Appl Phys Lett* 2009;94:073115.
- [60] Lattanzi L, Raney JR, De Nardo L, Misra A, Daraio C. Nonlinear viscoelasticity of freestanding and polymer-anchored vertically aligned carbon nanotube foams. *J Appl Phys* 2012;111:074314.
- [61] Zhang Q, Lu YC, Du F, Dai L, Baur J, Foster DC. Viscoelastic creep of vertically aligned carbon nanotubes. *J Phys D Appl Phys* 2010;43:315401.
- [62] Raney J, Fraternali F, Daraio C. Rate-independent dissipation and loading direction effects in compressed carbon nanotube arrays. *Nanotechnology* 2013;24.
- [63] Pathak S, Lim EJ, Abadi PPSS, Graham S, Cola BA, Greer JR. Higher recovery and better energy dissipation at faster strain rates in carbon nanotube bundles: An in-situ study. *ACS Nano* 2012;6:2189–97.
- [64] Qiu A, Fowler SP, Jiao J, Kiener D, Bahr DF. Time-dependent contact behavior between diamond and a CNT turf. *Nanotechnology* 2011;22:295702.
- [65] Teo EHT, Yung WKP, Chua DHC, Tay BK. A carbon nanomattress: A new nanosystem with intrinsic, tunable, damping properties. *Adv Mater* 2007;19:2941–5.
- [66] Xu M, Futaba DN, Yamada T, Yumura M, Hata K. Carbon nanotubes with temperature-invariant viscoelasticity from -196 degrees to 1000 degrees C. *Science* 2010;330:1364–8.

- [67] Yang X, He P, Gao H. Modeling frequency- and temperature-invariant dissipative behaviors of randomly entangled carbon nanotube networks under cyclic loading. *Nano Res* 2011;4:1191–8.
- [68] Daraio C, Nesterenko VF, Jin S. Highly nonlinear contact interaction and dynamic energy dissipation by forest of carbon nanotubes. *Appl Phys Lett* 2004;85:5724.
- [69] Misra A, Greer JR, Daraio C. Strain rate effects in the mechanical response of polymer-anchored carbon nanotube foams. *Adv Mater* 2009;21:334–8.
- [70] Qian H, Greenhalgh ES, Shaffer MSP, Bismarck A. Carbon nanotube-based hierarchical composites: A review. *J Mater Chem* 2010;20:4751.
- [71] Zhang Q, Zhao M, Liu Y, Cao A, Qian W, Lu Y, et al. Energy-absorbing hybrid composites based on alternate carbon-nanotube and inorganic layers. *Adv Mater* 2009;21:2876–80.
- [72] Misra A, Raney JR, De Nardo L, Craig AE, Daraio C. Synthesis and characterization of carbon nanotube-polymer multilayer structures. *ACS Nano* 2011;5:7713–21.
- [73] Coleman JN, Khan U, Blau WJ, Gun'ko YK. Small but strong: A review of the mechanical properties of carbon nanotube-polymer composites. *Carbon N Y* 2006;44:1624–52.
- [74] Li C, Thostenson ET, Chou T-W. Sensors and actuators based on carbon nanotubes and their composites: A review. *Compos Sci Technol* 2008;68:1227–49.
- [75] Gibson RF, Ayorinde EO, Wen Y-F. Vibrations of carbon nanotubes and their composites: A review. *Compos Sci Technol* 2007;67:1–28.
- [76] Bokobza L. Multiwall carbon nanotube elastomeric composites: A review. *Polymer (Guildf)* 2007;48:4907–20.
- [77] Lau KT, Lu M, Hui D. Coiled carbon nanotubes: Synthesis and their potential applications in advanced composite structures. *Compos Part B Eng* 2006;37:437–48.
- [78] Fan Z, Santare MH, Advani SG. Interlaminar shear strength of glass fiber reinforced epoxy composites enhanced with multi-walled carbon nanotubes. *Compos Part A Appl Sci Manuf* 2008;39:540–54.
- [79] Sadeghian R, Gangireddy S, Minaie B, Hsiao K-T. Manufacturing carbon nanofibers toughened polyester/glass fiber composites using vacuum assisted resin transfer molding for enhancing the mode-I delamination resistance. *Compos Part A Appl Sci Manuf* 2006;37:1787–95.
- [80] Yokozeki T, Iwahori Y, Ishiwata S, Enomoto K. Mechanical properties of CFRP laminates manufactured from unidirectional prepregs using CSCNT-dispersed epoxy. *Compos Part A Appl Sci Manuf* 2007;38:2121–30.
- [81] Karapappas P, Vavouliotis A, Tsotra P, Kostopoulos V, Paipetis A. Enhanced fracture properties of carbon reinforced composites by the addition of multi-wall carbon nanotubes. *J Compos Mater* 2009;43:977–85.
- [82] Zhang F-H, Wang R-G, He X-D, Wang C, Ren L-N. Interfacial shearing strength and reinforcing mechanisms of an epoxy composite reinforced using a carbon nanotube/carbon fiber hybrid. *J Mater Sci* 2009;44:3574–7.

- [83] Qian H, Bismarck A, Greenhalgh ES, Shaffer MSP. Carbon nanotube grafted silica fibres: Characterising the interface at the single fibre level. *Compos Sci Technol* 2010;70:393–9.
- [84] Veedu VP, Cao A, Li X, Ma K, Soldano C, Kar S, et al. Multifunctional composites using reinforced laminae with carbon-nanotube forests. *Nat Mater* 2006;5:457–62.
- [85] Suhr J, Koratkar N, Koblinski P, Ajayan P. Viscoelasticity in carbon nanotube composites. *Nat Mater* 2005;4:134–7.
- [86] Zeng Y, Ci L, Carey B, Vajtai R, Ajayan P. Design and reinforcement: vertically aligned carbon nanotube-based sandwich composites. *ACS Nano* 2010;4:6798–804.
- [87] Baughman RH, Zakhidov AA, de Heer WA. Carbon nanotubes--the route toward applications. *Science* 2002;297:787–92.
- [88] Bakshi SR, Agarwal A. An analysis of the factors affecting strengthening in carbon nanotube reinforced aluminum composites. *Carbon N Y* 2011;49:533–44.
- [89] Chou T-W, Gao L, Thostenson ET, Zhang Z, Byun J-H. An assessment of the science and technology of carbon nanotube-based fibers and composites. *Compos Sci Technol* 2010;70:1–19.
- [90] Aria AI, Gharib M. Reversible tuning of the wettability of carbon nanotube arrays: The effect of ultraviolet/ozone and vacuum pyrolysis treatments. *Langmuir* 2011;27:9005–11.
- [91] Gao G, Vecitis CD. Electrochemical Carbon Nanotube Filter Oxidative Performance as a Function of Surface Chemistry. *Environ Sci Technol* 2011;45:9726–34.
- [92] Rahaman MS, Vecitis CD, Elimelech M. Electrochemical carbon-nanotube filter performance toward virus removal and inactivation in the presence of natural organic matter. *Environ Sci Technol* 2011;46:1556–64.
- [93] Aliev AE, Lima MD, Fang S, Baughman RH. Underwater sound generation using carbon nanotube projectors. *Nano Lett* 2010;10:2374–80.
- [94] Baac HW, Ok JG, Maxwell A, Lee K-T, Chen Y-C, Hart AJ, et al. Carbon-nanotube optoacoustic lens for focused ultrasound generation and high-precision targeted therapy. *Sci Rep* 2012;2:989.
- [95] Zhang M, Atkinson KR, Baughman RH. Multifunctional carbon nanotube yarns by downsizing an ancient technology. *Science* 2004;306:1358–61.
- [96] Zhang X, Li Q, Tu Y, Li Y, Coulter JY, Zheng L, et al. Strong carbon-nanotube fibers spun from long carbon-nanotube arrays. *Small* 2007;3:244–8.
- [97] Pinault M, Pichot V, Khodja H, Launois P, Reynaud C, Mayne-L’Hermite M. Evidence of sequential lift in growth of aligned multiwalled carbon nanotube multilayers. *Nano Lett* 2005;5:2394–8.
- [98] Li X, Cao A, Jung YJ, Vajtai R, Ajayan PM. Bottom-up growth of carbon nanotube multilayers: Unprecedented growth. *Nano Lett* 2005;5:1997–2000.
- [99] Bandaru PR, Daraio C, Yang K, Rao AM. A plausible mechanism for the evolution of helical forms in nanostructure growth. *J Appl Phys* 2007;101:094307.

- [100] Jaurand M-C, Renier A, Daubriac J. Mesothelioma: Do asbestos and carbon nanotubes pose the same health risk? *Part Fibre Toxicol* 2009;6:16.
- [101] Poland CA, Duffin R, Kinloch I, Maynard A, Wallace WAH, Seaton A, et al. Carbon nanotubes introduced into the abdominal cavity of mice show asbestos-like pathogenicity in a pilot study. *Nat Nano* 2008;3:423–8.
- [102] Thurnherr T, Brandenberger C, Fischer K, Diener L, Manser P, Maeder-Althaus X, et al. A comparison of acute and long-term effects of industrial multiwalled carbon nanotubes on human lung and immune cells in vitro. *Toxicol Lett* 2011;200:176–86.
- [103] Bedewy M, Meshot ER, Reinker MJ, Hart AJ. Population growth dynamics of carbon nanotubes. *ACS Nano* 2011;5:8974–89.
- [104] Meshot E, Hart A. Abrupt self-termination of vertically aligned carbon nanotube growth. *Appl Phys Lett* 2008;113107:90–3.
- [105] Futaba DN, Hata K, Yamada T, Hiraoka T, Hayamizu Y, Kakudate Y, et al. Shape-engineerable and highly densely packed single-walled carbon nanotubes and their application as super-capacitor electrodes. *Nat Mater* 2006;5:987–94.
- [106] Lakes R. Materials with structural hierarchy. *Nature* 1993;361:511–5.
- [107] Mayer G. Rigid biological systems as models for synthetic composites. *Science* 2005;310:1144–7.
- [108] Maldovan M, Ullal CK, Jang J-H, Thomas EL. Sub-Micrometer Scale Periodic Porous Cellular Structures: Microframes Prepared by Holographic Interference Lithography. *Adv Mater* 2007;19:3809–13.
- [109] Yuan Z-Y, Su B-L. Insights into hierarchically meso–macroporous structured materials. *J Mater Chem* 2006;16:663.
- [110] Shim J, Shan S, Košmrlj A, Kang SH, Chen ER, Weaver JC, et al. Harnessing instabilities for design of soft reconfigurable auxetic/chiral materials. *Soft Matter* 2013;9:8198.
- [111] Purslow PP, Wess TJ, Hukins DW. Collagen orientation and molecular spacing during creep and stress-relaxation in soft connective tissues. *J Exp Biol* 1998;201 :135–42.
- [112] Yao H-B, Fang H-Y, Wang X-H, Yu S-H. Hierarchical assembly of micro-/nano-building blocks: bio-inspired rigid structural functional materials. *Chem Soc Rev* 2011;40:3764–85.
- [113] Lee J-H, Veysset D, Singer JP, Retsch M, Saini G, Pezeril T, et al. High strain rate deformation of layered nanocomposites. *Nat Commun* 2012;3:1164.
- [114] Field JE, Walley SM, Proud WG, Goldrein HT, Siviour CR. Review of experimental techniques for high rate deformation and shock studies. vol. 30. 2004.
- [115] Ramesh K. High strain rate and impact experiments. *High Strain*, n.d., p. 1–31.
- [116] Espinosa H, Nemat-Nasser S. Low-velocity impact testing. *ASM Handb* 2000.

- [117] Sutton MA, Orteu JJ, Schreier HW. Image correlation for shape, motion and deformation measurements: Basic concepts, theory and applications. Springer, New York; 2009.
- [118] Pan B, Qian K, Xie H, Asundi A. Two-dimensional digital image correlation for in-plane displacement and strain measurement: A review. *Meas Sci Technol* 2009;20:062001.
- [119] Hild F, Roux S. Digital image correlation: From displacement measurement to identification of elastic properties - a review. *Strain* 2006;42:69–80.
- [120] Guduru P, Rosakis A, Ravichandran G. Dynamic shear bands: An investigation using high speed optical and infrared diagnostics. *Mech Mater* 2001;33:371–402.
- [121] Kajberg J, Sundin KG, Melin LG, Ståhle P. High strain-rate tensile testing and viscoplastic parameter identification using microscopic high-speed photography. *Int J Plast* 2004;20:561–75.
- [122] Koerber H, Xavier J, Camanho PP. High strain rate characterisation of unidirectional carbon-epoxy IM7-8552 in transverse compression and in-plane shear using digital image correlation. *Mech Mater* 2010;42:1004–19.
- [123] Hutchens SB, Hall LJ, Greer JR. In situ mechanical testing reveals periodic buckle nucleation and propagation in carbon nanotube bundles. *Adv Funct Mater* 2010;20:2338–46.
- [124] Professional Plastics. [http://www.professionalplastics.com/professionalplastics/content/Acetal\\_Delrin.pdf](http://www.professionalplastics.com/professionalplastics/content/Acetal_Delrin.pdf) n.d.
- [125] Oliver WC, Pharr GM. An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments. *J Mater Res* 1992;7:1564–83.
- [126] Qi HJ, Teo KBK, Lau KKS, Boyce MC, Milne WI, Robertson J, et al. Determination of mechanical properties of carbon nanotubes and vertically aligned carbon nanotube forests using nanoindentation. *J Mech Phys Solids* 2003;51:2213–37.
- [127] He LH, Fujisawa N, Swain M V. Elastic modulus and stress-strain response of human enamel by nano-indentation. *Biomaterials* 2006;27:4388–98.
- [128] Hay J. Introduction To Instrumented Indentation Testing. *Exp Tech* 2009;33:66–72.
- [129] Lu J, Suresh S, Ravichandran G. Dynamic indentation for determining the strain rate sensitivity of metals. *J Mech Phys Solids* 2003;51:1923–38.
- [130] Subhash G, Koeppe BJ, Chandra A. Dynamic indentation hardness and rate sensitivity in metals. *J Eng Mater Technol* 1999;121:257–63.
- [131] PCB Piezotronics. <http://www.pcb.com/Products.aspx?m=200B02#.UmXHW2B5-kI> n.d.
- [132] PCB Piezotronics. <http://www.pcb.com/Products.aspx?m=200B03#.UmXHDGB5-kI> n.d.
- [133] Davies E, Hunter S. The dynamic compression testing of solids by the method of the split Hopkinson pressure bar. *J Mech Phys Solids* 1963;1.
- [134] Song B, Chen W. Dynamic stress equilibration in split Hopkinson pressure bar tests on soft materials. *Exp Mech* 2004;44:300–12.



- [135] Post D, Han B, Ifju P. High sensitivity moiré: Experimental analysis for mechanics and materials. Springer-Verlag, New York; 1994.
- [136] Patorski K. Handbook of the moiré fringe technique, Elsevier, New York; 1993.
- [137] Cloud G. Optical methods for engineering analysis. Cambridge University Press, Cambridge; 1998.
- [138] Walker C. A historical review of moiré interferometry. *Exp Mech* 1994;34:281–99.
- [139] Tawfick S, De Volder M, Hart AJ. Structurally programmed capillary folding of carbon nanotube assemblies. *Langmuir* 2011;27:6389–94.
- [140] Hata K, Futaba DN, Mizuno K, Namai T, Yumura M, Iijima S. Water-assisted highly efficient synthesis of impurity-free single-walled carbon nanotubes. *Science* 2004;306:1362–4.
- [141] Das R, Liu B, Reynolds J, Rinzler A. Engineered macroporosity in single-wall carbon nanotube films. *Nano Lett* 2009.
- [142] Endo M, Muramatsu H, Hayashi T, Kim YA, Terrones M, Dresselhaus MS. Buckypaper from coaxial nanotubes. *Nature* 2005;433:476.
- [143] Lau KKS, Bico J, Teo KBK, Chhowalla M, Amaratunga GA, Milne WI, et al. Superhydrophobic carbon nanotube forests. *Nano Lett* 2003;3:1701–5.
- [144] Deck CP, Flowers J, McKee GSB, Vecchio K. Mechanical behavior of ultralong multiwalled carbon nanotube mats. *J Appl Phys* 2007;101:023512.
- [145] Yaglioglu O. Carbon nanotube based electromechanical probes. MIT Thesis 2007.
- [146] Bedewy M, Meshot ER, Guo H, Verploegen EA, Lu W, Hart AJ. Collective mechanism for the evolution and self-termination of vertically aligned carbon nanotube growth. *J Phys Chem C* 2009;113:20576–82.
- [147] Gibson L, Ashby M. Cellular solids. second. Cambridge University Press; 1999.
- [148] Pekala RW, Alviso CT, LeMay JD. Organic aerogels: Microstructural dependence of mechanical properties in compression. *J Non Cryst Solids* 1990;125:67–75.
- [149] Woignier T, Reynes J, Hafidi Alaoui A, Beurroies I, Phalippou J. Different kinds of structure in aerogels: Relationships with the mechanical properties. *J Non Cryst Solids* 1998;241:45–52.
- [150] Leventis N, Sotiriou-Leventis C, Zhang G, Rawashdeh A-MM. Nanoengineering strong silica aerogels. *Nano Lett* 2002;2:957–60.
- [151] Torrents A, Schaedler TA, Jacobsen AJ, Carter WB, Valdevit L. Characterization of nickel-based microlattice materials with structural hierarchy from the nanometer to the millimeter scale. *ACTA Mater* 2012;60:3511–23.
- [152] Poncharal P, Wang Z, Ugarte D, de Heer WA. Electrostatic deflections and electromechanical resonances of carbon nanotubes. *Science* 1999;283:1513–6.

- [153] Barnes A, Ravi-Chandar K, Kyriakides S, Gaitanaros S. Dynamic crushing of aluminum foams: Part I – Experiments. *Int J Solids Struct* 2013;1–15.
- [154] Tan PJ, Reid SR, Harrigan JJ. On the dynamic mechanical properties of open-cell metal foams – A re-assessment of the “simple-shock theory.” *Int J Solids Struct* 2012;49:2744–53.
- [155] Zhang XB, Zhang XF, Bernaerts D, van Tendeloo G, Amelinckx S, van Landuyt J, et al. The texture of catalytically grown coil-shaped carbon nanotubes. *EPL (Europhysics Lett)* 1994;27:141.
- [156] Su C-J, W. Hwang D, Lin S-H, Jin B-Y, Hwang L-P. Self-organization of triple-stranded carbon nanoropes. *Phys Chem Comm* 2002;5:34–6.
- [157] Bajpai V, Dai L, Ohashi T. Large-scale synthesis of perpendicularly aligned helical carbon nanotubes. *J Am Chem Soc* 2004;126:5070–1.
- [158] Hayashida T, Pan L, Nakayama Y. Mechanical and electrical properties of carbon tubule nanocoils. *Phys B Condens Matter* 2002;323:352–3.
- [159] Volodin A, Buntinx D, Ahlskog M. Coiled carbon nanotubes as self-sensing mechanical resonators. *Nano Lett* 2004.
- [160] Li X, Lau K, Yin Y. Mechanical properties of epoxy-based composites using coiled carbon nanotubes. *Compos Sci Technol* 2008;68:2876–81.
- [161] Lau K, Lu M, Liao K. Improved mechanical properties of coiled carbon nanotubes reinforced epoxy nanocomposites. *Compos Part A Appl Sci Manuf* 2006;37:1837–40.
- [162] Leela Mohana Reddy A, Jafri RI, Jha N, Ramaprabhu S, Ajayan PM. Carbon nanocoils for multi-functional energy applications. *J Mater Chem* 2011;21:16103–7.
- [163] Rakhi RB, Chen W, Alshareef HN. Conducting polymer/carbon nanocoil composite electrodes for efficient supercapacitors. *J Mater Chem* 2012;22:5177–83.
- [164] Yoshikazu N, Lujun P, Taichi H, Mei Z. Field emission properties of carbon tubule nanocoils. *Jpn J Appl Phys* 2001;40:L235.
- [165] Park SH, Theilmann P, Yang K, Rao AM, Bandaru PR. The influence of coiled nanostructure on the enhancement of dielectric constants and electromagnetic shielding efficiency in polymer composites. *Appl Phys Lett* 2010;96:043115.
- [166] Thevamaran R, Meshot ER, Daraio C. Shock formation and rate effects in impacted carbon nanotube foams. (submitted) 2014.
- [167] Chen X, Zhang S, Dikin DA, Ding W, Ruoff RS, Pan L, et al. Mechanics of a carbon nanocoil. *Nano Lett* 2003;3:1299–304.
- [168] Wang B, Bennett R. Quantitative characterization of the morphology of multiwall carbon nanotube films by small angle X-ray scattering. *J Phys Chem C* 2007:5859–65.
- [169] Thevamaran R, Daraio C. An experimental technique for the dynamic characterization of soft complex materials. *Exp Mech* 2014;54:1319–28.

- [170] Xia F, Jiang L. Bio-inspired, smart, multiscale interfacial materials. *Adv Mater* 2008;20:2842–58.
- [171] Schaedler T a, Jacobsen a J, Torrents a, Sorensen a E, Lian J, Greer JR, et al. Ultralight metallic microlattices. *Science* 2011;334:962–5.
- [172] Jang D, Meza LR, Greer F, Greer JR. Fabrication and deformation of three-dimensional hollow ceramic nanostructures. *Nat Mater* 2013;12:1–6.
- [173] Lee J-H, Wang L, Boyce MC, Thomas EL. Periodic bicontinuous composites for high specific energy absorption. *Nano Lett* 2012;12:4392–6.
- [174] Hanssen AG, Langseth M, Hopperstad OS. Optimum design for energy absorption of square aluminium columns with aluminium foam filler. *Int J Mech Sci* 2001;43:153–76.
- [175] Maschmann MR, Zhang Q, Wheeler R, Du F, Dai L, Baur J. In situ SEM observation of column-like and foam-like CNT array nanoindentation. *ACS Appl Mater Interfaces* 2011;3:648–53.
- [176] Alghamdi A. Collapsible impact energy absorbers: An overview. *Thin-Walled Struct* 2001;39:189–213.
- [177] Reid SR. Plastic deformation mechanisms in axially compressed metal tubes used as impact energy absorbers. *Int J Mech Sci* 1993;35:1035–52.
- [178] Karagiozova D, Alves M. Transition from progressive buckling to global bending of circular shells under axial impact—Part I: Experimental and numerical observations. *Int J Solids Struct* 2004;41:1565–80.
- [179] Abdul-Latif A, Baleh R. Dynamic biaxial plastic buckling of circular shells. *J Appl Mech* 2008;75:31013.
- [180] Heimbs S. Energy absorption in aircraft structures. *First Int. Work. Hydraul. Equip. Support Syst. Min., Huludao, China: 2012, p. 1–10.*
- [181] Yan LL, Han B, Yu B, Chen CQ, Zhang QC, Lu TJ. Three-point bending of sandwich beams with aluminum foam-filled corrugated cores. *Mater Des* 2014;60:510–9.
- [182] Alia RA, Cantwell WJ, Langdon GS, Yuen SCK, Nurick GN. The energy-absorbing characteristics of composite tube-reinforced foam structures. *Compos Part B Eng* 2014;61:127–35.
- [183] Tarlochan F, Ramesh S, Harpreet S. Advanced composite sandwich structure design for energy absorption applications: Blast protection and crashworthiness. *Compos Part B Eng* 2012;43:2198–208.
- [184] Yan L, Chou N. Crashworthiness characteristics of flax fibre reinforced epoxy tubes for energy absorption application. *Mater Des* 2013;51:629–40.
- [185] Tao XF, Zhao YY. Compressive behavior of Al matrix syntactic foams toughened with Al particles. *Scr Mater* 2009;61:461–4.
- [186] Li X, Zhang X, Ci L, Shah R, Wolfe C, Kar S, et al. Air-assisted growth of ultra-long carbon nanotube bundles. *Nanotechnology* 2008;19:455609.

- [187] Pushparaj VL, Ci L, Sreekala S, Kumar A, Kesapragada S, Gall D, et al. Effects of compressive strains on electrical conductivities of a macroscale carbon nanotube block. *Appl Phys Lett* 2007;91.
- [188] Chakrabarti S, Gong K, Dai L. Structural evaluation along the nanotube length for super-long vertically aligned double-walled carbon nanotube arrays. *J Phys Chem C* 2008;112:8136–9.
- [189] Malek Abbaslou RM, Soltan J, Dalai AK. The effects of carbon concentration in the precursor gas on the quality and quantity of carbon nanotubes synthesized by CVD method. *Appl Catal A Gen* 2010;372:147–52.
- [190] Di J, Wang X, Xing Y, Zhang Y, Zhang X, Lu W, et al. Dry-processable carbon nanotubes for functional devices and composites. *Small* 2014:1–20.
- [191] Sun G, Li G, Hou S, Zhou S, Li W, Li Q. Crashworthiness design for functionally graded foam-filled thin-walled structures. *Mater Sci Eng A* 2010;527:1911–9.
- [192] Jackson JJ, Puzetky AA, More KL, Rouleau CM, Eres G, Geohegan DB. Pulsed growth of vertically aligned nanotube arrays with variable density. *ACS Nano* 2010;4:7573–81.
- [193] Raney J, Wang R, Daraio C. Control of microstructural heterogeneities in carbon nanotube foams. *Carbon N Y* 2012;52:193–200.
- [194] Ci L, Suhr J, Pushparaj V, Zhang X, Ajayan PM. Continuous carbon nanotube reinforced composites. *Nano Lett* 2008;8:2762–6.
- [195] Wang L, Ortiz C, Boyce MC. Mechanics of indentation into micro- and nanoscale forests of tubes, rods, or pillars. *J Eng Mater Technol* 2011;133:011014.
- [196] Hutchens SB, Needleman A, Greer JR. Analysis of uniaxial compression of vertically aligned carbon nanotubes. *J Mech Phys Solids* 2011;59:2227–37.
- [197] Maschmann MR, Ehlert GJ, Tawfick S, Hart AJ, Baur JW. Continuum analysis of carbon nanotube array buckling enabled by anisotropic elastic measurements and modeling. *Carbon N Y* 2014;66:377–86.
- [198] Fraternali F, Blesgen T, Amendola A, Daraio C. Multiscale mass-spring models of carbon nanotube foams. *J Mech Phys Solids* 2011;59:89–102.
- [199] Raney JR, Fraternali F, Amendola A, Daraio C. Modeling and in situ identification of material parameters for layered structures based on carbon nanotube arrays. *Compos Struct* 2011;93:3013–8.
- [200] Blesgen T, Fraternali F, Raney J, Daraio C. Multiscale mass-spring models of carbon nanotube arrays accounting for Mullins-like behavior and permanent deformation. *Multiscale Model Simulations* 2013;11:545–65.
- [201] Carretero-González R, Khatri D, Porter M, Kevrekidis P, Daraio C. Dissipative solitary waves in granular crystals. *Phys Rev Lett* 2009;102:024102.
- [202] Puglisi G, Truskinovsky L. Thermodynamics of rate-independent plasticity. *J Mech Phys Solids* 2005;53:655–79.

- [203] Fraternali F, Raney J, Daraio C. Modeling microscale instabilities in compressed carbon nanotube bundles using multistable spring models. *Compos Struct* 2013;96:745–50.
- [204] Jorio A, Dresselhaus M, Saito R, Dresselhaus GF. Raman spectroscopy in graphene related systems. WILEY-VCH Verlag; 2012.
- [205] Jorio A, Pimenta M, Souza Filho A, Saito R, Dresselhaus G, Dreselhaus M. Characterizing carbon nanotube samples with resonance Raman scattering. *New J Phys* 2003;139:1–17.
- [206] Cronin S, Swan A, Unlu M, Goldberg B, Dresselhaus M, Tinkham M. Measuring the uniaxial strain of individual single-wall carbon nanotubes: Resonance Raman spectra of atomic-force-microscope modified single-wall nanotubes. *Phys Rev Lett* 2004;93:167401.
- [207] Abadi P, Hutchens S. Buckling-driven delamination of carbon nanotube forests. *Appl Phys Lett* 2013;223103.
- [208] Lu J. Elastic properties of carbon nanotubes and nanoropes. *Phys Rev Lett* 1997;79:1297–300.
- [209] Yadav S, Ravichandran G. Penetration resistance of laminated ceramic / polymer structures 2003;28:557–74.
- [210] Zhuang S, Ravichandran G, Grady DE. An experimental investigation of shock wave propagation in periodically layered composites. *J Mech Phys Solids* 2003;51:245–65.
- [211] Shen M, Cao W. Acoustic band-gap engineering using finite-size layered structures of multiple periodicity. *Appl Phys Lett* 1999;75.
- [212] Chen X, Chandra N. The effect of heterogeneity on plane wave propagation through layered composites. *Compos Sci Technol* 2004;64:1477–93.
- [213] Bruck HA. A one-dimensional model for designing functionally graded materials to manage stress waves. *Int J Solids Struct* 2000;37:6383–95.
- [214] Ruzzene M, Baz A. Control of wave propagation in periodic composite rods using shape memory inserts. *J Vib Acoust* 1999;122:151–9.
- [215] Rinaldi RG, Hsieh AJ, Boyce MC. Tunable microstructures and mechanical deformation in transparent poly(urethane urea)s. *J Polym Sci Part B Polym Phys* 2011;49:123–35.
- [216] Pathak S, Mohan N, Decolvenaere E. Local relative density modulates failure and strength in vertically aligned carbon nanotubes. *ACS Nano* 2013:8593–604.
- [217] Ismail M, Ikhouane F, Rodellar J. The hysteresis Bouc-Wen model, a survey. *Arch Comput Methods Eng* 2009;16:161–88.