

Chapter 5

FUTURE WORK

There is more work is planned for these projects. Some of the proposed future work fell out of the questions and problems that arise while first attempting to solve a problem. Some of it was originally intended to be encompassed in the thesis work, but work at an earlier stage grew to dominate the project as a result of the sheer volume of data available.

Many questions were left unanswered in the work described in Chapter 4. It is not clear why the MM5 does not predict the secondary winds that clearly must exist in the current wind regime. These winds do not appear in GFDL GCM model runs, and they may not exist in any current atmospheric model. It is possible that they are produced by rare storms (*i.e.*, storms that occur once a decade or century), and I would like to look into the possibility of observing or predicting these storms.

The MM5 also does not predict winds strong enough to lift basaltic grains into saltation. This may simply be a problem of model resolution, and it is not a difficult prospect to run the model at a higher resolution and/or to output the strongest hourly winds at each grid point rather than the winds at the top of each hour. There is also the problem that the MM5 is meant to hold subgrids that are no more than three times smaller than their parent grids – and yet our model runs at a scale of 10 km were more than an order of magnitude higher resolution than the parent grid. It is unlikely that this large resolution step caused serious error in model output. However, for the sake of thoroughness, it would be wise to nest

grids with proper resolution steps in order to be certain that winds are modeled correctly.

One planned extension of Chapters 3 and 4 involves looking beyond just Proctor Crater to the surrounding region. This part of the research was funded by the MDAP, so it must be completed in any case. The study of Proctor Crater alone proved to be so interesting and fruitful that I never had a chance to look far beyond Proctor Crater, although I did spend a good amount of time preparing topographic maps and processing images for this task. A quick glance at these images reveals that the dunes in nearby craters (Kaiser, Rabe, etc.) are of similar size, composition, and complexity as those in Proctor Crater. The orientations of these dune slipfaces are similar to those of Proctor Crater, although the relative strengths of these winds (*i.e.*, their prevalence in the dunefield) vary from crater to crater. A regional study will reveal spatial trends in dune morphology, wind circulation patterns, sand sediment volumes, and possibly sand source locations. This work will benefit from the detailed study of Proctor Crater, which may be regarded as a single precise and well-defined reference for the many points of interest in a regional study.

Finally, mesoscale models are rarely put to use for the study of terrestrial dunefields. Even the models focusing on dust lifting are done so ultimately to better constrain the radiative effects of atmospheric dust, not for estimates of surface erosion or deposition. I would like to apply the terrestrial MM5 to the area over a few well-studied dunefields to determine how realistic the modeled stress and wind orientations are. First it should be applied over a simple barchan field, where deviations from the expected results may be more easily understood. Then it may be applied over a dunefield with atmospheric conditions similar to the convergent wind regime of the Proctor Crater dunes. A prime and well-studied example is the Kelso Dunefield in California, which are reversing

transverse dunes like those of Proctor Crater, and situated in a valley that experiences two or three opposing winds. Projects such as these will clear up a number of gaps in our understanding of how atmospheric models translate to another planet, and how our interpretations vary from one case to another.

BIBLIOGRAPHY

- Anderson, F. S., R. Greeley, P. Xu, E. Lo, D. G. Blumberg, R. M. Haberle, and J. R. Murphy, Assessing the Martian surface distribution of aeolian sand using a Mars general circulation model, *J. Geophys. Res.*, *104*, 18,991-19,002, 1999.
- Anderson, R. S. and P. K. Haff, Simulation of eolian saltation, *Science*, *241*, 820-823, 1988.
- Arvidson, R. E., Wind-blown streaks, splotches, and associated craters on Mars: Statistical analysis of Mariner 9 photographs, *Icarus*, *21*, 12-27, 1974.
- Bagnold, R. A., *The Physics of Blown Sand and Desert Dunes*, Methuen, New York, 1941.
- Bandfield, J. L., Global mineral distributions on Mars, *J. Geophys. Res.*, *107*, 10.1029/2001JE001510, 2002.
- Bandfield, J. L., K. S. Edgett, and P. R. Christensen, Spectroscopic study of the Moses Lake dune field, WA: Determination of compositional distributions and source lithologies, Submitted to *J. Geophys. Res.*, 2002.
- Bandfield, J. L., V. E. Hamilton, and P. R. Christensen, A global view of Martian surface compositions from MGS-TES, *Science*, *287*, 1626-1630, 2000.
- Bandfield, J. L. and M. D. Smith, Multiple emission angle surface-atmosphere separations of Thermal Emission Spectrometer data, *Icarus*, In press, 2002.
- Bell, J. F. III, P. C. Thomas, M. J. Wolff, S. W. Lee, and P. B. James, Mineralogy of the Martian north polar sand sea from 1995 Hubble Space Telescope near-IR observations, In *Lunar and Planet. Sci. XXVIII*, 87-88, 1996.
- Blount, G., M. O. Smith, J. B. Adams, R. Greeley, and P. R. Christensen, Regional aeolian dynamics and sand mixing in the Gran Desierto: Evidence from Landsat Thematic Mapper images, *J. Geophys. Res.*, *95*, 15,463-15,482, 1990.
- Breed, C. S., Terrestrial analogs of the Hellespontus Dunes, Mars, *Icarus*, *30*, 326-340, 1977.
- Breed, C. S., M. J. Grolier, and J. F. McCauley, Morphology and distribution of common 'sand' dunes on Mars: Comparison with the Earth, *J. Geophys. Res.*, *84*, 8183-8204, 1979.
- Breed, C. S. and T. Grow, Morphology and distribution of dunes in sand seas observed by remote sensing, *USGS Prof. Pap.*, *1052*, 253-304, 1979.
- Bridges, N. T., R. Greeley, A. F. C. Haldemann, K. E. Herkenhoff, M. Kraft, T. J. Parker, and A. W. Ward, Ventifacts at the Pathfinder landing site, *J. Geophys. Res.*, *104*, 8595-8615, 1999.
- Bridges, N. T., K. E. Herkenhoff, T. N. Titus, and H. H. Kieffer, Ephemeral dark spots associated with Martian gullies, In *Lunar and Planet. Sci. XXXII*, Abst #2126, LPI, Houston (CD-ROM), 2001.

- Calkin, P. E. and R. H. Rutford, The sand dunes of Victoria Valley, Antarctica, *Geograph. Rev.*, *64*, 189-216, 1974.
- Chicarro, A. F., P. H. Schultz, and P. Masson, Global and regional ridge patterns on Mars, *Icarus*, *63*, 153-174, 1985.
- Christensen, P. R. Eolian intracrater deposits on Mars: Physical properties and Global distribution, *Icarus*, *56*, 496-518, 1983.
- Christensen, P. R., J. L. Bandfield, M. D. Smith, V. E. Hamilton, and R. N. Clark, Identification of a basaltic component on the Martian surface from Thermal Emission Spectrometer data, *J. Geophys. Res.*, *105*, 9609-9621, 2000a.
- Christensen, P. R., J. L. Bandfield, V. E. Hamilton, D. A. Howard, M. D. Lane, J. L., Piatek, S. W. Ruff, and W. L. Stefanov, A thermal emission spectral library of rock-forming minerals, *J. Geophys. Res.*, *105*, 9735-9739, 2000b.
- Christensen P.R., J. L. Bandfield, R. N. Clark, K. S. Edgett, V. E. Hamilton, T. Hoefen, H. H. Kieffer, R. O. Kuzmin, M. D. Lane, M. C. Malin, R. V. Morris, J. C. Pearl, R. Pearson, T. L. Roush, S. W. Ruff, M. D. Smith, Detection of crystalline hematite mineralization on Mars by the Thermal Emission Spectrometer: Evidence for near-surface water, *J. Geophys. Res.*, *105*, 9623-9642, 2000c.
- Clancy, R. T. and S. W. Lee, A new look at dust and clouds in the Mars atmosphere - Analysis of emission-phase-function sequences from global Viking IRTM observations, *Icarus*, *92*, 135-158, 1991.
- Clark, R. N., T. Hoefen, and J. Moore, Martian olivine global distribution and stratification using spectral feature mapping of Mars Global Surveyor Thermal Emission Spectrometer data, DPS Abst. Birmingham meeting Oct 6-11, 2002. #3.06.
- Cutts, J. A. and R. S. U. Smith, Aeolian deposits and dunes on Mars, *J. Geophys. Res.*, *78*, 4139-4154, 1973.
- Edgett, K. S. and P. R. Christensen, The Particle size of Martian aeolian dunes, *J. Geophys. Res.*, *96*, 22,765-22,776, 1991.
- Edgett, K. S. and P. R. Christensen, Mars aeolian sand: Regional variations among dark-hued crater floor features, *J. Geophys. Res.*, *99*, 1997-2018, 1994.
- Edgett, K. S. and N. Lancaster, Volcaniclastic aeolian dunes: terrestrial examples and application to martian sands, *J. Arid Environ.*, *25*, 271-297, 1993.
- Edgett, K. S. and M. C. Malin, New views of Mars eolian activity, materials, and surface properties: Three vignettes from the Mars Global Surveyor Mars Orbiter Camera, *J. Geophys. Res.*, *105*, 1623-1650, 2000.
- Eluszkiewicz, J. On the microphysical state of the Martian seasonal caps, *Icarus*, *103*, 43-48, 1993.
- Farr, T. G. and M. Kobrick, Shuttle Radar Topography Mission produces a wealth of data, *Eos Trans.*, *81*, 583-585, 2000.
- Fenton, L. K. Aeolian Processes in Proctor Crater on Mars: Sedimentary history as analyzed from multiple data sets, submitted to *J. Geophys. Res.*, 2003.

- Fenton, L. K. and M. I. Richardson, In *Lunar and Planetary Science XXXII*, Abstract #1995, Lunar and Planetary Institute, Houston (CD-ROM), 2001a.
- Fenton, L. K. and M. I. Richardson, Martian surface winds: Insensitivity to orbital changes and implications for aeolian processes, Submitted to *J. Geophys. Res.*, 2001b.
- Flynn, G. J. and D. S. McKay, An assessment of the meteoric contribution to the Martian soil, *J. Geophys. Res.*, *95*, 14,497-14,509, 1990.
- Garvin, J. B., J. J. Frawley, S. E. H. Sakimoto, and C. Schnetzler, Global geometric properties of Martian impact craters: An assessment from Mars Orbiter Laser Altimeter (MOLA) digital elevation models, in *Lunar and Planetary Science XXXI*, Abstract #1619, Lunar and Planetary Institute, Houston (CD-ROM), 2000.
- Garvin, J. B., S. E. H. Sakimoto, J. J. Frawley, and C. Schnetzler, Global geometric properties of Martian impact craters, in *Lunar and Planetary Science XXXIII*, Abstract #1255, Lunar and Planetary Institute, Houston (CD-ROM), 2002.
- Gault, D. E., E. M. Shoemaker, and H. J. Moore, Spray ejected from the lunar surface by meteoroid impact, NASA TN D-1767, 39 pp., 1963.
- Golombek, M. P., J. B. Plescia, and B. J. Franklin, Faulting and folding in the formation of planetary wrinkle ridges, *Proc. Lunar Planet. Sci. Conf. 21st*, 679-693, 1991.
- Golombek, M. P., F. S. Anderson, and M. T. Zuber, Martian wrinkle ridge topography: Evidence for subsurface faults from MOLA, *J. Geophys. Res.*, *106*, 23,811-23,822, 2001.
- Gooding, J. L. Petrology of dune sand derived from basalt on the Ka'u Desert, Hawaii, *J. Geology*, *90*, 97-108, 1982.
- Grant, J. A. and P. H. Shultz, Possible tornado-like tracks on Mars, *Science*, *237*, 883-885, 1987.
- Greeley, R. Silt-clay aggregates on Mars, *J. Geophys. Res.*, *84*, 6248-6254, 1979.
- Greeley, R. and J. D. Iversen, *Wind as a geological process on Earth, Mars, Venus and Titan*, Cambridge Univ. Press, Oxford, U.K., 1985.
- Greeley, R. and M. D. Kraft, Survivability of aggregate sands on Mars, in *Lunar and Planetary Science XXXII*, Abstract #1839, Lunar and Planetary Institute, Houston (CD-ROM), 2001.
- Greeley, R., M. D. Kraft, R. O. Kuzmin, and N. T. Bridges, Mars Pathfinder landing site: Evidence for a change in wind regime from lander and orbiter data, *J. Geophys. Res.* *105*, 1829-1840, 2000.
- Greeley, R., M. Kraft, R. Sullivan, G. Wilson, N. Bridges, K. Herkenhoff, R. O. Kuzmin, M. Malin, and W. Ward, Aeolian features and processes at the Mars Pathfinder site, *J. Geophys. Res.*, *104*, 8573-8584, 1999.
- Greeley, R., N. Lancaster, S. Lee, and P. Thomas, Martian aeolian processes, sediments, and features, in *Mars*, edited by H. H. Kieffer et al., pp. 730-766, Univ. of Ariz. Press, Tucson, 1992.

- Greeley, R., R. Leach, B. White, J. Iversen, and J. Pollack, Threshold windspeeds for sand on Mars: Wind tunnel simulations, *Geophys. Res. Lett.*, *7*, 121-124, 1980.
- Greeley, R., S. C. R. Rafkin, R. M. Haberle, R. O. Kuzmin, Topography and aeolian features: Dunes and streaks compared with global and meso scale wind predictions, In *Lunar and Planet. Sci. XXXII*, Abstract #2003, LPI, Houston (CD-ROM), 2001.
- Greeley, R., A. Skyeck, and J. B. Pollack, Martian aeolian features and deposits: Comparisons with general circulation model results, *J. Geophys. Res.*, *98*, p. 3183-3196, 1993.
- Haberle, R. M. and B. M. Jakosky, Atmospheric effect on the remote determination of thermal inertia on Mars, *Icarus*, *90*, 187-204, 1991.
- Haberle, R. M., C. B. Leovy, and J. B. Pollack, Some effects of global dust storms on the atmospheric circulation of Mars, *Icarus*, *50*, 322-367, 1982.
- Hale, W. and R. A. F. Grieve, Volumetric analysis of complex lunar craters: Implications for basin ring formation, *J. Geophys. Res.*, *87*, A65-A76, 1982.
- Hartmann, W. K., J. Anguita, M. A. de la Casa, D. C. Berman, and E. V. Ryan, Martian cratering 7: The role of impact gardening, *Icarus*, *149*, 37-53, 2001.
- Herkenhoff, K. E. and A. R. Vasavada, Dark material in the polar layered deposits and dunes on Mars, *J. Geophys. Res.*, *104*, 16,487-16,500, 1999.
- Hess, S. L., R. M. Henry, C. B. Leovy, J. A. Ryan, and J. E. Tillman, Meteorological results from the surface of Mars: Viking 1 and 2, *J. Geophys. Res.*, *82*, 4559-4574, 1977.
- Holton, J. F., *An Introduction to Dynamic Meteorology*, 511 pp., Academic, San Diego, Calif., 1992.
- Hong, S.-Y. and H.-L. Pan, Nonlocal boundary layer vertical diffusion in a medium-range forecast model, *Mon. Wea. Rev.*, *124*, 2322-2339, 1996.
- Howard, A. D., The role of eolian processes in forming surface features of the martian polar layered deposits, *Icarus*, *144*, p. 267-288, 2000.
- Hunter, R. E., B. M. Richmond, and T. R. Alpha, Storm-controlled oblique dunes of the Oregon coast, *Geol. Soc. Am. Bull.*, *94*, 1450-1465, 1983.
- Iversen, J. D., R. Greeley, J. B. Pollack, and B. R. White, Simulation of Martian aeolian phenomena in the atmospheric wind tunnel, *Proc. 7th Conf. Space Simulation*, NASA SP-336, 191-213, 1973.
- Iversen, J. D., J. B. Pollack, R. Greeley, and B. R. White, Saltation threshold on Mars: the effect of interparticle force, surface roughness, and low atmospheric density, *Icarus*, *29*, 318-393, 1976.
- Iversen, J. D. and B. R. White, Saltation threshold on Earth, Mars and Venus, *Sediment.*, *29*, 111-119, 1982.
- Jakosky, B. M., Mellon, M. T., H. H. Kieffer, P. R. Christensen, E. S. Varnes, and S. W. Lee, The thermal inertia of Mars from the Mars Global Surveyor Thermal Emission Spectrometer, *J. Geophys. Res.*, *105*, 9643-9652, 2000.

- James, P. B., H. H. Kieffer, and D. A. Paige, The seasonal cycle of carbon dioxide on Mars, In *Mars*, pp. 934-968, Univ. of Ariz. Press, Tucson, AZ, 1992.
- Joshi, M. M., S.R. Lewis, S.R., P.L. Read, and D.C. Catling, Western boundary currents in the Martian atmosphere: Numerical simulations and observational evidence, *J. Geophys. Res.*, *100*, 5485-5500, 1995.
- Joshi, M. M., R. M. Haberle, J. R. Barnes, J. R. Murphy, and J. Schaeffer, Low-level jets in the NASA Ames Mars general circulation model, *J. Geophys. Res.*, *102*, 6511-6523, 1997.
- Kieffer, H. H., S. C. Chase, Jr., E. Miner, G. Münch, and G. Neugebauer, Preliminary report on infrared radiometer measurements from the Mariner 9 spacecraft, *J. Geophys. Res.*, *78*, 4291-4312, 1973.
- Kieffer, H. H., T. Z. Martin, A. R. Peterfreund, B. M. Jakosky, E. D. Miner, and F. D. Palluconi, Thermal and albedo mapping of Mars during the Viking primary mission, *J. Geophys. Res.*, *82*, 4249-4291, 1977.
- Kocurek, G., K. G. Havholm, M. Deynoux, and R. C. Blakey, Amalgamated accumulations resulting from climatic and eustatic changes, Akchar Erg, Maritania, *Sedimentology*, *38*, 751-772, 1991.
- Koster, E. A. and Dijkmans, J. W. A. Niveo-aeolian deposits and denivation forms, with special reference to the Great Kobuk Sand Dunes, northwestern Alaska, *Earth Surf. Proc. Landf.*, *13*, 153-170, 1988.
- Kuenen, P. H., Experimental abrasion 4: Eolian action, *Geology*, *68*, 427-449, 1960a.
- Kuenen, P. H., Sand, *Scientific American*, *202*, 94-110, 1960b.
- Kuzmin, R. O., R. Greeley, S. C. R. Rafkin, and R. Haberle, Wind-related modification of some small impact craters on Mars, *Icarus*, *153*, 61-70, 2001.
- Lanagan, P. D., A. S. McEwen, L. P. Keszthelyi, and T. Thordarson, Rootless cones on Mars indicating the presence of shallow equatorial ground ice in recent times, *Geophys. Res. Lett.*, *28*, 2365-2367, 2001.
- Lancaster, N. Variations in wind velocity and sand transport rates on the windward flanks of desert sand dunes, *Sedimentology*, *32*, 581-593, 1985.
- Lancaster, N. Controls of eolian dune size and spacing, *Geology*, *16*, 972-975, 1988.
- Lancaster, N. *The Namib Sand Sea, Rotterdam: Balkema*, 1989.
- Lancaster, N. Development of Kelso Dunes, Mojave Desert, California, *Res. and Explor.*, *9*, 444-459, 1993.
- Lancaster, N. *Geomorphology of Desert Dunes*, New York: Routledge, 1995.
- Lancaster, N. and R. Greeley, Mars: Morphology of southern hemisphere intracrater dunefields, *NASA Tech. Mem. 89810*, 264-265, 1987.
- Lancaster, N. and R. Greeley, Sediment volume in the north polar sand seas of Mars, *J. Geophys. Res.*, *95*, 10921-10927, 1990.
- Lee, P. and P. C. Thomas, Longitudinal dunes on Mars: Relation to current with regimes, *J. Geophys. Res.*, *100*, 5381-5395, 1995.

- Lindsay, J. F. *Lunar Stratigraphy and Sedimentology*. Elsevier, Amsterdam, 302 pp., 1976.
- Liu, J., M. I. Richardson, and J. Wilson, *Submitted to J. Geophys. Res.*, 2002.
- Liu, M. and D. L. Westphal, A study of the sensitivity of simulated mineral dust production to model resolution, *J. Geophys. Res.*, *106*, 18,099-18,122, 2001.
- Magalhães, J. A., The Martian Hadley circulation: Comparison of “viscous” model predictions to observations, *Icarus*, *70*, 442-468, 1987.
- Magalhães, J. A., and R. E. Young, Downslope windstorms in the lee of ridges on Mars, *Icarus*, *113*, 277-294, 1995.
- Mainguet, M and L. Cossus, Sand circulation in the Sahara: Geomorphological relations between the Sahara Desert and its margins, *Paleoecology of Africa and of the surrounding Islands and Antarctica*, *12*, 69-78, 1980.
- Malin, M. C. and K. S. Edgett, Sedimentary rocks of early Mars, *Science*, *290*, 1927-1937, 2000a.
- Malin, M. C. and K. S. Edgett, Frosting and defrosting of Martian polar dunes, In *Lunar and Planet. Sci. XXXI*, Abst #1056, LPI, Houston (CD-ROM), 2000b.
- Malin, M. C. and K. S. Edgett, Mars Global Surveyor Mars Orbiter Camera: Interplanetary cruise through primary mission, *J. Geophys. Res.*, *106*, 23,429-23,570, 2001.
- Mangold, N., P. Allemand, and P. G. Thomas, Wrinkle ridges of Mars: Structural analysis and evidence for shallow deformation controlled by ice-rich décollements, *Planet. Space Sci.*, *46*, 345-356, 1998.
- McCauley, J. F., M. H. Carr, J. A. Cutts, W. K. Hartmann, H. Masursky, D. J. Milton, R. P. Sharp, and D. E. Wilhelms, Preliminary Mariner 9 report on the geology of Mars, *Icarus*, *17*, 289-327, 1972.
- Mellon, M. T., B. M. Jakosky, H. H. Kieffer, and P. R. Christensen, High resolution thermal inertia mapping from the Mars Global Surveyor Thermal Emission Spectrometer, *Icarus*, *148*, 437-455, 2000.
- Metzger, S. M., J. R. Carr, J. R. Johnson, M. Lemmon, and T. J. Parker, Sediment flux from dust devils on Mars – Initial calculations, In *Lunar and Planet. Sci. XXX*, Abst #2022, LPI, Houston (CD-ROM), 1999.
- Molnar, P., and K. A. Emanuel, Temperature profiles in radiative-convective equilibrium above surfaces at different heights, *J. Geophys. Res.*, *104*, 24,265-24,271, 1999.
- Murray, B., M. Koutnik, S. Byrne, L. Soderblom, K. Herkenhoff, and K. L. Tanaka, Preliminary geological assessment of the northern edge of Ultimi Lobe, Mars south polar layered deposits, *Icarus*, *154*, 80-97, 2001.
- Noe Dobrea, E. Z. and J. F. Bell III, Composition and mineralogy of the Martian north polar dune deposits: Constraints from TES and HST observations, In *Lunar and Planet. Sci. XXXII*, Abstract #2099, LPI, Houston (CD-ROM), 2001.

- Paige, D. A., J. E. Bachman, and K. D. Keegan, Thermal and albedo mapping of the polar regions of Mars using Viking thermal mapper observations. 1. North polar region, *J. Geophys. Res.*, *99*, 25,959-25,991, 1994.
- Paige, D. A., and K. D. Keegan, Thermal and albedo mapping of the polar regions of Mars using Viking thermal mapper observations. 2. South polar region, *J. Geophys. Res.*, *99*, 25,993-26,013, 1994.
- Palluconi, F. D. and H. H. Kieffer, Thermal inertia mapping of Mars for 60° S to 60° N, *Icarus*, *45*, 415-426, 1981.
- Pelkey, S. M., B. M. Jakosky, and M. T. Mellon, Thermal inertia of crater-related wind streaks on Mars, *J. Geophys. Res.*, *106*, 23,909-23,920, 2001.
- Peterson, J. E., Geologic Map of the Noachis Quadrangle of Mars, U.S. Geol. Surv. Misc. Geol. Inv. Map I-910, 1977.
- Pike, R. J. and P. D. Spudis, Basin-ring spacing on the Moon, Mercury, and Mars, *Earth, Moon and Planets*, *39* 129-194, 1987.
- Piqueux, S., S. Byrne, and M. I. Richardson, The sublimation of Mars' southern seasonal CO₂ ice cap and the formation of "spiders," submitted to *J. Geophys. Res.*, 2002.
- Plescia, J. B. and M. P. Golombek, Origin of planetary wrinkle ridges based on the study of terrestrial analogs, *Geol. Soc. Am. Bull.*, *97*, 1289-1299, 1986.
- Pleskot, L. K., and E. D. Miner, Time variability of Martian bolometric albedo, *Icarus*, *45*, 179-201, 1981.
- Pollock, J. B., D. S. Colburn, F. M. Flasar, R. Kahn, C. E. Carlston, and D. Pidek, Properties and effects of dust particles suspended in the Martian atmosphere, *J. Geophys. Res.*, *84*, 2929-2945, 1979.
- Porter, M. L., Sedimentary record of erg migration, *Geology*, *14*, 497-500, 1986.
- Presley, M. A. and P. R. Christensen, Thermal conductivity measurements of particulate materials. 2. Results, *J. Geophys. Res.*, *102*, 6551-6566, 1997a.
- Presley, M. A. and P. R. Christensen, The effect of bulk density and particle size sorting on the thermal conductivity of particulate materials under Martian atmospheric pressures, *J. Geophys. Res.*, *102*, 9221-9229, 1997b.
- Ramsey, M. S., P. R. Christensen, N. Lancaster, and D. A. Howard, Identification of sand sources and transport pathways at the Kelso Dunes, California, using thermal infrared remote sensing, *GSA Bull.*, *111*, 646-662, 1999.
- Richardson, M. I., A general circulation model study of the Mars water cycle, Ph.D. thesis, 220 pp., Univ. of Calif. At Los Angeles, May 1999.
- Rogers, D., J. L. Bandfield, P. R. Christensen, Identification of small isolated basalt regions in the northern hemisphere of Mars, DPS Abst Pasadena meeting Oct 23-27, 2000. #59.04.
- Rogers, J. J. W., W. C. Krueger, and M. Krog, Sizes of naturally abraded materials, in *J. Sediment. Petrol.*, *33*, 628-632, 1963.
- Rubin, D. M. and R. E. Hunter, Bedform climbing in theory and nature, *Sedimentology*, *29*, 121-138, 1982.

- Ruff, S. Christensen PR, Clark RN, Kieffer HH, Malin MC, Bandfield JL, Jakosky BM, Lane MD, Mellon MT, Presley MA, Mars' "White Rock" feature lacks evidence of an aqueous origin: Results from Mars Global Surveyor, *J. Geophys. Res.*, 106, 23,921-23,927, 2001.
- Sagan, C., J. Veverka, P. Fox, L. Quam, R. Tucker, J. B. Pollack, and B. A. Smith, Variable features on Mars: Preliminary Mariner 9 television results, *Icarus*, 17, p. 346-372, 1972.
- Schofield, J. T., J. R. Barnes, D. Crisp, R. M. Haberle, S. Larsen, J. A. Magalhaes, J. R. Murphy, A. Seiff, and G. Wilson, The Mars Pathfinder atmospheric structure investigation/meteorology (ASI/MET) experiment, *Science*, 278, 1752-1757, 1997.
- Sharp, R. P. Wind ripples, *J. Geology*, 71, 617-636, 1963.
- Sharp, R. Wind-driven sand in the Coachella Valley, California, *Geol. Soc. Am. Bull.*, 75, 785-804, 1964.
- Sharp, R. P. Kelso Dunes, Mojave Desert, California, *Geol. Soc. Am. Bull.*, 77, 1045-1074, 1966.
- Sharp, R., Wind-driven sand in the Coachella Valley, California: Further data, *Geol. Soc. Am. Bull.*, 91, 724-730, 1980.
- Sharpton, V. L. and J. W. Head III, Lunar mare ridges: Analysis of ridge-crater intersections and implications for the tectonic origin of mare ridges, *Proc. Lunar Planet Sci. Conf.*, 18, 307-317, 1988.
- Smith, D. E., M.T. Zuber, H.V. Frey, J.B. Garvin, J.W. Head, D.O. Muhleman, G.H. Pettengill, R.J. Phillips, S.C. Solomon, H.J. Zwally, W.B. Banerdt, T.C. Duxbury, M.P. Golombek, F.G. Lemoine, G.A. Neumann, D.D. Rowlands, O. Aharonson, P.G. Ford, A.B. Ivanov, P.J. McGovern, J.B. Abshire, R.S. Afzal, and X. Sun, The global topography of Mars and implications for surface evolution, *Science*, 284, 1495-1503, 1999.
- Smith, D.E., M.T. Zuber, H.V. Frey, J.B. Garvin, J.W. Head, D.O. Muhleman, G.H. Pettengill, R.J. Phillips, S.C. Solomon, H.J. Zwally, W.B. Banerdt, T.C. Duxbury, M.P. Golombek, F.G. Lemoine, G.A. Neumann, D.D. Rowlands, O. Aharonson, P.G. Ford, A.B. Ivanov, P.J. McGovern, J.B. Abshire, R.S. Afzal, and X. Sun, Mars Orbiter Laser Altimeter (MOLA): Experiment summary after the first year of global mapping of Mars, *J. Geophys. Res.*, 106, 23689-23722, 2001.
- Smith, H. T. U., Aeolian deposition in Martian craters, *Nature - Physical Science*, 238, 72-74, 1972.
- Smith, M. D., J. L Bandfield, and P. R. Christensen, Separation of atmospheric and surface spectral features in Mars Global Surveyor Thermal Emission Spectra (TES) spectra, *J. Geophys. Res.*, 105, 9589-9607, 2000.
- Steidtmann, J. R., Ice and snow in eolian sand dunes of southwestern Wyoming, *Science*, 179, 796-798, 1973.

- Sutton, J. L., C. B. Leovy, and J. E. Tillman, Diurnal variations of the Martian surface layer meteorological parameters during the first 45 sols at two Viking lander sites, *J. Atmos. Sci.*, *35*, 2346-2355, 1978.
- Thomas, P. Present wind activity on Mars: Relation to large latitudinally zoned sediment deposits, *J. Geophys. Res.*, *87*, 9999-10,008, 1982.
- Thomas, P. Martian intracrater splotches: Occurrence, morphology, and colors, *Icarus*, *57*, 205-227, 1984.
- Thomas, P., and J. Veverka, Seasonal and secular variation of wind streaks on Mars: An analysis of Mariner 9 and Viking Data, *J. Geophys. Res.*, *84*, 8131-8146, 1979.
- Thomas, P. and J. Veverka, Red/violet contrast reversal on Mars: Significance for eolian sediments, *Icarus*, *66*, 39-55, 1986.
- Thomas, P., J. Veverka, D. Gineris, and L. Wong, "Dust" streaks on Mars, *Icarus*, *60*, 161-179, 1984.
- Thomas, P., J. Veverka, S. Lee, and A. Bloom, Classification of wind streaks on Mars, *Icarus*, *45*, 124-153, 1981.
- Toigo, A. D. Behavior of dust in the Martian atmosphere, Ph.D. Thesis, California Institute of Technology, 139 pp., 2001.
- Toigo, A. D., M. I. Richardson, R. J. Wilson, H. Wang, and A. P. Ingersoll, A first look at dust lifting and dust storms near the south pole of Mars with a mesoscale model, *J. Geophys. Res.*, *107*, 10.1029/2001JE001592, 2002a.
- Toigo, A. D., M. I. Richardson, S. P. Ewald, P. J. Gierasch, and R. J. Wilson, Numerical simulation of Martian dust devils, submitted to *J. Geophys. Res.*, 2002b.
- Toigo, A. and M. I. Richardson, Comparison of a Mars mesoscale model to Martian Lander meteorological data, paper presented at Division for Planetary Sciences Meeting, Div. for Planet. Sci., Am. Astron. Soc., Pasadena, Calif., Oct. 23-27, 2000.
- Vasavada, A. R., J.-P. Williams, D. A. Paige, K. E. Herkenhoff, N. T. Bridges, R. Greeley, B. C. Murray, D. S. Bass, and K. S. McBride, Surface properties of Mars' polar layered deposits and polar landing sites, *J. Geophys. Res.*, *105*, 6961-6970, 2000.
- Vaucouleurs, G. H. de, *Physics of the Planet Mars, An Introduction to Aerophysics*, London: Faber and Faber, 1954.
- Veverka, J., P. Gierasch, and P. Thomas, Wind streaks on Mars: Meteorological control of occurrence and mode of formation, *Icarus*, *45*, 154-166, 1981.
- Ward, A. W., K. B. Doyle, P. J. Helm, M. K. Weisman, and N. E. Witbeck, Global map of eolian features on Mars, *J. Geophys. Res.*, *90*, 2038-2056, 1985.
- Ward, A. W., Yardangs on Mars: Evidence of recent wind erosion, *J. Geophys. Res.*, *84*, 8147-8166, 1979.
- Ward, W. R., Long-term orbital and spin dynamics of Mars, in *Mars*, edited by H. H. Kieffer et al., pp. 298-320, Univ. of Ariz. Press, Tucson, 1992.

- Wasson R. J. and R. Hyde, Factors determining desert dune type, *Nature*, *304*, 337-339, 1983.
- Watters, T. R. Wrinkle ridge assemblages on the terrestrial planets, *J. Geophys. Res.*, *89*, 10,236-10,254, 1988.
- White, B. R. Soil transport by winds on Mars, *J. Geophys. Res.*, *84*, 4643-4651, 1979.
- Williams, S. H., J. R. Zimbleman, A. W. Ward, Large ripples on Earth and Mars, In *Lunar and Planet. Sci. XXXIII*, Abst #1508, LPI, Houston (CD-ROM), 2002.
- Wilson, I. G., Desert sandflow basins and a model for the development of ergs, *Geographical Journal*, *137*, 180-199, 1971.
- Wilson, I. G., Aeolian bedforms — their development and origins, *Sedimentology*, *19*, 173-210, 1972.
- Wilson, I. G. Ergs, *Sediment. Geol.*, *10*, 77-106, 1973.
- Wilson, R. J., A general circulation model simulation of the Martian polar warming, *Geophys. Res. Lett.*, *24*, 123-126, 1997.
- Wilson, R. J., and K. Hamilton, Comprehensive model simulation of thermal tides in the Martian atmosphere, *J. Atmos. Sci.*, *53*, 1290-1326, 1996.
- Wilson, R. J., and M. I. Richardson, Comparison of Mars GCM dust storm simulations with Viking Mission observations, The Fifth International Conference on Mars [CD-ROM], LPI Contrib. 972, abstract 6234, Lunar Planet. Inst., Houston, Tex., 1999.
- Wilson, R. J., and M. I. Richardson, The Martian atmosphere during the Viking Mission, 1: Infrared measurements of atmospheric temperatures revisited, *Icarus*, *145*, 555-579, 2000.
- Wood, C. A. and J. W. Head, Comparison of impact basins on Mercury, Mars, and the Moon, *Proc. Lunar Sci. Conf. VII*, 3629-3651, 1976.
- Wyatt, M. B., J. L. Bandfield, H. Y. McSween, Jr., and P. R. Christensen, Compositions of low albedo intracrater materials and wind streaks on Mars: Examination of MGS TES data in western Arabia Terra, In *Lunar and Planet. Sci. XXXII*, Abst #1872, LPI, Houston (CD-ROM), 2001.
- Wyatt, M. B., and H. Y. McSween, Jr., Spectral evidence for weathered basalt as an alternative to andesite in the northern lowlands of Mars, *Nature*, *417*, 263-266, 2002.
- Zimbleman, J. R., S. H. Williams, and V. P. Tchakerian, Sand transport paths in the Mojave desert, Southwestern United States, In *Desert Aeolian Processes*, edited by V. P. Tchakerian, pp. 101-130, St. Edmundsbury Press, Bury St. Edmunds, 1995.
- Zimbleman, J. R. and S. Wilson, Ripples and dunes in the Syrtis Major region of Mars, as revealed in MOC images, In *Lunar and Planet. Sci. XXXIII*, Abst #1514, LPI, Houston (CD-ROM), 2002.

Zurek, R. W., J. R. Barnes, R. M. Haberle, J. B. Pollock, J. E. Tillman, and C. B. Leovy, Dynamics of the atmosphere of Mars, in *Mars*, pp. 835-933, Univ. of Ariz. Press, Tucson, 1992